

Table 3.13C Selected Risk and Protective Factors among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Demographic/Geographic Characteristic	RISK FACTORS ¹						PROTECTIVE FACTORS ¹			
	Youth Moved 2 or More Times in the Past 5 Years		Youth Argued with at Least One Parent 10 or More Times in the Past Year		Youth Was Approached by Someone Selling Drugs in the Past Month		Youth Had Someone to Talk to about Problems ²		Youth Attended 25 or More Religious Services in the Past Year ³	
	2010	2011	2010	2011	2010	2011	2010	2011	2010	2011
TOTAL	107	128	90	96	81	80	39	46	108	111
AGE										
12-13	67	76	51	54	30	29	148	144	71	69
14-15	68	70	63	64	51	53	140	145	72	75
16-17	63	74	65	72	64	64	147	151	74	78
GENDER										
Male	71	83	60	61	62	60	31	32	73	74
Female	68	78	63	70	48	51	26	29	72	78
HISPANIC ORIGIN AND RACE										
Not Hispanic or Latino	91	103	79	81	69	64	35	37	93	98
White	84	81	88	89	66	59	229	226	116	119
Black or African American	59	72	33	34	40	37	122	114	57	48
American Indian or Alaska Native	5	8	4	5	3	4	11	16	5	7
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*	*	*
Asian	26	30	20	25	15	17	68	76	29	42
Two or More Races	18	23	16	20	12	14	29	42	14	19
Hispanic or Latino	52	62	43	48	43	45	20	25	53	53
COUNTY TYPE										
Large Metro	102	116	87	98	77	75	254	266	113	126
Small Metro	79	91	60	69	47	49	190	195	89	89
Nonmetro	44	52	43	40	33	25	128	118	60	57

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Respondents with unknown data were excluded.

² Respondents were able to select multiple categories of persons that they would talk to about a serious problem, including the choice of "nobody." Respondents who reported both a person that they would talk to and that they had nobody to talk to were excluded from the analysis.

³ Special occasions, such as weddings, funerals, or other special events, were not to have been considered in the number of times attended religious services.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 3.13D Selected Risk and Protective Factors among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Demographic/Geographic Characteristic	RISK FACTORS ¹						PROTECTIVE FACTORS ¹			
	Youth Moved 2 or More Times in the Past 5 Years		Youth Argued with at Least One Parent 10 or More Times in the Past Year		Youth Was Approached by Someone Selling Drugs in the Past Month		Youth Had Someone to Talk to about Problems ²		Youth Attended 25 or More Religious Services in the Past Year ³	
	2010	2011	2010	2011	2010	2011	2010	2011	2010	2011
TOTAL	0.45	0.53	0.38	0.39	0.33	0.32	0.17	0.19	0.46	0.46
AGE										
12-13	0.74	0.82	0.58	0.61	0.37	0.35	0.28	0.29	0.74	0.72
14-15	0.73	0.71	0.64	0.64	0.54	0.57	0.29	0.28	0.73	0.74
16-17	0.63	0.72	0.67	0.69	0.63	0.64	0.32	0.34	0.72	0.71
GENDER										
Male	0.59	0.67	0.48	0.49	0.50	0.47	0.25	0.26	0.60	0.60
Female	0.59	0.65	0.54	0.58	0.40	0.42	0.23	0.25	0.62	0.66
HISPANIC ORIGIN AND RACE										
Not Hispanic or Latino	0.48	0.54	0.41	0.42	0.36	0.33	0.18	0.20	0.49	0.51
White	0.52	0.52	0.48	0.49	0.40	0.36	0.20	0.19	0.59	0.59
Black or African American	1.27	1.35	0.81	0.82	0.92	0.86	0.55	0.49	1.14	1.17
American Indian or Alaska Native	3.34	4.72	2.58	2.69	2.50	2.58	1.63	2.91	3.55	4.11
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*	*	*
Asian	2.16	2.20	1.80	1.88	1.29	1.37	0.70	1.32	2.32	2.59
Two or More Races	2.63	2.58	2.55	2.36	2.05	1.83	1.18	0.87	2.26	2.24
Hispanic or Latino	1.08	1.18	0.88	0.90	0.89	0.83	0.43	0.47	1.12	1.01
COUNTY TYPE										
Large Metro	0.66	0.74	0.55	0.58	0.51	0.48	0.23	0.28	0.65	0.66
Small Metro	0.82	0.88	0.61	0.64	0.55	0.53	0.32	0.33	0.85	0.76
Nonmetro	0.89	1.22	0.82	0.80	0.72	0.57	0.38	0.34	1.13	1.10

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Respondents with unknown data were excluded.

² Respondents were able to select multiple categories of persons that they would talk to about a serious problem, including the choice of "nobody." Respondents who reported both a person that they would talk to and that they had nobody to talk to were excluded from the analysis.

³ Special occasions, such as weddings, funerals, or other special events, were not to have been considered in the number of times attended religious services.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 3.13P Selected Risk and Protective Factors among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Demographic/Geographic Characteristic	RISK FACTORS ¹						PROTECTIVE FACTORS ¹			
	Youth Moved 2 or More Times in the Past 5 Years		Youth Argued with at Least One Parent 10 or More Times in the Past Year		Youth Was Approached by Someone Selling Drugs in the Past Month		Youth Had Someone to Talk to about Problems ²		Youth Attended 25 or More Religious Services in the Past Year ³	
	2010	2011	2010	2011	2010	2011	2010	2011	2010	2011
TOTAL	0.3301		0.7911		0.2801		0.2379		0.8286	
AGE										
12-13	0.4179		0.7847		0.3702		0.7571		0.3165	
14-15	0.7014		0.0024		0.1692		0.8242		0.9815	
16-17	0.4486		0.0165		0.8024		0.1744		0.6610	
GENDER										
Male	0.0895		0.0965		0.2444		0.4752		0.1463	
Female	0.7710		0.2972		0.7520		0.3030		0.2699	
HISPANIC ORIGIN AND RACE										
Not Hispanic or Latino	0.3822		0.9227		0.9718		0.3518		0.8989	
White	0.9730		0.5903		0.9359		0.6703		0.6120	
Black or African American	0.1258		0.1914		0.8792		0.9314		0.1077	
American Indian or Alaska Native	0.0428		0.8615		0.5383		0.6566		0.8171	
Native Hawaiian or Other Pacific Islander	*		*		*		*		*	
Asian	0.7097		0.3173		0.3107		0.0350		0.1192	
Two or More Races	0.2615		0.3938		0.3076		0.8727		0.2826	
Hispanic or Latino	0.8011		0.5699		0.0352		0.5853		0.8761	
COUNTY TYPE										
Large Metro	0.7126		0.5621		0.3478		0.0621		0.9130	
Small Metro	0.0974		0.2785		0.9950		0.4910		0.6766	
Nonmetro	0.5746		0.5964		0.2717		0.7194		0.8398	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Respondents with unknown data were excluded.

² Respondents were able to select multiple categories of persons that they would talk to about a serious problem, including the choice of "nobody." Respondents who reported both a person that they would talk to and that they had nobody to talk to were excluded from the analysis.

³ Special occasions, such as weddings, funerals, or other special events, were not to have been considered in the number of times attended religious services.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.