

Table 3.2C Perceived Great Risk of Harm Associated with Cigarette and Alcohol Use among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Demographic/Geographic Characteristic	CIGARETTES		ALCOHOL			
	Smoke One or More Packs Per Day		Have Four or Five Drinks Nearly Every Day		Have Five or More Drinks Once or Twice a Week	
	2010	2011	2010	2011	2010	2011
TOTAL	107	107	104	114	109	120
AGE						
12-13	113	115	119	114	88	89
14-15	116	112	113	118	82	87
16-17	119	126	116	124	88	93
GENDER						
Male	78	76	78	77	76	73
Female	69	69	69	70	78	83
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	95	90	90	93	95	93
White	178	181	179	173	120	115
Black or African American	91	87	97	87	72	66
American Indian or Alaska Native	8	12	8	13	7	8
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	60	64	58	68	43	49
Two or More Races	24	32	24	34	18	28
Hispanic or Latino	53	56	51	60	51	66
COUNTY TYPE						
Large Metro	195	209	203	212	133	158
Small Metro	146	150	141	145	102	95
Nonmetro	96	86	92	86	60	64

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Response categories for the Perception of Risk questions include "No risk," "Slight risk," "Moderate risk," and "Great risk." The estimates in this table correspond to persons reporting "Great risk." Respondents with unknown Perception of Risk data were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 3.2D Perceived Great Risk of Harm Associated with Cigarette and Alcohol Use among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Demographic/Geographic Characteristic	CIGARETTES		ALCOHOL			
	Smoke One or More Packs Per Day		Have Four or Five Drinks Nearly Every Day		Have Five or More Drinks Once or Twice a Week	
	2010	2011	2010	2011	2010	2011
TOTAL	0.44	0.43	0.43	0.46	0.45	0.49
AGE						
12-13	0.77	0.77	0.74	0.77	0.81	0.79
14-15	0.74	0.73	0.73	0.76	0.75	0.77
16-17	0.71	0.69	0.73	0.74	0.75	0.78
GENDER						
Male	0.63	0.61	0.63	0.61	0.62	0.58
Female	0.59	0.57	0.58	0.58	0.67	0.69
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.50	0.47	0.47	0.48	0.49	0.48
White	0.55	0.54	0.55	0.55	0.57	0.53
Black or African American	1.19	1.15	1.09	1.19	1.11	1.19
American Indian or Alaska Native	4.16	4.09	3.79	4.29	3.91	4.00
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	2.45	2.04	2.24	2.67	2.73	2.40
Two or More Races	2.39	2.47	2.51	2.40	2.55	2.56
Hispanic or Latino	1.09	1.05	1.06	1.13	1.06	1.24
COUNTY TYPE						
Large Metro	0.63	0.67	0.64	0.68	0.63	0.73
Small Metro	0.82	0.70	0.79	0.73	0.78	0.73
Nonmetro	1.05	0.93	1.03	0.96	1.16	1.03

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Response categories for the Perception of Risk questions include "No risk," "Slight risk," "Moderate risk," and "Great risk." The estimates in this table correspond to persons reporting "Great risk." Respondents with unknown Perception of Risk data were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 3.2P Perceived Great Risk of Harm Associated with Cigarette and Alcohol Use among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Demographic/Geographic Characteristic	CIGARETTES		ALCOHOL			
	Smoke One or More Packs Per Day		Have Four or Five Drinks Nearly Every Day		Have Five or More Drinks Once or Twice a Week	
	2010	2011	2010	2011	2010	2011
TOTAL	0.1661		0.8912		0.6591	
AGE						
12-13	0.5508		0.4770		0.9563	
14-15	0.8298		0.3512		0.3999	
16-17	0.0866		0.9295		1.0000	
GENDER						
Male	0.1525		0.3577		0.9016	
Female	0.5906		0.2359		0.6281	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.3750		0.9489		0.7393	
White	0.0924		0.8507		0.8576	
Black or African American	0.4218		0.6846		0.4972	
American Indian or Alaska Native	0.8420		0.1166		0.2355	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.5292		0.7990		0.7706	
Two or More Races	0.3177		0.7956		0.1367	
Hispanic or Latino	0.2017		0.7965		0.8213	
COUNTY TYPE						
Large Metro	0.3723		0.4667		0.5188	
Small Metro	0.1417		0.5607		0.4279	
Nonmetro	0.7900		0.2929		0.3568	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Response categories for the Perception of Risk questions include "No risk," "Slight risk," "Moderate risk," and "Great risk." The estimates in this table correspond to persons reporting "Great risk." Respondents with unknown Perception of Risk data were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 3.3C Perceived Great Risk of Harm Associated with Marijuana and Cocaine Use among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Demographic/Geographic Characteristic	MARIJUANA				COCAINE			
	Smoke Once a Month		Smoke Once or Twice a Week		Use Once a Month		Use Once or Twice a Week	
	2010	2011	2010	2011	2010	2011	2010	2011
TOTAL	101	98	109	120	107	115	91	92
AGE								
12-13	85	75	109	102	82	82	123	116
14-15	68	71	92	96	91	94	124	124
16-17	64	61	81	83	107	105	135	135
GENDER								
Male	69	66	77	77	75	78	64	65
Female	71	71	74	81	75	76	62	63
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	90	84	96	102	93	95	79	77
White	100	95	143	138	139	137	202	200
Black or African American	54	49	65	59	80	75	100	92
American Indian or Alaska Native	6	7	7	10	9	9	10	14
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	36	38	52	54	45	42	62	66
Two or More Races	14	21	19	25	19	30	27	37
Hispanic or Latino	48	51	53	60	54	60	45	51
COUNTY TYPE								
Large Metro	110	108	159	155	145	158	219	223
Small Metro	80	73	119	116	117	107	165	164
Nonmetro	56	54	74	78	69	73	103	103

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Response categories for the Perception of Risk questions include "No risk," "Slight risk," "Moderate risk," and "Great risk." The estimates in this table correspond to persons reporting "Great risk." Respondents with unknown Perception of Risk data were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 3.3D Perceived Great Risk of Harm Associated with Marijuana and Cocaine Use among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Demographic/Geographic Characteristic	MARIJUANA				COCAINE			
	Smoke Once a Month		Smoke Once or Twice a Week		Use Once a Month		Use Once or Twice a Week	
	2010	2011	2010	2011	2010	2011	2010	2011
TOTAL	0.42	0.40	0.46	0.49	0.45	0.47	0.38	0.38
AGE								
12-13	0.80	0.79	0.78	0.78	0.77	0.77	0.72	0.71
14-15	0.71	0.68	0.77	0.84	0.73	0.78	0.64	0.64
16-17	0.65	0.59	0.71	0.72	0.76	0.74	0.57	0.53
GENDER								
Male	0.56	0.53	0.63	0.62	0.62	0.63	0.53	0.53
Female	0.61	0.59	0.63	0.68	0.65	0.64	0.53	0.53
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.47	0.44	0.50	0.53	0.49	0.50	0.42	0.40
White	0.53	0.51	0.58	0.60	0.56	0.57	0.45	0.44
Black or African American	1.10	1.04	1.08	1.19	1.19	1.16	1.11	1.13
American Indian or Alaska Native	4.65	4.30	4.02	4.57	4.95	4.54	3.71	3.47
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	2.68	2.29	2.79	2.51	2.84	2.44	2.01	2.12
Two or More Races	2.23	2.59	2.68	2.62	2.61	2.60	1.79	1.94
Hispanic or Latino	1.00	0.96	1.10	1.13	1.13	1.15	0.95	0.97
COUNTY TYPE								
Large Metro	0.62	0.59	0.69	0.72	0.62	0.70	0.54	0.54
Small Metro	0.68	0.68	0.82	0.84	0.76	0.73	0.66	0.58
Nonmetro	1.06	0.92	1.10	1.17	1.13	1.04	0.94	0.96

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Response categories for the Perception of Risk questions include "No risk," "Slight risk," "Moderate risk," and "Great risk." The estimates in this table correspond to persons reporting "Great risk." Respondents with unknown Perception of Risk data were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 3.3P Perceived Great Risk of Harm Associated with Marijuana and Cocaine Use among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Demographic/Geographic Characteristic	MARIJUANA				COCAINE			
	Smoke Once a Month		Smoke Once or Twice a Week		Use Once a Month		Use Once or Twice a Week	
	2010	2011	2010	2011	2010	2011	2010	2011
TOTAL	0.0004		0.0002		0.1229		0.7061	
AGE								
12-13	0.0082		0.0069		0.0348		0.7874	
14-15	0.0721		0.0204		0.3362		0.8315	
16-17	0.1433		0.1365		0.9968		0.2936	
GENDER								
Male	0.0005		0.0016		0.0056		0.1439	
Female	0.0984		0.0204		0.5919		0.3321	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.0042		0.0002		0.1813		0.6165	
White	0.0886		0.0050		0.4520		0.4433	
Black or African American	0.0295		0.0302		0.1005		0.2850	
American Indian or Alaska Native	0.5907		0.3151		0.3654		0.7097	
Native Hawaiian or Other Pacific Islander	*		*		*		*	
Asian	0.2795		0.2395		0.2602		0.0491	
Two or More Races	0.6961		0.7002		0.0364		0.5945	
Hispanic or Latino	0.0509		0.5524		0.4928		0.6495	
COUNTY TYPE								
Large Metro	0.0500		0.0218		0.8687		0.8933	
Small Metro	0.0025		0.0199		0.0486		0.4543	
Nonmetro	0.2029		0.1141		0.2858		0.8261	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Response categories for the Perception of Risk questions include "No risk," "Slight risk," "Moderate risk," and "Great risk." The estimates in this table correspond to persons reporting "Great risk." Respondents with unknown Perception of Risk data were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 3.4C Perceived Great Risk of Harm Associated with Heroin and LSD Use among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Demographic/Geographic Characteristic	HEROIN				LSD			
	Try Once or Twice		Use Once or Twice a Week		Try Once or Twice		Use Once or Twice a Week	
	2010	2011	2010	2011	2010	2011	2010	2011
TOTAL	108	107	87	91	111	112	98	104
AGE								
12-13	92	92	121	113	84	80	107	102
14-15	101	98	125	129	84	89	111	117
16-17	119	120	140	142	107	104	129	125
GENDER								
Male	74	73	60	64	77	79	70	71
Female	75	76	60	64	73	75	67	70
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	95	93	76	75	97	96	85	86
White	155	153	206	206	136	132	184	178
Black or African American	86	82	95	94	75	68	84	80
American Indian or Alaska Native	8	10	9	14	8	11	8	13
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	48	51	64	67	40	43	57	60
Two or More Races	22	32	27	37	18	27	25	35
Hispanic or Latino	53	55	43	49	53	59	46	55
COUNTY TYPE								
Large Metro	171	170	219	228	147	158	193	207
Small Metro	128	121	169	170	111	106	148	149
Nonmetro	77	82	105	98	73	73	97	88

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Response categories for the Perception of Risk questions include "No risk," "Slight risk," "Moderate risk," and "Great risk." The estimates in this table correspond to persons reporting "Great risk." Respondents with unknown Perception of Risk data were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 3.4D Perceived Great Risk of Harm Associated with Heroin and LSD Use among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Demographic/Geographic Characteristic	HEROIN				LSD			
	Try Once or Twice		Use Once or Twice a Week		Try Once or Twice		Use Once or Twice a Week	
	2010	2011	2010	2011	2010	2011	2010	2011
TOTAL	0.46	0.44	0.37	0.37	0.49	0.47	0.43	0.44
AGE								
12-13	0.80	0.81	0.75	0.76	0.84	0.83	0.82	0.77
14-15	0.76	0.74	0.61	0.59	0.74	0.76	0.69	0.72
16-17	0.74	0.70	0.49	0.46	0.81	0.79	0.67	0.66
GENDER								
Male	0.61	0.59	0.50	0.51	0.66	0.66	0.60	0.59
Female	0.65	0.64	0.52	0.54	0.66	0.65	0.60	0.60
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.50	0.49	0.40	0.39	0.53	0.52	0.46	0.47
White	0.58	0.58	0.43	0.42	0.61	0.59	0.52	0.49
Black or African American	1.15	1.15	1.07	1.09	1.26	1.20	1.17	1.15
American Indian or Alaska Native	3.96	4.49	3.80	4.34	4.97	4.50	3.78	4.90
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	2.57	2.58	1.92	2.11	2.65	2.59	2.45	2.43
Two or More Races	2.67	2.58	2.10	1.91	2.55	2.76	2.34	2.27
Hispanic or Latino	1.11	1.06	0.90	0.93	1.16	1.15	1.00	1.08
COUNTY TYPE								
Large Metro	0.63	0.66	0.52	0.53	0.69	0.72	0.61	0.68
Small Metro	0.75	0.70	0.61	0.59	0.81	0.75	0.74	0.66
Nonmetro	1.16	1.18	0.93	1.00	1.11	1.13	0.98	0.95

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Response categories for the Perception of Risk questions include "No risk," "Slight risk," "Moderate risk," and "Great risk." The estimates in this table correspond to persons reporting "Great risk." Respondents with unknown Perception of Risk data were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 3.4P Perceived Great Risk of Harm Associated with Heroin and LSD Use among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Demographic/Geographic Characteristic	HEROIN				LSD			
	Try Once or Twice		Use Once or Twice a Week		Try Once or Twice		Use Once or Twice a Week	
	2010	2011	2010	2011	2010	2011	2010	2011
TOTAL	0.1833		0.1555		0.2441		0.1495	
AGE								
12-13	0.1357		0.2137		0.1057		0.1858	
14-15	0.2174		0.3629		0.5513		0.1390	
16-17	0.8712		0.5924		0.9698		0.9223	
GENDER								
Male	0.0589		0.0234		0.0831		0.0498	
Female	0.9187		0.8198		0.9188		0.9326	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.3071		0.2147		0.3183		0.0641	
White	0.7619		0.8068		0.8467		0.1438	
Black or African American	0.0241		0.4124		0.0550		0.5904	
American Indian or Alaska Native	0.0786		0.2143		0.8921		0.2119	
Native Hawaiian or Other Pacific Islander	*		*		*		*	
Asian	0.0718		0.0133		0.9844		0.2458	
Two or More Races	0.1820		0.1811		0.9464		0.8122	
Hispanic or Latino	0.3575		0.6768		0.5631		0.5001	
COUNTY TYPE								
Large Metro	0.3862		0.9731		0.9552		0.9885	
Small Metro	0.1768		0.0623		0.0625		0.1993	
Nonmetro	0.9738		0.3254		0.4507		0.0373	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Response categories for the Perception of Risk questions include "No risk," "Slight risk," "Moderate risk," and "Great risk." The estimates in this table correspond to persons reporting "Great risk." Respondents with unknown Perception of Risk data were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.