

Table 3.5C Perceived That Obtaining Specific Illicit Drugs Would Be Fairly or Very Easy among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Demographic/ Geographic Characteristic	Marijuana (2010)	Marijuana (2011)	Cocaine (2010)	Cocaine (2011)	Crack (2010)	Crack (2011)	Heroin (2010)	Heroin (2011)	LSD (2010)	LSD (2011)
TOTAL	119	116	85	80	89	81	68	65	71	69
AGE										
12-13	62	57	43	38	47	41	35	30	27	26
14-15	103	100	58	54	61	56	44	43	46	44
16-17	125	124	67	64	63	61	49	46	58	56
GENDER										
Male	82	79	54	51	55	53	45	43	46	44
Female	77	77	64	62	65	63	50	50	54	52
HISPANIC ORIGIN AND RACE										
Not Hispanic or Latino	99	100	72	69	77	68	60	56	60	59
White	149	137	73	67	77	67	55	51	63	60
Black or African American	78	68	44	39	47	40	34	27	29	24
American Indian or Alaska Native	8	9	5	5	3	6	3	4	2	4
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*	*	*
Asian	35	34	19	20	20	22	15	15	14	18
Two or More Races	22	29	13	16	16	13	13	12	11	12
Hispanic or Latino	60	58	46	42	46	46	34	36	39	34
COUNTY TYPE										
Large Metro	161	158	84	77	83	78	59	58	66	65
Small Metro	104	113	57	58	59	61	40	40	42	41
Nonmetro	86	58	41	30	46	32	33	22	33	22

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Response categories for the Perceived Availability questions include "Probably impossible," "Very difficult," "Fairly difficult," "Fairly easy," and "Very easy." The estimates in this table correspond to persons reporting "Fairly easy" or "Very easy." Respondents with unknown Perceived Availability data were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 3.5D Perceived That Obtaining Specific Illicit Drugs Would Be Fairly or Very Easy among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Demographic/ Geographic Characteristic	Marijuana (2010)	Marijuana (2011)	Cocaine (2010)	Cocaine (2011)	Crack (2010)	Crack (2011)	Heroin (2010)	Heroin (2011)	LSD (2010)	LSD (2011)
TOTAL	0.50	0.48	0.37	0.33	0.38	0.34	0.30	0.28	0.32	0.29
AGE										
12-13	0.71	0.65	0.53	0.47	0.57	0.50	0.44	0.39	0.37	0.35
14-15	0.82	0.82	0.65	0.58	0.67	0.59	0.53	0.49	0.54	0.50
16-17	0.75	0.75	0.66	0.65	0.62	0.63	0.54	0.50	0.63	0.59
GENDER										
Male	0.68	0.64	0.46	0.42	0.47	0.44	0.38	0.35	0.40	0.36
Female	0.67	0.66	0.57	0.53	0.58	0.54	0.45	0.43	0.49	0.46
HISPANIC ORIGIN AND RACE										
Not Hispanic or Latino	0.53	0.53	0.39	0.37	0.42	0.37	0.33	0.30	0.33	0.33
White	0.60	0.60	0.44	0.42	0.46	0.42	0.36	0.35	0.41	0.39
Black or African American	1.28	1.20	1.03	0.95	1.06	0.95	0.87	0.75	0.76	0.68
American Indian or Alaska Native	3.89	4.44	3.33	3.08	2.48	3.59	2.69	2.74	1.87	3.04
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*	*	*
Asian	2.54	2.24	1.79	1.60	1.86	1.75	1.45	1.29	1.37	1.49
Two or More Races	2.63	2.79	2.22	2.11	2.44	1.77	2.26	1.61	2.11	1.74
Hispanic or Latino	1.27	1.11	0.98	0.81	0.99	0.88	0.73	0.70	0.87	0.67
COUNTY TYPE										
Large Metro	0.74	0.68	0.53	0.49	0.52	0.50	0.43	0.42	0.47	0.45
Small Metro	0.83	0.81	0.66	0.57	0.68	0.60	0.50	0.45	0.55	0.47
Nonmetro	1.24	1.02	0.79	0.68	0.93	0.71	0.75	0.54	0.76	0.50

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Response categories for the Perceived Availability questions include "Probably impossible," "Very difficult," "Fairly difficult," "Fairly easy," and "Very easy." The estimates in this table correspond to persons reporting "Fairly easy" or "Very easy." Respondents with unknown Perceived Availability data were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 3.5P Perceived That Obtaining Specific Illicit Drugs Would Be Fairly or Very Easy among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Demographic/ Geographic Characteristic	Marijuana (2010)	Marijuana (2011)	Cocaine (2010)	Cocaine (2011)	Crack (2010)	Crack (2011)	Heroin (2010)	Heroin (2011)	LSD (2010)	LSD (2011)
TOTAL	0.1058		0.0025		0.0001		0.0301		0.0882	
AGE										
12-13	0.1835		0.1755		0.0026		0.1693		0.7854	
14-15	0.0071		0.0027		0.0005		0.0219		0.0033	
16-17	0.8261		0.1839		0.3598		0.6029		0.9304	
GENDER										
Male	0.0436		0.0010		0.0014		0.0707		0.1770	
Female	0.6820		0.2287		0.0187		0.1837		0.2558	
HISPANIC ORIGIN AND RACE										
Not Hispanic or Latino	0.2522		0.0199		0.0001		0.0375		0.7669	
White	0.6423		0.2857		0.0264		0.6921		0.6715	
Black or African American	0.2200		0.0393		0.0104		0.0033		0.1758	
American Indian or Alaska Native	0.8294		0.5529		0.6901		0.5231		0.2227	
Native Hawaiian or Other Pacific Islander	*		*		*		*		*	
Asian	0.9896		0.3842		0.4253		0.5836		0.5305	
Two or More Races	0.2711		0.1991		0.0007		0.0284		0.0781	
Hispanic or Latino	0.1884		0.0290		0.2563		0.4172		0.0077	
COUNTY TYPE										
Large Metro	0.2866		0.0130		0.0020		0.1363		0.5161	
Small Metro	0.9528		0.4400		0.1933		0.3682		0.0904	
Nonmetro	0.0353		0.0272		0.0378		0.1398		0.3003	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Response categories for the Perceived Availability questions include "Probably impossible," "Very difficult," "Fairly difficult," "Fairly easy," and "Very easy." The estimates in this table correspond to persons reporting "Fairly easy" or "Very easy." Respondents with unknown Perceived Availability data were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.