

**Table 3.9C Participation in a Prevention Program or Group in the Past Year among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011**

Demographic/Geographic Characteristic	PREVENTION PROGRAM OR GROUP <sup>1</sup>					
	Problem-Solving, Communication, or Self-Esteem Group		Violence Prevention Program		Pregnancy or Sexually Transmitted Disease Prevention Program	
	2010	2011	2010	2011	2010	2011
<b>TOTAL</b>	87	91	79	82	68	70
<b>AGE</b>						
12-13	59	63	57	54	36	34
14-15	59	60	46	47	44	47
16-17	59	55	40	44	41	44
<b>GENDER</b>						
Male	59	64	56	55	46	50
Female	63	63	55	56	46	47
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	78	77	67	68	59	62
White	81	75	56	52	50	50
Black or African American	46	50	45	47	38	34
American Indian or Alaska Native	7	5	7	5	4	4
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	30	38	24	24	18	22
Two or More Races	14	18	14	10	9	14
Hispanic or Latino	40	44	37	45	33	33
<b>COUNTY TYPE</b>						
Large Metro	87	83	75	67	57	59
Small Metro	60	60	44	49	45	40
Nonmetro	45	49	35	35	28	33

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>1</sup> Respondents with unknown data were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 3.9D Participation in a Prevention Program or Group in the Past Year among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: Standard Errors of Percentages, 2010 and 2011**

Demographic/Geographic Characteristic	PREVENTION PROGRAM OR GROUP <sup>1</sup>					
	Problem-Solving, Communication, or Self-Esteem Group		Violence Prevention Program		Pregnancy or Sexually Transmitted Disease Prevention Program	
	2010	2011	2010	2011	2010	2011
<b>TOTAL</b>	0.37	0.37	0.33	0.33	0.28	0.28
<b>AGE</b>						
12-13	0.67	0.72	0.64	0.63	0.45	0.41
14-15	0.62	0.62	0.52	0.52	0.52	0.52
16-17	0.60	0.57	0.45	0.49	0.45	0.47
<b>GENDER</b>						
Male	0.48	0.51	0.45	0.43	0.37	0.39
Female	0.54	0.53	0.46	0.46	0.39	0.38
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.41	0.40	0.35	0.35	0.31	0.32
White	0.47	0.44	0.35	0.36	0.33	0.33
Black or African American	1.05	1.06	1.00	0.99	0.92	0.82
American Indian or Alaska Native	4.76	2.82	4.90	3.47	2.93	2.97
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	2.36	2.53	1.98	1.74	1.61	1.67
Two or More Races	2.30	2.17	2.38	1.34	1.62	1.79
Hispanic or Latino	0.83	0.84	0.77	0.84	0.69	0.62
<b>COUNTY TYPE</b>						
Large Metro	0.53	0.55	0.50	0.48	0.39	0.41
Small Metro	0.61	0.63	0.52	0.52	0.52	0.45
Nonmetro	0.96	1.03	0.73	0.76	0.68	0.75

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>1</sup> Respondents with unknown data were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 3.9P Participation in a Prevention Program or Group in the Past Year among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010**

Demographic/Geographic Characteristic	PREVENTION PROGRAM OR GROUP <sup>1</sup>					
	Problem-Solving, Communication, or Self-Esteem Group		Violence Prevention Program		Pregnancy or Sexually Transmitted Disease Prevention Program	
	2010	2011	2010	2011	2010	2011
<b>TOTAL</b>	0.4657		0.5498		0.2018	
<b>AGE</b>						
12-13	0.6377		0.6266		0.0564	
14-15	0.1748		0.7027		0.5217	
16-17	0.6925		0.9952		0.9450	
<b>GENDER</b>						
Male	0.3637		0.8328		0.9817	
Female	0.8785		0.5109		0.0577	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.8044		0.4100		0.7142	
White	0.6530		0.7578		0.7803	
Black or African American	0.2138		0.9663		0.2276	
American Indian or Alaska Native	0.1681		0.2431		0.7345	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.3932		0.1137		0.9891	
Two or More Races	0.2481		0.0018		0.8033	
Hispanic or Latino	0.3732		0.8629		0.0364	
<b>COUNTY TYPE</b>						
Large Metro	0.5591		0.1023		0.6299	
Small Metro	0.6933		0.1586		0.1417	
Nonmetro	0.8859		0.8950		0.6805	

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>1</sup> Respondents with unknown data were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 3.10C Participation in a Substance Use Program or Exposure to Substance Use Prevention Message in the Past Year among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011**

Demographic/Geographic Characteristic	SUBSTANCE USE PROGRAM OR PREVENTION MESSAGE <sup>1</sup>							
	Participated in Alcohol, Tobacco, or Drug Prevention Program Outside of School		Participated in Program to Help Deal with Drug or Alcohol Use		Saw or Heard Alcohol or Drug Prevention Message from Sources Outside School		Talked to Parents about Dangers of Tobacco, Alcohol, or Drug Use	
	2010	2011	2010	2011	2010	2011	2010	2011
<b>TOTAL</b>	66	72	44	43	96	93	110	113
<b>AGE</b>								
12-13	47	45	27	26	117	111	107	99
14-15	42	44	25	25	124	129	106	109
16-17	41	44	27	23	131	136	107	108
<b>GENDER</b>								
Male	50	53	35	33	68	67	82	79
Female	45	49	28	28	65	63	73	76
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	58	63	39	36	83	80	96	99
White	54	54	33	25	197	188	168	163
Black or African American	35	38	21	23	102	91	72	66
American Indian or Alaska Native	6	4	3	3	9	13	8	10
Native Hawaiian or Other Pacific Islander	1	*	1	*	*	*	*	*
Asian	19	20	12	10	61	72	50	49
Two or More Races	10	17	5	8	25	38	23	31
Hispanic or Latino	34	35	20	23	48	49	50	59
<b>COUNTY TYPE</b>								
Large Metro	60	63	37	32	211	225	174	178
Small Metro	42	48	25	27	160	167	134	136
Nonmetro	30	29	16	16	107	91	85	82

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>1</sup> Respondents with unknown data were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 3.10D Participation in a Substance Use Program or Exposure to Substance Use Prevention Message in the Past Year among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: Standard Errors of Percentages, 2010 and 2011**

Demographic/Geographic Characteristic	SUBSTANCE USE PROGRAM OR PREVENTION MESSAGE <sup>1</sup>							
	Participated in Alcohol, Tobacco, or Drug Prevention Program Outside of School		Participated in Program to Help Deal with Drug or Alcohol Use		Saw or Heard Alcohol or Drug Prevention Message from Sources Outside School		Talked to Parents about Dangers of Tobacco, Alcohol, or Drug Use	
	2010	2011	2010	2011	2010	2011	2010	2011
<b>TOTAL</b>	0.28	0.29	0.18	0.17	0.40	0.38	0.46	0.46
<b>AGE</b>								
12-13	0.53	0.53	0.33	0.32	0.75	0.67	0.78	0.76
14-15	0.49	0.48	0.32	0.29	0.63	0.66	0.79	0.77
16-17	0.46	0.48	0.30	0.27	0.60	0.60	0.78	0.74
<b>GENDER</b>								
Male	0.41	0.42	0.28	0.26	0.55	0.53	0.66	0.63
Female	0.39	0.40	0.24	0.23	0.55	0.53	0.62	0.64
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.30	0.32	0.20	0.19	0.43	0.41	0.50	0.51
White	0.34	0.36	0.22	0.18	0.49	0.46	0.56	0.54
Black or African American	0.87	0.87	0.57	0.59	1.06	1.07	1.19	1.15
American Indian or Alaska Native	4.22	3.00	2.25	1.99	3.57	3.98	4.12	4.12
Native Hawaiian or Other Pacific Islander	2.43	*	1.61	*	*	*	*	*
Asian	1.64	1.52	1.17	0.88	2.03	2.14	2.80	2.64
Two or More Races	1.74	2.14	0.94	1.15	2.28	2.03	2.50	2.70
Hispanic or Latino	0.70	0.66	0.42	0.43	0.98	0.92	1.04	1.10
<b>COUNTY TYPE</b>								
Large Metro	0.40	0.41	0.27	0.24	0.58	0.55	0.64	0.70
Small Metro	0.46	0.51	0.32	0.32	0.70	0.63	0.80	0.74
Nonmetro	0.67	0.66	0.39	0.40	0.90	0.87	1.02	1.06

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>1</sup> Respondents with unknown data were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 3.10P Participation in a Substance Use Program or Exposure to Substance Use Prevention Message in the Past Year among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010**

Demographic/Geographic Characteristic	SUBSTANCE USE PROGRAM OR PREVENTION MESSAGE <sup>1</sup>							
	Participated in Alcohol, Tobacco, or Drug Prevention Program Outside of School		Participated in Program to Help Deal with Drug or Alcohol Use		Saw or Heard Alcohol or Drug Prevention Message from Sources Outside School		Talked to Parents about Dangers of Tobacco, Alcohol, or Drug Use	
	2010	2011	2010	2011	2010	2011	2010	2011
<b>TOTAL</b>	0.6076		0.4732		0.1630		0.8085	
<b>AGE</b>								
12-13	0.5492		0.4156		0.5703		0.5043	
14-15	0.5670		0.6567		0.0758		0.1000	
16-17	0.2933		0.4125		0.7357		0.0728	
<b>GENDER</b>								
Male	0.3600		0.4090		0.9818		0.9366	
Female	0.7979		0.9005		0.0424		0.6438	
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.3281		0.4230		0.1835		0.6355	
White	0.6945		0.1163		0.1569		0.8686	
Black or African American	0.2733		0.3438		0.6076		0.1753	
American Indian or Alaska Native	0.1669		0.7249		0.7033		0.7307	
Native Hawaiian or Other Pacific Islander	*		*		*		*	
Asian	0.4157		0.3381		0.5249		0.9830	
Two or More Races	0.1913		0.2782		0.3125		0.6675	
Hispanic or Latino	0.5215		0.9297		0.6837		0.7168	
<b>COUNTY TYPE</b>								
Large Metro	0.7818		0.0877		0.6723		0.9456	
Small Metro	0.1413		0.5319		0.0890		0.7343	
Nonmetro	0.8529		0.5396		0.0266		0.9742	

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>1</sup> Respondents with unknown data were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.