

**Table 5.15A Received Substance Use Treatment in the Past Year, by Detailed Age Category: Numbers in Thousands, 2010 and 2011**

Age Category	Illicit Drugs <sup>1</sup> (2010)	Illicit Drugs <sup>1</sup> (2011)	Alcohol (2010)	Alcohol (2011)	Both Illicit Drugs and Alcohol <sup>1</sup> (2010)	Both Illicit Drugs and Alcohol <sup>1</sup> (2011)	Illicit Drugs or Alcohol <sup>1,2</sup> (2010)	Illicit Drugs or Alcohol <sup>1,2</sup> (2011)
<b>TOTAL</b>	2,201	2,017	2,868	2,644	1,313	1,211	4,152	3,764
12	9	4	9	1	9	1	10	5
13	8	8	11	5	3	4	25	13
14	17	20	3	7	2	7	25	22
15	29	50	30	34	23	28	44	67
16	60	77	39	54	34	44	80	107
17	81	69	56	42	41	30	107	87
18	86	74	74	71	58	43	133	111
19	75	55	70	65	40	32	116	103
20	63	85	64	69	31	52	110	108
21	83	68	89	55	36	35	148	103
22	72	57	86	54	44	24	120	94
23	77	102	79	88	43	68	122	129
24	63	74	86	82	37	47	120	116
25	51	66	68	61	28	25	100	109
26-29	258	193	199	244	109	124	401	337
30-34	236	177	329	278	140	91	467	387
35-39	236	205	248	314	147	147	366	394
40-44	160	178	283	240	92	105	380	327
45-49	323 <sup>a</sup>	146	474 <sup>b</sup>	226	246 <sup>b</sup>	84	571 <sup>a</sup>	324
50-54	104	178	284	260	85	111	311	385
55-59	56	60	125	168	41	55	168	186
60-64	44	53	63	98	23	37	108	114
65 or Older	10	18	101	128	*	18	122	138

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 5.15B Received Substance Use Treatment in the Past Year, by Detailed Age Category: Percentages, 2010 and 2011**

Age Category	Illicit Drugs <sup>1</sup> (2010)	Illicit Drugs <sup>1</sup> (2011)	Alcohol (2010)	Alcohol (2011)	Both Illicit Drugs and Alcohol <sup>1</sup> (2010)	Both Illicit Drugs and Alcohol <sup>1</sup> (2011)	Illicit Drugs or Alcohol <sup>1,2</sup> (2010)	Illicit Drugs or Alcohol <sup>1,2</sup> (2011)
<b>TOTAL</b>	0.9	0.8	1.1	1.0	0.5	0.5	1.6	1.5
12	0.2	0.1	0.2	0.0	0.2	0.0	0.3	0.1
13	0.2	0.2	0.3	0.1	0.1	0.1	0.6	0.3
14	0.4	0.5	0.1	0.2	0.1	0.2	0.6	0.5
15	0.7	1.2	0.7	0.8	0.6	0.7	1.1	1.6
16	1.5	1.8	0.9	1.2	0.8	1.0	1.9	2.5
17	1.9	1.6	1.3	1.0	1.0	0.7	2.5	2.1
18	1.8	1.6	1.6	1.5	1.2	0.9	2.8	2.3
19	1.7	1.3	1.6	1.5	0.9	0.7	2.7	2.4
20	1.4	1.9	1.4	1.5	0.7	1.2	2.4	2.4
21	1.9	1.5	2.1	1.3	0.8	0.8	3.5	2.4
22	1.7	1.3	2.1 <sup>a</sup>	1.3	1.1	0.6	2.9	2.2
23	1.9	2.5	2.0	2.2	1.1	1.7	3.0	3.2
24	1.5	1.8	2.1	2.0	0.9	1.1	2.9	2.8
25	1.3	1.7	1.7	1.6	0.7	0.6	2.5	2.8
26-29	1.5	1.1	1.2	1.4	0.7	0.7	2.4	2.0
30-34	1.2	0.9	1.7	1.4	0.7	0.5	2.3	2.0
35-39	1.2	1.0	1.3	1.6	0.8	0.7	1.9	2.0
40-44	0.8	0.9	1.4	1.2	0.5	0.5	1.9	1.6
45-49	1.5 <sup>a</sup>	0.7	2.1 <sup>b</sup>	1.0	1.1 <sup>a</sup>	0.4	2.6 <sup>a</sup>	1.5
50-54	0.5	0.8	1.3	1.1	0.4	0.5	1.4	1.7
55-59	0.3	0.3	0.6	0.9	0.2	0.3	0.9	1.0
60-64	0.3	0.3	0.4	0.5	0.1	0.2	0.7	0.6
65 or Older	0.0	0.0	0.3	0.3	*	0.0	0.3	0.3

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 5.16A Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Numbers in Thousands, 2010 and 2011**

Demographic Characteristic	Illicit Drugs <sup>1</sup> (2010)	Illicit Drugs <sup>1</sup> (2011)	Alcohol (2010)	Alcohol (2011)	Both Illicit Drugs and Alcohol <sup>1</sup> (2010)	Both Illicit Drugs and Alcohol <sup>1</sup> (2011)	Illicit Drugs or Alcohol <sup>1,2</sup> (2010)	Illicit Drugs or Alcohol <sup>1,2</sup> (2011)
<b>TOTAL</b>	2,201	2,017	2,868	2,644	1,313	1,211	4,152	3,764
<b>AGE</b>								
12-17	205	228	147	144	112	113	290	301
18-25	570	581	616	544	317	326	969	872
26 or Older	1,427	1,208	2,105	1,956	885	772	2,893	2,591
<b>GENDER</b>								
Male	1,403	1,287	2,014	1,765	875	800	2,832	2,448
Female	798	730	854	879	438	411	1,320	1,316
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	1,906	1,698	2,458	2,153	1,095	1,001	3,597 <sup>a</sup>	3,095
White	1,487	1,247	2,020	1,725	804	706	2,980 <sup>a</sup>	2,420
Black or African American	331	332	321	325	234	215	467	508
American Indian or Alaska Native	34	44	49	46	29	41	56	53
Native Hawaiian or Other Pacific Islander	2	*	2	*	2	*	2	18
Asian	14	17	27	17	5	9	37	33
Two or More Races	37	46	39	27	21	20	56	62
Hispanic or Latino	296	319	409	491	218	210	554	669

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 5.16B Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Percentages, 2010 and 2011**

Demographic Characteristic	Illicit Drugs <sup>1</sup> (2010)	Illicit Drugs <sup>1</sup> (2011)	Alcohol (2010)	Alcohol (2011)	Both Illicit Drugs and Alcohol <sup>1</sup> (2010)	Both Illicit Drugs and Alcohol <sup>1</sup> (2011)	Illicit Drugs or Alcohol <sup>1,2</sup> (2010)	Illicit Drugs or Alcohol <sup>1,2</sup> (2011)
<b>TOTAL</b>	0.9	0.8	1.1	1.0	0.5	0.5	1.6	1.5
<b>AGE</b>								
12-17	0.8	0.9	0.6	0.6	0.5	0.5	1.2	1.2
18-25	1.7	1.7	1.8	1.6	0.9	0.9	2.8	2.5
26 or Older	0.7	0.6	1.1	1.0	0.5	0.4	1.5	1.3
<b>GENDER</b>								
Male	1.1	1.0	1.6	1.4	0.7	0.6	2.3	2.0
Female	0.6	0.5	0.7	0.7	0.3	0.3	1.0	1.0
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.9	0.8	1.1	1.0	0.5	0.5	1.7 <sup>a</sup>	1.4
White	0.9	0.7	1.2	1.0	0.5	0.4	1.8 <sup>a</sup>	1.4
Black or African American	1.1	1.1	1.1	1.1	0.8	0.7	1.5	1.7
American Indian or Alaska Native	2.8	3.1	4.1	3.2	2.4	2.9	4.6	3.7
Native Hawaiian or Other Pacific Islander	0.3	*	0.2	*	0.2	*	0.3	1.9
Asian	0.1	0.1	0.2	0.1	0.0	0.1	0.3	0.3
Two or More Races	1.2	1.1	1.2	0.7	0.7	0.5	1.8	1.6
Hispanic or Latino	0.8	0.8	1.1	1.2	0.6	0.5	1.5	1.7

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 5.17A Received Substance Use Treatment in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Numbers in Thousands, 2010 and 2011**

Demographic Characteristic	Illicit Drugs <sup>1</sup> (2010)	Illicit Drugs <sup>1</sup> (2011)	Alcohol (2010)	Alcohol (2011)	Both Illicit Drugs and Alcohol <sup>1</sup> (2010)	Both Illicit Drugs and Alcohol <sup>1</sup> (2011)	Illicit Drugs or Alcohol <sup>1,2</sup> (2010)	Illicit Drugs or Alcohol <sup>1,2</sup> (2011)
<b>TOTAL</b>	205	228	147	144	112	113	290	301
<b>GENDER</b>								
Male	123	131	71	76	59	58	166	170
Female	81	98	76	67	53	55	124	132
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	147	180	110	116	81	90	215	236
White	110	126	83	82	57	63	164	161
Black or African American	20	24	17	23	16	18	32	36
American Indian or Alaska Native	2	1	1	1	1	1	3	2
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	0	*
Asian	*	*	1	2	*	*	5	7
Two or More Races	10	27	7	8	7	8	10	28
Hispanic or Latino	58	49	37	27	31	23	75	65
<b>GENDER/RACE/HISPANIC ORIGIN</b>								
Male, White, Not Hispanic	64	67	39	42	28	30	91	87
Female, White, Not Hispanic	46	58	44	40	28	33	73	75
Male, Black, Not Hispanic	16	20	12	15	12	13	25	24
Female, Black, Not Hispanic	4	5	5	8	4	5	6	12
Male, Hispanic	34	31	17	17	17	14	39	38
Female, Hispanic	24	18	19	10	14	9	36	27

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 5.17B Received Substance Use Treatment in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Percentages, 2010 and 2011**

Demographic Characteristic	Illicit Drugs <sup>1</sup> (2010)	Illicit Drugs <sup>1</sup> (2011)	Alcohol (2010)	Alcohol (2011)	Both Illicit Drugs and Alcohol <sup>1</sup> (2010)	Both Illicit Drugs and Alcohol <sup>1</sup> (2011)	Illicit Drugs or Alcohol <sup>1,2</sup> (2010)	Illicit Drugs or Alcohol <sup>1,2</sup> (2011)
<b>TOTAL</b>	0.8	0.9	0.6	0.6	0.5	0.5	1.2	1.2
<b>GENDER</b>								
Male	1.0	1.0	0.6	0.6	0.5	0.5	1.3	1.3
Female	0.7	0.8	0.6	0.6	0.4	0.5	1.0	1.1
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.8	0.9	0.6	0.6	0.4	0.5	1.1	1.2
White	0.8	0.9	0.6	0.6	0.4	0.5	1.2	1.2
Black or African American	0.6	0.7	0.5	0.7	0.4	0.5	0.9	1.0
American Indian or Alaska Native	1.7	0.8	0.9	0.6	0.6	0.6	2.0	1.4
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	0.4	*
Asian	*	*	0.1	0.2	*	*	0.5	0.6
Two or More Races	1.9	3.8	1.3	1.2	1.3	1.2	1.9	3.9
Hispanic or Latino	1.2	0.9	0.7	0.5	0.6	0.4	1.5	1.2
<b>GENDER/RACE/HISPANIC ORIGIN</b>								
Male, White, Not Hispanic	0.9	0.9	0.5	0.6	0.4	0.4	1.3	1.2
Female, White, Not Hispanic	0.7	0.9	0.6	0.6	0.4	0.5	1.1	1.1
Male, Black, Not Hispanic	0.9	1.1	0.7	0.8	0.7	0.7	1.4	1.3
Female, Black, Not Hispanic	0.2	0.3	0.3	0.5	0.2	0.3	0.4	0.7
Male, Hispanic	1.3	1.1	0.7	0.6	0.7	0.5	1.6	1.4
Female, Hispanic	1.0	0.7	0.8	0.4	0.6	0.3	1.5	1.0

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 5.18A Received Substance Use Treatment in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: Numbers in Thousands, 2010 and 2011**

Demographic Characteristic	Illicit Drugs <sup>1</sup> (2010)	Illicit Drugs <sup>1</sup> (2011)	Alcohol (2010)	Alcohol (2011)	Both Illicit Drugs and Alcohol <sup>1</sup> (2010)	Both Illicit Drugs and Alcohol <sup>1</sup> (2011)	Illicit Drugs or Alcohol <sup>1,2</sup> (2010)	Illicit Drugs or Alcohol <sup>1,2</sup> (2011)
<b>TOTAL</b>	570	581	616	544	317	326	969	872
<b>GENDER</b>								
Male	377	395	431	393	212	239	670	593
Female	193	186	184	151	105	87	298	279
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	484	485	507	448	266	267	805	724
White	385	377	409	353	206	198	649	571
Black or African American	69	78	62	72	46	54	103	112
American Indian or Alaska Native	3	6	5	7	1	5	7	8
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	10	17	21	10	5	9	26	20
Two or More Races	16	6	11	5	8	1	19	11
Hispanic or Latino	86	96	109	97	51	59	164	148
<b>EDUCATION</b>								
< High School	172	180	160	149	109	106	255	245
High School Graduate	225	229	236	193	109	111	388	346
Some College	145	147	174	158	84	90	258	230
College Graduate	27	25	46	44	15	19	66	51
<b>CURRENT EMPLOYMENT</b>								
Full-Time	158	160	225	174	93	87	335	271
Part-Time	154	132	155	128	91	78	235	192
Unemployed	104	135	90	111	48	69	170	199
Other <sup>3</sup>	153	154	146	132	84	92	229	211

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>3</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 5.18B Received Substance Use Treatment in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: Percentages, 2010 and 2011**

Demographic Characteristic	Illicit Drugs <sup>1</sup> (2010)	Illicit Drugs <sup>1</sup> (2011)	Alcohol (2010)	Alcohol (2011)	Both Illicit Drugs and Alcohol <sup>1</sup> (2010)	Both Illicit Drugs and Alcohol <sup>1</sup> (2011)	Illicit Drugs or Alcohol <sup>1,2</sup> (2010)	Illicit Drugs or Alcohol <sup>1,2</sup> (2011)
<b>TOTAL</b>	1.7	1.7	1.8	1.6	0.9	0.9	2.8	2.5
<b>GENDER</b>								
Male	2.2	2.3	2.5	2.3	1.2	1.4	3.9	3.5
Female	1.2	1.1	1.1	0.9	0.6	0.5	1.8	1.6
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	1.8	1.8	1.8	1.6	1.0	1.0	2.9	2.7
White	1.9	1.9	2.0	1.8	1.0	1.0	3.2	2.9
Black or African American	1.4	1.7	1.3	1.5	1.0	1.1	2.1	2.4
American Indian or Alaska Native	1.8	2.7	2.7	3.3	0.7	2.3	4.0	3.7
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	0.7	0.9	1.4	0.5	0.3	0.5	1.8	1.1
Two or More Races	2.9	0.9	1.9	0.8	1.4	0.1	3.4	1.5
Hispanic or Latino	1.3	1.4	1.7	1.4	0.8	0.8	2.5	2.1
<b>EDUCATION</b>								
< High School	2.9	3.1	2.7	2.6	1.8	1.8	4.3	4.3
High School Graduate	1.9	2.0	2.0	1.6	0.9	0.9	3.3	3.0
Some College	1.2	1.2	1.5	1.3	0.7	0.8	2.2	1.9
College Graduate	0.6	0.5	1.0	0.9	0.3	0.4	1.4	1.0
<b>CURRENT EMPLOYMENT</b>								
Full-Time	1.3	1.3	1.8	1.4	0.8	0.7	2.7	2.2
Part-Time	1.6	1.4	1.6	1.4	1.0	0.8	2.5	2.0
Unemployed	2.3	3.0	2.0	2.5	1.1	1.5	3.7	4.4
Other <sup>3</sup>	2.0	1.9	1.9	1.7	1.1	1.2	3.0	2.6

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>3</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 5.19A Received Substance Use Treatment in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: Numbers in Thousands, 2010 and 2011**

Demographic Characteristic	Illicit Drugs <sup>1</sup> (2010)	Illicit Drugs <sup>1</sup> (2011)	Alcohol (2010)	Alcohol (2011)	Both Illicit Drugs and Alcohol <sup>1</sup> (2010)	Both Illicit Drugs and Alcohol <sup>1</sup> (2011)	Illicit Drugs or Alcohol <sup>1,2</sup> (2010)	Illicit Drugs or Alcohol <sup>1,2</sup> (2011)
<b>TOTAL</b>	1,427	1,208	2,105	1,956	885	772	2,893	2,591
<b>GENDER</b>								
Male	903	761	1,511	1,295	605	504	1,995	1,685
Female	524	447	594	661	280	269	898	905
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	1,275	1,033	1,841	1,589	749	643	2,578	2,134
White	992	745	1,527	1,289	541	445	2,167 <sup>a</sup>	1,688
Black or African American	242	229	242	230	172	143	332	360
American Indian or Alaska Native	28	*	43	*	27	*	46	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	*	*	5	5	*	*	5	5
Two or More Races	11	12	22	13	7	10	27	23
Hispanic or Latino	152	175	264	367	136	129	315	457
<b>EDUCATION</b>								
< High School	417	445	520	516	285	309	711	724
High School Graduate	406	294	626	448	262	192	824	590
Some College	479	347	717	597	268	194	1,029	803
College Graduate	125	122	242	395	69	77	329	475
<b>CURRENT EMPLOYMENT</b>								
Full-Time	425	343	821	670	233	159	1,097	934
Part-Time	237	151	317	261	127	112	451	340
Unemployed	219	232	271	283	161	135	347	382
Other <sup>3</sup>	545	482	696	742	363	366	997	935

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>3</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 5.19B Received Substance Use Treatment in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: Percentages, 2010 and 2011**

Demographic Characteristic	Illicit Drugs <sup>1</sup> (2010)	Illicit Drugs <sup>1</sup> (2011)	Alcohol (2010)	Alcohol (2011)	Both Illicit Drugs and Alcohol <sup>1</sup> (2010)	Both Illicit Drugs and Alcohol <sup>1</sup> (2011)	Illicit Drugs or Alcohol <sup>1,2</sup> (2010)	Illicit Drugs or Alcohol <sup>1,2</sup> (2011)
<b>TOTAL</b>	0.7	0.6	1.1	1.0	0.5	0.4	1.5	1.3
<b>GENDER</b>								
Male	1.0	0.8	1.6	1.4	0.6	0.5	2.1	1.8
Female	0.5	0.4	0.6	0.6	0.3	0.3	0.9	0.9
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.8	0.6	1.1	0.9	0.4	0.4	1.5	1.2
White	0.7	0.5	1.1	1.0	0.4	0.3	1.6 <sup>a</sup>	1.2
Black or African American	1.1	1.0	1.1	1.0	0.8	0.6	1.5	1.6
American Indian or Alaska Native	3.2	*	4.8	*	3.0	*	5.1	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	*	*	0.1	0.1	*	*	0.1	0.1
Two or More Races	0.5	0.5	1.0	0.5	0.3	0.4	1.3	0.9
Hispanic or Latino	0.6	0.6	1.0	1.4	0.5	0.5	1.2	1.7
<b>EDUCATION</b>								
< High School	1.4	1.6	1.8	1.9	1.0	1.1	2.4	2.7
High School Graduate	0.7	0.5	1.1	0.8	0.5	0.3	1.4	1.0
Some College	1.0	0.7	1.5	1.2	0.6	0.4	2.2	1.6
College Graduate	0.2	0.2	0.4	0.6	0.1	0.1	0.5	0.8
<b>CURRENT EMPLOYMENT</b>								
Full-Time	0.4	0.3	0.8	0.6	0.2	0.2	1.1	0.9
Part-Time	1.0	0.7	1.3	1.1	0.5	0.5	1.9	1.5
Unemployed	2.1	2.5	2.6	3.1	1.6	1.5	3.4	4.2
Other <sup>3</sup>	0.9	0.8	1.2	1.2	0.6	0.6	1.7	1.5

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>3</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 5.20A Received Substance Use Treatment in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Numbers in Thousands, 2010 and 2011**

Demographic Characteristic	Illicit Drugs <sup>1</sup> (2010)	Illicit Drugs <sup>1</sup> (2011)	Alcohol (2010)	Alcohol (2011)	Both Illicit Drugs and Alcohol <sup>1</sup> (2010)	Both Illicit Drugs and Alcohol <sup>1</sup> (2011)	Illicit Drugs or Alcohol <sup>1,2</sup> (2010)	Illicit Drugs or Alcohol <sup>1,2</sup> (2011)
<b>TOTAL</b>	1,997	1,789	2,721	2,500	1,201	1,098	3,862	3,463
<b>GENDER</b>								
Male	1,280	1,156	1,943	1,688	816	742	2,665	2,279
Female	717	633	778	812	385	356	1,196	1,184
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	1,759	1,518	2,348	2,037	1,015	910	3,382 <sup>a</sup>	2,858
White	1,377	1,122	1,937	1,643	747	644	2,815 <sup>a</sup>	2,259
Black or African American	311	307	304	302	218	197	435	473
American Indian or Alaska Native	31	43	48	45	28	40	53	51
Native Hawaiian or Other Pacific Islander	2	*	1	*	1	*	2	16
Asian	10	17	26	15	5	9	31	25
Two or More Races	27	19	32	19	15	11	46	34
Hispanic or Latino	238	270	373	463	187	188	479	605
<b>EDUCATION</b>								
< High School	589	625	681	665	394	415	966	968
High School Graduate	631	524	862 <sup>a</sup>	640	371	303	1,212 <sup>a</sup>	935
Some College	624	494	890	755	352	284	1,287	1,033
College Graduate	152	146	288	439	84	96	396	526
<b>CURRENT EMPLOYMENT</b>								
Full-Time	584	503	1,046	843	327	246	1,432	1,205
Part-Time	391	283	472	390	218	189	686	532
Unemployed	324	367	361	393	210	205	518	580
Other <sup>3</sup>	698	636	842	874	447	458	1,226	1,146

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>3</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 5.20B Received Substance Use Treatment in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Percentages, 2010 and 2011**

Demographic Characteristic	Illicit Drugs <sup>1</sup> (2010)	Illicit Drugs <sup>1</sup> (2011)	Alcohol (2010)	Alcohol (2011)	Both Illicit Drugs and Alcohol <sup>1</sup> (2010)	Both Illicit Drugs and Alcohol <sup>1</sup> (2011)	Illicit Drugs or Alcohol <sup>1,2</sup> (2010)	Illicit Drugs or Alcohol <sup>1,2</sup> (2011)
<b>TOTAL</b>	0.9	0.8	1.2	1.1	0.5	0.5	1.7	1.5
<b>GENDER</b>								
Male	1.2	1.0	1.8	1.5	0.7	0.7	2.4	2.0
Female	0.6	0.5	0.7	0.7	0.3	0.3	1.0	1.0
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.9	0.8	1.2	1.0	0.5	0.5	1.7 <sup>a</sup>	1.4
White	0.9	0.7	1.2	1.1	0.5	0.4	1.8 <sup>a</sup>	1.5
Black or African American	1.2	1.1	1.1	1.1	0.8	0.7	1.6	1.8
American Indian or Alaska Native	2.9	3.4	4.5	3.5	2.6	3.1	4.9	3.9
Native Hawaiian or Other Pacific Islander	0.3	*	0.2	*	0.2	*	0.3	1.9
Asian	0.1	0.1	0.2	0.1	0.0	0.1	0.3	0.2
Two or More Races	1.0	0.6	1.2	0.6	0.5	0.3	1.7	1.0
Hispanic or Latino	0.7	0.8	1.2	1.4	0.6	0.6	1.5	1.8
<b>EDUCATION</b>								
< High School	1.7	1.9	1.9	2.0	1.1	1.3	2.8	2.9
High School Graduate	0.9	0.8	1.2 <sup>a</sup>	0.9	0.5	0.4	1.7 <sup>a</sup>	1.3
Some College	1.1	0.8	1.5	1.2	0.6	0.5	2.2	1.7
College Graduate	0.2	0.2	0.4	0.6	0.1	0.1	0.6	0.8
<b>CURRENT EMPLOYMENT</b>								
Full-Time	0.5	0.4	0.9	0.7	0.3	0.2	1.3	1.0
Part-Time	1.2	0.9	1.4	1.2	0.7	0.6	2.1	1.6
Unemployed	2.2	2.7	2.4	2.9	1.4	1.5	3.5	4.3
Other <sup>3</sup>	1.0	0.9	1.3	1.2	0.7	0.6	1.8	1.6

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>3</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 5.21A Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Numbers in Thousands, 2010 and 2011**

Geographic Characteristic	Illicit Drugs <sup>1</sup> (2010)	Illicit Drugs <sup>1</sup> (2011)	Alcohol (2010)	Alcohol (2011)	Both Illicit Drugs and Alcohol <sup>1</sup> (2010)	Both Illicit Drugs and Alcohol <sup>1</sup> (2011)	Illicit Drugs or Alcohol <sup>1,2</sup> (2010)	Illicit Drugs or Alcohol <sup>1,2</sup> (2011)
<b>TOTAL</b>	2,201	2,017	2,868	2,644	1,313	1,211	4,152	3,764
<b>GEOGRAPHIC DIVISION</b>								
Northeast	454	408	564	533	278	223	807	746
New England	156	93	199	127	76	50	299 <sup>a</sup>	172
Middle Atlantic	299	314	365	407	203	174	508	574
Midwest	455	371	695	580	272	230	965	820
East North Central	311	292	462	444	176	192	652	608
West North Central	143	79	233	135	96 <sup>a</sup>	38	313	212
South	760	695	837	818	414	380	1,333	1,206
South Atlantic	461	381	456	473	230	222	772	676
East South Central	141	129	143	92	64	49	237	195
West South Central	158	185	237	253	120	110	325	336
West	532	543	773	713	349	378	1,046	991
Mountain	221	182	292	226	151	97	414	359
Pacific	311	361	481	487	198	281	632	632
<b>COUNTY TYPE</b>								
Large Metro	1,121	1,117	1,535	1,480	694	708	2,125	2,028
Small Metro	661	635	837	835	349	369	1,306	1,202
250K – 1 Mil. Pop.	508	452	571	503	233	266	953	747
< 250K Pop.	153	183	266	332	116	104	353	455
Nonmetro	419 <sup>a</sup>	265	496 <sup>a</sup>	328	270 <sup>b</sup>	134	721 <sup>a</sup>	534
Urbanized	218	123	237	178	156 <sup>a</sup>	73	318	275
Less Urbanized	181 <sup>a</sup>	104	236 <sup>a</sup>	126	103 <sup>a</sup>	48	362 <sup>a</sup>	209
Completely Rural	20	38	23	24	11	13	40	50

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 5.21B Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2010 and 2011**

<b>Geographic Characteristic</b>	<b>Illicit Drugs<sup>1</sup> (2010)</b>	<b>Illicit Drugs<sup>1</sup> (2011)</b>	<b>Alcohol (2010)</b>	<b>Alcohol (2011)</b>	<b>Both Illicit Drugs and Alcohol<sup>1</sup> (2010)</b>	<b>Both Illicit Drugs and Alcohol<sup>1</sup> (2011)</b>	<b>Illicit Drugs or Alcohol<sup>1,2</sup> (2010)</b>	<b>Illicit Drugs or Alcohol<sup>1,2</sup> (2011)</b>
<b>TOTAL</b>	0.9	0.8	1.1	1.0	0.5	0.5	1.6	1.5
<b>GEOGRAPHIC DIVISION</b>								
Northeast	1.0	0.9	1.2	1.1	0.6	0.5	1.7	1.6
New England	1.3	0.8	1.6	1.0	0.6	0.4	2.4 <sup>a</sup>	1.4
Middle Atlantic	0.9	0.9	1.1	1.2	0.6	0.5	1.5	1.7
Midwest	0.8	0.7	1.3	1.0	0.5	0.4	1.7	1.5
East North Central	0.8	0.8	1.2	1.1	0.5	0.5	1.7	1.6
West North Central	0.9 <sup>a</sup>	0.5	1.4	0.8	0.6 <sup>a</sup>	0.2	1.9	1.2
South	0.8	0.7	0.9	0.9	0.4	0.4	1.4	1.3
South Atlantic	0.9	0.8	0.9	0.9	0.5	0.4	1.6	1.3
East South Central	0.9	0.8	1.0	0.6	0.4	0.3	1.6	1.3
West South Central	0.5	0.6	0.8	0.9	0.4	0.4	1.1	1.1
West	0.9	0.9	1.3	1.2	0.6	0.6	1.8	1.7
Mountain	1.2	1.0	1.6	1.2	0.8	0.5	2.3	2.0
Pacific	0.8	0.9	1.2	1.2	0.5	0.7	1.6	1.5
<b>COUNTY TYPE</b>								
Large Metro	0.8	0.8	1.1	1.1	0.5	0.5	1.6	1.5
Small Metro	0.9	0.8	1.1	1.0	0.5	0.5	1.7	1.5
250K – 1 Mil. Pop.	1.0	0.8	1.1	0.9	0.5	0.5	1.9 <sup>a</sup>	1.4
< 250K Pop.	0.6	0.7	1.0	1.3	0.4	0.4	1.4	1.7
Nonmetro	1.0 <sup>a</sup>	0.7	1.2 <sup>a</sup>	0.8	0.7 <sup>b</sup>	0.3	1.8 <sup>a</sup>	1.3
Urbanized	1.3	0.7	1.4	1.1	0.9 <sup>a</sup>	0.4	1.9	1.6
Less Urbanized	0.9 <sup>a</sup>	0.5	1.2 <sup>a</sup>	0.7	0.5 <sup>a</sup>	0.3	1.8 <sup>a</sup>	1.1
Completely Rural	0.5	0.9	0.6	0.6	0.3	0.3	1.1	1.2

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.