

**Table 5.22A Substances for Which Last or Current Treatment Was Received among Persons Who Received Substance Use Treatment in the Past Year, by Age Group: Numbers in Thousands, 2010 and 2011**

Substance for Which Last or Current Treatment Was Received <sup>1</sup>	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
Marijuana	1,028	872	155	165	335	298	539	409
Cocaine	706	511	27	18	143	121	535	372
Heroin	422	430	3	14	86	112	333	303
Hallucinogens	335	293	29	38	83	90	223	165
Inhalants	222	152	35 <sup>a</sup>	12	30	42	156	98
Pain Relievers	761	726	50	51	182	228	529	447
Tranquilizers	353	318	24	32	78	110	251	176
Stimulants <sup>2</sup>	345	309	27	25	76	85	242	199
Sedatives	188	120	*	8	18	14	164	98
Alcohol	2,607	2,364	122	103	537	472	1,948	1,789

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

NOTE: If respondents reported that they were currently receiving treatment, they were asked questions regarding specific substances for their current treatment; otherwise, questions pertained to the last treatment they received.

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents could indicate multiple substances for which they received their last or current treatment; thus, these response categories are not mutually exclusive.

<sup>2</sup> Estimates for stimulants do not include data from new methamphetamine use items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 5.22B Substances for Which Last or Current Treatment Was Received among Persons Who Received Substance Use Treatment in the Past Year, by Age Group: Percentages, 2010 and 2011**

Substance for Which Last or Current Treatment Was Received <sup>1</sup>	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
Marijuana	24.8	23.2	53.3	54.8	34.6	34.1	18.6	15.8
Cocaine	17.0	13.6	9.4	5.8	14.8	13.9	18.5	14.4
Heroin	10.2	11.4	1.1	4.7	8.9	12.9	11.5	11.7
Hallucinogens	8.1	7.8	9.9	12.8	8.6	10.3	7.7	6.4
Inhalants	5.3	4.0	12.2 <sup>b</sup>	3.9	3.1	4.8	5.4	3.8
Pain Relievers	18.3	19.3	17.1	17.0	18.8 <sup>a</sup>	26.2	18.3	17.2
Tranquilizers	8.5	8.5	8.4	10.7	8.0	12.6	8.7	6.8
Stimulants <sup>2</sup>	8.3	8.2	9.4	8.3	7.9	9.7	8.3	7.7
Sedatives	4.5	3.2	*	2.7	1.8	1.6	5.7	3.8
Alcohol	62.8	62.8	42.1	34.3	55.4	54.2	67.3	69.0

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

NOTE: If respondents reported that they were currently receiving treatment, they were asked questions regarding specific substances for their current treatment; otherwise, questions pertained to the last treatment they received.

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents could indicate multiple substances for which they received their last or current treatment; thus, these response categories are not mutually exclusive.

<sup>2</sup> Estimates for stimulants do not include data from new methamphetamine use items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.