

Table 5.23A Locations Received Illicit Drug Treatment in the Past Year among Persons Who Received Illicit Drug Treatment in the Past Year, by Age Group: Numbers in Thousands, 2010 and 2011

Location of Treatment ¹	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
Hospital - Inpatient	375	462	26	31	86 ^a	139	263	292
Rehabilitation Facility - Inpatient	568	666	37	57	148	183	384	427
Rehabilitation Facility - Outpatient	1,056	834	56	57	244	267	756 ^a	510
Mental Health Center - Outpatient	569	595	30 ^a	59	126	172	414	364
Emergency Room	251	279	21	30	41 ^a	81	190	168
Private Doctor's Office	369	437	29	29	82	114	259	294
Self-Help Group	1,154	1,053	80	84	312	302	762	668
Prison/Jail	208	256	22	20	67	77	118	158

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug Treatment refers to treatment received in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.23B Locations Received Illicit Drug Treatment in the Past Year among Persons Who Received Illicit Drug Treatment in the Past Year, by Age Group: Percentages, 2010 and 2011

Location of Treatment ¹	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
Hospital - Inpatient	17.0	22.9	12.8	13.5	15.0 ^a	24.0	18.4	24.2
Rehabilitation Facility - Inpatient	25.8	33.0	18.2	24.9	25.9	31.4	26.9	35.3
Rehabilitation Facility - Outpatient	48.0	41.3	27.4	25.1	42.8	45.9	53.0	42.2
Mental Health Center - Outpatient	25.9	29.5	14.6 ^a	26.0	22.0	29.6	29.0	30.1
Emergency Room	11.4	13.8	10.1	13.2	7.1 ^a	14.0	13.3	13.9
Private Doctor's Office	16.8	21.7	14.1	12.7	14.4	19.6	18.1	24.4
Self-Help Group	52.4	52.2	39.1	36.7	54.8	52.0	53.4	55.3
Prison/Jail	9.4	12.7	10.9	8.9	11.8	13.3	8.3	13.1

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug Treatment refers to treatment received in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.24A Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment in the Past Year, by Age Group: Numbers in Thousands, 2010 and 2011

Location of Treatment ¹	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
Hospital - Inpatient	534	570	24	28	69	92	441	451
Rehabilitation Facility - Inpatient	668	653	20	25	121	126	527	502
Rehabilitation Facility - Outpatient	974	961	28	38	224	214	722	709
Mental Health Center - Outpatient	628	648	33	27	117	115	478	506
Emergency Room	288	320	11	11	37	61	240	248
Private Doctor's Office	402	421	*	*	56	73	328	332
Self-Help Group	1,687	1,610	48	45	337	294	1,301	1,271
Prison/Jail	216	291	*	5	58	79	148	207

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Alcohol Treatment refers to treatment received in order to reduce or stop alcohol use, or for medical problems associated with alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.24B Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment in the Past Year, by Age Group: Percentages, 2010 and 2011

Location of Treatment ¹	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
Hospital - Inpatient	18.6	21.6	16.1	19.4	11.2	16.8	20.9	23.1
Rehabilitation Facility - Inpatient	23.3	24.7	13.5	17.3	19.6	23.2	25.0	25.7
Rehabilitation Facility - Outpatient	34.0	36.3	18.9	26.4	36.4	39.3	34.3	36.2
Mental Health Center - Outpatient	21.9	24.5	22.4	18.9	18.9	21.1	22.7	25.9
Emergency Room	10.0	12.1	7.6	7.3	6.0 ^a	11.3	11.4	12.7
Private Doctor's Office	14.0	15.9	*	*	9.1	13.5	15.6	17.0
Self-Help Group	58.8	60.9	32.7	31.3	54.8	54.1	61.8	65.0
Prison/Jail	7.5	11.0	*	3.6	9.4	14.5	7.0	10.6

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Alcohol Treatment refers to treatment received in order to reduce or stop alcohol use, or for medical problems associated with alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.25A Locations Received Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Illicit Drug or Alcohol Treatment in the Past Year, by Age Group: Numbers in Thousands, 2010 and 2011

Location of Treatment ¹	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
Hospital - Inpatient	737	871	46	47	122 ^a	192	569	632
Rehabilitation Facility - Inpatient	992	1,001	46	66	208	234	737	700
Rehabilitation Facility - Outpatient	1,702	1,531	68	71	378	395	1,256	1,065
Mental Health Center - Outpatient	1,003	1,031	55	70	196	236	751	725
Emergency Room	472	574	33	38	75 ^a	121	364	414
Private Doctor's Office	655	700	37	35	120	158	498	507
Self-Help Group	2,343	2,139	95	105	533	471	1,715	1,563
Prison/Jail	344	435	28	21	99	127	216	286

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug or Alcohol Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.25B Locations Received Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Illicit Drug or Alcohol Treatment in the Past Year, by Age Group: Percentages, 2010 and 2011

Location of Treatment ¹	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
Hospital - Inpatient	17.8	23.2	15.7	15.5	12.6 ^b	22.0	19.7	24.4
Rehabilitation Facility - Inpatient	23.9	26.6	15.9	22.0	21.5	26.9	25.5	27.0
Rehabilitation Facility - Outpatient	41.0	40.7	23.6	23.7	39.0	45.3	43.4	41.1
Mental Health Center - Outpatient	24.2	27.4	19.0	23.3	20.2 ^a	27.1	26.0	28.0
Emergency Room	11.4	15.2	11.2	12.8	7.8 ^b	13.9	12.6	16.0
Private Doctor's Office	15.8	18.6	12.8	11.6	12.4 ^a	18.1	17.2	19.6
Self-Help Group	56.4	56.8	32.9	34.8	55.1	54.0	59.3	60.3
Prison/Jail	8.3	11.6	9.8	7.1	10.3	14.6	7.5	11.1

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug or Alcohol Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.