

Table 5.35A Source of Payment for Last or Current Illicit Drug Treatment among Persons Who Received Their Last or Current Illicit Drug Treatment at a Specialty Facility in the Past Year, by Age Group: Numbers in Thousands, 2010 and 2011

Source of Payment ¹	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
Private Health Insurance	369	380	*	*	73	97	*	*
Medicare	352	318	*	*	54	52	*	*
Medicaid	355	390	*	*	49	59	*	*
Public Assistance Other Than Medicaid	363	317	*	*	70	52	*	*
Own Savings or Earnings	380	386	*	*	85	88	271	*
Family Members	281	267	*	*	81	103	163	*
Courts	143	99	*	*	43	40	90	*
CHAMPUS, TRICARE, CHAMPVA, the VA or Some Other Military Health Care	26	20	*	*	5	9	15	9
Employer	28	18	*	*	5	1	*	17

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: If respondents reported that they were currently receiving treatment, they were asked questions regarding the sources of payment for their current treatment; otherwise, questions pertained to the last treatment they received.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple sources of payment for their last or current treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.35B Source of Payment for Last or Current Illicit Drug Treatment among Persons Who Received Their Last or Current Illicit Drug Treatment at a Specialty Facility in the Past Year, by Age Group: Percentages, 2010 and 2011

Source of Payment ¹	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
Private Health Insurance	36.1	39.0	*	*	29.6	36.9	*	*
Medicare	34.4	32.7	*	*	21.6	19.8	*	*
Medicaid	34.7	40.1	*	*	19.6	22.5	*	*
Public Assistance Other Than Medicaid	35.5	32.5	*	*	28.4	19.6	*	*
Own Savings or Earnings	37.1	39.6	*	*	34.5	33.4	38.4	*
Family Members	27.5	27.4	*	*	32.8	39.1	23.1	*
Courts	14.0	10.2	*	*	17.5	15.0	12.7	*
CHAMPUS, TRICARE, CHAMPVA, the VA or Some Other Military Health Care	2.5	2.0	*	*	2.0	3.6	2.2	1.4
Employer	2.8	1.9	*	*	2.2	0.3	*	2.7

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: If respondents reported that they were currently receiving treatment, they were asked questions regarding the sources of payment for their current treatment; otherwise, questions pertained to the last treatment they received.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple sources of payment for their last or current treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.36A Source of Payment for Last or Current Alcohol Treatment among Persons Who Received Their Last or Current Alcohol Treatment at a Specialty Facility in the Past Year, by Age Group: Numbers in Thousands, 2010 and 2011

Source of Payment ¹	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
Private Health Insurance	381	336	*	*	80	72	*	242
Medicare	200	243	*	*	33	41	*	190
Medicaid	221	262	*	*	43	43	*	204
Public Assistance Other Than Medicaid	324	213	*	*	55	38	*	*
Own Savings or Earnings	355	476	*	*	87	80	257	391
Family Members	139	232	*	*	49	*	72	*
Courts	74	92	*	*	22	37	44	51
CHAMPUS, TRICARE, CHAMPVA, the VA or Some Other Military Health Care	57	59	*	*	*	*	47	45
Employer	40	40	*	*	*	*	34	34

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: If respondents reported that they were currently receiving treatment, they were asked questions regarding the sources of payment for their current treatment; otherwise, questions pertained to the last treatment they received.

NOTE: Received Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop alcohol use, or for medical problems associated with alcohol use.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple sources of payment for their last or current treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.36B Source of Payment for Last or Current Alcohol Treatment among Persons Who Received Their Last or Current Alcohol Treatment at a Specialty Facility in the Past Year, by Age Group: Percentages, 2010 and 2011

Source of Payment ¹	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
Private Health Insurance	40.2	32.5	*	*	38.2	35.1	*	31.2
Medicare	21.1	23.5	*	*	15.9	20.0	*	24.5
Medicaid	23.4	25.3	*	*	20.5	21.0	*	26.3
Public Assistance Other Than Medicaid	34.2 ^a	20.6	*	*	26.5	18.4	*	*
Own Savings or Earnings	37.4	46.1	*	*	41.7	39.2	37.2	50.4
Family Members	14.7	22.5	*	*	23.3	*	10.4	*
Courts	7.8	8.9	*	*	10.5	18.1	6.4	6.5
CHAMPUS, TRICARE, CHAMPVA, the VA or Some Other Military Health Care	6.0	5.7	*	*	*	*	6.8	5.7
Employer	4.2	3.9	*	*	*	*	5.0	4.3

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: If respondents reported that they were currently receiving treatment, they were asked questions regarding the sources of payment for their current treatment; otherwise, questions pertained to the last treatment they received.

NOTE: Received Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop alcohol use, or for medical problems associated with alcohol use.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple sources of payment for their last or current treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.37A Source of Payment for Last or Current Illicit Drug or Alcohol Treatment among Persons Who Received Their Last or Current Illicit Drug or Alcohol Treatment at a Specialty Facility in the Past Year, by Age Group: Numbers in Thousands, 2010 and 2011

Source of Payment ¹	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
Private Health Insurance	640	637	*	*	137	156	445	423
Medicare	473	517	*	*	79	94	361	395
Medicaid	506	580	*	*	84	99	393	446
Public Assistance Other Than Medicaid	625	513	*	*	120	84	484	421
Own Savings or Earnings	722	769	*	*	172	172	517	591
Family Members	394	431	*	*	124	160	224	226
Courts	208	190	*	*	61	64	130	115
CHAMPUS, TRICARE, CHAMPVA, the VA or Some Other Military Health Care	73	80	*	*	10	25	53	53
Employer	52	52	*	*	9	5	40	44

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: If respondents reported that they were currently receiving treatment, they were asked questions regarding the sources of payment for their current treatment; otherwise, questions pertained to the last treatment they received.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug or Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple sources of payment for their last or current treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.37B Source of Payment for Last or Current Illicit Drug or Alcohol Treatment among Persons Who Received Their Last or Current Illicit Drug or Alcohol Treatment at a Specialty Facility in the Past Year, by Age Group: Percentages, 2010 and 2011

Source of Payment ¹	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
Private Health Insurance	36.8	38.5	*	*	36.0	41.0	35.2	35.9
Medicare	27.2	31.2	*	*	20.8	24.8	28.6	33.5
Medicaid	29.1	35.0	*	*	22.1	26.0	31.1	37.9
Public Assistance Other Than Medicaid	35.9	31.0	*	*	31.5	22.0	38.3	35.8
Own Savings or Earnings	41.5	46.4	*	*	45.2	45.3	41.0	50.1
Family Members	22.6	26.0	*	*	32.4	42.2	17.8	19.2
Courts	11.9	11.4	*	*	15.9	16.8	10.3	9.8
CHAMPUS, TRICARE, CHAMPVA, the VA or Some Other Military Health Care	4.2	4.9	*	*	2.6	6.5	4.2	4.5
Employer	3.0	3.1	*	*	2.4	1.4	3.2	3.8

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: If respondents reported that they were currently receiving treatment, they were asked questions regarding the sources of payment for their current treatment; otherwise, questions pertained to the last treatment they received.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug or Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple sources of payment for their last or current treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.