

Table 5.43A Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year, by Detailed Age Category: Numbers in Thousands and Percentages, 2010 and 2011

Age Category	Needed Treatment (2010)	Needed Treatment (2011)	Needed and Received Treatment (2010)	Needed and Received Treatment (2011)	Needed but Did Not Receive Treatment (2010)	Needed but Did Not Receive Treatment (2011)	Percentage Who Received Treatment among Persons Who Needed Treatment (2010)	Percentage Who Received Treatment among Persons Who Needed Treatment (2011)
TOTAL	7,936 ^a	7,186	1,518	1,354	6,418 ^a	5,832	19.1	18.8
12	33	32	0	1	32	31	*	*
13	74	72	3	2	71	70	*	*
14	136	129	10	7	126	122	*	*
15	253	247	13 ^a	33	239	213	5.3 ^a	13.6
16	305	325	32	34	273	291	10.6	10.4
17	377	381	39	47	338	334	10.3	12.4
18	435	414	52	43	383	371	11.9	10.4
19	425	379	40	34	385	345	9.4	9.0
20	388	400	34	52	353	348	8.8	13.0
21	372	387	58	50	315	336	15.5	13.0
22	314	333	45	44	269	289	14.5	13.3
23	326	316	51	67	274	250	15.7	21.1
24	310	281	41	51	269	231	13.2	18.0
25	246	250	34	60	211	190	14.0	23.9
26-29	890	681	220 ^a	123	670	558	24.8	18.0
30-34	816	659	140	144	677	515	17.1	21.8
35-39	590	494	182	150	408	344	*	*
40-44	435	364	137	89	298	275	*	*
45-49	527 ^a	321	192	100	335	221	*	*
50-54	424	420	87	142	336	279	*	*
55-59	109	161	52	35	56	125	*	*
60-64	119	80	44	45	75	35	*	*
65 or Older	33	61	10	*	22	61	*	*

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.43B Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year, by Detailed Age Category: Percentages, 2010 and 2011

Age Category	Needed Treatment (2010)	Needed Treatment (2011)	Needed and Received Treatment (2010)	Needed and Received Treatment (2011)	Needed but Did Not Receive Treatment (2010)	Needed but Did Not Receive Treatment (2011)	Percentage Who Received Treatment among Persons Who Needed Treatment (2010)	Percentage Who Received Treatment among Persons Who Needed Treatment (2011)
TOTAL	3.1 ^a	2.8	0.6	0.5	2.5 ^a	2.3	19.1	18.8
12	0.9	0.8	0.0	0.0	0.8	0.8	*	*
13	1.8	1.7	0.1	0.1	1.7	1.7	*	*
14	3.5	3.0	0.3	0.2	3.2	2.9	*	*
15	6.1	5.8	0.3	0.8	5.8	5.0	5.3 ^a	13.6
16	7.3	7.4	0.8	0.8	6.6	6.7	10.6	10.4
17	8.9	9.0	0.9	1.1	8.0	7.9	10.3	12.4
18	9.2	8.7	1.1	0.9	8.1	7.8	11.9	10.4
19	9.7	8.8	0.9	0.8	8.8	8.0	9.4	9.0
20	8.5	8.9	0.8	1.2	7.8	7.8	8.8	13.0
21	8.8	8.9	1.4	1.2	7.4	7.7	15.5	13.0
22	7.6	7.7	1.1	1.0	6.5	6.7	14.5	13.3
23	8.1	7.9	1.3	1.7	6.8	6.3	15.7	21.1
24	7.6	6.7	1.0	1.2	6.6	5.5	13.2	18.0
25	6.2	6.3	0.9	1.5	5.3	4.8	14.0	23.9
26-29	5.3 ^a	4.0	1.3 ^a	0.7	4.0	3.3	24.8	18.0
30-34	4.1	3.4	0.7	0.7	3.4	2.7	17.1	21.8
35-39	3.1	2.5	0.9	0.8	2.1	1.7	*	*
40-44	2.1	1.8	0.7	0.4	1.5	1.4	*	*
45-49	2.4 ^a	1.5	0.9	0.5	1.5	1.0	*	*
50-54	1.9	1.8	0.4	0.6	1.5	1.2	*	*
55-59	0.6	0.8	0.3	0.2	0.3	0.7	*	*
60-64	0.7	0.4	0.3	0.2	0.5	0.2	*	*
65 or Older	0.1	0.2	0.0	*	0.1	0.2	*	*

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.44A Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Numbers in Thousands and Percentages, 2010 and 2011

Demographic Characteristic	Needed Treatment (2010)	Needed Treatment (2011)	Needed and Received Treatment (2010)	Needed and Received Treatment (2011)	Needed but Did Not Receive Treatment (2010)	Needed but Did Not Receive Treatment (2011)	Percentage Who Received Treatment among Persons Who Needed Treatment (2010)	Percentage Who Received Treatment among Persons Who Needed Treatment (2011)
TOTAL	7,936 ^a	7,186	1,518	1,354	6,418 ^a	5,832	19.1	18.8
AGE								
12-17	1,179	1,184	99	125	1,080	1,060	8.4	10.5
18-25	2,815	2,761	355	401	2,460	2,360	12.6	14.5
26 or Older	3,943 ^a	3,240	1,064	828	2,878	2,412	27.0	25.5
GENDER								
Male	4,944	4,690	930	827	4,015	3,863	18.8	17.6
Female	2,992 ^b	2,495	588	527	2,403 ^b	1,969	19.7	21.1
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	6,534 ^a	5,926	1,344	1,133	5,190	4,794	20.6	19.1
White	4,818	4,414	1,088 ^a	816	3,730	3,598	22.6	18.5
Black or African American	1,350	1,098	201	243	1,148 ^a	855	14.9	22.1
American Indian or Alaska Native	80	102	30	*	50	65	*	*
Native Hawaiian or Other Pacific Islander	6	20	1	1	5	19	*	*
Asian	151	146	7	11	145	135	*	*
Two or More Races	128	146	16	25	113	121	*	*
Hispanic or Latino	1,402	1,259	174	221	1,228	1,038	12.4	17.6

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.44B Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Percentages, 2010 and 2011

Demographic Characteristic	Needed Treatment (2010)	Needed Treatment (2011)	Needed and Received Treatment (2010)	Needed and Received Treatment (2011)	Needed but Did Not Receive Treatment (2010)	Needed but Did Not Receive Treatment (2011)	Percentage Who Received Treatment among Persons Who Needed Treatment (2010)	Percentage Who Received Treatment among Persons Who Needed Treatment (2011)
TOTAL	3.1 ^a	2.8	0.6	0.5	2.5 ^a	2.3	19.1	18.8
AGE								
12-17	4.8	4.7	0.4	0.5	4.4	4.2	8.4	10.5
18-25	8.3	8.0	1.0	1.2	7.2	6.9	12.6	14.5
26 or Older	2.0 ^a	1.6	0.5	0.4	1.5 ^a	1.2	27.0	25.5
GENDER								
Male	4.0	3.8	0.8	0.7	3.3	3.1	18.8	17.6
Female	2.3 ^b	1.9	0.5	0.4	1.8 ^b	1.5	19.7	21.1
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	3.0 ^a	2.7	0.6	0.5	2.4	2.2	20.6	19.1
White	2.8	2.6	0.6 ^a	0.5	2.2	2.1	22.6	18.5
Black or African American	4.5	3.6	0.7	0.8	3.8 ^a	2.8	14.9	22.1
American Indian or Alaska Native	6.6	7.1	2.5	*	4.2	4.5	*	*
Native Hawaiian or Other Pacific Islander	0.9	2.2	0.2	0.1	0.7	2.1	*	*
Asian	1.3	1.2	0.1	0.1	1.3	1.1	*	*
Two or More Races	4.0	3.7	0.5	0.6	3.5	3.0	*	*
Hispanic or Latino	3.8	3.2	0.5	0.6	3.3	2.6	12.4	17.6

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.45A Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Numbers in Thousands and Percentages, 2010 and 2011

Demographic Characteristic	Needed Treatment (2010)	Needed Treatment (2011)	Needed and Received Treatment (2010)	Needed and Received Treatment (2011)	Needed but Did Not Receive Treatment (2010)	Needed but Did Not Receive Treatment (2011)	Percentage Who Received Treatment among Persons Who Needed Treatment (2010)	Percentage Who Received Treatment among Persons Who Needed Treatment (2011)
TOTAL	6,758 ^a	6,001	1,420	1,229	5,338 ^a	4,772	21.0	20.5
GENDER								
Male	4,352	4,040	872	758	3,480	3,282	20.0	18.8
Female	2,406 ^a	1,961	548	472	1,858 ^a	1,490	22.8	24.0
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	5,658 ^a	5,036	1,264	1,034	4,394	4,002	22.3	20.5
White	4,139	3,781	1,023 ^a	742	3,116	3,040	24.7 ^a	19.6
Black or African American	1,219 ^a	930	197	228	1,022 ^a	702	16.2	24.5
American Indian or Alaska Native	71	86	28	*	42	50	*	*
Native Hawaiian or Other Pacific Islander	4	18	1	1	2	17	*	*
Asian	130	123	2	11	127	112	*	*
Two or More Races	96	98	12	16	85	81	*	*
Hispanic or Latino	1,100	965	156	195	944	770	*	20.2
EDUCATION								
< High School	1,786	1,638	412	475	1,375	1,162	23.1	29.0
High School Graduate	1,989	1,960	448	347	1,541	1,613	22.5	17.7
Some College	2,040	1,826	485	329	1,555	1,496	23.8	18.0
College Graduate	942 ^b	578	75	77	868 ^b	501	7.9	*
CURRENT EMPLOYMENT								
Full-Time	2,621	2,249	401	322	2,220	1,927	15.3	14.3
Part-Time	1,360	1,210	270	177	1,089	1,033	19.9	14.7
Unemployed	1,035	934	227	230	808	704	21.9	24.6
Other ¹	1,742	1,608	521	500	1,221	1,108	29.9	31.1

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.45B Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Percentages, 2010 and 2011

Demographic Characteristic	Needed Treatment (2010)	Needed Treatment (2011)	Needed and Received Treatment (2010)	Needed and Received Treatment (2011)	Needed but Did Not Receive Treatment (2010)	Needed but Did Not Receive Treatment (2011)	Percentage Who Received Treatment among Persons Who Needed Treatment (2010)	Percentage Who Received Treatment among Persons Who Needed Treatment (2011)
TOTAL	2.9 ^a	2.6	0.6	0.5	2.3 ^a	2.1	21.0	20.5
GENDER								
Male	3.9	3.6	0.8	0.7	3.1	2.9	20.0	18.8
Female	2.0 ^b	1.6	0.5	0.4	1.6 ^b	1.2	22.8	24.0
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	2.9 ^a	2.5	0.6	0.5	2.2	2.0	22.3	20.5
White	2.7	2.4	0.7 ^a	0.5	2.0	2.0	24.7 ^a	19.6
Black or African American	4.6 ^a	3.5	0.7	0.9	3.8 ^b	2.6	16.2	24.5
American Indian or Alaska Native	6.6	6.7	2.7	*	3.9	3.9	*	*
Native Hawaiian or Other Pacific Islander	0.6	2.1	0.2	0.1	0.3	2.0	*	*
Asian	1.2	1.1	0.0	0.1	1.2	1.0	*	*
Two or More Races	3.6	3.0	0.4	0.5	3.2	2.5	*	*
Hispanic or Latino	3.5	2.8	0.5	0.6	3.0	2.3	*	20.2
EDUCATION								
< High School	5.1	5.0	1.2	1.4	3.9	3.5	23.1	29.0
High School Graduate	2.9	2.8	0.6	0.5	2.2	2.3	22.5	17.7
Some College	3.4	3.0	0.8 ^a	0.5	2.6	2.4	23.8	18.0
College Graduate	1.4 ^b	0.8	0.1	0.1	1.3 ^b	0.7	7.9	*
CURRENT EMPLOYMENT								
Full-Time	2.3 ^a	1.9	0.4	0.3	1.9	1.7	15.3	14.3
Part-Time	4.1	3.7	0.8	0.5	3.3	3.2	19.9	14.7
Unemployed	7.0	6.9	1.5	1.7	5.5	5.2	21.9	24.6
Other ¹	2.6	2.3	0.8	0.7	1.8	1.6	29.9	31.1

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.46A Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Numbers in Thousands and Percentages, 2010 and 2011

Geographic Characteristic	Needed Treatment (2010)	Needed Treatment (2011)	Needed and Received Treatment (2010)	Needed and Received Treatment (2011)	Needed but Did Not Receive Treatment (2010)	Needed but Did Not Receive Treatment (2011)	Percentage Who Received Treatment among Persons Who Needed Treatment (2010)	Percentage Who Received Treatment among Persons Who Needed Treatment (2011)
TOTAL	7,936 ^a	7,186	1,518	1,354	6,418 ^a	5,832	19.1	18.8
GEOGRAPHIC DIVISION								
Northeast	1,575	1,373	339	328	1,236	1,045	21.5	23.9
New England	453	344	121	64	332	280	*	*
Middle Atlantic	1,122	1,029	217	264	905	765	19.4	25.6
Midwest	1,641	1,414	329	246	1,311	1,168	20.1	17.4
East North Central	1,187	1,025	223	178	964	847	18.8	17.3
West North Central	453	389	106	68	347	321	23.5	17.4
South	2,667	2,495	551	446	2,115	2,050	20.7	17.9
South Atlantic	1,435	1,245	329	247	1,106	999	22.9	19.8
East South Central	493	447	104	111	389	336	21.2	*
West South Central	739	803	118	88	620	715	16.0	11.0
West	2,054	1,903	298	335	1,755	1,569	14.5	17.6
Mountain	628	633	120	109	507	524	19.2	17.3
Pacific	1,426	1,270	178	225	1,248	1,044	12.5	17.7
COUNTY TYPE								
Large Metro	4,383	3,905	784	726	3,599	3,179	17.9	18.6
Small Metro	2,448	2,321	457	437	1,991	1,884	18.7	18.8
250K – 1 Mil. Pop.	1,795	1,649	349	327	1,447	1,322	19.4	19.8
< 250K Pop.	653	672	108	110	544	562	16.6	16.4
Nonmetro	1,106	959	278	190	828	769	25.1	19.8
Urbanized	556	487	129	82	426	405	23.3	16.9
Less Urbanized	502	375	138	78	364	298	27.4	20.7
Completely Rural	48	97	11	30	37	67	*	*

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.46B Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2010 and 2011

Geographic Characteristic	Needed Treatment (2010)	Needed Treatment (2011)	Needed and Received Treatment (2010)	Needed and Received Treatment (2011)	Needed but Did Not Receive Treatment (2010)	Needed but Did Not Receive Treatment (2011)	Percentage Who Received Treatment among Persons Who Needed Treatment (2010)	Percentage Who Received Treatment among Persons Who Needed Treatment (2011)
TOTAL	3.1 ^a	2.8	0.6	0.5	2.5 ^a	2.3	19.1	18.8
GEOGRAPHIC DIVISION								
Northeast	3.4	2.9	0.7	0.7	2.7	2.2	21.5	23.9
New England	3.7	2.8	1.0	0.5	2.7	2.3	*	*
Middle Atlantic	3.3	3.0	0.6	0.8	2.6	2.2	19.4	25.6
Midwest	3.0	2.5	0.6	0.4	2.4	2.1	20.1	17.4
East North Central	3.1	2.6	0.6	0.5	2.5	2.2	18.8	17.3
West North Central	2.7	2.3	0.6	0.4	2.1	1.9	23.5	17.4
South	2.9	2.6	0.6	0.5	2.3	2.2	20.7	17.9
South Atlantic	2.9	2.5	0.7	0.5	2.3	2.0	22.9	19.8
East South Central	3.3	2.9	0.7	0.7	2.6	2.2	21.2	*
West South Central	2.6	2.7	0.4	0.3	2.1	2.4	16.0	11.0
West	3.5	3.2	0.5	0.6	3.0	2.6	14.5	17.6
Mountain	3.5	3.5	0.7	0.6	2.8	2.9	19.2	17.3
Pacific	3.5	3.0	0.4	0.5	3.1	2.5	12.5	17.7
COUNTY TYPE								
Large Metro	3.2	2.9	0.6	0.5	2.7	2.3	17.9	18.6
Small Metro	3.2	2.9	0.6	0.5	2.6	2.3	18.7	18.8
250K – 1 Mil. Pop.	3.5	3.0	0.7	0.6	2.8	2.4	19.4	19.8
< 250K Pop.	2.5	2.6	0.4	0.4	2.1	2.2	16.6	16.4
Nonmetro	2.7	2.4	0.7	0.5	2.0	1.9	25.1	19.8
Urbanized	3.3	2.9	0.8	0.5	2.5	2.4	23.3	16.9
Less Urbanized	2.6	2.0	0.7	0.4	1.9	1.6	27.4	20.7
Completely Rural	1.3	2.3	0.3	0.7	1.0	1.6	*	*

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.47A Perceived Need for Illicit Drug Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug Problem, by Demographic Characteristics: Numbers in Thousands, 2010 and 2011

Demographic Characteristic	Needed but Did Not Receive Treatment ¹ (2010)	Needed but Did Not Receive Treatment ¹ (2011)	Felt Need for Treatment ² (2010)	Felt Need for Treatment ² (2011)	Felt Need and Made Effort to Get Treatment ² (2010)	Felt Need and Made Effort to Get Treatment ² (2011)	Felt Need and Made No Effort to Get Treatment ² (2010)	Felt Need and Made No Effort to Get Treatment ² (2011)	Did Not Feel Need for Treatment ² (2010)	Did Not Feel Need for Treatment ² (2011)
TOTAL	6,418 ^a	5,832	394	488	193	187	201	301	6,024 ^a	5,344
AGE										
12-17	1,080	1,060	52 ^a	28	21	16	30 ^a	13	1,028	1,031
18-25	2,460	2,360	111	125	29 ^a	56	82	70	2,348	2,235
26 or Older	2,878	2,412	231	334	143	115	88 ^a	219	2,647 ^a	2,078
GENDER										
Male	4,015	3,863	250	371	141	121	109 ^a	250	3,764	3,492
Female	2,403 ^b	1,969	144	117	52	66	92	50	2,260 ^b	1,852

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs, but have not received treatment for an illicit drug problem at a specialty facility.

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.47B Perceived Need for Illicit Drug Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug Problem, by Demographic Characteristics: Percentages, 2010 and 2011

Demographic Characteristic	Needed but Did Not Receive Treatment ¹ (2010)	Needed but Did Not Receive Treatment ¹ (2011)	Felt Need for Treatment ² (2010)	Felt Need for Treatment ² (2011)	Felt Need and Made Effort to Get Treatment ² (2010)	Felt Need and Made Effort to Get Treatment ² (2011)	Felt Need and Made No Effort to Get Treatment ² (2010)	Felt Need and Made No Effort to Get Treatment ² (2011)	Did Not Feel Need for Treatment ² (2010)	Did Not Feel Need for Treatment ² (2011)
TOTAL	100.0	100.0	6.1	8.4	3.0	3.2	3.1 ^a	5.2	93.9	91.6
AGE										
12-17	100.0	100.0	4.8 ^a	2.7	2.0	1.5	2.8 ^a	1.2	95.2 ^a	97.3
18-25	100.0	100.0	4.5	5.3	1.2 ^a	2.4	3.4	2.9	95.5	94.7
26 or Older	100.0	100.0	8.0	13.8	5.0	4.8	3.1 ^b	9.1	92.0	86.2
GENDER										
Male	100.0	100.0	6.2	9.6	3.5	3.1	2.7 ^b	6.5	93.8	90.4
Female	100.0	100.0	6.0	5.9	2.2	3.4	3.8	2.6	94.0	94.1

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs, but have not received treatment for an illicit drug problem at a specialty facility.

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.