

Table 5.48A Need for and Receipt of Treatment at a Specialty Facility for an Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Numbers in Thousands and Percentages, 2010 and 2011

Demographic Characteristic	Needed Treatment (2010)	Needed Treatment (2011)	Needed and Received Treatment (2010)	Needed and Received Treatment (2011)	Needed but Did Not Receive Treatment (2010)	Needed but Did Not Receive Treatment (2011)	Percentage Who Received Treatment among Persons Who Needed Treatment (2010)	Percentage Who Received Treatment among Persons Who Needed Treatment (2011)
TOTAL	18,633 ^a	17,389	1,591	1,472	17,042 ^a	15,917	8.5	8.5
AGE								
12-17	1,144 ^a	978	70	63	1,074 ^a	915	6.1	6.4
18-25	5,455 ^a	5,062	312	315	5,143 ^a	4,747	5.7	6.2
26 or Older	12,034	11,349	1,209	1,093	10,825	10,255	10.0	9.6
GENDER								
Male	12,229 ^b	10,962	1,082	955	11,147 ^a	10,007	8.8	8.7
Female	6,404	6,426	509	517	5,894	5,910	8.0	8.0
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	15,711 ^a	14,476	1,390	1,196	14,322 ^a	13,280	8.8	8.3
White	13,058 ^a	11,902	1,111	950	11,947 ^a	10,952	8.5	8.0
Black or African American	1,828	1,691	220	199	1,609	1,492	12.0	11.8
American Indian or Alaska Native	177	191	20	8	157	183	11.1	4.3
Native Hawaiian or Other Pacific Islander	37	97	1	*	35	87	*	*
Asian	370	318	16	12	354	305	*	*
Two or More Races	241	277	22	16	219	261	*	5.8
Hispanic or Latino	2,922	2,913	202	276	2,720	2,637	6.9	9.5

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.48B Need for and Receipt of Treatment at a Specialty Facility for an Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Percentages, 2010 and 2011

Demographic Characteristic	Needed Treatment (2010)	Needed Treatment (2011)	Needed and Received Treatment (2010)	Needed and Received Treatment (2011)	Needed but Did Not Receive Treatment (2010)	Needed but Did Not Receive Treatment (2011)	Percentage Who Received Treatment among Persons Who Needed Treatment (2010)	Percentage Who Received Treatment among Persons Who Needed Treatment (2011)
TOTAL	7.3 ^b	6.8	0.6	0.6	6.7 ^a	6.2	8.5	8.5
AGE								
12-17	4.7 ^b	3.9	0.3	0.3	4.4 ^b	3.7	6.1	6.4
18-25	16.0 ^a	14.8	0.9	0.9	15.1 ^a	13.8	5.7	6.2
26 or Older	6.2	5.7	0.6	0.6	5.5	5.2	10.0	9.6
GENDER								
Male	9.9 ^b	8.8	0.9	0.8	9.0 ^b	8.0	8.8	8.7
Female	4.9	4.8	0.4	0.4	4.5	4.4	8.0	8.0
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	7.2 ^a	6.6	0.6	0.5	6.6 ^a	6.1	8.8	8.3
White	7.7 ^a	7.0	0.7	0.6	7.0 ^a	6.5	8.5	8.0
Black or African American	6.0	5.6	0.7	0.7	5.3	4.9	12.0	11.8
American Indian or Alaska Native	14.7	13.4	1.6	0.6	13.0	12.8	11.1	4.3
Native Hawaiian or Other Pacific Islander	5.0	10.4	0.2	*	4.8	9.3	*	*
Asian	3.2	2.6	0.1	0.1	3.1	2.5	*	*
Two or More Races	7.6	6.9	0.7	0.4	6.9	6.5	*	5.8
Hispanic or Latino	7.9	7.4	0.5	0.7	7.4	6.7	6.9	9.5

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.49A Need for and Receipt of Treatment at a Specialty Facility for an Alcohol Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Numbers in Thousands and Percentages, 2010 and 2011

Demographic Characteristic	Needed Treatment (2010)	Needed Treatment (2011)	Needed and Received Treatment (2010)	Needed and Received Treatment (2011)	Needed but Did Not Receive Treatment (2010)	Needed but Did Not Receive Treatment (2011)	Percentage Who Received Treatment among Persons Who Needed Treatment (2010)	Percentage Who Received Treatment among Persons Who Needed Treatment (2011)
TOTAL	17,489	16,411	1,521	1,408	15,968	15,002	8.7	8.6
GENDER								
Male	11,712 ^b	10,515	1,049	922	10,663 ^a	9,593	9.0	8.8
Female	5,777	5,895	472	486	5,305	5,409	8.2	8.2
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	14,824 ^a	13,725	1,338	1,145	13,486	12,580	9.0	8.3
White	12,329 ^a	11,321	1,070	913	11,259	10,408	8.7	8.1
Black or African American	1,745	1,588	211	187	1,535	1,401	12.1	11.8
American Indian or Alaska Native	168	184	19	8	149	177	*	4.2
Native Hawaiian or Other Pacific Islander	31	88	1	*	30	78	*	*
Asian	346	301	15	12	331	289	*	*
Two or More Races	205	242	22	15	184	228	*	*
Hispanic or Latino	2,665	2,686	183	264	2,482	2,423	6.9	9.8
EDUCATION								
< High School	2,785	2,523	412	404	2,373	2,119	14.8	16.0
High School Graduate	4,905	4,601	530	412	4,375	4,189	10.8	9.0
Some College	5,430	5,134	501	411	4,929	4,723	9.2	8.0
College Graduate	4,368	4,152	78	180	4,291	3,972	1.8	4.3
CURRENT EMPLOYMENT								
Full-Time	9,017	8,682	503	478	8,514	8,204	5.6	5.5
Part-Time	2,992	2,630	267 ^a	149	2,725	2,481	8.9	5.7
Unemployed	1,839	1,641	198	211	1,640	1,430	10.8	12.9
Other ¹	3,641	3,458	552	570	3,089	2,888	15.2	16.5

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.49B Need for and Receipt of Treatment at a Specialty Facility for an Alcohol Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Percentages, 2010 and 2011

Demographic Characteristic	Needed Treatment (2010)	Needed Treatment (2011)	Needed and Received Treatment (2010)	Needed and Received Treatment (2011)	Needed but Did Not Receive Treatment (2010)	Needed but Did Not Receive Treatment (2011)	Percentage Who Received Treatment among Persons Who Needed Treatment (2010)	Percentage Who Received Treatment among Persons Who Needed Treatment (2011)
TOTAL	7.6 ^a	7.1	0.7	0.6	7.0 ^a	6.4	8.7	8.6
GENDER								
Male	10.6 ^b	9.4	0.9	0.8	9.6 ^b	8.6	9.0	8.8
Female	4.9	4.9	0.4	0.4	4.5	4.5	8.2	8.2
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	7.5 ^a	6.9	0.7	0.6	6.8 ^a	6.3	9.0	8.3
White	7.9 ^a	7.3	0.7	0.6	7.2	6.7	8.7	8.1
Black or African American	6.5	5.9	0.8	0.7	5.8	5.2	12.1	11.8
American Indian or Alaska Native	15.6	14.3	1.8	0.6	13.8	13.7	*	4.2
Native Hawaiian or Other Pacific Islander	4.7	10.2	0.2	*	4.5	9.1	*	*
Asian	3.3	2.7	0.1	0.1	3.2	2.6	*	*
Two or More Races	7.7	7.4	0.8	0.5	6.9	6.9	*	*
Hispanic or Latino	8.4	7.9	0.6	0.8	7.8	7.1	6.9	9.8
EDUCATION								
< High School	7.9	7.6	1.2	1.2	6.8	6.4	14.8	16.0
High School Graduate	7.1	6.6	0.8	0.6	6.3	6.0	10.8	9.0
Some College	9.2	8.3	0.8	0.7	8.3	7.7	9.2	8.0
College Graduate	6.6	6.1	0.1	0.3	6.5	5.8	1.8	4.3
CURRENT EMPLOYMENT								
Full-Time	7.9	7.5	0.4	0.4	7.5	7.1	5.6	5.5
Part-Time	9.0	8.1	0.8 ^a	0.5	8.2	7.6	8.9	5.7
Unemployed	12.4	12.1	1.3	1.6	11.1	10.5	10.8	12.9
Other ¹	5.4	4.9	0.8	0.8	4.6	4.1	15.2	16.5

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.50A Perceived Need for Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Alcohol Problem, by Demographic Characteristics: Numbers in Thousands, 2010 and 2011

Demographic Characteristic	Needed but Did Not Receive Treatment ¹ (2010)	Needed but Did Not Receive Treatment ¹ (2011)	Felt Need for Treatment ² (2010)	Felt Need for Treatment ² (2011)	Felt Need and Made Effort to Get Treatment ² (2010)	Felt Need and Made Effort to Get Treatment ² (2011)	Felt Need and Made No Effort to Get Treatment ² (2010)	Felt Need and Made No Effort to Get Treatment ² (2011)	Did Not Feel Need for Treatment ² (2010)	Did Not Feel Need for Treatment ² (2011)
TOTAL	17,042 ^a	15,917	706	505	214	137	492	368	16,336	15,412
AGE										
12-17	1,074 ^a	915	16	9	4	2	13	6	1,058 ^a	906
18-25	5,143 ^a	4,747	92	61	38 ^a	10	55	51	5,050	4,686
26 or Older	10,825	10,255	598	435	173	125	425	310	10,227	9,820
GENDER										
Male	11,147 ^a	10,007	448	338	122	92	325	246	10,700 ^a	9,669
Female	5,894	5,910	259	167	92	45	167	122	5,636	5,743

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for alcohol, but have not received treatment for an alcohol problem at a specialty facility.

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.50B Perceived Need for Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Alcohol Problem, by Demographic Characteristics: Percentages, 2010 and 2011

Demographic Characteristic	Needed but Did Not Receive Treatment ¹ (2010)	Needed but Did Not Receive Treatment ¹ (2011)	Felt Need for Treatment ² (2010)	Felt Need for Treatment ² (2011)	Felt Need and Made Effort to Get Treatment ² (2010)	Felt Need and Made Effort to Get Treatment ² (2011)	Felt Need and Made No Effort to Get Treatment ² (2010)	Felt Need and Made No Effort to Get Treatment ² (2011)	Did Not Feel Need for Treatment ² (2010)	Did Not Feel Need for Treatment ² (2011)
TOTAL	100.0	100.0	4.1	3.2	1.3	0.9	2.9	2.3	95.9	96.8
AGE										
12-17	100.0	100.0	1.5	0.9	0.3	0.2	1.2	0.7	98.5	99.1
18-25	100.0	100.0	1.8	1.3	0.7 ^a	0.2	1.1	1.1	98.2	98.7
26 or Older	100.0	100.0	5.5	4.2	1.6	1.2	3.9	3.0	94.5	95.8
GENDER										
Male	100.0	100.0	4.0	3.4	1.1	0.9	2.9	2.5	96.0	96.6
Female	100.0	100.0	4.4	2.8	1.6	0.8	2.8	2.1	95.6	97.2

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for alcohol, but have not received treatment for an alcohol problem at a specialty facility.

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.