

Table 5.51A Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Numbers in Thousands and Percentages, 2010 and 2011

Demographic Characteristic	Needed Treatment (2010)	Needed Treatment (2011)	Needed and Received Treatment (2010)	Needed and Received Treatment (2011)	Needed but Did Not Receive Treatment (2010)	Needed but Did Not Receive Treatment (2011)	Percentage Who Received Treatment among Persons Who Needed Treatment (2010)	Percentage Who Received Treatment among Persons Who Needed Treatment (2011)
TOTAL	23,209 ^b	21,579	2,594	2,325	20,615 ^a	19,254	11.2	10.8
AGE								
12-17	1,833	1,744	139	146	1,694	1,598	7.6	8.4
18-25	6,956 ^a	6,560	537	567	6,419 ^a	5,994	7.7	8.6
26 or Older	14,420 ^a	13,274	1,919	1,613	12,502	11,661	13.3	12.1
GENDER								
Male	15,089 ^b	13,645	1,665	1,457	13,424 ^a	12,188	11.0	10.7
Female	8,120	7,934	929	868	7,191	7,066	11.4	10.9
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	19,476 ^b	17,981	2,291	1,958	17,185 ^a	16,023	11.8	10.9
White	15,772 ^a	14,474	1,846	1,519	13,926 ^a	12,954	11.7	10.5
Black or African American	2,668	2,364	342	339	2,326	2,025	12.8	14.3
American Indian or Alaska Native	201	249	43	45	158	204	*	*
Native Hawaiian or Other Pacific Islander	41 ^a	109	1	*	40	99	*	*
Asian	473	419	24	16	449	403	5.0	*
Two or More Races	321	366	34	29	286	338	10.8	7.8
Hispanic or Latino	3,733	3,598	303	367	3,429	3,230	8.1	10.2

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.51B Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Percentages, 2010 and 2011

Demographic Characteristic	Needed Treatment (2010)	Needed Treatment (2011)	Needed and Received Treatment (2010)	Needed and Received Treatment (2011)	Needed but Did Not Receive Treatment (2010)	Needed but Did Not Receive Treatment (2011)	Percentage Who Received Treatment among Persons Who Needed Treatment (2010)	Percentage Who Received Treatment among Persons Who Needed Treatment (2011)
TOTAL	9.2 ^b	8.4	1.0	0.9	8.1 ^b	7.5	11.2	10.8
AGE								
12-17	7.5	7.0	0.6	0.6	7.0	6.4	7.6	8.4
18-25	20.4 ^a	19.1	1.6	1.7	18.8 ^a	17.5	7.7	8.6
26 or Older	7.4 ^a	6.7	1.0	0.8	6.4	5.9	13.3	12.1
GENDER								
Male	12.2 ^b	10.9	1.3	1.2	10.9 ^b	9.8	11.0	10.7
Female	6.2	6.0	0.7	0.7	5.5	5.3	11.4	10.9
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	9.0 ^b	8.2	1.1	0.9	7.9 ^a	7.3	11.8	10.9
White	9.3 ^a	8.6	1.1	0.9	8.2	7.7	11.7	10.5
Black or African American	8.8	7.8	1.1	1.1	7.7	6.7	12.8	14.3
American Indian or Alaska Native	16.7	17.4	3.6	3.1	13.1	14.3	*	*
Native Hawaiian or Other Pacific Islander	5.7	11.7	0.2	*	5.5	10.6	*	*
Asian	4.1	3.4	0.2	0.1	3.9	3.2	5.0	*
Two or More Races	10.1	9.2	1.1	0.7	9.0	8.4	10.8	7.8
Hispanic or Latino	10.2	9.1	0.8	0.9	9.3	8.2	8.1	10.2

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.52A Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Numbers in Thousands and Percentages, 2010 and 2011

Demographic Characteristic	Needed Treatment (2010)	Needed Treatment (2011)	Needed and Received Treatment (2010)	Needed and Received Treatment (2011)	Needed but Did Not Receive Treatment (2010)	Needed but Did Not Receive Treatment (2011)	Percentage Who Received Treatment among Persons Who Needed Treatment (2010)	Percentage Who Received Treatment among Persons Who Needed Treatment (2011)
TOTAL	21,376 ^a	19,834	2,455	2,179	18,921 ^a	17,655	11.5	11.0
GENDER								
Male	14,191 ^b	12,753	1,588	1,377	12,603 ^a	11,377	11.2	10.8
Female	7,186	7,081	868	802	6,318	6,279	12.1	11.3
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	18,083 ^a	16,643	2,182	1,843	15,901 ^a	14,801	12.1	11.1
White	14,677 ^a	13,485	1,766 ^a	1,434	12,911	12,051	12.0	10.6
Black or African American	2,486	2,142	326	319	2,160	1,823	13.1	14.9
American Indian or Alaska Native	186	231	41	44	144	187	*	*
Native Hawaiian or Other Pacific Islander	33 ^a	99	1	*	31	89	*	*
Asian	436	383	19	16	418	367	*	*
Two or More Races	265	303	29	20	236	283	*	6.6
Hispanic or Latino	3,293	3,191	273	337	3,020	2,855	8.3	10.5
EDUCATION								
< High School	3,880	3,394	643	666	3,237 ^a	2,728	16.6	19.6
High School Graduate	6,070	5,819	819	645	5,251	5,174	13.5	11.1
Some College	6,570	6,077	842	619	5,728	5,457	12.8	10.2
College Graduate	4,856	4,544	151	249	4,705	4,295	3.1	5.5
CURRENT EMPLOYMENT								
Full-Time	10,491	10,061	735	710	9,755	9,351	7.0	7.1
Part-Time	3,778 ^a	3,272	490 ^b	252	3,289	3,019	13.0 ^b	7.7
Unemployed	2,465	2,192	377	413	2,087	1,779	15.3	18.8
Other ^f	4,643	4,310	853	803	3,790	3,506	18.4	18.6

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

^f The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.52B Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Percentages, 2010 and 2011

Demographic Characteristic	Needed Treatment (2010)	Needed Treatment (2011)	Needed and Received Treatment (2010)	Needed and Received Treatment (2011)	Needed but Did Not Receive Treatment (2010)	Needed but Did Not Receive Treatment (2011)	Percentage Who Received Treatment among Persons Who Needed Treatment (2010)	Percentage Who Received Treatment among Persons Who Needed Treatment (2011)
TOTAL	9.3 ^b	8.5	1.1	0.9	8.3 ^b	7.6	11.5	11.0
GENDER								
Male	12.8 ^b	11.4	1.4	1.2	11.4 ^b	10.2	11.2	10.8
Female	6.1	5.9	0.7	0.7	5.3	5.2	12.1	11.3
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	9.2 ^b	8.4	1.1	0.9	8.1 ^a	7.5	12.1	11.1
White	9.4 ^a	8.7	1.1	0.9	8.3	7.8	12.0	10.6
Black or African American	9.3	8.0	1.2	1.2	8.1	6.8	13.1	14.9
American Indian or Alaska Native	17.3	17.9	3.8	3.4	13.4	14.5	*	*
Native Hawaiian or Other Pacific Islander	4.9	11.5	0.2	*	4.7	10.3	*	*
Asian	4.2	3.4	0.2	0.1	4.0	3.3	*	*
Two or More Races	10.0	9.3	1.1	0.6	8.9	8.6	*	6.6
Hispanic or Latino	10.3	9.4	0.9	1.0	9.5	8.4	8.3	10.5
EDUCATION								
< High School	11.1	10.3	1.8	2.0	9.2	8.3	16.6	19.6
High School Graduate	8.8	8.3	1.2	0.9	7.6	7.4	13.5	11.1
Some College	11.1 ^a	9.9	1.4 ^a	1.0	9.7	8.8	12.8	10.2
College Graduate	7.4	6.7	0.2	0.4	7.2	6.3	3.1	5.5
CURRENT EMPLOYMENT								
Full-Time	9.2	8.7	0.6	0.6	8.5	8.1	7.0	7.1
Part-Time	11.4 ^a	10.1	1.5 ^b	0.8	9.9	9.3	13.0 ^b	7.7
Unemployed	16.6	16.1	2.5	3.0	14.1	13.1	15.3	18.8
Other ^f	6.9	6.1	1.3	1.1	5.6	4.9	18.4	18.6

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

^f The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.53A Perceived Need for Illicit Drug or Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug or Alcohol Problem, by Demographic Characteristics: Numbers in Thousands, 2010 and 2011

Demographic Characteristic	Needed but Did Not Receive Treatment ¹ (2010)	Needed but Did Not Receive Treatment ¹ (2011)	Felt Need for Treatment ² (2010)	Felt Need for Treatment ² (2011)	Felt Need and Made Effort to Get Treatment ² (2010)	Felt Need and Made Effort to Get Treatment ² (2011)	Felt Need and Made No Effort to Get Treatment ² (2010)	Felt Need and Made No Effort to Get Treatment ² (2011)	Did Not Feel Need for Treatment ² (2010)	Did Not Feel Need for Treatment ² (2011)
TOTAL	20,615 ^a	19,254	1,034	912	342	281	692	631	19,581 ^a	18,342
AGE										
12-17	1,694	1,598	66 ^a	40	27	19	39	20	1,628	1,559
18-25	6,419	5,994	188	175	63	62	125	113	6,231	5,819
26 or Older	12,502	11,661	780	698	252	199	528	498	11,722	10,964
GENDER										
Male	13,424 ^a	12,188	653	654	206	193	447	460	12,771 ^a	11,534
Female	7,191	7,066	381	258	136	87	245	171	6,810	6,808

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs or alcohol, but have not received treatment for an illicit drug or alcohol problem at a specialty facility.

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug or alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.53B Perceived Need for Illicit Drug or Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug or Alcohol Problem, by Demographic Characteristics: Percentages, 2010 and 2011

Demographic Characteristic	Needed but Did Not Receive Treatment ¹ (2010)	Needed but Did Not Receive Treatment ¹ (2011)	Felt Need for Treatment ² (2010)	Felt Need for Treatment ² (2011)	Felt Need and Made Effort to Get Treatment ² (2010)	Felt Need and Made Effort to Get Treatment ² (2011)	Felt Need and Made No Effort to Get Treatment ² (2010)	Felt Need and Made No Effort to Get Treatment ² (2011)	Did Not Feel Need for Treatment ² (2010)	Did Not Feel Need for Treatment ² (2011)
TOTAL	100.0	100.0	5.0	4.7	1.7	1.5	3.4	3.3	95.0	95.3
AGE										
12-17	100.0	100.0	3.9	2.5	1.6	1.2	2.3	1.3	96.1	97.5
18-25	100.0	100.0	2.9	2.9	1.0	1.0	1.9	1.9	97.1	97.1
26 or Older	100.0	100.0	6.2	6.0	2.0	1.7	4.2	4.3	93.8	94.0
GENDER										
Male	100.0	100.0	4.9	5.4	1.5	1.6	3.3	3.8	95.1	94.6
Female	100.0	100.0	5.3	3.7	1.9	1.2	3.4	2.4	94.7	96.3

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs or alcohol, but have not received treatment for an illicit drug or alcohol problem at a specialty facility.

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug or alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.