

Table 5.14C Substance Dependence for Specific Substances in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2010 and 2011

Past Year Dependence	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
ILLICIT DRUGS^{1,2}	205	177	34	37	76	72	184	152
Marijuana and Hashish	154	119	29	32	65	59	135	95
Cocaine	83	70	6	7	20	21	81	69
Heroin	49	57	3	9	17	22	46	52
Hallucinogens	23	26	12	8	16	15	13	20
Inhalants	20	13	6	6	6	2	18	11
Nonmedical Use of Psychotherapeutics ^{2,3}	133	109	18	17	41	39	124	98
Pain Relievers	108	102	16	15	38	37	99	93
Tranquilizers	75	37	8	5	14	12	72	35
Stimulants ²	42	41	7	10	17	13	36	37
Sedatives	36	26	4	4	5	7	35	24
ALCOHOL	304	260	30	26	82	74	289	247
BOTH ILLICIT DRUGS AND ALCOHOL^{1,2}	89	98	16	14	40	36	74	87
ILLICIT DRUGS OR ALCOHOL^{1,2}	365	293	42	43	104	93	340	271

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Dependence is based on the definition found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates in these designated rows do not include data from new methamphetamine use items added in 2005 and 2006.

³ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.14D Substance Dependence for Specific Substances in the Past Year, by Age Group: Standard Errors of Percentages, 2010 and 2011

Past Year Dependence	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
ILLCIT DRUGS^{1,2}	0.08	0.07	0.14	0.15	0.22	0.21	0.09	0.08
Marijuana and Hashish	0.06	0.05	0.12	0.13	0.19	0.17	0.07	0.05
Cocaine	0.03	0.03	0.02	0.03	0.06	0.06	0.04	0.03
Heroin	0.02	0.02	0.01	0.04	0.05	0.06	0.02	0.03
Hallucinogens	0.01	0.01	0.05	0.03	0.05	0.04	0.01	0.01
Inhalants	0.01	0.00	0.02	0.02	0.02	0.01	0.01	0.01
Nonmedical Use of Psychotherapeutics ^{2,3}	0.05	0.04	0.07	0.07	0.12	0.11	0.06	0.05
Pain Relievers	0.04	0.04	0.07	0.06	0.11	0.11	0.05	0.05
Tranquilizers	0.03	0.01	0.03	0.02	0.04	0.03	0.04	0.02
Stimulants ²	0.02	0.02	0.03	0.04	0.05	0.04	0.02	0.02
Sedatives	0.01	0.01	0.02	0.02	0.02	0.02	0.02	0.01
ALCOHOL	0.12	0.10	0.12	0.10	0.24	0.22	0.15	0.12
BOTH ILLICIT DRUGS AND ALCOHOL^{1,2}	0.03	0.04	0.07	0.06	0.12	0.11	0.04	0.04
ILLCIT DRUGS OR ALCOHOL^{1,2}	0.14	0.11	0.17	0.17	0.30	0.27	0.17	0.14

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Dependence is based on the definition found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates in these designated rows do not include data from new methamphetamine use items added in 2005 and 2006.

³ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.14P Substance Dependence for Specific Substances in the Past Year, by Age Group: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Past Year Dependence	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
ILLCIT DRUGS^{1,2}	0.1859		0.9324		0.7074		0.2016	
Marijuana and Hashish	0.2776		0.9286		0.8186		0.2754	
Cocaine	0.2709		0.6738		0.9827		0.2490	
Heroin	0.5801		0.1501		0.4665		0.8815	
Hallucinogens	0.6228		0.0485		0.5349		0.2611	
Inhalants	0.4073		0.6714		0.0447		0.8467	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.3531		0.4781		0.4808		0.5293	
Pain Relievers	0.7284		0.3783		0.9409		0.8028	
Tranquilizers	0.1018		0.1342		0.2787		0.1955	
Stimulants ²	0.9641		0.3864		0.0544		0.5873	
Sedatives	0.1499		0.7212		0.7215		0.1738	
ALCOHOL	0.0751		0.1429		0.0955		0.2241	
BOTH ILLICIT DRUGS AND ALCOHOL^{1,2}	0.8190		0.2601		0.6472		0.8500	
ILLCIT DRUGS OR ALCOHOL^{1,2}	0.0255		0.5433		0.1586		0.0658	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Dependence is based on the definition found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates in these designated rows do not include data from new methamphetamine use items added in 2005 and 2006.

³ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.