

Table 5.15C Received Substance Use Treatment in the Past Year, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2010 and 2011

Age Category	Illicit Drugs ¹ (2010)	Illicit Drugs ¹ (2011)	Alcohol (2010)	Alcohol (2011)	Both Illicit Drugs and Alcohol ¹ (2010)	Both Illicit Drugs and Alcohol ¹ (2011)	Illicit Drugs or Alcohol ^{1,2} (2010)	Illicit Drugs or Alcohol ^{1,2} (2011)
TOTAL	140	134	175	174	109	107	196	194
12	5	3	5	1	5	1	5	3
13	4	3	6	2	2	2	8	4
14	6	6	1	3	1	3	7	6
15	6	11	7	8	6	8	9	12
16	11	13	9	11	8	10	12	17
17	12	13	10	9	9	8	13	14
18	15	13	13	14	12	11	20	16
19	16	11	16	11	12	8	19	15
20	12	15	13	13	8	12	17	16
21	17	16	16	12	10	11	22	18
22	12	11	13	10	10	7	16	14
23	14	20	14	18	11	17	18	21
24	10	14	18	15	10	11	16	20
25	9	14	13	13	8	9	15	17
26-29	45	41	36	53	27	37	57	58
30-34	46	35	52	59	32	27	65	65
35-39	46	48	47	62	36	43	58	68
40-44	37	45	54	57	30	36	61	64
45-49	61	37	78	45	57	26	81	55
50-54	40	59	71	67	36	42	74	83
55-59	38	25	56	55	36	25	63	56
60-64	30	26	33	33	22	24	44	35
65 or Older	10	18	66	48	*	18	68	49

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.15D Received Substance Use Treatment in the Past Year, by Detailed Age Category: Standard Errors of Percentages, 2010 and 2011

Age Category	Illicit Drugs ¹ (2010)	Illicit Drugs ¹ (2011)	Alcohol (2010)	Alcohol (2011)	Both Illicit Drugs and Alcohol ¹ (2010)	Both Illicit Drugs and Alcohol ¹ (2011)	Illicit Drugs or Alcohol ^{1,2} (2010)	Illicit Drugs or Alcohol ^{1,2} (2011)
TOTAL	0.06	0.05	0.07	0.07	0.04	0.04	0.08	0.08
12	0.13	0.08	0.13	0.03	0.13	0.03	0.13	0.08
13	0.09	0.08	0.14	0.05	0.05	0.05	0.19	0.10
14	0.16	0.14	0.03	0.07	0.02	0.07	0.19	0.14
15	0.16	0.25	0.16	0.19	0.14	0.18	0.21	0.28
16	0.26	0.30	0.21	0.25	0.20	0.24	0.29	0.39
17	0.28	0.30	0.24	0.21	0.22	0.18	0.31	0.32
18	0.31	0.28	0.28	0.28	0.24	0.23	0.41	0.33
19	0.36	0.25	0.35	0.26	0.28	0.18	0.44	0.35
20	0.27	0.33	0.28	0.29	0.18	0.27	0.37	0.36
21	0.39	0.36	0.38	0.28	0.23	0.25	0.50	0.40
22	0.30	0.26	0.32	0.23	0.24	0.17	0.39	0.32
23	0.35	0.48	0.35	0.45	0.26	0.43	0.43	0.51
24	0.25	0.33	0.43	0.36	0.23	0.25	0.40	0.48
25	0.23	0.35	0.33	0.34	0.19	0.22	0.38	0.43
26-29	0.27	0.24	0.21	0.30	0.16	0.22	0.34	0.33
30-34	0.23	0.18	0.26	0.30	0.16	0.14	0.32	0.33
35-39	0.24	0.24	0.24	0.31	0.19	0.22	0.30	0.34
40-44	0.18	0.22	0.26	0.28	0.15	0.18	0.29	0.31
45-49	0.27	0.17	0.35	0.21	0.25	0.12	0.36	0.25
50-54	0.18	0.26	0.32	0.29	0.16	0.18	0.33	0.36
55-59	0.20	0.13	0.29	0.29	0.19	0.13	0.32	0.29
60-64	0.18	0.14	0.20	0.18	0.13	0.13	0.27	0.19
65 or Older	0.03	0.04	0.17	0.12	*	0.04	0.17	0.12

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.15P Received Substance Use Treatment in the Past Year, by Detailed Age Category: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Age Category	Illicit Drugs ¹ (2010)	Illicit Drugs ¹ (2011)	Alcohol (2010)	Alcohol (2011)	Both Illicit Drugs and Alcohol ¹ (2010)	Both Illicit Drugs and Alcohol ¹ (2011)	Illicit Drugs or Alcohol ^{1,2} (2010)	Illicit Drugs or Alcohol ^{1,2} (2011)
TOTAL	0.2554		0.2968		0.4226		0.1124	
12	0.3418		0.1484		0.1484		0.3906	
13	0.9873		0.2564		0.8330		0.1830	
14	0.8754		0.1786		0.1513		0.6263	
15	0.0960		0.7391		0.6501		0.1321	
16	0.4185		0.3415		0.5506		0.2685	
17	0.4974		0.3172		0.3545		0.3119	
18	0.5135		0.8514		0.3606		0.3636	
19	0.3184		0.8281		0.5715		0.6332	
20	0.2356		0.7447		0.1540		0.9745	
21	0.4450		0.0727		0.9258		0.0744	
22	0.3239		0.0373		0.0815		0.1496	
23	0.2959		0.6729		0.2040		0.7430	
24	0.5760		0.7919		0.5433		0.8129	
25	0.3761		0.7328		0.7770		0.7023	
26-29	0.2473		0.5459		0.7850		0.3849	
30-34	0.3419		0.5743		0.2644		0.4425	
35-39	0.6006		0.4499		0.9557		0.8239	
40-44	0.7450		0.6091		0.7760		0.5711	
45-49	0.0141		0.0070		0.0106		0.0135	
50-54	0.3425		0.7022		0.7010		0.5967	
55-59	0.9103		0.5545		0.7399		0.8078	
60-64	0.8985		0.5604		0.7254		0.9393	
65 or Older	0.7257		0.7722		*		0.8843	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.16C Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Demographic Characteristic	Illicit Drugs ¹ (2010)	Illicit Drugs ¹ (2011)	Alcohol (2010)	Alcohol (2011)	Both Illicit Drugs and Alcohol ¹ (2010)	Both Illicit Drugs and Alcohol ¹ (2011)	Illicit Drugs or Alcohol ^{1,2} (2010)	Illicit Drugs or Alcohol ^{1,2} (2011)
TOTAL	140	134	175	174	109	107	196	194
AGE								
12-17	20	23	18	18	15	16	24	26
18-25	40	43	44	41	31	34	52	50
26 or Older	131	122	169	169	102	100	187	184
GENDER								
Male	107	110	149	142	89	92	165	157
Female	84	73	89	94	60	56	111	109
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	128	123	163	155	98	99	186	171
White	111	102	151	141	81	81	171	157
Black or African American	57	59	54	57	49	46	64	75
American Indian or Alaska Native	16	25	19	25	16	25	19	25
Native Hawaiian or Other Pacific Islander	2	*	1	*	1	*	2	10
Asian	7	9	13	9	3	8	14	12
Two or More Races	10	13	13	10	8	10	15	15
Hispanic or Latino	56	53	64	74	49	42	73	85

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.16D Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Demographic Characteristic	Illicit Drugs ¹ (2010)	Illicit Drugs ¹ (2011)	Alcohol (2010)	Alcohol (2011)	Both Illicit Drugs and Alcohol ¹ (2010)	Both Illicit Drugs and Alcohol ¹ (2011)	Illicit Drugs or Alcohol ^{1,2} (2010)	Illicit Drugs or Alcohol ^{1,2} (2011)
TOTAL	0.06	0.05	0.07	0.07	0.04	0.04	0.08	0.08
AGE								
12-17	0.08	0.09	0.07	0.07	0.06	0.07	0.10	0.11
18-25	0.12	0.12	0.13	0.12	0.09	0.10	0.15	0.15
26 or Older	0.07	0.06	0.09	0.09	0.05	0.05	0.10	0.09
GENDER								
Male	0.09	0.09	0.12	0.11	0.07	0.07	0.13	0.13
Female	0.06	0.06	0.07	0.07	0.05	0.04	0.09	0.08
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.06	0.06	0.08	0.07	0.05	0.05	0.09	0.08
White	0.07	0.06	0.09	0.08	0.05	0.05	0.10	0.09
Black or African American	0.19	0.20	0.18	0.19	0.16	0.15	0.21	0.25
American Indian or Alaska Native	1.35	1.70	1.55	1.70	1.35	1.69	1.55	1.71
Native Hawaiian or Other Pacific Islander	0.22	*	0.19	*	0.19	*	0.22	1.13
Asian	0.06	0.07	0.11	0.08	0.03	0.06	0.12	0.10
Two or More Races	0.34	0.32	0.41	0.25	0.25	0.24	0.47	0.39
Hispanic or Latino	0.15	0.13	0.17	0.19	0.13	0.11	0.20	0.21

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.16P Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Demographic Characteristic	Illicit Drugs ¹ (2010)	Illicit Drugs ¹ (2011)	Alcohol (2010)	Alcohol (2011)	Both Illicit Drugs and Alcohol ¹ (2010)	Both Illicit Drugs and Alcohol ¹ (2011)	Illicit Drugs or Alcohol ^{1,2} (2010)	Illicit Drugs or Alcohol ^{1,2} (2011)
TOTAL	0.2554		0.2968		0.4226		0.1124	
AGE								
12-17	0.5593		0.7746		0.9428		0.9172	
18-25	0.9066		0.2177		0.8862		0.1573	
26 or Older	0.1788		0.4660		0.3810		0.2009	
GENDER								
Male	0.4024		0.2071		0.5168		0.0818	
Female	0.4375		0.9607		0.6524		0.8403	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.2065		0.1661		0.4670		0.0403	
White	0.1136		0.1751		0.4075		0.0207	
Black or African American	1.0000		0.9655		0.7665		0.6711	
American Indian or Alaska Native	0.8870		0.7201		0.8400		0.7014	
Native Hawaiian or Other Pacific Islander	*		*		*		0.1632	
Asian	0.9173		0.4498		0.6640		0.7218	
Two or More Races	0.9657		0.2579		0.6049		0.7550	
Hispanic or Latino	0.9780		0.6051		0.7355		0.5193	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.17C Received Substance Use Treatment in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Demographic Characteristic	Illicit Drugs¹ (2010)	Illicit Drugs¹ (2011)	Alcohol (2010)	Alcohol (2011)	Both Illicit Drugs and Alcohol¹ (2010)	Both Illicit Drugs and Alcohol¹ (2011)	Illicit Drugs or Alcohol^{1,2} (2010)	Illicit Drugs or Alcohol^{1,2} (2011)
TOTAL	20	23	18	18	15	16	24	26
GENDER								
Male	16	16	12	12	11	10	18	18
Female	12	15	13	12	10	11	15	18
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	16	21	14	17	12	15	20	23
White	13	17	12	14	9	13	17	18
Black or African American	7	7	7	7	7	6	9	8
American Indian or Alaska Native	1	0	1	0	0	0	1	1
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	0	*
Asian	*	*	1	2	*	*	4	6
Two or More Races	5	10	4	6	4	6	5	10
Hispanic or Latino	12	9	10	6	10	6	13	12
GENDER/RACE/HISPANIC ORIGIN								
Male, White, Not Hispanic	11	12	8	9	6	8	13	13
Female, White, Not Hispanic	7	11	9	9	6	8	11	12
Male, Black, Not Hispanic	7	7	6	6	6	6	8	7
Female, Black, Not Hispanic	2	2	3	3	2	2	3	4
Male, Hispanic	9	6	7	5	7	4	9	7
Female, Hispanic	8	6	7	4	7	4	10	10

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.17D Received Substance Use Treatment in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Demographic Characteristic	Illicit Drugs¹ (2010)	Illicit Drugs¹ (2011)	Alcohol (2010)	Alcohol (2011)	Both Illicit Drugs and Alcohol¹ (2010)	Both Illicit Drugs and Alcohol¹ (2011)	Illicit Drugs or Alcohol^{1,2} (2010)	Illicit Drugs or Alcohol^{1,2} (2011)
TOTAL	0.08	0.09	0.07	0.07	0.06	0.07	0.10	0.11
GENDER								
Male	0.13	0.13	0.10	0.09	0.09	0.08	0.15	0.14
Female	0.10	0.12	0.11	0.10	0.09	0.09	0.13	0.14
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.08	0.11	0.07	0.08	0.06	0.08	0.10	0.12
White	0.09	0.12	0.08	0.10	0.06	0.09	0.12	0.13
Black or African American	0.19	0.20	0.19	0.19	0.19	0.17	0.24	0.23
American Indian or Alaska Native	0.68	0.37	0.44	0.35	0.38	0.35	0.71	0.61
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	0.35	*
Asian	*	*	0.10	0.17	*	*	0.41	0.48
Two or More Races	0.91	1.36	0.80	0.87	0.80	0.87	0.91	1.36
Hispanic or Latino	0.25	0.17	0.21	0.12	0.20	0.11	0.27	0.22
GENDER/RACE/HISPANIC ORIGIN								
Male, White, Not Hispanic	0.15	0.16	0.11	0.12	0.09	0.11	0.18	0.18
Female, White, Not Hispanic	0.11	0.16	0.13	0.13	0.09	0.12	0.16	0.18
Male, Black, Not Hispanic	0.36	0.37	0.35	0.33	0.35	0.32	0.44	0.38
Female, Black, Not Hispanic	0.13	0.12	0.14	0.19	0.13	0.12	0.15	0.24
Male, Hispanic	0.35	0.24	0.27	0.17	0.27	0.15	0.36	0.25
Female, Hispanic	0.35	0.24	0.32	0.15	0.30	0.15	0.41	0.36

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.17P Received Substance Use Treatment in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Demographic Characteristic	Illicit Drugs ¹ (2010)	Illicit Drugs ¹ (2011)	Alcohol (2010)	Alcohol (2011)	Both Illicit Drugs and Alcohol ¹ (2010)	Both Illicit Drugs and Alcohol ¹ (2011)	Illicit Drugs or Alcohol ^{1,2} (2010)	Illicit Drugs or Alcohol ^{1,2} (2011)
TOTAL	0.5593		0.7746		0.9428		0.9172	
GENDER								
Male	0.8557		0.8293		0.8743		0.9758	
Female	0.4593		0.5382		0.9552		0.8412	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.2206		0.8106		0.6352		0.5064	
White	0.4189		0.9757		0.6448		0.9810	
Black or African American	0.6205		0.5340		0.8124		0.7065	
American Indian or Alaska Native	0.2123		0.6549		0.9444		0.4707	
Native Hawaiian or Other Pacific Islander	*		*		*		*	
Asian	*		0.8189		*		0.8759	
Two or More Races	0.2561		0.8954		0.8938		0.2279	
Hispanic or Latino	0.3730		0.3067		0.3471		0.3457	
GENDER/RACE/HISPANIC ORIGIN								
Male, White, Not Hispanic	0.8031		0.7831		0.8220		0.8318	
Female, White, Not Hispanic	0.3173		0.7752		0.6400		0.8460	
Male, Black, Not Hispanic	0.6355		0.7280		0.8621		0.8890	
Female, Black, Not Hispanic	0.8410		0.4706		0.8117		0.2428	
Male, Hispanic	0.6229		0.8471		0.6194		0.6840	
Female, Hispanic	0.4035		0.2153		0.4025		0.3458	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.18C Received Substance Use Treatment in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Demographic Characteristic	Illicit Drugs¹ (2010)	Illicit Drugs¹ (2011)	Alcohol (2010)	Alcohol (2011)	Both Illicit Drugs and Alcohol¹ (2010)	Both Illicit Drugs and Alcohol¹ (2011)	Illicit Drugs or Alcohol^{1,2} (2010)	Illicit Drugs or Alcohol^{1,2} (2011)
TOTAL	40	43	44	41	31	34	52	50
GENDER								
Male	34	36	36	36	26	30	45	42
Female	21	23	22	20	16	17	27	26
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	37	37	40	35	28	29	47	43
White	29	32	33	30	22	24	39	37
Black or African American	18	16	18	14	17	13	21	18
American Indian or Alaska Native	2	3	2	3	1	2	2	3
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	6	9	11	8	3	8	12	9
Two or More Races	7	2	5	2	5	1	7	3
Hispanic or Latino	16	21	18	21	12	18	22	25
EDUCATION								
< High School	24	22	24	21	21	19	29	25
High School Graduate	23	26	25	22	14	17	32	31
Some College	21	22	23	22	16	19	28	25
College Graduate	9	7	13	9	6	6	15	10
CURRENT EMPLOYMENT								
Full-Time	19	23	25	21	15	16	28	27
Part-Time	20	18	21	18	16	15	25	21
Unemployed	17	18	16	17	12	13	22	23
Other ³	20	24	21	23	15	20	25	27

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.18D Received Substance Use Treatment in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Demographic Characteristic	Illicit Drugs¹ (2010)	Illicit Drugs¹ (2011)	Alcohol (2010)	Alcohol (2011)	Both Illicit Drugs and Alcohol¹ (2010)	Both Illicit Drugs and Alcohol¹ (2011)	Illicit Drugs or Alcohol^{1,2} (2010)	Illicit Drugs or Alcohol^{1,2} (2011)
TOTAL	0.12	0.12	0.13	0.12	0.09	0.10	0.15	0.15
GENDER								
Male	0.20	0.21	0.21	0.21	0.15	0.17	0.26	0.24
Female	0.12	0.13	0.13	0.12	0.09	0.10	0.16	0.15
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.13	0.14	0.14	0.13	0.10	0.11	0.17	0.16
White	0.15	0.16	0.16	0.15	0.11	0.12	0.19	0.19
Black or African American	0.37	0.33	0.37	0.29	0.35	0.27	0.43	0.37
American Indian or Alaska Native	0.92	1.18	1.01	1.18	0.37	1.10	1.33	1.25
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	0.41	0.47	0.79	0.40	0.23	0.40	0.85	0.48
Two or More Races	1.29	0.30	0.92	0.25	0.86	0.08	1.33	0.39
Hispanic or Latino	0.24	0.30	0.28	0.30	0.18	0.26	0.33	0.35
EDUCATION								
< High School	0.41	0.38	0.40	0.36	0.35	0.32	0.48	0.43
High School Graduate	0.19	0.22	0.21	0.19	0.12	0.15	0.27	0.26
Some College	0.18	0.18	0.20	0.18	0.14	0.16	0.23	0.20
College Graduate	0.19	0.14	0.26	0.18	0.12	0.13	0.31	0.19
CURRENT EMPLOYMENT								
Full-Time	0.15	0.18	0.20	0.17	0.12	0.13	0.22	0.22
Part-Time	0.22	0.19	0.22	0.19	0.17	0.16	0.26	0.22
Unemployed	0.37	0.41	0.34	0.38	0.25	0.29	0.48	0.50
Other ³	0.26	0.30	0.27	0.28	0.20	0.26	0.33	0.33

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.18P Received Substance Use Treatment in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Demographic Characteristic	Illicit Drugs ¹ (2010)	Illicit Drugs ¹ (2011)	Alcohol (2010)	Alcohol (2011)	Both Illicit Drugs and Alcohol ¹ (2010)	Both Illicit Drugs and Alcohol ¹ (2011)	Illicit Drugs or Alcohol ^{1,2} (2010)	Illicit Drugs or Alcohol ^{1,2} (2011)
TOTAL	0.9066		0.2177		0.8862		0.1573	
GENDER								
Male	0.6772		0.4848		0.4852		0.2335	
Female	0.7046		0.2303		0.3878		0.5010	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.9188		0.3033		0.9319		0.2547	
White	0.8938		0.3421		0.9960		0.2984	
Black or African American	0.6258		0.5850		0.6738		0.6427	
American Indian or Alaska Native	0.5317		0.6768		0.1756		0.8914	
Native Hawaiian or Other Pacific Islander	*		*		*		*	
Asian	0.7674		0.3022		0.7699		0.4597	
Two or More Races	0.1342		0.2236		0.1458		0.1713	
Hispanic or Latino	0.8974		0.4871		0.8554		0.3973	
EDUCATION								
< High School	0.6826		0.8476		0.9906		0.9404	
High School Graduate	0.9133		0.1857		0.9355		0.3261	
Some College	0.9508		0.5316		0.8884		0.3540	
College Graduate	0.7699		0.8646		0.6343		0.3692	
CURRENT EMPLOYMENT								
Full-Time	0.9774		0.1045		0.7403		0.0906	
Part-Time	0.4401		0.3737		0.5800		0.2185	
Unemployed	0.1937		0.3383		0.2078		0.3170	
Other ³	0.8163		0.4988		0.8899		0.4198	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.19C Received Substance Use Treatment in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Demographic Characteristic	Illicit Drugs ¹ (2010)	Illicit Drugs ¹ (2011)	Alcohol (2010)	Alcohol (2011)	Both Illicit Drugs and Alcohol ¹ (2010)	Both Illicit Drugs and Alcohol ¹ (2011)	Illicit Drugs or Alcohol ^{1,2} (2010)	Illicit Drugs or Alcohol ^{1,2} (2011)
TOTAL	131	122	169	169	102	100	187	184
GENDER								
Male	99	101	144	137	83	86	158	149
Female	82	68	85	92	57	53	108	104
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	120	112	158	151	91	93	179	163
White	105	92	150	138	78	76	170	150
Black or African American	53	56	51	55	44	43	60	74
American Indian or Alaska Native	16	*	19	*	16	*	19	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	*	*	5	5	*	*	5	5
Two or More Races	6	8	11	8	5	7	12	11
Hispanic or Latino	53	48	60	71	47	37	68	81
EDUCATION								
< High School	75	72	96	80	62	58	108	96
High School Graduate	63	59	82	74	53	51	91	83
Some College	73	64	101	88	56	55	116	98
College Graduate	47	41	49	91	25	28	65	97
CURRENT EMPLOYMENT								
Full-Time	68	57	103	88	53	36	114	101
Part-Time	48	42	56	67	35	38	67	68
Unemployed	41	50	46	59	35	41	52	65
Other ³	84	81	116	100	71	71	129	109

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.19D Received Substance Use Treatment in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Demographic Characteristic	Illicit Drugs ¹ (2010)	Illicit Drugs ¹ (2011)	Alcohol (2010)	Alcohol (2011)	Both Illicit Drugs and Alcohol ¹ (2010)	Both Illicit Drugs and Alcohol ¹ (2011)	Illicit Drugs or Alcohol ^{1,2} (2010)	Illicit Drugs or Alcohol ^{1,2} (2011)
TOTAL	0.07	0.06	0.09	0.09	0.05	0.05	0.10	0.09
GENDER								
Male	0.11	0.11	0.15	0.14	0.09	0.09	0.17	0.16
Female	0.08	0.07	0.08	0.09	0.06	0.05	0.11	0.10
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.07	0.07	0.09	0.09	0.05	0.05	0.11	0.10
White	0.08	0.07	0.11	0.10	0.06	0.06	0.12	0.11
Black or African American	0.24	0.25	0.23	0.25	0.20	0.20	0.27	0.33
American Indian or Alaska Native	1.83	*	2.10	*	1.83	*	2.11	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	*	*	0.06	0.05	*	*	0.06	0.05
Two or More Races	0.28	0.29	0.54	0.30	0.23	0.29	0.57	0.44
Hispanic or Latino	0.21	0.18	0.24	0.26	0.19	0.14	0.27	0.30
EDUCATION								
< High School	0.26	0.26	0.33	0.29	0.21	0.21	0.37	0.35
High School Graduate	0.11	0.10	0.14	0.13	0.09	0.09	0.16	0.14
Some College	0.15	0.13	0.21	0.18	0.12	0.11	0.24	0.20
College Graduate	0.08	0.06	0.08	0.14	0.04	0.04	0.11	0.15
CURRENT EMPLOYMENT								
Full-Time	0.07	0.06	0.10	0.09	0.05	0.04	0.11	0.10
Part-Time	0.20	0.18	0.24	0.29	0.15	0.17	0.28	0.29
Unemployed	0.40	0.54	0.45	0.63	0.35	0.45	0.51	0.69
Other ³	0.14	0.13	0.19	0.16	0.12	0.11	0.22	0.17

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.19P Received Substance Use Treatment in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Demographic Characteristic	Illicit Drugs¹ (2010)	Illicit Drugs¹ (2011)	Alcohol (2010)	Alcohol (2011)	Both Illicit Drugs and Alcohol¹ (2010)	Both Illicit Drugs and Alcohol¹ (2011)	Illicit Drugs or Alcohol^{1,2} (2010)	Illicit Drugs or Alcohol^{1,2} (2011)
TOTAL	0.1788		0.4660		0.3810		0.2009	
GENDER								
Male	0.2858		0.2568		0.3685		0.1385	
Female	0.4103		0.6786		0.8275		0.9435	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.1183		0.2346		0.3936		0.0574	
White	0.0722		0.2476		0.3687		0.0349	
Black or African American	0.8261		0.8470		0.6178		0.7899	
American Indian or Alaska Native	*		*		*		*	
Native Hawaiian or Other Pacific Islander	*		*		*		*	
Asian	*		0.9579		*		0.9579	
Two or More Races	0.9063		0.4148		0.8270		0.6238	
Hispanic or Latino	0.8612		0.3702		0.8015		0.2659	
EDUCATION								
< High School	0.5880		0.8106		0.6055		0.6768	
High School Graduate	0.2046		0.0971		0.3499		0.0508	
Some College	0.1235		0.2648		0.2857		0.0749	
College Graduate	0.8999		0.1681		0.8957		0.2380	
CURRENT EMPLOYMENT								
Full-Time	0.3196		0.2351		0.2216		0.2450	
Part-Time	0.2037		0.5969		0.8072		0.3113	
Unemployed	0.5513		0.5744		0.8756		0.3789	
Other ³	0.4305		0.9677		0.8653		0.4943	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.20C Received Substance Use Treatment in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Demographic Characteristic	Illicit Drugs ¹ (2010)	Illicit Drugs ¹ (2011)	Alcohol (2010)	Alcohol (2011)	Both Illicit Drugs and Alcohol ¹ (2010)	Both Illicit Drugs and Alcohol ¹ (2011)	Illicit Drugs or Alcohol ^{1,2} (2010)	Illicit Drugs or Alcohol ^{1,2} (2011)
TOTAL	137	131	174	173	107	105	194	192
GENDER								
Male	105	108	148	142	87	92	164	156
Female	84	71	88	93	59	54	110	107
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	126	121	163	154	95	97	184	170
White	109	100	153	142	80	80	173	158
Black or African American	57	59	53	58	48	46	63	76
American Indian or Alaska Native	17	25	19	25	16	25	19	25
Native Hawaiian or Other Pacific Islander	2	*	1	*	1	*	2	10
Asian	6	9	13	9	3	8	13	10
Two or More Races	9	8	12	8	7	7	14	12
Hispanic or Latino	55	52	63	74	49	41	72	83
EDUCATION								
< High School	79	75	98	83	66	61	112	99
High School Graduate	66	65	84	78	54	55	94	89
Some College	76	68	104	91	59	58	120	102
College Graduate	48	41	50	91	26	28	67	97
CURRENT EMPLOYMENT								
Full-Time	70	62	106	91	54	39	117	105
Part-Time	53	46	61	70	39	41	72	72
Unemployed	44	54	48	61	37	43	57	69
Other ³	87	82	118	99	73	72	132	108

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.20D Received Substance Use Treatment in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Demographic Characteristic	Illicit Drugs ¹ (2010)	Illicit Drugs ¹ (2011)	Alcohol (2010)	Alcohol (2011)	Both Illicit Drugs and Alcohol ¹ (2010)	Both Illicit Drugs and Alcohol ¹ (2011)	Illicit Drugs or Alcohol ^{1,2} (2010)	Illicit Drugs or Alcohol ^{1,2} (2011)
TOTAL	0.06	0.06	0.08	0.07	0.05	0.05	0.08	0.08
GENDER								
Male	0.09	0.10	0.13	0.13	0.08	0.08	0.15	0.14
Female	0.07	0.06	0.07	0.08	0.05	0.04	0.09	0.09
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.06	0.06	0.08	0.08	0.05	0.05	0.09	0.09
White	0.07	0.06	0.10	0.09	0.05	0.05	0.11	0.10
Black or African American	0.21	0.22	0.20	0.21	0.18	0.17	0.24	0.28
American Indian or Alaska Native	1.53	1.88	1.74	1.88	1.52	1.87	1.75	1.89
Native Hawaiian or Other Pacific Islander	0.24	*	0.21	*	0.21	*	0.24	1.21
Asian	0.06	0.08	0.12	0.08	0.03	0.07	0.13	0.09
Two or More Races	0.35	0.24	0.47	0.24	0.26	0.22	0.53	0.36
Hispanic or Latino	0.17	0.15	0.20	0.22	0.15	0.12	0.22	0.25
EDUCATION								
< High School	0.23	0.22	0.28	0.25	0.19	0.18	0.32	0.29
High School Graduate	0.09	0.09	0.12	0.11	0.08	0.08	0.14	0.13
Some College	0.13	0.11	0.17	0.15	0.10	0.09	0.20	0.16
College Graduate	0.07	0.06	0.07	0.13	0.04	0.04	0.10	0.14
CURRENT EMPLOYMENT								
Full-Time	0.06	0.05	0.09	0.08	0.05	0.03	0.10	0.09
Part-Time	0.16	0.14	0.18	0.22	0.12	0.13	0.22	0.22
Unemployed	0.30	0.39	0.33	0.44	0.25	0.31	0.38	0.49
Other ³	0.13	0.12	0.17	0.14	0.11	0.10	0.19	0.15

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.20P Received Substance Use Treatment in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Demographic Characteristic	Illicit Drugs¹ (2010)	Illicit Drugs¹ (2011)	Alcohol (2010)	Alcohol (2011)	Both Illicit Drugs and Alcohol¹ (2010)	Both Illicit Drugs and Alcohol¹ (2011)	Illicit Drugs or Alcohol^{1,2} (2010)	Illicit Drugs or Alcohol^{1,2} (2011)
TOTAL	0.2106		0.3112		0.4229		0.1083	
GENDER								
Male	0.3827		0.2019		0.5269		0.0822	
Female	0.3570		0.8961		0.6407		0.8155	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.1417		0.1581		0.4202		0.0326	
White	0.0851		0.1755		0.3680		0.0207	
Black or African American	0.9509		0.9720		0.7384		0.7060	
American Indian or Alaska Native	0.8614		0.7152		0.8511		0.7126	
Native Hawaiian or Other Pacific Islander	*		*		*		0.2037	
Asian	0.5949		0.4267		0.6612		0.6458	
Two or More Races	0.2981		0.2268		0.5580		0.2987	
Hispanic or Latino	0.8321		0.5077		0.8631		0.4145	
EDUCATION								
< High School	0.5121		0.8460		0.6141		0.6905	
High School Graduate	0.2453		0.0458		0.3777		0.0275	
Some College	0.1341		0.2205		0.3261		0.0516	
College Graduate	0.8572		0.1810		0.8183		0.3088	
CURRENT EMPLOYMENT								
Full-Time	0.3437		0.1273		0.2005		0.1201	
Part-Time	0.1435		0.4509		0.6677		0.1850	
Unemployed	0.2998		0.4247		0.8221		0.2378	
Other ³	0.4028		0.9248		0.8925		0.3933	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.21C Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Geographic Characteristic	Illicit Drugs¹ (2010)	Illicit Drugs¹ (2011)	Alcohol (2010)	Alcohol (2011)	Both Illicit Drugs and Alcohol¹ (2010)	Both Illicit Drugs and Alcohol¹ (2011)	Illicit Drugs or Alcohol^{1,2} (2010)	Illicit Drugs or Alcohol^{1,2} (2011)
TOTAL	140	134	175	174	109	107	196	194
GEOGRAPHIC DIVISION								
Northeast	69	62	73	86	55	48	86	95
New England	35	23	41	38	25	20	49	39
Middle Atlantic	60	58	61	77	49	43	71	87
Midwest	50	42	71	64	41	33	82	75
East North Central	39	38	56	52	31	32	63	61
West North Central	30	15	40	36	23	9	50	42
South	88	77	114	97	66	55	131	109
South Atlantic	70	60	83	75	53	47	97	81
East South Central	31	37	64	25	21	19	68	42
West South Central	34	30	47	51	32	23	53	55
West	65	74	90	92	54	66	99	101
Mountain	41	33	46	39	31	22	52	47
Pacific	51	66	77	78	44	63	84	85
COUNTY TYPE								
Large Metro	108	106	145	139	87	89	159	155
Small Metro	66	72	84	88	47	58	100	101
250K – 1 Mil. Pop.	56	65	67	70	32	52	82	81
< 250K Pop.	35	33	51	55	34	26	58	62
Nonmetro	54	32	56	51	46	22	69	60
Urbanized	44	23	43	44	39	17	48	50
Less Urbanized	32	19	44	27	23	12	55	34
Completely Rural	10	13	10	10	7	9	15	14

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.21D Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Geographic Characteristic	Illicit Drugs¹ (2010)	Illicit Drugs¹ (2011)	Alcohol (2010)	Alcohol (2011)	Both Illicit Drugs and Alcohol¹ (2010)	Both Illicit Drugs and Alcohol¹ (2011)	Illicit Drugs or Alcohol^{1,2} (2010)	Illicit Drugs or Alcohol^{1,2} (2011)
TOTAL	0.06	0.05	0.07	0.07	0.04	0.04	0.08	0.08
GEOGRAPHIC DIVISION								
Northeast	0.15	0.13	0.16	0.18	0.12	0.10	0.19	0.20
New England	0.29	0.19	0.33	0.31	0.20	0.16	0.40	0.32
Middle Atlantic	0.17	0.17	0.18	0.22	0.14	0.13	0.21	0.25
Midwest	0.09	0.08	0.13	0.11	0.07	0.06	0.15	0.14
East North Central	0.10	0.10	0.15	0.14	0.08	0.08	0.16	0.16
West North Central	0.18	0.09	0.24	0.21	0.14	0.05	0.30	0.24
South	0.09	0.08	0.12	0.10	0.07	0.06	0.14	0.11
South Atlantic	0.14	0.12	0.17	0.15	0.11	0.09	0.20	0.16
East South Central	0.21	0.24	0.42	0.16	0.14	0.12	0.45	0.27
West South Central	0.12	0.10	0.16	0.17	0.11	0.08	0.18	0.19
West	0.11	0.12	0.15	0.15	0.09	0.11	0.17	0.17
Mountain	0.23	0.18	0.26	0.21	0.17	0.12	0.29	0.26
Pacific	0.12	0.16	0.19	0.19	0.11	0.15	0.21	0.20
COUNTY TYPE								
Large Metro	0.08	0.08	0.11	0.10	0.06	0.06	0.12	0.11
Small Metro	0.09	0.09	0.11	0.11	0.06	0.07	0.13	0.12
250K – 1 Mil. Pop.	0.11	0.12	0.13	0.13	0.06	0.09	0.16	0.15
< 250K Pop.	0.14	0.13	0.20	0.20	0.13	0.10	0.22	0.22
Nonmetro	0.13	0.08	0.14	0.12	0.11	0.06	0.17	0.15
Urbanized	0.26	0.13	0.25	0.25	0.23	0.10	0.28	0.28
Less Urbanized	0.16	0.10	0.22	0.14	0.12	0.06	0.27	0.18
Completely Rural	0.27	0.31	0.27	0.22	0.18	0.20	0.38	0.32

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.21P Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Geographic Characteristic	Illicit Drugs¹ (2010)	Illicit Drugs¹ (2011)	Alcohol (2010)	Alcohol (2011)	Both Illicit Drugs and Alcohol¹ (2010)	Both Illicit Drugs and Alcohol¹ (2011)	Illicit Drugs or Alcohol^{1,2} (2010)	Illicit Drugs or Alcohol^{1,2} (2011)
TOTAL	0.2554		0.2968		0.4226		0.1124	
GEOGRAPHIC DIVISION								
Northeast	0.5888		0.7597		0.4345		0.6037	
New England	0.1302		0.1726		0.4015		0.0388	
Middle Atlantic	0.8723		0.6958		0.6428		0.5908	
Midwest	0.1810		0.2236		0.3975		0.1892	
East North Central	0.6974		0.8035		0.7207		0.6037	
West North Central	0.0490		0.0747		0.0185		0.1155	
South	0.4805		0.8053		0.6202		0.3678	
South Atlantic	0.3211		0.9586		0.8458		0.3699	
East South Central	0.7715		0.4371		0.5637		0.5726	
West South Central	0.6253		0.8986		0.7322		0.9813	
West	0.9910		0.5832		0.7954		0.6206	
Mountain	0.4523		0.2525		0.1414		0.4200	
Pacific	0.6102		0.9696		0.3142		0.9097	
COUNTY TYPE								
Large Metro	0.9314		0.7481		0.9436		0.6140	
Small Metro	0.6015		0.7655		0.9371		0.2686	
250K – 1 Mil. Pop.	0.3405		0.2816		0.7545		0.0246	
< 250K Pop.	0.5380		0.3880		0.7607		0.2344	
Nonmetro	0.0128		0.0317		0.0073		0.0444	
Urbanized	0.0552		0.3707		0.0493		0.5859	
Less Urbanized	0.0415		0.0406		0.0390		0.0196	
Completely Rural	0.3730		0.8794		0.9769		0.8379	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.