

Table 5.23C Locations Received Illicit Drug Treatment in the Past Year among Persons Who Received Illicit Drug Treatment in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2010 and 2011

Location of Treatment ¹	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
Hospital - Inpatient	56	62	7	8	13	21	54	59
Rehabilitation Facility - Inpatient	69	84	9	11	19	27	66	79
Rehabilitation Facility - Outpatient	98	82	9	10	22	28	95	75
Mental Health Center - Outpatient	67	68	6	13	16	23	64	62
Emergency Room	50	51	6	8	10	16	49	48
Private Doctor's Office	56	65	7	7	12	19	55	61
Self-Help Group	99	102	13	15	27	31	95	97
Prison/Jail	35	51	7	6	12	17	32	47

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug Treatment refers to treatment received in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.23D Locations Received Illicit Drug Treatment in the Past Year among Persons Who Received Illicit Drug Treatment in the Past Year, by Age Group: Standard Errors of Percentages, 2010 and 2011

Location of Treatment ¹	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
Hospital - Inpatient	2.27	2.65	3.07	3.14	2.21	2.96	3.36	4.17
Rehabilitation Facility - Inpatient	2.64	3.16	3.88	4.17	2.89	3.53	3.85	4.93
Rehabilitation Facility - Outpatient	3.08	3.07	3.95	3.99	3.43	3.46	4.52	4.67
Mental Health Center - Outpatient	2.62	2.82	2.79	4.88	2.58	3.20	3.88	4.28
Emergency Room	2.07	2.29	2.62	3.08	1.68	2.43	3.09	3.59
Private Doctor's Office	2.30	2.73	3.14	3.00	2.03	2.86	3.41	4.22
Self-Help Group	3.16	3.00	4.65	4.68	3.43	3.45	4.62	4.79
Prison/Jail	1.51	2.28	3.25	2.65	2.09	2.64	2.11	3.50

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug Treatment refers to treatment received in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.23P Locations Received Illicit Drug Treatment in the Past Year among Persons Who Received Illicit Drug Treatment in the Past Year, by Age Group: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Location of Treatment ¹	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
Hospital - Inpatient	0.0912		0.8704		0.0147		0.2891	
Rehabilitation Facility - Inpatient	0.0704		0.2362		0.2170		0.1628	
Rehabilitation Facility - Outpatient	0.1243		0.6801		0.5161		0.0976	
Mental Health Center - Outpatient	0.3423		0.0447		0.0676		0.8438	
Emergency Room	0.4193		0.4419		0.0191		0.9092	
Private Doctor's Office	0.1562		0.7341		0.1453		0.2410	
Self-Help Group	0.9597		0.7164		0.5621		0.7814	
Prison/Jail	0.2413		0.6213		0.6680		0.2421	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug Treatment refers to treatment received in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.24C Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2010 and 2011

Location of Treatment ¹	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
Hospital - Inpatient	77	74	6	7	12	16	76	72
Rehabilitation Facility - Inpatient	81	86	6	7	19	23	78	84
Rehabilitation Facility - Outpatient	99	101	6	8	25	25	96	97
Mental Health Center - Outpatient	77	78	8	7	16	18	75	76
Emergency Room	59	56	4	3	10	14	58	54
Private Doctor's Office	64	69	*	*	12	14	63	66
Self-Help Group	150	144	9	10	30	30	148	141
Prison/Jail	34	52	*	3	11	16	32	49

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Alcohol Treatment refers to treatment received in order to reduce or stop alcohol use, or for medical problems associated with alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.24D Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment in the Past Year, by Age Group: Standard Errors of Percentages, 2010 and 2011

Location of Treatment¹	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
Hospital - Inpatient	2.45	2.48	4.11	4.42	1.90	2.66	3.29	3.32
Rehabilitation Facility - Inpatient	2.53	2.82	3.71	4.37	2.72	3.46	3.33	3.73
Rehabilitation Facility - Outpatient	2.83	2.87	3.81	4.67	3.21	3.41	3.78	3.77
Mental Health Center - Outpatient	2.39	2.49	4.65	4.20	2.44	2.81	3.15	3.28
Emergency Room	1.95	1.91	2.79	2.36	1.47	2.28	2.60	2.51
Private Doctor's Office	2.09	2.28	*	*	1.90	2.23	2.77	2.98
Self-Help Group	2.97	2.89	5.06	5.32	3.42	3.42	3.88	3.70
Prison/Jail	1.16	1.85	*	1.87	1.77	2.74	1.48	2.38

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Alcohol Treatment refers to treatment received in order to reduce or stop alcohol use, or for medical problems associated with alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.24P Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment in the Past Year, by Age Group: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Location of Treatment ¹	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
Hospital - Inpatient	0.3923		0.5883		0.0918		0.6527	
Rehabilitation Facility - Inpatient	0.7007		0.4955		0.4189		0.8960	
Rehabilitation Facility - Outpatient	0.5609		0.2107		0.5228		0.7209	
Mental Health Center - Outpatient	0.4463		0.5830		0.5565		0.4858	
Emergency Room	0.4490		0.9373		0.0489		0.7250	
Private Doctor's Office	0.5342		*		0.1275		0.7384	
Self-Help Group	0.6289		0.8441		0.8807		0.5707	
Prison/Jail	0.1218		*		0.1183		0.2310	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Alcohol Treatment refers to treatment received in order to reduce or stop alcohol use, or for medical problems associated with alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.25C Locations Received Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Illicit Drug or Alcohol Treatment in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2010 and 2011

Location of Treatment ¹	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
Hospital - Inpatient	85	90	9	10	16	24	84	87
Rehabilitation Facility - Inpatient	96	102	10	11	24	29	92	97
Rehabilitation Facility - Outpatient	127	125	9	11	30	34	123	117
Mental Health Center - Outpatient	93	94	9	13	21	25	91	90
Emergency Room	72	76	8	9	14	18	70	74
Private Doctor's Office	76	83	9	8	15	21	74	79
Self-Help Group	166	154	13	16	39	37	162	151
Prison/Jail	46	60	9	6	15	20	42	56

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug or Alcohol Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.25D Locations Received Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Illicit Drug or Alcohol Treatment in the Past Year, by Age Group: Standard Errors of Percentages, 2010 and 2011

Location of Treatment¹	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
Hospital - Inpatient	1.90	2.13	2.89	2.87	1.59	2.36	2.66	2.98
Rehabilitation Facility - Inpatient	2.07	2.32	3.05	3.41	2.22	2.65	2.84	3.20
Rehabilitation Facility - Outpatient	2.50	2.48	2.98	3.24	2.57	2.80	3.51	3.39
Mental Health Center - Outpatient	1.97	2.07	2.92	3.89	2.04	2.44	2.73	2.89
Emergency Room	1.61	1.80	2.59	2.66	1.35	1.90	2.24	2.53
Private Doctor's Office	1.70	1.93	2.77	2.54	1.53	2.14	2.36	2.66
Self-Help Group	2.43	2.30	3.69	3.99	2.55	2.63	3.37	3.24
Prison/Jail	1.05	1.50	2.76	2.04	1.46	2.04	1.39	2.02

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug or Alcohol Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.25P Locations Received Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Illicit Drug or Alcohol Treatment in the Past Year, by Age Group: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Location of Treatment ¹	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
Hospital - Inpatient	0.0603		0.9650		0.0012		0.2428	
Rehabilitation Facility - Inpatient	0.3693		0.1807		0.1150		0.7055	
Rehabilitation Facility - Outpatient	0.9233		0.9819		0.0947		0.6415	
Mental Health Center - Outpatient	0.2586		0.3845		0.0302		0.6131	
Emergency Room	0.1069		0.6784		0.0085		0.3231	
Private Doctor's Office	0.2576		0.7544		0.0313		0.5006	
Self-Help Group	0.9089		0.7263		0.7775		0.8190	
Prison/Jail	0.0800		0.4319		0.0951		0.1637	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug or Alcohol Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.