

Table 5.27C Received Substance Use Treatment at a Specialty Facility in the Past Year, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2010 and 2011

Age Category	Illicit Drugs ¹ (2010)	Illicit Drugs ¹ (2011)	Alcohol (2010)	Alcohol (2011)	Both Illicit Drugs and Alcohol ¹ (2010)	Both Illicit Drugs and Alcohol ¹ (2011)	Illicit Drugs or Alcohol ^{1,2} (2010)	Illicit Drugs or Alcohol ^{1,2} (2011)
TOTAL	116	109	126	124	79	77	155	150
12	0	1	2	1	*	1	2	1
13	2	2	1	2	1	*	3	3
14	5	4	0	2	0	2	5	4
15	4	9	5	4	4	3	6	9
16	8	8	6	6	4	6	9	8
17	8	10	8	7	5	7	10	11
18	12	10	10	11	9	7	13	13
19	9	9	6	8	5	6	10	10
20	9	12	8	8	6	8	10	13
21	13	14	11	11	7	9	16	16
22	9	10	10	8	7	6	12	12
23	12	17	9	16	6	15	14	19
24	9	11	14	13	6	9	15	14
25	7	13	10	9	5	6	11	15
26-29	42	27	29	35	21	22	47	39
30-34	34	33	39	44	20	22	50	51
35-39	41	39	30	47	22	34	48	55
40-44	34	26	39	37	26	11	46	47
45-49	42	31	60	27	33	17	66	37
50-54	36	55	57	45	27	28	64	65
55-59	38	18	38	51	36	18	40	52
60-64	30	25	33	28	22	22	39	31
65 or Older	10	*	26	28	*	*	28	28

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.27D Received Substance Use Treatment at a Specialty Facility in the Past Year, by Detailed Age Category: Standard Errors of Percentages, 2010 and 2011

Age Category	Illicit Drugs ¹ (2010)	Illicit Drugs ¹ (2011)	Alcohol (2010)	Alcohol (2011)	Both Illicit Drugs and Alcohol ¹ (2010)	Both Illicit Drugs and Alcohol ¹ (2011)	Illicit Drugs or Alcohol ^{1,2} (2010)	Illicit Drugs or Alcohol ^{1,2} (2011)
TOTAL	0.05	0.04	0.05	0.05	0.03	0.03	0.06	0.06
12	0.01	0.03	0.04	0.03	*	0.03	0.05	0.03
13	0.04	0.05	0.03	0.04	0.02	*	0.08	0.06
14	0.13	0.09	0.01	0.05	0.01	0.05	0.13	0.09
15	0.11	0.21	0.13	0.09	0.09	0.07	0.14	0.22
16	0.18	0.18	0.14	0.14	0.10	0.13	0.21	0.19
17	0.18	0.24	0.19	0.17	0.12	0.16	0.24	0.25
18	0.25	0.21	0.21	0.23	0.19	0.15	0.26	0.27
19	0.21	0.20	0.14	0.19	0.12	0.14	0.24	0.24
20	0.19	0.27	0.18	0.19	0.13	0.17	0.23	0.28
21	0.31	0.33	0.25	0.24	0.16	0.21	0.38	0.35
22	0.22	0.24	0.25	0.20	0.17	0.13	0.28	0.29
23	0.29	0.41	0.23	0.40	0.15	0.37	0.34	0.46
24	0.22	0.27	0.33	0.31	0.14	0.22	0.37	0.34
25	0.18	0.34	0.24	0.23	0.12	0.15	0.28	0.39
26-29	0.25	0.16	0.17	0.20	0.13	0.13	0.28	0.23
30-34	0.17	0.17	0.20	0.23	0.10	0.11	0.25	0.26
35-39	0.21	0.20	0.16	0.24	0.12	0.17	0.25	0.28
40-44	0.17	0.13	0.19	0.18	0.13	0.06	0.22	0.23
45-49	0.19	0.14	0.27	0.12	0.15	0.08	0.29	0.17
50-54	0.16	0.24	0.26	0.19	0.12	0.12	0.29	0.28
55-59	0.20	0.10	0.20	0.27	0.19	0.09	0.21	0.27
60-64	0.18	0.14	0.20	0.16	0.13	0.12	0.24	0.17
65 or Older	0.03	*	0.07	0.07	*	*	0.07	0.07

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.27P Received Substance Use Treatment at a Specialty Facility in the Past Year, by Detailed Age Category: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Age Category	Illicit Drugs ¹ (2010)	Illicit Drugs ¹ (2011)	Alcohol (2010)	Alcohol (2011)	Both Illicit Drugs and Alcohol ¹ (2010)	Both Illicit Drugs and Alcohol ¹ (2011)	Illicit Drugs or Alcohol ^{1,2} (2010)	Illicit Drugs or Alcohol ^{1,2} (2011)
TOTAL	0.2373		0.4222		0.5512		0.1597	
12	0.6181		0.6633		*		0.5083	
13	0.6659		0.8724		*		0.5011	
14	0.5389		0.3074		0.4169		0.5922	
15	0.0510		0.3407		0.6870		0.1475	
16	0.9701		0.7989		0.7677		0.7722	
17	0.4998		0.5770		0.8878		0.9882	
18	0.5683		0.8524		0.3140		0.9556	
19	0.6892		0.1949		0.8762		0.8483	
20	0.2137		0.7797		0.2941		0.5741	
21	0.6545		0.3891		0.8878		0.3094	
22	0.8320		0.3314		0.1571		0.9841	
23	0.4159		0.3716		0.1746		0.5125	
24	0.5437		0.8858		0.4104		0.9858	
25	0.1084		0.6239		0.6620		0.3441	
26-29	0.0402		0.8616		0.8616		0.0477	
30-34	0.8702		0.9912		0.8921		0.8782	
35-39	0.5268		0.1188		0.5222		0.6962	
40-44	0.2729		0.2758		0.1956		0.4796	
45-49	0.0957		0.0053		0.1111		0.0033	
50-54	0.4498		0.3932		0.8531		0.7999	
55-59	0.6988		0.1972		0.8912		0.2712	
60-64	0.9436		0.9457		0.9148		0.8768	
65 or Older	*		0.7238		*		0.9343	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.28C Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Demographic Characteristic	Illicit Drugs¹ (2010)	Illicit Drugs¹ (2011)	Alcohol (2010)	Alcohol (2011)	Both Illicit Drugs and Alcohol¹ (2010)	Both Illicit Drugs and Alcohol¹ (2011)	Illicit Drugs or Alcohol^{1,2} (2010)	Illicit Drugs or Alcohol^{1,2} (2011)
TOTAL	116	109	126	124	79	77	155	150
AGE								
12-17	13	17	11	11	8	9	16	18
18-25	29	36	29	32	19	26	37	40
26 or Older	111	100	121	120	77	71	148	141
GENDER								
Male	91	88	104	101	65	65	124	121
Female	71	63	69	72	44	40	92	87
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	104	98	115	110	67	68	142	132
White	92	76	103	96	58	53	127	112
Black or African American	43	54	46	47	34	40	57	61
American Indian or Alaska Native	16	*	7	3	4	1	17	25
Native Hawaiian or Other Pacific Islander	1	1	1	*	1	*	1	*
Asian	5	8	11	9	2	8	12	9
Two or More Races	6	9	11	8	2	7	12	9
Hispanic or Latino	51	48	51	50	42	36	61	60

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.28D Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Demographic Characteristic	Illicit Drugs¹ (2010)	Illicit Drugs¹ (2011)	Alcohol (2010)	Alcohol (2011)	Both Illicit Drugs and Alcohol¹ (2010)	Both Illicit Drugs and Alcohol¹ (2011)	Illicit Drugs or Alcohol^{1,2} (2010)	Illicit Drugs or Alcohol^{1,2} (2011)
TOTAL	0.05	0.04	0.05	0.05	0.03	0.03	0.06	0.06
AGE								
12-17	0.06	0.07	0.05	0.04	0.03	0.04	0.07	0.07
18-25	0.08	0.10	0.09	0.09	0.05	0.08	0.11	0.12
26 or Older	0.06	0.05	0.06	0.06	0.04	0.04	0.08	0.07
GENDER								
Male	0.07	0.07	0.08	0.08	0.05	0.05	0.10	0.10
Female	0.05	0.05	0.05	0.05	0.03	0.03	0.07	0.07
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.05	0.04	0.05	0.05	0.03	0.03	0.07	0.06
White	0.05	0.04	0.06	0.06	0.03	0.03	0.07	0.07
Black or African American	0.14	0.18	0.15	0.16	0.11	0.13	0.19	0.20
American Indian or Alaska Native	1.34	*	0.57	0.20	0.30	0.08	1.42	1.70
Native Hawaiian or Other Pacific Islander	0.19	0.09	0.19	*	0.19	*	0.19	*
Asian	0.04	0.06	0.10	0.07	0.01	0.06	0.11	0.07
Two or More Races	0.19	0.22	0.34	0.19	0.08	0.18	0.38	0.23
Hispanic or Latino	0.14	0.12	0.14	0.13	0.11	0.09	0.16	0.15

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.28P Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Demographic Characteristic	Illicit Drugs¹ (2010)	Illicit Drugs¹ (2011)	Alcohol (2010)	Alcohol (2011)	Both Illicit Drugs and Alcohol¹ (2010)	Both Illicit Drugs and Alcohol¹ (2011)	Illicit Drugs or Alcohol^{1,2} (2010)	Illicit Drugs or Alcohol^{1,2} (2011)
TOTAL	0.2373		0.4222		0.5512		0.1597	
AGE								
12-17	0.2875		0.5676		0.8032		0.8727	
18-25	0.3361		0.9839		0.4822		0.6267	
26 or Older	0.0914		0.4410		0.3869		0.1083	
GENDER								
Male	0.3865		0.3403		0.7108		0.2006	
Female	0.4297		0.9730		0.6126		0.5351	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.1159		0.2048		0.3245		0.0744	
White	0.0222		0.2723		0.1408		0.0608	
Black or African American	0.5334		0.7507		0.7376		0.9637	
American Indian or Alaska Native	*		0.0779		0.2090		0.8438	
Native Hawaiian or Other Pacific Islander	0.6109		*		*		*	
Asian	0.7032		0.7301		0.4937		0.5321	
Two or More Races	0.6697		0.4702		0.3715		0.4058	
Hispanic or Latino	0.6361		0.4234		0.6314		0.6317	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.29C Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Demographic Characteristic	Illicit Drugs¹ (2010)	Illicit Drugs¹ (2011)	Alcohol (2010)	Alcohol (2011)	Both Illicit Drugs and Alcohol¹ (2010)	Both Illicit Drugs and Alcohol¹ (2011)	Illicit Drugs or Alcohol^{1,2} (2010)	Illicit Drugs or Alcohol^{1,2} (2011)
TOTAL	13	17	11	11	8	9	16	18
GENDER								
Male	11	11	9	8	6	7	13	11
Female	8	11	7	8	5	7	9	12
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	12	15	9	10	6	9	14	16
White	10	14	7	8	6	8	11	14
Black or African American	2	6	5	5	1	4	6	6
American Indian or Alaska Native	1	0	0	0	0	0	1	0
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	*	*	1	*	*	*	4	*
Two or More Races	*	4	0	1	*	1	4	4
Hispanic or Latino	6	7	7	4	5	4	8	7
GENDER/RACE/HISPANIC ORIGIN								
Male, White, Not Hispanic	9	8	5	5	5	5	9	9
Female, White, Not Hispanic	5	9	5	6	3	6	7	9
Male, Black, Not Hispanic	2	5	5	4	1	4	6	5
Female, Black, Not Hispanic	1	1	2	3	1	1	2	3
Male, Hispanic	5	4	6	3	4	2	6	5
Female, Hispanic	4	5	4	3	3	3	5	5

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.29D Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Demographic Characteristic	Illicit Drugs ¹ (2010)	Illicit Drugs ¹ (2011)	Alcohol (2010)	Alcohol (2011)	Both Illicit Drugs and Alcohol ¹ (2010)	Both Illicit Drugs and Alcohol ¹ (2011)	Illicit Drugs or Alcohol ^{1,2} (2010)	Illicit Drugs or Alcohol ^{1,2} (2011)
TOTAL	0.06	0.07	0.05	0.04	0.03	0.04	0.07	0.07
GENDER								
Male	0.09	0.08	0.07	0.06	0.05	0.05	0.10	0.09
Female	0.06	0.09	0.06	0.06	0.04	0.06	0.08	0.10
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.06	0.08	0.05	0.05	0.03	0.04	0.07	0.08
White	0.07	0.10	0.05	0.06	0.04	0.05	0.08	0.10
Black or African American	0.06	0.16	0.14	0.14	0.03	0.12	0.17	0.17
American Indian or Alaska Native	0.59	0.12	0.33	0.24	0.24	0.07	0.63	0.37
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	*	*	0.10	*	*	*	0.41	*
Two or More Races	*	0.61	0.02	0.09	*	0.09	0.78	0.61
Hispanic or Latino	0.12	0.12	0.14	0.08	0.10	0.07	0.16	0.13
GENDER/RACE/HISPANIC ORIGIN								
Male, White, Not Hispanic	0.12	0.12	0.07	0.07	0.06	0.06	0.12	0.12
Female, White, Not Hispanic	0.08	0.13	0.08	0.10	0.05	0.09	0.10	0.14
Male, Black, Not Hispanic	0.11	0.29	0.27	0.23	0.05	0.23	0.32	0.30
Female, Black, Not Hispanic	0.03	0.08	0.11	0.17	0.03	0.08	0.11	0.17
Male, Hispanic	0.19	0.14	0.22	0.12	0.16	0.08	0.26	0.16
Female, Hispanic	0.16	0.20	0.17	0.10	0.13	0.10	0.19	0.20

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.29P Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Demographic Characteristic	Illicit Drugs¹ (2010)	Illicit Drugs¹ (2011)	Alcohol (2010)	Alcohol (2011)	Both Illicit Drugs and Alcohol¹ (2010)	Both Illicit Drugs and Alcohol¹ (2011)	Illicit Drugs or Alcohol^{1,2} (2010)	Illicit Drugs or Alcohol^{1,2} (2011)
TOTAL	0.2875		0.5676		0.8032		0.8727	
GENDER								
Male	0.5067		0.9107		0.9398		0.9119	
Female	0.3435		0.4630		0.7726		0.8998	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.3504		0.9431		0.5798		0.7697	
White	0.5601		0.7753		0.9222		0.6981	
Black or African American	0.0572		0.6265		0.1456		0.5963	
American Indian or Alaska Native	0.0746		0.4772		0.3134		0.2894	
Native Hawaiian or Other Pacific Islander	*		*		*		*	
Asian	*		*		*		*	
Two or More Races	*		0.1728		*		0.9090	
Hispanic or Latino	0.5680		0.3256		0.6506		0.8199	
GENDER/RACE/HISPANIC ORIGIN								
Male, White, Not Hispanic	0.8298		0.8135		0.7285		0.6444	
Female, White, Not Hispanic	0.4915		0.5653		0.8481		0.9132	
Male, Black, Not Hispanic	0.0743		0.9623		0.2301		0.8408	
Female, Black, Not Hispanic	0.3750		0.3672		0.3336		0.3850	
Male, Hispanic	0.6538		0.6968		0.6963		0.9708	
Female, Hispanic	0.7082		0.2680		0.8116		0.7054	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.30C Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Demographic Characteristic	Illicit Drugs¹ (2010)	Illicit Drugs¹ (2011)	Alcohol (2010)	Alcohol (2011)	Both Illicit Drugs and Alcohol¹ (2010)	Both Illicit Drugs and Alcohol¹ (2011)	Illicit Drugs or Alcohol^{1,2} (2010)	Illicit Drugs or Alcohol^{1,2} (2011)
TOTAL	29	36	29	32	19	26	37	40
GENDER								
Male	23	31	24	29	16	24	31	34
Female	17	19	14	14	10	11	20	21
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	26	33	28	27	17	23	35	36
White	24	28	23	21	14	17	30	31
Black or African American	9	13	10	13	8	11	11	15
American Indian or Alaska Native	2	1	1	1	0	1	2	1
Native Hawaiian or Other Pacific Islander	0	*	*	*	*	*	0	*
Asian	2	8	11	*	2	*	11	8
Two or More Races	3	2	3	1	2	1	3	2
Hispanic or Latino	12	15	9	16	8	13	13	18
EDUCATION								
< High School	16	20	15	18	12	16	18	22
High School Graduate	18	21	17	15	11	10	22	24
Some College	15	19	18	18	9	16	22	22
College Graduate	3	5	3	6	2	4	5	7
CURRENT EMPLOYMENT								
Full-Time	13	20	19	17	10	14	21	23
Part-Time	14	15	11	12	8	9	17	17
Unemployed	15	15	12	14	10	10	17	19
Other ³	14	19	12	17	9	15	17	20

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.30D Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Demographic Characteristic	Illicit Drugs ¹ (2010)	Illicit Drugs ¹ (2011)	Alcohol (2010)	Alcohol (2011)	Both Illicit Drugs and Alcohol ¹ (2010)	Both Illicit Drugs and Alcohol ¹ (2011)	Illicit Drugs or Alcohol ^{1,2} (2010)	Illicit Drugs or Alcohol ^{1,2} (2011)
TOTAL	0.08	0.10	0.09	0.09	0.05	0.08	0.11	0.12
GENDER								
Male	0.13	0.18	0.14	0.17	0.09	0.14	0.18	0.20
Female	0.10	0.11	0.09	0.08	0.06	0.06	0.12	0.12
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.09	0.12	0.10	0.10	0.06	0.08	0.13	0.13
White	0.12	0.14	0.11	0.11	0.07	0.09	0.15	0.16
Black or African American	0.19	0.27	0.21	0.28	0.16	0.24	0.23	0.31
American Indian or Alaska Native	0.88	0.56	0.72	0.44	0.24	0.35	1.10	0.62
Native Hawaiian or Other Pacific Islander	0.05	*	*	*	*	*	0.05	*
Asian	0.12	0.41	0.75	*	0.12	*	0.77	0.41
Two or More Races	0.49	0.25	0.56	0.20	0.39	0.08	0.64	0.31
Hispanic or Latino	0.18	0.21	0.14	0.23	0.12	0.19	0.20	0.25
EDUCATION								
< High School	0.26	0.34	0.25	0.32	0.20	0.27	0.31	0.38
High School Graduate	0.15	0.17	0.14	0.13	0.10	0.09	0.19	0.20
Some College	0.13	0.16	0.15	0.15	0.07	0.13	0.19	0.18
College Graduate	0.07	0.10	0.06	0.13	0.05	0.08	0.10	0.15
CURRENT EMPLOYMENT								
Full-Time	0.10	0.16	0.15	0.14	0.08	0.11	0.17	0.19
Part-Time	0.15	0.16	0.12	0.13	0.08	0.10	0.18	0.18
Unemployed	0.33	0.33	0.27	0.31	0.22	0.22	0.37	0.41
Other ³	0.19	0.24	0.16	0.21	0.12	0.19	0.22	0.26

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.30P Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Demographic Characteristic	Illicit Drugs¹ (2010)	Illicit Drugs¹ (2011)	Alcohol (2010)	Alcohol (2011)	Both Illicit Drugs and Alcohol¹ (2010)	Both Illicit Drugs and Alcohol¹ (2011)	Illicit Drugs or Alcohol^{1,2} (2010)	Illicit Drugs or Alcohol^{1,2} (2011)
TOTAL	0.3361		0.9839		0.4822		0.6267	
GENDER								
Male	0.0989		0.5737		0.2125		0.2692	
Female	0.4910		0.3758		0.4060		0.4570	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.1945		0.6844		0.6935		0.5057	
White	0.3435		0.6106		0.7604		0.3778	
Black or African American	0.2236		0.2867		0.2455		0.3088	
American Indian or Alaska Native	0.7099		0.6693		0.7041		0.4982	
Native Hawaiian or Other Pacific Islander	*		*		*		*	
Asian	0.3532		*		*		0.4134	
Two or More Races	0.4847		0.2321		0.4718		0.2520	
Hispanic or Latino	0.6743		0.3116		0.4386		0.8670	
EDUCATION								
< High School	0.3174		0.6875		0.6068		0.3794	
High School Graduate	0.7524		0.5231		0.5293		0.9339	
Some College	0.7722		0.8805		0.2857		0.7488	
College Graduate	0.3231		0.0760		0.3400		0.1452	
CURRENT EMPLOYMENT								
Full-Time	0.3577		0.3253		0.9394		0.8771	
Part-Time	0.8952		0.8278		0.9886		0.7662	
Unemployed	0.7711		0.5356		0.8290		0.4469	
Other ³	0.5925		0.5934		0.2249		0.8616	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.31C Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Demographic Characteristic	Illicit Drugs ¹ (2010)	Illicit Drugs ¹ (2011)	Alcohol (2010)	Alcohol (2011)	Both Illicit Drugs and Alcohol ¹ (2010)	Both Illicit Drugs and Alcohol ¹ (2011)	Illicit Drugs or Alcohol ^{1,2} (2010)	Illicit Drugs or Alcohol ^{1,2} (2011)
TOTAL	111	100	121	120	77	71	148	141
GENDER								
Male	88	82	100	97	63	60	118	113
Female	69	58	68	71	43	38	90	83
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	100	90	110	106	65	63	136	126
White	88	68	100	94	56	50	122	106
Black or African American	42	52	46	44	34	37	56	59
American Indian or Alaska Native	16	*	7	3	4	1	17	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	*	*	*	5	*	*	*	5
Two or More Races	4	8	10	7	1	7	11	8
Hispanic or Latino	50	45	50	48	41	33	58	57
EDUCATION								
< High School	66	65	65	56	51	44	80	75
High School Graduate	54	45	65	64	40	38	75	72
Some College	65	48	75	61	40	34	92	70
College Graduate	26	31	24	51	8	4	36	59
CURRENT EMPLOYMENT								
Full-Time	56	46	64	67	43	23	74	78
Part-Time	42	28	44	27	20	21	61	32
Unemployed	34	38	33	39	18	27	46	55
Other ³	76	72	90	81	56	54	104	94

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.31D Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Demographic Characteristic	Illicit Drugs¹ (2010)	Illicit Drugs¹ (2011)	Alcohol (2010)	Alcohol (2011)	Both Illicit Drugs and Alcohol¹ (2010)	Both Illicit Drugs and Alcohol¹ (2011)	Illicit Drugs or Alcohol^{1,2} (2010)	Illicit Drugs or Alcohol^{1,2} (2011)
TOTAL	0.06	0.05	0.06	0.06	0.04	0.04	0.08	0.07
GENDER								
Male	0.09	0.09	0.11	0.10	0.07	0.06	0.13	0.12
Female	0.07	0.06	0.07	0.07	0.04	0.04	0.09	0.08
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.06	0.05	0.06	0.06	0.04	0.04	0.08	0.07
White	0.06	0.05	0.07	0.07	0.04	0.04	0.09	0.08
Black or African American	0.19	0.23	0.21	0.20	0.15	0.17	0.26	0.26
American Indian or Alaska Native	1.81	*	0.79	0.25	0.40	0.08	1.93	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	*	*	*	0.05	*	*	*	0.05
Two or More Races	0.17	0.29	0.48	0.29	0.05	0.29	0.51	0.30
Hispanic or Latino	0.20	0.17	0.20	0.18	0.16	0.12	0.23	0.21
EDUCATION								
< High School	0.23	0.23	0.22	0.21	0.18	0.16	0.28	0.27
High School Graduate	0.09	0.08	0.11	0.11	0.07	0.07	0.13	0.12
Some College	0.14	0.10	0.16	0.12	0.08	0.07	0.19	0.14
College Graduate	0.04	0.05	0.04	0.08	0.01	0.01	0.06	0.09
CURRENT EMPLOYMENT								
Full-Time	0.05	0.04	0.06	0.06	0.04	0.02	0.07	0.08
Part-Time	0.18	0.12	0.18	0.12	0.08	0.09	0.26	0.14
Unemployed	0.33	0.41	0.32	0.43	0.18	0.29	0.45	0.59
Other ³	0.13	0.11	0.15	0.13	0.09	0.09	0.17	0.15

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.31P Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Demographic Characteristic	Illicit Drugs ¹ (2010)	Illicit Drugs ¹ (2011)	Alcohol (2010)	Alcohol (2011)	Both Illicit Drugs and Alcohol ¹ (2010)	Both Illicit Drugs and Alcohol ¹ (2011)	Illicit Drugs or Alcohol ^{1,2} (2010)	Illicit Drugs or Alcohol ^{1,2} (2011)
TOTAL	0.0914		0.4410		0.3869		0.1083	
GENDER								
Male	0.1314		0.2646		0.4219		0.0987	
Female	0.4435		0.8299		0.7193		0.6335	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.0280		0.2358		0.2251		0.0397	
White	0.0052		0.3347		0.1573		0.0290	
Black or African American	0.8667		0.5136		0.9184		0.7277	
American Indian or Alaska Native	*		0.1146		0.2008		*	
Native Hawaiian or Other Pacific Islander	*		*		*		*	
Asian	*		*		*		*	
Two or More Races	0.5849		0.6446		0.2820		0.5114	
Hispanic or Latino	0.5922		0.4891		0.7359		0.5626	
EDUCATION								
< High School	0.5013		0.9363		0.7397		0.7547	
High School Graduate	0.1240		0.2420		0.5630		0.0848	
Some College	0.0279		0.2755		0.2556		0.0336	
College Graduate	0.8720		0.1217		0.3040		0.2566	
CURRENT EMPLOYMENT								
Full-Time	0.1417		0.9506		0.0731		0.7167	
Part-Time	0.0679		0.0208		0.8318		0.0006	
Unemployed	0.7778		0.7082		0.8366		0.4866	
Other ³	0.5592		0.8438		0.9661		0.5215	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.32C Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Demographic Characteristic	Illicit Drugs ¹ (2010)	Illicit Drugs ¹ (2011)	Alcohol (2010)	Alcohol (2011)	Both Illicit Drugs and Alcohol ¹ (2010)	Both Illicit Drugs and Alcohol ¹ (2011)	Illicit Drugs or Alcohol ^{1,2} (2010)	Illicit Drugs or Alcohol ^{1,2} (2011)
TOTAL	115	107	124	124	79	76	153	149
GENDER								
Male	91	87	102	101	64	65	122	120
Female	70	62	69	72	44	40	91	87
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	103	96	113	110	67	67	140	132
White	90	75	102	96	57	53	125	112
Black or African American	43	54	46	47	34	40	57	61
American Indian or Alaska Native	16	*	7	3	4	1	17	25
Native Hawaiian or Other Pacific Islander	1	1	1	*	1	*	1	*
Asian	2	8	11	9	2	8	11	9
Two or More Races	4	8	11	8	2	7	11	8
Hispanic or Latino	51	47	50	50	42	36	60	59
EDUCATION								
< High School	68	68	66	59	53	46	82	78
High School Graduate	56	50	66	66	41	40	77	77
Some College	67	52	77	64	41	37	94	74
College Graduate	26	32	24	51	8	6	37	60
CURRENT EMPLOYMENT								
Full-Time	57	50	67	69	43	27	77	81
Part-Time	44	31	45	29	21	23	64	36
Unemployed	37	41	35	42	21	28	49	58
Other ³	77	74	91	82	57	56	105	95

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.32D Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Demographic Characteristic	Illicit Drugs¹ (2010)	Illicit Drugs¹ (2011)	Alcohol (2010)	Alcohol (2011)	Both Illicit Drugs and Alcohol¹ (2010)	Both Illicit Drugs and Alcohol¹ (2011)	Illicit Drugs or Alcohol^{1,2} (2010)	Illicit Drugs or Alcohol^{1,2} (2011)
TOTAL	0.05	0.05	0.05	0.05	0.03	0.03	0.07	0.06
GENDER								
Male	0.08	0.08	0.09	0.09	0.06	0.06	0.11	0.11
Female	0.06	0.05	0.06	0.06	0.04	0.03	0.08	0.07
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.05	0.05	0.06	0.06	0.03	0.03	0.07	0.07
White	0.06	0.05	0.07	0.06	0.04	0.03	0.08	0.07
Black or African American	0.16	0.20	0.17	0.18	0.13	0.15	0.21	0.23
American Indian or Alaska Native	1.51	*	0.64	0.21	0.33	0.09	1.60	1.88
Native Hawaiian or Other Pacific Islander	0.21	0.10	0.21	*	0.21	*	0.21	*
Asian	0.02	0.07	0.10	0.08	0.02	0.07	0.11	0.08
Two or More Races	0.17	0.24	0.40	0.23	0.09	0.22	0.43	0.24
Hispanic or Latino	0.16	0.14	0.16	0.15	0.13	0.11	0.19	0.17
EDUCATION								
< High School	0.20	0.20	0.19	0.18	0.15	0.14	0.24	0.23
High School Graduate	0.08	0.07	0.10	0.09	0.06	0.06	0.11	0.11
Some College	0.11	0.09	0.13	0.10	0.07	0.06	0.16	0.12
College Graduate	0.04	0.05	0.04	0.07	0.01	0.01	0.06	0.09
CURRENT EMPLOYMENT								
Full-Time	0.05	0.04	0.06	0.06	0.04	0.02	0.07	0.07
Part-Time	0.13	0.10	0.14	0.09	0.06	0.07	0.19	0.11
Unemployed	0.25	0.30	0.24	0.30	0.14	0.21	0.33	0.41
Other ³	0.11	0.10	0.14	0.12	0.08	0.08	0.16	0.13

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.32P Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Demographic Characteristic	Illicit Drugs¹ (2010)	Illicit Drugs¹ (2011)	Alcohol (2010)	Alcohol (2011)	Both Illicit Drugs and Alcohol¹ (2010)	Both Illicit Drugs and Alcohol¹ (2011)	Illicit Drugs or Alcohol^{1,2} (2010)	Illicit Drugs or Alcohol^{1,2} (2011)
TOTAL	0.1788		0.4521		0.5319		0.1524	
GENDER								
Male	0.3425		0.3452		0.7063		0.1964	
Female	0.3480		0.9689		0.5831		0.5239	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.0844		0.2048		0.2929		0.0678	
White	0.0162		0.2808		0.1414		0.0545	
Black or African American	0.6505		0.7052		0.8332		0.9144	
American Indian or Alaska Native	*		0.0856		0.2397		0.8602	
Native Hawaiian or Other Pacific Islander	0.6040		*		*		*	
Asian	0.3139		0.7896		0.4925		0.7788	
Two or More Races	0.8194		0.4434		0.4463		0.3350	
Hispanic or Latino	0.6848		0.3533		0.5902		0.6022	
EDUCATION								
< High School	0.3588		0.8461		0.6357		0.5917	
High School Graduate	0.1806		0.1898		0.4654		0.1035	
Some College	0.0419		0.2760		0.4666		0.0322	
College Graduate	0.9886		0.0797		0.6406		0.1892	
CURRENT EMPLOYMENT								
Full-Time	0.2662		0.7417		0.0825		0.7547	
Part-Time	0.0991		0.0347		0.8427		0.0016	
Unemployed	0.6943		0.5741		0.7672		0.3654	
Other ³	0.6458		0.9140		0.8280		0.5056	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.33C Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Geographic Characteristic	Illicit Drugs¹ (2010)	Illicit Drugs¹ (2011)	Alcohol (2010)	Alcohol (2011)	Both Illicit Drugs and Alcohol¹ (2010)	Both Illicit Drugs and Alcohol¹ (2011)	Illicit Drugs or Alcohol^{1,2} (2010)	Illicit Drugs or Alcohol^{1,2} (2011)
TOTAL	116	109	126	124	79	77	155	150
GEOGRAPHIC DIVISION								
Northeast	65	58	59	68	46	42	76	78
New England	32	21	32	24	22	19	41	25
Middle Atlantic	56	54	50	63	41	38	65	74
Midwest	42	31	60	48	30	21	70	54
East North Central	35	28	48	43	21	20	55	48
West North Central	21	14	33	20	17	6	41	23
South	77	60	78	51	46	27	101	76
South Atlantic	59	43	69	35	36	19	85	55
East South Central	28	35	18	23	15	15	30	39
West South Central	32	21	31	26	24	12	38	32
West	44	59	60	74	32	50	69	82
Mountain	29	26	42	29	26	14	45	37
Pacific	34	53	43	61	20	48	52	67
COUNTY TYPE								
Large Metro	92	86	101	97	66	60	123	120
Small Metro	58	61	61	63	34	46	77	75
250K – 1 Mil. Pop.	50	57	42	53	19	43	62	64
< 250K Pop.	30	21	46	35	28	16	47	39
Nonmetro	43	28	43	35	28	15	55	42
Urbanized	33	19	32	24	22	9	41	29
Less Urbanized	29	17	39	24	17	8	46	28
Completely Rural	8	13	7	9	2	8	10	13

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.33D Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Geographic Characteristic	Illicit Drugs¹ (2010)	Illicit Drugs¹ (2011)	Alcohol (2010)	Alcohol (2011)	Both Illicit Drugs and Alcohol¹ (2010)	Both Illicit Drugs and Alcohol¹ (2011)	Illicit Drugs or Alcohol^{1,2} (2010)	Illicit Drugs or Alcohol^{1,2} (2011)
TOTAL	0.05	0.04	0.05	0.05	0.03	0.03	0.06	0.06
GEOGRAPHIC DIVISION								
Northeast	0.14	0.12	0.13	0.14	0.10	0.09	0.16	0.17
New England	0.26	0.17	0.26	0.20	0.18	0.16	0.33	0.21
Middle Atlantic	0.16	0.16	0.15	0.18	0.12	0.11	0.19	0.21
Midwest	0.08	0.05	0.11	0.09	0.05	0.04	0.13	0.10
East North Central	0.09	0.07	0.12	0.11	0.05	0.05	0.14	0.12
West North Central	0.12	0.08	0.20	0.12	0.10	0.03	0.24	0.14
South	0.08	0.06	0.08	0.05	0.05	0.03	0.11	0.08
South Atlantic	0.12	0.09	0.14	0.07	0.07	0.04	0.17	0.11
East South Central	0.18	0.23	0.12	0.15	0.10	0.10	0.20	0.26
West South Central	0.11	0.07	0.11	0.09	0.08	0.04	0.13	0.11
West	0.08	0.10	0.10	0.12	0.06	0.08	0.12	0.14
Mountain	0.16	0.15	0.23	0.16	0.14	0.08	0.25	0.21
Pacific	0.08	0.13	0.10	0.15	0.05	0.12	0.13	0.16
COUNTY TYPE								
Large Metro	0.07	0.06	0.07	0.07	0.05	0.04	0.09	0.09
Small Metro	0.08	0.07	0.08	0.08	0.04	0.06	0.10	0.09
250K – 1 Mil. Pop.	0.10	0.10	0.08	0.10	0.04	0.08	0.12	0.12
< 250K Pop.	0.12	0.08	0.18	0.13	0.11	0.06	0.18	0.15
Nonmetro	0.10	0.07	0.11	0.09	0.07	0.04	0.14	0.10
Urbanized	0.19	0.11	0.19	0.14	0.13	0.05	0.24	0.17
Less Urbanized	0.14	0.09	0.19	0.12	0.09	0.04	0.23	0.15
Completely Rural	0.20	0.30	0.20	0.21	0.04	0.20	0.28	0.30

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.33P Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Geographic Characteristic	Illicit Drugs¹ (2010)	Illicit Drugs¹ (2011)	Alcohol (2010)	Alcohol (2011)	Both Illicit Drugs and Alcohol¹ (2010)	Both Illicit Drugs and Alcohol¹ (2011)	Illicit Drugs or Alcohol^{1,2} (2010)	Illicit Drugs or Alcohol^{1,2} (2011)
TOTAL	0.2373		0.4222		0.5512		0.1597	
GEOGRAPHIC DIVISION								
Northeast	0.8758		0.7891		0.9147		0.8729	
New England	0.1350		0.1908		0.5394		0.0389	
Middle Atlantic	0.5644		0.3660		0.8400		0.4245	
Midwest	0.0990		0.2584		0.4427		0.0573	
East North Central	0.3009		0.6617		0.7042		0.2240	
West North Central	0.1116		0.1244		0.0333		0.0901	
South	0.2246		0.2560		0.1816		0.3059	
South Atlantic	0.2190		0.1668		0.4295		0.1093	
East South Central	0.9155		0.5283		0.9474		0.6197	
West South Central	0.3829		0.6918		0.1734		0.8627	
West	0.6779		0.7535		0.4828		0.9186	
Mountain	0.7658		0.2220		0.2581		0.4436	
Pacific	0.4978		0.2313		0.1534		0.5173	
COUNTY TYPE								
Large Metro	0.6079		0.9200		0.6105		0.9939	
Small Metro	0.6654		0.4324		0.5453		0.1306	
250K – 1 Mil. Pop.	0.5986		0.3483		0.2508		0.0437	
< 250K Pop.	0.9612		0.8908		0.5879		0.8483	
Nonmetro	0.0879		0.1023		0.0847		0.0394	
Urbanized	0.2247		0.3605		0.1398		0.2118	
Less Urbanized	0.0747		0.2077		0.1547		0.0813	
Completely Rural	0.2324		0.6935		0.3492		0.3737	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.