

Table 5.38C Locations Received Illicit Drug Treatment in the Past Year among Persons Who Received Illicit Drug Treatment at a Specialty Facility in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2010 and 2011

Location of Treatment ¹	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
Hospital - Inpatient	56	62	*	*	13	21	54	59
Rehabilitation Facility - Inpatient	69	84	*	*	19	27	66	79
Rehabilitation Facility - Outpatient	98	82	*	*	22	28	95	75
Mental Health Center - Outpatient	67	68	6	*	16	23	64	62
Emergency Room	49	51	4	6	10	16	48	*
Private Doctor's Office	49	55	4	*	11	19	48	51
Self-Help Group	87	89	*	*	21	27	84	84
Prison/Jail	31	48	*	4	8	16	30	*

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.38D Locations Received Illicit Drug Treatment in the Past Year among Persons Who Received Illicit Drug Treatment at a Specialty Facility in the Past Year, by Age Group: Standard Errors of Percentages, 2010 and 2011

Location of Treatment ¹	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
Hospital - Inpatient	3.25	3.60	*	*	3.33	4.06	4.47	5.51
Rehabilitation Facility - Inpatient	3.63	3.97	*	*	4.08	4.57	4.91	6.01
Rehabilitation Facility - Outpatient	3.39	3.79	*	*	3.90	3.98	4.67	5.72
Mental Health Center - Outpatient	3.63	3.72	5.20	*	3.67	4.22	5.04	5.65
Emergency Room	2.95	3.22	3.76	4.36	2.56	3.43	4.10	*
Private Doctor's Office	2.92	3.39	3.65	*	2.88	3.92	4.06	5.12
Self-Help Group	3.75	3.67	*	*	3.77	4.13	5.18	5.61
Prison/Jail	1.94	3.20	*	3.44	2.26	3.62	2.63	*

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.38P Locations Received Illicit Drug Treatment in the Past Year among Persons Who Received Illicit Drug Treatment at a Specialty Facility in the Past Year, by Age Group: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Location of Treatment ¹	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
Hospital - Inpatient	0.0538		*		0.0406		0.1443	
Rehabilitation Facility - Inpatient	0.0257		*		0.5130		0.0416	
Rehabilitation Facility - Outpatient	0.1107		*		0.6752		0.1961	
Mental Health Center - Outpatient	0.2112		*		0.1738		0.4913	
Emergency Room	0.3381		0.7757		0.0376		*	
Private Doctor's Office	0.1921		*		0.1425		0.3168	
Self-Help Group	0.8272		*		0.2372		0.8045	
Prison/Jail	0.1074		*		0.1264		*	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.39C Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment at a Specialty Facility in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2010 and 2011

Location of Treatment ¹	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
Hospital - Inpatient	77	74	*	*	12	16	76	72
Rehabilitation Facility - Inpatient	81	86	*	*	19	23	78	84
Rehabilitation Facility - Outpatient	99	101	*	*	25	25	96	97
Mental Health Center - Outpatient	77	78	*	*	16	18	75	76
Emergency Room	59	55	*	*	10	13	58	54
Private Doctor's Office	59	53	*	*	7	13	59	52
Self-Help Group	105	104	*	*	23	26	103	100
Prison/Jail	31	48	*	*	9	15	30	45

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop alcohol use, or for medical problems associated with alcohol use.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.39D Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment at a Specialty Facility in the Past Year, by Age Group: Standard Errors of Percentages, 2010 and 2011

Location of Treatment ¹	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
Hospital - Inpatient	3.98	3.81	*	*	3.51	4.32	5.15	5.02
Rehabilitation Facility - Inpatient	3.93	4.24	*	*	4.67	5.21	5.01	5.55
Rehabilitation Facility - Outpatient	3.96	3.68	*	*	3.87	4.46	5.15	4.75
Mental Health Center - Outpatient	3.75	3.90	*	*	4.19	4.53	4.81	5.10
Emergency Room	3.28	3.26	*	*	2.87	3.76	4.23	4.22
Private Doctor's Office	3.30	3.05	*	*	2.18	3.53	4.26	3.97
Self-Help Group	3.83	3.74	*	*	4.20	4.59	4.95	4.76
Prison/Jail	1.90	2.96	*	*	2.66	4.23	2.40	3.78

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop alcohol use, or for medical problems associated with alcohol use.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.39P Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment at a Specialty Facility in the Past Year, by Age Group: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Location of Treatment ¹	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
Hospital - Inpatient	0.3416		*		0.2248		0.5078	
Rehabilitation Facility - Inpatient	0.6660		*		0.8466		0.7471	
Rehabilitation Facility - Outpatient	0.4559		*		0.5125		0.4742	
Mental Health Center - Outpatient	0.3924		*		0.8836		0.3318	
Emergency Room	0.5434		*		0.1345		0.7175	
Private Doctor's Office	0.7511		*		0.0420		0.4643	
Self-Help Group	0.8660		*		0.5293		0.7744	
Prison/Jail	0.2084		*		0.0468		0.4350	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop alcohol use, or for medical problems associated with alcohol use.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.40C Locations Received Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Illicit Drug or Alcohol Treatment at a Specialty Facility in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2010 and 2011

Location of Treatment ¹	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
Hospital - Inpatient	85	90	9	10	16	24	84	87
Rehabilitation Facility - Inpatient	96	102	10	*	24	29	92	97
Rehabilitation Facility - Outpatient	127	125	9	11	30	34	123	117
Mental Health Center - Outpatient	93	94	9	*	21	25	91	90
Emergency Room	71	72	7	7	13	18	70	69
Private Doctor's Office	67	67	4	5	12	20	66	63
Self-Help Group	126	122	10	13	29	32	123	117
Prison/Jail	41	56	*	4	12	19	39	52

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug or Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.40D Locations Received Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Illicit Drug or Alcohol Treatment at a Specialty Facility in the Past Year, by Age Group: Standard Errors of Percentages, 2010 and 2011

Location of Treatment ¹	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
Hospital - Inpatient	2.83	3.08	5.34	5.44	2.67	3.37	3.74	4.26
Rehabilitation Facility - Inpatient	2.96	3.22	5.58	*	3.41	3.64	3.84	4.42
Rehabilitation Facility - Outpatient	2.90	3.00	5.43	5.62	3.05	3.17	3.86	4.08
Mental Health Center - Outpatient	2.89	2.98	5.41	*	3.21	3.50	3.79	4.13
Emergency Room	2.45	2.65	4.50	4.07	2.31	2.81	3.24	3.67
Private Doctor's Office	2.32	2.44	2.73	3.48	2.16	3.05	3.07	3.32
Self-Help Group	2.92	2.85	5.43	5.91	3.06	3.33	3.87	3.94
Prison/Jail	1.51	2.21	*	2.97	2.07	2.91	1.94	2.96

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug or Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.40P Locations Received Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Illicit Drug or Alcohol Treatment at a Specialty Facility in the Past Year, by Age Group: *P* Values from Tests of Differences of Percentages, 2011 Versus 2010

Location of Treatment ¹	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
Hospital - Inpatient	0.0326		0.9142		0.0111		0.0988	
Rehabilitation Facility - Inpatient	0.2592		*		0.6005		0.3766	
Rehabilitation Facility - Outpatient	0.9621		0.9524		0.8471		0.9197	
Mental Health Center - Outpatient	0.1704		*		0.2763		0.2948	
Emergency Room	0.1603		0.9538		0.0356		0.3238	
Private Doctor's Office	0.6169		0.7949		0.0290		0.9747	
Self-Help Group	0.8387		0.3854		0.2386		0.6313	
Prison/Jail	0.0813		*		0.0603		0.1961	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug or Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.