

Table 5.41C Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Past Year Dependence or Abuse Status: Standard Errors of Numbers in Thousands, 2010 and 2011

Dependence or Abuse Status	Illicit Drugs (2010)	Illicit Drugs (2011)	Alcohol (2010)	Alcohol (2011)	Both Illicit Drugs and Alcohol (2010)	Both Illicit Drugs and Alcohol (2011)	Illicit Drugs or Alcohol ¹ (2010)	Illicit Drugs or Alcohol ¹ (2011)
DEPENDENCE								
None	87	75	84	90	62	48	107	109
Both Illicit Drugs and Alcohol	38	40	34	41	32	37	41	45
Illicit Drugs or Alcohol	74	74	92	83	48	55	109	98
Illicit Drugs	68	66	47	53	40	50	74	69
Alcohol	48	53	87	76	43	45	90	82
DEPENDENCE OR ABUSE								
None	76	72	73	85	53	47	96	104
Both Illicit Drugs and Alcohol	44	48	41	48	34	43	51	54
Illicit Drugs or Alcohol	83	77	98	88	56	57	117	103
Illicit Drugs	74	70	52	58	42	53	82	74
Alcohol	61	58	97	82	50	47	103	89

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.41D Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Past Year Dependence or Abuse Status: Standard Errors of Percentages, 2010 and 2011

Dependence or Abuse Status	Illicit Drugs (2010)	Illicit Drugs (2011)	Alcohol (2010)	Alcohol (2011)	Both Illicit Drugs and Alcohol (2010)	Both Illicit Drugs and Alcohol (2011)	Illicit Drugs or Alcohol ¹ (2010)	Illicit Drugs or Alcohol ¹ (2011)
DEPENDENCE								
None	0.04	0.03	0.03	0.04	0.03	0.02	0.04	0.04
Both Illicit Drugs and Alcohol	2.87	3.04	2.62	3.20	2.49	2.95	3.02	3.31
Illicit Drugs or Alcohol	0.60	0.63	0.73	0.71	0.40	0.48	0.86	0.82
Illicit Drugs	1.31	1.32	0.92	1.12	0.79	1.04	1.41	1.38
Alcohol	0.57	0.66	0.99	0.93	0.50	0.56	1.02	0.99
DEPENDENCE OR ABUSE								
None	0.03	0.03	0.03	0.04	0.02	0.02	0.04	0.04
Both Illicit Drugs and Alcohol	1.44	1.68	1.34	1.72	1.13	1.53	1.62	1.87
Illicit Drugs or Alcohol	0.37	0.37	0.43	0.42	0.25	0.27	0.51	0.49
Illicit Drugs	0.97	1.01	0.71	0.85	0.57	0.79	1.06	1.07
Alcohol	0.34	0.34	0.53	0.48	0.28	0.28	0.55	0.52

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.41P Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Past Year Dependence or Abuse Status: *P* Values from Tests of Differences of Percentages, 2011 Versus 2010

Dependence or Abuse Status	Illicit Drugs (2010)	Illicit Drugs (2011)	Alcohol (2010)	Alcohol (2011)	Both Illicit Drugs and Alcohol (2010)	Both Illicit Drugs and Alcohol (2011)	Illicit Drugs or Alcohol ¹ (2010)	Illicit Drugs or Alcohol ¹ (2011)
DEPENDENCE								
None	0.0820		0.9157		0.4174		0.3097	
Both Illicit Drugs and Alcohol	0.8177		0.6079		0.7441		0.8395	
Illicit Drugs or Alcohol	0.4691		0.4379		0.7405		0.7492	
Illicit Drugs	0.7542		0.9798		0.7387		0.9636	
Alcohol	0.3835		0.5720		0.6946		0.8340	
DEPENDENCE OR ABUSE								
None	0.2831		0.4584		0.8335		0.8016	
Both Illicit Drugs and Alcohol	0.3773		0.6754		0.4434		0.6005	
Illicit Drugs or Alcohol	1.0000		0.2566		0.8109		0.3489	
Illicit Drugs	0.6974		0.8065		0.7417		0.8319	
Alcohol	0.8440		0.3816		0.9661		0.5095	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.42C Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Past Year Dependence or Abuse of Specific Substances: Standard Errors of Numbers in Thousands, 2010 and 2011

Past Year Dependence or Abuse ¹	Illicit Drugs ² (2010)	Illicit Drugs ² (2011)	Alcohol (2010)	Alcohol (2011)	Both Illicit Drugs and Alcohol ² (2010)	Both Illicit Drugs and Alcohol ² (2011)	Illicit Drugs or Alcohol ^{2,3} (2010)	Illicit Drugs or Alcohol ^{2,3} (2011)
ILLCIT DRUGS²	74	70	52	58	42	53	82	74
Marijuana and Hashish	37	41	30	35	22	33	43	43
Cocaine	54	33	41	26	33	26	60	34
Heroin	*	*	*	*	*	*	*	*
Hallucinogens	10	*	*	*	7	*	*	*
Inhalants	5	4	4	3	4	3	5	4
Nonmedical Use of Psychotherapeutics ^{4,5}	55	55	41	44	30	38	63	60
Pain Relievers	52	49	40	38	29	33	59	52
Tranquilizers	*	*	*	*	9	*	*	*
Stimulants ⁴	*	*	*	*	*	*	*	*
Sedatives	*	*	*	*	*	*	*	*
ALCOHOL	61	58	97	82	50	47	103	89
BOTH ILLICIT DRUGS AND ALCOHOL²	44	48	41	48	34	43	51	54
ILLCIT DRUGS OR ALCOHOL²	83	77	98	88	56	57	117	103

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

³ Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

⁴ Estimates in these designated rows do not include data from new methamphetamine use items added in 2005 and 2006.

⁵ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.42D Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Past Year Dependence or Abuse of Specific Substances: Standard Errors of Percentages, 2010 and 2011

Past Year Dependence or Abuse ¹	Illicit Drugs ² (2010)	Illicit Drugs ² (2011)	Alcohol (2010)	Alcohol (2011)	Both Illicit Drugs and Alcohol ² (2010)	Both Illicit Drugs and Alcohol ² (2011)	Illicit Drugs or Alcohol ^{2,3} (2010)	Illicit Drugs or Alcohol ^{2,3} (2011)
ILLICIT DRUGS²	0.97	1.01	0.71	0.85	0.57	0.79	1.06	1.07
Marijuana and Hashish	0.80	0.95	0.65	0.82	0.49	0.77	0.92	0.99
Cocaine	4.47	3.86	3.55	3.05	3.01	2.99	4.71	3.99
Heroin	*	*	*	*	*	*	*	*
Hallucinogens	2.40	*	*	*	1.80	*	*	*
Inhalants	3.20	2.75	2.56	1.86	2.44	1.86	3.31	2.75
Nonmedical Use of Psychotherapeutics ^{4,5}	2.12	2.29	1.65	1.94	1.22	1.69	2.36	2.47
Pain Relievers	2.48	2.40	1.99	2.03	1.46	1.79	2.75	2.58
Tranquilizers	*	*	*	*	1.90	*	*	*
Stimulants ⁴	*	*	*	*	*	*	*	*
Sedatives	*	*	*	*	*	*	*	*
ALCOHOL	0.34	0.34	0.53	0.48	0.28	0.28	0.55	0.52
BOTH ILLICIT DRUGS AND ALCOHOL²	1.44	1.68	1.34	1.72	1.13	1.53	1.62	1.87
ILLICIT DRUGS OR ALCOHOL²	0.37	0.37	0.43	0.42	0.25	0.27	0.51	0.49

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

³ Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

⁴ Estimates in these designated rows do not include data from new methamphetamine use items added in 2005 and 2006.

⁵ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.42P Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Past Year Dependence or Abuse of Specific Substances: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Past Year Dependence or Abuse ¹	Illicit Drugs ² (2010)	Illicit Drugs ² (2011)	Alcohol (2010)	Alcohol (2011)	Both Illicit Drugs and Alcohol ² (2010)	Both Illicit Drugs and Alcohol ² (2011)	Illicit Drugs or Alcohol ^{2,3} (2010)	Illicit Drugs or Alcohol ^{2,3} (2011)
ILLCIT DRUGS²	0.6974		0.8065		0.7417		0.8319	
Marijuana and Hashish	0.3548		0.5833		0.2096		0.7698	
Cocaine	0.6209		0.3768		0.8651		0.3270	
Heroin	*		*		*		*	
Hallucinogens	*		*		*		*	
Inhalants	0.6590		0.3620		0.5037		0.5301	
Nonmedical Use of Psychotherapeutics ^{4,5}	0.3552		0.8662		0.8191		0.5640	
Pain Relievers	0.6577		0.3697		0.7688		0.9834	
Tranquilizers	*		*		*		*	
Stimulants ⁴	*		*		*		*	
Sedatives	*		*		*		*	
ALCOHOL	0.8440		0.3816		0.9661		0.5095	
BOTH ILLICIT DRUGS AND ALCOHOL²	0.3773		0.6754		0.4434		0.6005	
ILLCIT DRUGS OR ALCOHOL²	1.0000		0.2566		0.8109		0.3489	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

¹ Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

² Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

³ Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

⁴ Estimates in these designated rows do not include data from new methamphetamine use items added in 2005 and 2006.

⁵ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.