

**Table 5.43C Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year, by Detailed Age Category:  
Standard Errors of Numbers in Thousands and Standard Errors of Percentages, 2010 and 2011**

Age Category	Needed Treatment (2010)	Needed Treatment (2011)	Needed and Received Treatment (2010)	Needed and Received Treatment (2011)	Needed but Did Not Receive Treatment (2010)	Needed but Did Not Receive Treatment (2011)	Percentage Who Received Treatment among Persons Who Needed Treatment (2010)	Percentage Who Received Treatment among Persons Who Needed Treatment (2011)
<b>TOTAL</b>	264	223	116	109	231	191	1.28	1.31
12	9	9	0	1	9	9	*	*
13	11	12	2	2	11	12	*	*
14	16	16	5	4	15	15	*	*
15	22	24	4	9	21	22	1.72	3.36
16	24	25	8	8	23	23	2.37	2.31
17	27	28	8	10	26	26	1.96	2.49
18	33	35	12	10	31	33	2.52	2.29
19	35	31	9	9	34	30	2.13	2.23
20	34	35	9	12	33	33	2.17	2.80
21	30	35	13	14	27	32	3.17	3.41
22	29	30	9	10	27	29	2.77	2.99
23	33	33	12	17	30	28	3.33	4.53
24	29	27	9	11	29	24	2.95	3.61
25	25	29	7	13	24	26	2.85	4.75
26-29	91	70	42	27	84	65	4.44	3.76
30-34	91	81	34	33	85	72	3.94	4.50
35-39	79	71	41	39	68	57	*	*
40-44	68	58	34	26	56	53	*	*
45-49	76	54	42	31	63	41	*	*
50-54	103	90	36	55	96	71	*	*
55-59	50	44	38	18	33	40	*	*
60-64	46	30	30	25	35	16	*	*
65 or Older	19	32	10	*	16	32	*	*

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 5.43D Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year, by Detailed Age Category:  
Standard Errors of Percentages, 2010 and 2011**

Age Category	Needed Treatment (2010)	Needed Treatment (2011)	Needed and Received Treatment (2010)	Needed and Received Treatment (2011)	Needed but Did Not Receive Treatment (2010)	Needed but Did Not Receive Treatment (2011)	Percentage Who Received Treatment among Persons Who Needed Treatment (2010)	Percentage Who Received Treatment among Persons Who Needed Treatment (2011)
<b>TOTAL</b>	0.10	0.09	0.05	0.04	0.09	0.07	1.28	1.31
12	0.25	0.23	0.01	0.03	0.25	0.23	*	*
13	0.28	0.28	0.04	0.05	0.27	0.28	*	*
14	0.40	0.37	0.13	0.09	0.39	0.36	*	*
15	0.50	0.55	0.11	0.21	0.49	0.51	1.72	3.36
16	0.55	0.54	0.18	0.18	0.53	0.51	2.37	2.31
17	0.61	0.61	0.18	0.24	0.59	0.56	1.96	2.49
18	0.65	0.65	0.25	0.21	0.61	0.62	2.52	2.29
19	0.77	0.68	0.21	0.20	0.74	0.65	2.13	2.23
20	0.73	0.75	0.19	0.27	0.70	0.70	2.17	2.80
21	0.68	0.75	0.31	0.33	0.60	0.69	3.17	3.41
22	0.67	0.65	0.22	0.24	0.63	0.62	2.77	2.99
23	0.77	0.78	0.29	0.41	0.72	0.67	3.33	4.53
24	0.66	0.62	0.22	0.27	0.67	0.57	2.95	3.61
25	0.62	0.71	0.18	0.34	0.58	0.63	2.85	4.75
26-29	0.53	0.40	0.25	0.16	0.49	0.38	4.44	3.76
30-34	0.45	0.41	0.17	0.17	0.42	0.37	3.94	4.50
35-39	0.40	0.36	0.21	0.20	0.35	0.29	*	*
40-44	0.33	0.28	0.17	0.13	0.27	0.26	*	*
45-49	0.34	0.25	0.19	0.14	0.28	0.19	*	*
50-54	0.46	0.39	0.16	0.24	0.44	0.31	*	*
55-59	0.26	0.23	0.20	0.10	0.17	0.21	*	*
60-64	0.28	0.17	0.18	0.14	0.21	0.09	*	*
65 or Older	0.05	0.08	0.03	*	0.04	0.08	*	*

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 5.43P Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2011 Versus 2010**

Age Category	Needed Treatment (2010)	Needed Treatment (2011)	Needed and Received Treatment (2010)	Needed and Received Treatment (2011)	Needed but Did Not Receive Treatment (2010)	Needed but Did Not Receive Treatment (2011)	Percentage Who Received Treatment among Persons Who Needed Treatment (2010)	Percentage Who Received Treatment among Persons Who Needed Treatment (2011)
<b>TOTAL</b>	0.0112		0.2373		0.0226		0.8748	
12	0.9597		0.6181		0.9222		*	
13	0.8094		0.6659		0.8616		*	
14	0.4072		0.5389		0.4955		*	
15	0.6966		0.0510		0.2846		0.0311	
16	0.9013		0.9701		0.8876		0.9355	
17	0.8780		0.4998		0.9345		0.5092	
18	0.6213		0.5683		0.7540		0.6642	
19	0.3646		0.6892		0.4118		0.9072	
20	0.6890		0.2137		0.9895		0.2449	
21	0.9264		0.6545		0.7545		0.6006	
22	0.8941		0.8320		0.8256		0.7815	
23	0.9080		0.4159		0.5790		0.3336	
24	0.3602		0.5437		0.2386		0.3058	
25	0.9164		0.1084		0.5282		0.0800	
26-29	0.0432		0.0402		0.2210		0.2249	
30-34	0.2417		0.8702		0.1827		0.4323	
35-39	0.3078		0.5268		0.4178		*	
40-44	0.4443		0.2729		0.7831		*	
45-49	0.0373		0.0957		0.1507		*	
50-54	0.8711		0.4498		0.5575		*	
55-59	0.4174		0.6988		0.1787		*	
60-64	0.3882		0.9436		0.2534		*	
65 or Older	0.4672		*		0.2934		*	

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 5.44C Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands and Standard Errors of Percentages, 2010 and 2011**

<b>Demographic Characteristic</b>	<b>Needed Treatment (2010)</b>	<b>Needed Treatment (2011)</b>	<b>Needed and Received Treatment (2010)</b>	<b>Needed and Received Treatment (2011)</b>	<b>Needed but Did Not Receive Treatment (2010)</b>	<b>Needed but Did Not Receive Treatment (2011)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2010)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2011)</b>
<b>TOTAL</b>	264	223	116	109	231	191	1.28	1.31
<b>AGE</b>								
12-17	47	48	13	17	45	44	1.09	1.32
18-25	87	86	29	36	82	79	0.96	1.19
26 or Older	232	197	111	100	201	163	2.45	2.57
<b>GENDER</b>								
Male	205	184	91	88	186	158	1.67	1.64
Female	147	121	71	63	126	102	2.04	2.15
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	228	206	104	98	200	177	1.39	1.43
White	190	173	92	76	161	155	1.62	1.55
Black or African American	112	87	43	54	106	69	2.99	4.11
American Indian or Alaska Native	20	33	16	*	10	22	*	*
Native Hawaiian or Other Pacific Islander	2	10	1	1	2	10	*	*
Asian	38	32	5	8	37	31	*	*
Two or More Races	21	25	6	9	20	24	*	*
Hispanic or Latino	124	90	51	48	113	74	3.38	3.23

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 5.44D Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011**

<b>Demographic Characteristic</b>	<b>Needed Treatment (2010)</b>	<b>Needed Treatment (2011)</b>	<b>Needed and Received Treatment (2010)</b>	<b>Needed and Received Treatment (2011)</b>	<b>Needed but Did Not Receive Treatment (2010)</b>	<b>Needed but Did Not Receive Treatment (2011)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2010)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2011)</b>
<b>TOTAL</b>	0.10	0.09	0.05	0.04	0.09	0.07	1.28	1.31
<b>AGE</b>								
12-17	0.19	0.19	0.06	0.07	0.18	0.18	1.09	1.32
18-25	0.26	0.25	0.08	0.10	0.24	0.23	0.96	1.19
26 or Older	0.12	0.10	0.06	0.05	0.10	0.08	2.45	2.57
<b>GENDER</b>								
Male	0.17	0.15	0.07	0.07	0.15	0.13	1.67	1.64
Female	0.11	0.09	0.05	0.05	0.10	0.08	2.04	2.15
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.11	0.09	0.05	0.04	0.09	0.08	1.39	1.43
White	0.11	0.10	0.05	0.04	0.09	0.09	1.62	1.55
Black or African American	0.37	0.29	0.14	0.18	0.35	0.23	2.99	4.11
American Indian or Alaska Native	1.61	2.15	1.34	*	0.85	1.43	*	*
Native Hawaiian or Other Pacific Islander	0.33	1.11	0.19	0.09	0.26	1.03	*	*
Asian	0.33	0.26	0.04	0.06	0.33	0.25	*	*
Two or More Races	0.69	0.64	0.19	0.22	0.65	0.60	*	*
Hispanic or Latino	0.34	0.23	0.14	0.12	0.31	0.19	3.38	3.23

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 5.44P Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010**

Demographic Characteristic	Needed Treatment (2010)	Needed Treatment (2011)	Needed and Received Treatment (2010)	Needed and Received Treatment (2011)	Needed but Did Not Receive Treatment (2010)	Needed but Did Not Receive Treatment (2011)	Percentage Who Received Treatment among Persons Who Needed Treatment (2010)	Percentage Who Received Treatment among Persons Who Needed Treatment (2011)
<b>TOTAL</b>	0.0112		0.2373		0.0226		0.8748	
<b>AGE</b>								
12-17	0.7181		0.2875		0.4575		0.2168	
18-25	0.5459		0.3361		0.3037		0.2101	
26 or Older	0.0121		0.0914		0.0474		0.6804	
<b>GENDER</b>								
Male	0.2766		0.3865		0.4428		0.6245	
Female	0.0032		0.4297		0.0033		0.6287	
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.0325		0.1159		0.1080		0.4597	
White	0.1369		0.0222		0.6143		0.0609	
Black or African American	0.0594		0.5334		0.0153		0.1450	
American Indian or Alaska Native	0.8511		*		0.8191		*	
Native Hawaiian or Other Pacific Islander	0.2645		0.6109		0.1894		*	
Asian	0.7600		0.7032		0.7125		*	
Two or More Races	0.6858		0.6697		0.5661		*	
Hispanic or Latino	0.1394		0.6361		0.0509		0.2635	

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 5.45C Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands and Standard Errors of Percentages, 2010 and 2011**

<b>Demographic Characteristic</b>	<b>Needed Treatment (2010)</b>	<b>Needed Treatment (2011)</b>	<b>Needed and Received Treatment (2010)</b>	<b>Needed and Received Treatment (2011)</b>	<b>Needed but Did Not Receive Treatment (2010)</b>	<b>Needed but Did Not Receive Treatment (2011)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2010)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2011)</b>
<b>TOTAL</b>	256	216	115	107	223	184	1.48	1.53
<b>GENDER</b>								
Male	200	177	91	87	180	152	1.88	1.88
Female	142	117	70	62	120	97	2.47	2.66
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	222	199	103	96	194	171	1.58	1.65
White	183	170	90	75	154	153	1.85	1.77
Black or African American	115	89	43	54	107	70	3.32	4.74
American Indian or Alaska Native	20	31	16	*	10	19	*	*
Native Hawaiian or Other Pacific Islander	2	10	1	1	1	9	*	*
Asian	37	31	2	8	37	30	*	*
Two or More Races	20	23	4	8	19	22	*	*
Hispanic or Latino	118	85	51	47	108	68	*	4.04
<b>EDUCATION</b>								
< High School	141	116	68	68	122	94	3.30	3.38
High School Graduate	115	120	56	50	100	107	2.47	2.27
Some College	134	117	67	52	115	105	2.80	2.56
College Graduate	105	65	26	32	99	57	2.61	*
<b>CURRENT EMPLOYMENT</b>								
Full-Time	161	131	57	50	152	120	2.06	2.05
Part-Time	85	85	44	31	74	79	2.82	2.41
Unemployed	84	72	37	41	75	58	3.21	3.61
Other <sup>1</sup>	141	122	77	74	115	98	3.62	3.68

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 5.45D Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011**

Demographic Characteristic	Needed Treatment (2010)	Needed Treatment (2011)	Needed and Received Treatment (2010)	Needed and Received Treatment (2011)	Needed but Did Not Receive Treatment (2010)	Needed but Did Not Receive Treatment (2011)	Percentage Who Received Treatment among Persons Who Needed Treatment (2010)	Percentage Who Received Treatment among Persons Who Needed Treatment (2011)
<b>TOTAL</b>	0.11	0.09	0.05	0.05	0.10	0.08	1.48	1.53
<b>GENDER</b>								
Male	0.18	0.16	0.08	0.08	0.16	0.14	1.88	1.88
Female	0.12	0.10	0.06	0.05	0.10	0.08	2.47	2.66
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.11	0.10	0.05	0.05	0.10	0.09	1.58	1.65
White	0.12	0.11	0.06	0.05	0.10	0.10	1.85	1.77
Black or African American	0.42	0.32	0.16	0.20	0.39	0.25	3.32	4.74
American Indian or Alaska Native	1.83	2.31	1.51	*	0.96	1.45	*	*
Native Hawaiian or Other Pacific Islander	0.27	1.13	0.21	0.10	0.16	1.04	*	*
Asian	0.35	0.27	0.02	0.07	0.35	0.27	*	*
Two or More Races	0.77	0.71	0.17	0.24	0.75	0.67	*	*
Hispanic or Latino	0.37	0.25	0.16	0.14	0.34	0.20	*	4.04
<b>EDUCATION</b>								
< High School	0.41	0.34	0.20	0.20	0.35	0.28	3.30	3.38
High School Graduate	0.16	0.17	0.08	0.07	0.14	0.15	2.47	2.27
Some College	0.23	0.19	0.11	0.09	0.19	0.17	2.80	2.56
College Graduate	0.16	0.10	0.04	0.05	0.15	0.08	2.61	*
<b>CURRENT EMPLOYMENT</b>								
Full-Time	0.14	0.11	0.05	0.04	0.13	0.10	2.06	2.05
Part-Time	0.26	0.26	0.13	0.10	0.23	0.24	2.82	2.41
Unemployed	0.56	0.51	0.25	0.30	0.50	0.42	3.21	3.61
Other <sup>1</sup>	0.21	0.17	0.11	0.10	0.17	0.14	3.62	3.68

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 5.45P Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010**

Demographic Characteristic	Needed Treatment (2010)	Needed Treatment (2011)	Needed and Received Treatment (2010)	Needed and Received Treatment (2011)	Needed but Did Not Receive Treatment (2010)	Needed but Did Not Receive Treatment (2011)	Percentage Who Received Treatment among Persons Who Needed Treatment (2010)	Percentage Who Received Treatment among Persons Who Needed Treatment (2011)
<b>TOTAL</b>	0.0106		0.1788		0.0258		0.8044	
<b>GENDER</b>								
Male	0.1990		0.3425		0.3462		0.6338	
Female	0.0066		0.3480		0.0091		0.7231	
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.0267		0.0844		0.1040		0.4191	
White	0.1714		0.0162		0.7705		0.0405	
Black or African American	0.0290		0.6505		0.0074		0.1389	
American Indian or Alaska Native	0.9653		*		0.9736		*	
Native Hawaiian or Other Pacific Islander	0.1848		0.6040		0.1171		*	
Asian	0.7666		0.3139		0.6607		*	
Two or More Races	0.5406		0.8194		0.4781		*	
Hispanic or Latino	0.1842		0.6848		0.0755		*	
<b>EDUCATION</b>								
< High School	0.7963		0.3588		0.3694		0.2150	
High School Graduate	0.8172		0.1806		0.6668		0.1606	
Some College	0.0934		0.0419		0.4178		0.1282	
College Graduate	0.0015		0.9886		0.0006		*	
<b>CURRENT EMPLOYMENT</b>								
Full-Time	0.0464		0.2662		0.0932		0.7314	
Part-Time	0.2945		0.0991		0.7470		0.1585	
Unemployed	0.8754		0.6943		0.6713		0.5867	
Other <sup>1</sup>	0.2299		0.6458		0.2394		0.8120	

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 5.46C Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands and Standard Errors of Percentages, 2010 and 2011**

<b>Geographic Characteristic</b>	<b>Needed Treatment (2010)</b>	<b>Needed Treatment (2011)</b>	<b>Needed and Received Treatment (2010)</b>	<b>Needed and Received Treatment (2011)</b>	<b>Needed but Did Not Receive Treatment (2010)</b>	<b>Needed but Did Not Receive Treatment (2011)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2010)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2011)</b>
<b>TOTAL</b>	264	223	116	109	231	191	1.28	1.31
<b>GEOGRAPHIC DIVISION</b>								
Northeast	120	104	65	58	96	83	3.39	3.44
New England	57	46	32	21	43	41	*	*
Middle Atlantic	105	93	56	54	87	73	4.24	4.19
Midwest	110	87	42	31	101	79	2.41	1.96
East North Central	100	73	35	28	94	65	2.83	2.40
West North Central	41	46	21	14	36	43	4.03	3.40
South	145	133	77	60	125	120	2.49	2.15
South Atlantic	109	91	59	43	92	85	3.50	3.20
East South Central	58	55	28	35	51	39	4.94	*
West South Central	75	81	32	21	68	77	3.95	2.49
West	142	123	44	59	132	108	2.00	2.75
Mountain	63	58	29	26	53	52	3.97	3.74
Pacific	127	108	34	53	120	94	2.25	3.69
<b>COUNTY TYPE</b>								
Large Metro	205	175	92	86	180	151	1.85	1.91
Small Metro	134	131	58	61	122	112	2.15	2.23
250K – 1 Mil. Pop.	118	115	50	57	108	95	2.52	2.88
< 250K Pop.	65	63	30	21	58	58	4.13	2.96
Nonmetro	94	80	43	28	82	73	3.40	2.70
Urbanized	68	61	33	19	58	59	5.07	3.78
Less Urbanized	67	45	29	17	59	38	5.12	3.66
Completely Rural	15	22	8	13	13	17	*	*

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 5.46D Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2010 and 2011**

<b>Geographic Characteristic</b>	<b>Needed Treatment (2010)</b>	<b>Needed Treatment (2011)</b>	<b>Needed and Received Treatment (2010)</b>	<b>Needed and Received Treatment (2011)</b>	<b>Needed but Did Not Receive Treatment (2010)</b>	<b>Needed but Did Not Receive Treatment (2011)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2010)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2011)</b>
<b>TOTAL</b>	0.10	0.09	0.05	0.04	0.09	0.07	1.28	1.31
<b>GEOGRAPHIC DIVISION</b>								
Northeast	0.26	0.22	0.14	0.12	0.21	0.18	3.39	3.44
New England	0.46	0.38	0.26	0.17	0.35	0.33	*	*
Middle Atlantic	0.31	0.27	0.16	0.16	0.25	0.21	4.24	4.19
Midwest	0.20	0.16	0.08	0.05	0.18	0.14	2.41	1.96
East North Central	0.26	0.19	0.09	0.07	0.24	0.17	2.83	2.40
West North Central	0.24	0.27	0.12	0.08	0.22	0.25	4.03	3.40
South	0.16	0.14	0.08	0.06	0.13	0.13	2.49	2.15
South Atlantic	0.22	0.18	0.12	0.09	0.19	0.17	3.50	3.20
East South Central	0.39	0.36	0.18	0.23	0.34	0.25	4.94	*
West South Central	0.26	0.27	0.11	0.07	0.24	0.26	3.95	2.49
West	0.24	0.20	0.08	0.10	0.22	0.18	2.00	2.75
Mountain	0.35	0.32	0.16	0.15	0.29	0.29	3.97	3.74
Pacific	0.31	0.26	0.08	0.13	0.30	0.23	2.25	3.69
<b>COUNTY TYPE</b>								
Large Metro	0.15	0.13	0.07	0.06	0.13	0.11	1.85	1.91
Small Metro	0.18	0.16	0.08	0.07	0.16	0.13	2.15	2.23
250K – 1 Mil. Pop.	0.23	0.21	0.10	0.10	0.21	0.17	2.52	2.88
< 250K Pop.	0.24	0.23	0.12	0.08	0.22	0.21	4.13	2.96
Nonmetro	0.22	0.19	0.10	0.07	0.19	0.17	3.40	2.70
Urbanized	0.38	0.35	0.19	0.11	0.32	0.34	5.07	3.78
Less Urbanized	0.32	0.23	0.14	0.09	0.29	0.19	5.12	3.66
Completely Rural	0.40	0.51	0.20	0.30	0.35	0.40	*	*

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 5.46P Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010**

<b>Geographic Characteristic</b>	<b>Needed Treatment (2010)</b>	<b>Needed Treatment (2011)</b>	<b>Needed and Received Treatment (2010)</b>	<b>Needed and Received Treatment (2011)</b>	<b>Needed but Did Not Receive Treatment (2010)</b>	<b>Needed but Did Not Receive Treatment (2011)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2010)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2011)</b>
<b>TOTAL</b>	0.0112		0.2373		0.0226		0.8748	
<b>GEOGRAPHIC DIVISION</b>								
Northeast	0.1813		0.8758		0.1164		0.6191	
New England	0.1470		0.1350		0.4083		*	
Middle Atlantic	0.4653		0.5644		0.1828		0.2830	
Midwest	0.0788		0.0990		0.2156		0.3712	
East North Central	0.1622		0.3009		0.2669		0.6921	
West North Central	0.2223		0.1116		0.5684		0.2510	
South	0.2334		0.2246		0.5061		0.3915	
South Atlantic	0.1075		0.2190		0.2793		0.5127	
East South Central	0.5170		0.9155		0.3841		*	
West South Central	0.6948		0.3829		0.4564		0.2724	
West	0.3220		0.6779		0.2036		0.3698	
Mountain	0.9859		0.7658		0.8575		0.7263	
Pacific	0.2674		0.4978		0.1360		0.2254	
<b>COUNTY TYPE</b>								
Large Metro	0.0532		0.6079		0.0543		0.7835	
Small Metro	0.2373		0.6654		0.2658		0.9530	
250K – 1 Mil. Pop.	0.1431		0.5986		0.1518		0.9154	
< 250K Pop.	0.8487		0.9612		0.8516		0.9790	
Nonmetro	0.2445		0.0879		0.6164		0.2091	
Urbanized	0.4944		0.2247		0.8530		0.3000	
Less Urbanized	0.1283		0.0747		0.3853		0.2806	
Completely Rural	0.1208		0.2324		0.2674		*	

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 5.47C Perceived Need for Illicit Drug Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug Problem, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011**

<b>Demographic Characteristic</b>	<b>Needed but Did Not Receive Treatment<sup>1</sup> (2010)</b>	<b>Needed but Did Not Receive Treatment<sup>1</sup> (2011)</b>	<b>Felt Need for Treatment<sup>2</sup> (2010)</b>	<b>Felt Need for Treatment<sup>2</sup> (2011)</b>	<b>Felt Need and Made Effort to Get Treatment<sup>2</sup> (2010)</b>	<b>Felt Need and Made Effort to Get Treatment<sup>2</sup> (2011)</b>	<b>Felt Need and Made No Effort to Get Treatment<sup>2</sup> (2010)</b>	<b>Felt Need and Made No Effort to Get Treatment<sup>2</sup> (2011)</b>	<b>Did Not Feel Need for Treatment<sup>2</sup> (2010)</b>	<b>Did Not Feel Need for Treatment<sup>2</sup> (2011)</b>
<b>TOTAL</b>	229	193	74	64	66	34	32	55	216	179
<b>AGE</b>										
12-17	47	47	10	6	6	5	7	4	46	46
18-25	89	86	17	16	8	10	15	13	86	83
26 or Older	200	164	71	62	65	31	27	54	185	150
<b>GENDER</b>										
Male	185	161	69	60	64	27	24	54	171	147
Female	125	102	26	24	15	20	21	13	120	98

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>1</sup> Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs, but have not received treatment for an illicit drug problem at a specialty facility.

<sup>2</sup> Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 5.47D Perceived Need for Illicit Drug Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug Problem, by Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011**

<b>Demographic Characteristic</b>	<b>Needed but Did Not Receive Treatment<sup>1</sup> (2010)</b>	<b>Needed but Did Not Receive Treatment<sup>1</sup> (2011)</b>	<b>Felt Need for Treatment<sup>2</sup> (2010)</b>	<b>Felt Need for Treatment<sup>2</sup> (2011)</b>	<b>Felt Need and Made Effort to Get Treatment<sup>2</sup> (2010)</b>	<b>Felt Need and Made Effort to Get Treatment<sup>2</sup> (2011)</b>	<b>Felt Need and Made No Effort to Get Treatment<sup>2</sup> (2010)</b>	<b>Felt Need and Made No Effort to Get Treatment<sup>2</sup> (2011)</b>	<b>Did Not Feel Need for Treatment<sup>2</sup> (2010)</b>	<b>Did Not Feel Need for Treatment<sup>2</sup> (2011)</b>
<b>TOTAL</b>	0.00	0.00	1.09	1.03	1.00	0.57	0.49	0.91	1.09	1.03
<b>AGE</b>										
12-17	0.00	0.00	0.89	0.57	0.59	0.44	0.67	0.36	0.89	0.57
18-25	0.00	0.00	0.67	0.66	0.32	0.43	0.60	0.52	0.67	0.66
26 or Older	0.00	0.00	2.31	2.36	2.18	1.27	0.94	2.09	2.31	2.36
<b>GENDER</b>										
Male	0.00	0.00	1.62	1.43	1.55	0.69	0.59	1.32	1.62	1.43
Female	0.00	0.00	1.05	1.16	0.64	0.99	0.86	0.64	1.05	1.16

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>1</sup> Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs, but have not received treatment for an illicit drug problem at a specialty facility.

<sup>2</sup> Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 5.47P Perceived Need for Illicit Drug Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug Problem, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010**

Demographic Characteristic	Needed but Did Not Receive Treatment <sup>1</sup> (2010)	Needed but Did Not Receive Treatment <sup>1</sup> (2011)	Felt Need for Treatment <sup>2</sup> (2010)	Felt Need for Treatment <sup>2</sup> (2011)	Felt Need and Made Effort to Get Treatment <sup>2</sup> (2010)	Felt Need and Made Effort to Get Treatment <sup>2</sup> (2011)	Felt Need and Made No Effort to Get Treatment <sup>2</sup> (2010)	Felt Need and Made No Effort to Get Treatment <sup>2</sup> (2011)	Did Not Feel Need for Treatment <sup>2</sup> (2010)	Did Not Feel Need for Treatment <sup>2</sup> (2011)
<b>TOTAL</b>	N/A		0.1389		0.8692		0.0483		0.1389	
<b>AGE</b>										
12-17	N/A		0.0468		0.5100		0.0344		0.0468	
18-25	N/A		0.4071		0.0259		0.6159		0.4071	
26 or Older	N/A		0.0779		0.9396		0.0091		0.0779	
<b>GENDER</b>										
Male	N/A		0.1172		0.8141		0.0084		0.1172	
Female	N/A		0.9689		0.3055		0.2397		0.9689	

\*Low precision; no estimate reported.

N/A: Not applicable.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>1</sup> Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs, but have not received treatment for an illicit drug problem at a specialty facility.

<sup>2</sup> Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.