

Table 5.48C Need for and Receipt of Treatment at a Specialty Facility for an Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands and Standard Errors of Percentages, 2010 and 2011

Demographic Characteristic	Needed Treatment (2010)	Needed Treatment (2011)	Needed and Received Treatment (2010)	Needed and Received Treatment (2011)	Needed but Did Not Receive Treatment (2010)	Needed but Did Not Receive Treatment (2011)	Percentage Who Received Treatment among Persons Who Needed Treatment (2010)	Percentage Who Received Treatment among Persons Who Needed Treatment (2011)
TOTAL	416	390	126	124	400	372	0.65	0.68
AGE								
12-17	50	46	11	11	48	44	0.97	1.06
18-25	127	118	29	32	123	115	0.52	0.62
26 or Older	393	369	121	120	375	349	0.96	1.00
GENDER								
Male	336	314	104	101	323	296	0.81	0.87
Female	232	225	69	72	225	215	1.05	1.07
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	383	353	115	110	365	339	0.70	0.73
White	362	319	103	96	344	312	0.75	0.79
Black or African American	132	115	46	47	122	109	2.33	2.63
American Indian or Alaska Native	29	47	7	3	28	47	3.76	1.72
Native Hawaiian or Other Pacific Islander	10	30	1	*	10	29	*	*
Asian	53	45	11	9	52	44	*	*
Two or More Races	32	38	11	8	30	37	*	2.68
Hispanic or Latino	181	164	51	50	174	153	1.69	1.61

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.48D Need for and Receipt of Treatment at a Specialty Facility for an Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Demographic Characteristic	Needed Treatment (2010)	Needed Treatment (2011)	Needed and Received Treatment (2010)	Needed and Received Treatment (2011)	Needed but Did Not Receive Treatment (2010)	Needed but Did Not Receive Treatment (2011)	Percentage Who Received Treatment among Persons Who Needed Treatment (2010)	Percentage Who Received Treatment among Persons Who Needed Treatment (2011)
TOTAL	0.16	0.15	0.05	0.05	0.16	0.14	0.65	0.68
AGE								
12-17	0.20	0.18	0.05	0.04	0.20	0.18	0.97	1.06
18-25	0.37	0.34	0.09	0.09	0.36	0.34	0.52	0.62
26 or Older	0.20	0.19	0.06	0.06	0.19	0.18	0.96	1.00
GENDER								
Male	0.27	0.25	0.08	0.08	0.26	0.24	0.81	0.87
Female	0.18	0.17	0.05	0.05	0.17	0.16	1.05	1.07
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.18	0.16	0.05	0.05	0.17	0.16	0.70	0.73
White	0.21	0.19	0.06	0.06	0.20	0.18	0.75	0.79
Black or African American	0.44	0.38	0.15	0.16	0.40	0.36	2.33	2.63
American Indian or Alaska Native	2.38	2.73	0.57	0.20	2.29	2.75	3.76	1.72
Native Hawaiian or Other Pacific Islander	1.41	3.08	0.19	*	1.34	2.92	*	*
Asian	0.43	0.34	0.10	0.07	0.42	0.34	*	*
Two or More Races	1.05	0.96	0.34	0.19	0.99	0.93	*	2.68
Hispanic or Latino	0.49	0.42	0.14	0.13	0.47	0.39	1.69	1.61

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.48P Need for and Receipt of Treatment at a Specialty Facility for an Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Demographic Characteristic	Needed Treatment (2010)	Needed Treatment (2011)	Needed and Received Treatment (2010)	Needed and Received Treatment (2011)	Needed but Did Not Receive Treatment (2010)	Needed but Did Not Receive Treatment (2011)	Percentage Who Received Treatment among Persons Who Needed Treatment (2010)	Percentage Who Received Treatment among Persons Who Needed Treatment (2011)
TOTAL	0.0066		0.4222		0.0108		0.9352	
AGE								
12-17	0.0043		0.5676		0.0048		0.8309	
18-25	0.0128		0.9839		0.0105		0.5353	
26 or Older	0.0961		0.4410		0.1414		0.7723	
GENDER								
Male	0.0030		0.3403		0.0053		0.9084	
Female	0.7262		0.9730		0.7227		0.9569	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.0102		0.2048		0.0237		0.5652	
White	0.0217		0.2723		0.0437		0.6329	
Black or African American	0.4258		0.7507		0.4746		0.9498	
American Indian or Alaska Native	0.7144		0.0779		0.9431		0.0800	
Native Hawaiian or Other Pacific Islander	0.1097		*		0.1583		*	
Asian	0.2279		0.7301		0.2463		*	
Two or More Races	0.6394		0.4702		0.7800		*	
Hispanic or Latino	0.3789		0.4234		0.2315		0.2663	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.49C Need for and Receipt of Treatment at a Specialty Facility for an Alcohol Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands and Standard Errors of Percentages, 2010 and 2011

Demographic Characteristic	Needed Treatment (2010)	Needed Treatment (2011)	Needed and Received Treatment (2010)	Needed and Received Treatment (2011)	Needed but Did Not Receive Treatment (2010)	Needed but Did Not Receive Treatment (2011)	Percentage Who Received Treatment among Persons Who Needed Treatment (2010)	Percentage Who Received Treatment among Persons Who Needed Treatment (2011)
TOTAL	415	387	124	124	398	369	0.68	0.72
GENDER								
Male	335	312	102	101	321	295	0.84	0.91
Female	229	224	69	72	221	214	1.15	1.17
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	381	351	113	110	363	338	0.73	0.77
White	383	340	102	96	364	331	0.79	0.83
Black or African American	136	120	46	47	126	113	2.43	2.78
American Indian or Alaska Native	28	47	7	3	28	47	*	1.77
Native Hawaiian or Other Pacific Islander	10	30	1	*	9	28	*	*
Asian	52	45	11	9	51	44	*	*
Two or More Races	31	37	11	8	29	36	*	*
Hispanic or Latino	179	163	50	50	173	152	1.83	1.74
EDUCATION								
< High School	172	155	66	59	162	144	2.24	2.19
High School Graduate	212	211	66	66	203	199	1.29	1.35
Some College	246	225	77	64	233	217	1.34	1.21
College Graduate	249	219	24	51	248	211	0.56	1.19
CURRENT EMPLOYMENT								
Full-Time	313	301	67	69	302	293	0.71	0.78
Part-Time	164	138	45	29	157	135	1.45	1.10
Unemployed	120	112	35	42	115	102	1.84	2.32
Other ¹	236	209	91	82	215	191	2.28	2.18

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.49D Need for and Receipt of Treatment at a Specialty Facility for an Alcohol Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Demographic Characteristic	Needed Treatment (2010)	Needed Treatment (2011)	Needed and Received Treatment (2010)	Needed and Received Treatment (2011)	Needed but Did Not Receive Treatment (2010)	Needed but Did Not Receive Treatment (2011)	Percentage Who Received Treatment among Persons Who Needed Treatment (2010)	Percentage Who Received Treatment among Persons Who Needed Treatment (2011)
TOTAL	0.18	0.17	0.05	0.05	0.17	0.16	0.68	0.72
GENDER								
Male	0.30	0.28	0.09	0.09	0.29	0.26	0.84	0.91
Female	0.19	0.19	0.06	0.06	0.19	0.18	1.15	1.17
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.19	0.18	0.06	0.06	0.18	0.17	0.73	0.77
White	0.23	0.20	0.07	0.06	0.22	0.20	0.79	0.83
Black or African American	0.49	0.43	0.17	0.18	0.46	0.40	2.43	2.78
American Indian or Alaska Native	2.65	3.02	0.64	0.21	2.53	3.03	*	1.77
Native Hawaiian or Other Pacific Islander	1.52	3.33	0.21	*	1.45	3.14	*	*
Asian	0.48	0.38	0.10	0.08	0.46	0.37	*	*
Two or More Races	1.23	1.14	0.40	0.23	1.15	1.12	*	*
Hispanic or Latino	0.56	0.48	0.16	0.15	0.54	0.45	1.83	1.74
EDUCATION								
< High School	0.49	0.45	0.19	0.18	0.46	0.42	2.24	2.19
High School Graduate	0.29	0.29	0.10	0.09	0.28	0.27	1.29	1.35
Some College	0.40	0.34	0.13	0.10	0.38	0.33	1.34	1.21
College Graduate	0.34	0.31	0.04	0.07	0.34	0.30	0.56	1.19
CURRENT EMPLOYMENT								
Full-Time	0.26	0.25	0.06	0.06	0.25	0.24	0.71	0.78
Part-Time	0.48	0.41	0.14	0.09	0.46	0.40	1.45	1.10
Unemployed	0.78	0.78	0.24	0.30	0.74	0.72	1.84	2.32
Other ¹	0.34	0.29	0.14	0.12	0.31	0.26	2.28	2.18

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.49P Need for and Receipt of Treatment at a Specialty Facility for an Alcohol Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Demographic Characteristic	Needed Treatment (2010)	Needed Treatment (2011)	Needed and Received Treatment (2010)	Needed and Received Treatment (2011)	Needed but Did Not Receive Treatment (2010)	Needed but Did Not Receive Treatment (2011)	Percentage Who Received Treatment among Persons Who Needed Treatment (2010)	Percentage Who Received Treatment among Persons Who Needed Treatment (2011)
TOTAL	0.0176		0.4521		0.0270		0.9099	
GENDER								
Male	0.0053		0.3452		0.0092		0.8806	
Female	0.9949		0.9689		0.9840		0.9662	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.0212		0.2048		0.0468		0.5222	
White	0.0429		0.2808		0.0814		0.5967	
Black or African American	0.3547		0.7052		0.4055		0.9370	
American Indian or Alaska Native	0.7390		0.0856		0.9653		*	
Native Hawaiian or Other Pacific Islander	0.1248		*		0.1781		*	
Asian	0.2943		0.7896		0.3101		*	
Two or More Races	0.8379		0.4434		0.9908		*	
Hispanic or Latino	0.5228		0.3533		0.3254		0.2371	
EDUCATION								
< High School	0.6428		0.8461		0.5707		0.6923	
High School Graduate	0.2399		0.1898		0.4366		0.3173	
Some College	0.1046		0.2760		0.1821		0.5011	
College Graduate	0.2200		0.0797		0.1184		0.0526	
CURRENT EMPLOYMENT								
Full-Time	0.2551		0.7417		0.2802		0.9442	
Part-Time	0.1369		0.0347		0.3345		0.0719	
Unemployed	0.7550		0.5741		0.5909		0.4782	
Other ¹	0.2120		0.9140		0.1820		0.6785	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.50C Perceived Need for Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Alcohol Problem, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Demographic Characteristic	Needed but Did Not Receive Treatment¹ (2010)	Needed but Did Not Receive Treatment¹ (2011)	Felt Need for Treatment² (2010)	Felt Need for Treatment² (2011)	Felt Need and Made Effort to Get Treatment² (2010)	Felt Need and Made Effort to Get Treatment² (2011)	Felt Need and Made No Effort to Get Treatment² (2010)	Felt Need and Made No Effort to Get Treatment² (2011)	Did Not Feel Need for Treatment² (2010)	Did Not Feel Need for Treatment² (2011)
TOTAL	435	397	89	64	45	33	77	59	427	391
AGE										
12-17	51	46	6	3	3	1	5	2	51	46
18-25	150	148	16	11	11	4	11	10	148	147
26 or Older	402	364	88	64	44	33	76	58	392	358
GENDER										
Male	351	312	73	55	35	29	63	47	346	306
Female	230	222	53	34	28	15	46	35	221	220

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for alcohol, but have not received treatment for an alcohol problem at a specialty facility.

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.50D Perceived Need for Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Alcohol Problem, by Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Demographic Characteristic	Needed but Did Not Receive Treatment ¹ (2010)	Needed but Did Not Receive Treatment ¹ (2011)	Felt Need for Treatment ² (2010)	Felt Need for Treatment ² (2011)	Felt Need and Made Effort to Get Treatment ² (2010)	Felt Need and Made Effort to Get Treatment ² (2011)	Felt Need and Made No Effort to Get Treatment ² (2010)	Felt Need and Made No Effort to Get Treatment ² (2011)	Did Not Feel Need for Treatment ² (2010)	Did Not Feel Need for Treatment ² (2011)
TOTAL	0.00	0.00	0.51	0.40	0.26	0.21	0.45	0.36	0.51	0.40
AGE										
12-17	0.00	0.00	0.51	0.28	0.25	0.11	0.45	0.26	0.51	0.28
18-25	0.00	0.00	0.31	0.23	0.22	0.08	0.22	0.21	0.31	0.23
26 or Older	0.00	0.00	0.79	0.61	0.40	0.32	0.69	0.55	0.79	0.61
GENDER										
Male	0.00	0.00	0.64	0.54	0.32	0.29	0.56	0.46	0.64	0.54
Female	0.00	0.00	0.87	0.58	0.47	0.25	0.75	0.58	0.87	0.58

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for alcohol, but have not received treatment for an alcohol problem at a specialty facility.

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.50P Perceived Need for Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Alcohol Problem, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Demographic Characteristic	Needed but Did Not Receive Treatment ¹ (2010)	Needed but Did Not Receive Treatment ¹ (2011)	Felt Need for Treatment ² (2010)	Felt Need for Treatment ² (2011)	Felt Need and Made Effort to Get Treatment ² (2010)	Felt Need and Made Effort to Get Treatment ² (2011)	Felt Need and Made No Effort to Get Treatment ² (2010)	Felt Need and Made No Effort to Get Treatment ² (2011)	Did Not Feel Need for Treatment ² (2010)	Did Not Feel Need for Treatment ² (2011)
TOTAL	N/A		0.1392		0.2420		0.3189		0.1392	
AGE										
12-17	N/A		0.3372		0.7598		0.3560		0.3372	
18-25	N/A		0.1804		0.0207		0.9507		0.1804	
26 or Older	N/A		0.2099		0.4686		0.3141		0.2099	
GENDER										
Male	N/A		0.4547		0.6870		0.5270		0.4547	
Female	N/A		0.1355		0.1287		0.4285		0.1355	

*Low precision; no estimate reported.

N/A: Not applicable.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for alcohol, but have not received treatment for an alcohol problem at a specialty facility.

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.