

Table 5.51C Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands and Standard Errors of Percentages, 2010 and 2011

Demographic Characteristic	Needed Treatment (2010)	Needed Treatment (2011)	Needed and Received Treatment (2010)	Needed and Received Treatment (2011)	Needed but Did Not Receive Treatment (2010)	Needed but Did Not Receive Treatment (2011)	Percentage Who Received Treatment among Persons Who Needed Treatment (2010)	Percentage Who Received Treatment among Persons Who Needed Treatment (2011)
TOTAL	476	423	155	150	453	397	0.63	0.65
AGE								
12-17	61	58	16	18	58	55	0.83	0.94
18-25	140	130	37	40	137	127	0.52	0.60
26 or Older	439	397	148	141	416	370	0.97	0.99
GENDER								
Male	372	337	124	121	359	316	0.79	0.83
Female	265	241	92	87	249	225	1.06	1.03
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	439	387	142	132	414	365	0.69	0.70
White	396	348	127	112	371	333	0.75	0.74
Black or African American	164	132	57	61	154	123	2.00	2.39
American Indian or Alaska Native	30	53	17	25	24	47	*	*
Native Hawaiian or Other Pacific Islander	10	32	1	*	10	30	*	*
Asian	67	54	12	9	66	53	2.52	*
Two or More Races	37	43	12	9	35	42	3.50	2.44
Hispanic or Latino	206	177	61	60	200	163	1.57	1.54

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.51D Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Demographic Characteristic	Needed Treatment (2010)	Needed Treatment (2011)	Needed and Received Treatment (2010)	Needed and Received Treatment (2011)	Needed but Did Not Receive Treatment (2010)	Needed but Did Not Receive Treatment (2011)	Percentage Who Received Treatment among Persons Who Needed Treatment (2010)	Percentage Who Received Treatment among Persons Who Needed Treatment (2011)
TOTAL	0.19	0.16	0.06	0.06	0.18	0.15	0.63	0.65
AGE								
12-17	0.25	0.23	0.07	0.07	0.24	0.22	0.83	0.94
18-25	0.41	0.38	0.11	0.12	0.40	0.37	0.52	0.60
26 or Older	0.22	0.20	0.08	0.07	0.21	0.19	0.97	0.99
GENDER								
Male	0.30	0.27	0.10	0.10	0.29	0.25	0.79	0.83
Female	0.20	0.18	0.07	0.07	0.19	0.17	1.06	1.03
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.20	0.18	0.07	0.06	0.19	0.17	0.69	0.70
White	0.23	0.21	0.07	0.07	0.22	0.20	0.75	0.74
Black or African American	0.54	0.43	0.19	0.20	0.51	0.40	2.00	2.39
American Indian or Alaska Native	2.44	2.94	1.42	1.70	1.99	2.67	*	*
Native Hawaiian or Other Pacific Islander	1.45	3.21	0.19	*	1.39	3.03	*	*
Asian	0.56	0.42	0.11	0.07	0.55	0.41	2.52	*
Two or More Races	1.24	1.08	0.38	0.23	1.16	1.05	3.50	2.44
Hispanic or Latino	0.56	0.45	0.16	0.15	0.54	0.41	1.57	1.54

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.51P Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Demographic Characteristic	Needed Treatment (2010)	Needed Treatment (2011)	Needed and Received Treatment (2010)	Needed and Received Treatment (2011)	Needed but Did Not Receive Treatment (2010)	Needed but Did Not Receive Treatment (2011)	Percentage Who Received Treatment among Persons Who Needed Treatment (2010)	Percentage Who Received Treatment among Persons Who Needed Treatment (2011)
TOTAL	0.0016		0.1597		0.0049		0.6633	
AGE								
12-17	0.1146		0.8727		0.0869		0.5206	
18-25	0.0197		0.6267		0.0121		0.2425	
26 or Older	0.0183		0.1083		0.0578		0.4126	
GENDER								
Male	0.0020		0.2006		0.0050		0.7596	
Female	0.3187		0.5351		0.4124		0.7384	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.0053		0.0744		0.0204		0.3709	
White	0.0184		0.0608		0.0660		0.2545	
Black or African American	0.1349		0.9637		0.1224		0.6191	
American Indian or Alaska Native	0.8436		0.8438		0.7191		*	
Native Hawaiian or Other Pacific Islander	0.0793		*		0.1178		*	
Asian	0.3096		0.5321		0.3564		*	
Two or More Races	0.5654		0.4058		0.7155		0.4905	
Hispanic or Latino	0.1528		0.6317		0.0895		0.3344	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.52C Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands and Standard Errors of Percentages, 2010 and 2011

Demographic Characteristic	Needed Treatment (2010)	Needed Treatment (2011)	Needed and Received Treatment (2010)	Needed and Received Treatment (2011)	Needed but Did Not Receive Treatment (2010)	Needed but Did Not Receive Treatment (2011)	Percentage Who Received Treatment among Persons Who Needed Treatment (2010)	Percentage Who Received Treatment among Persons Who Needed Treatment (2011)
TOTAL	469	417	153	149	446	392	0.68	0.71
GENDER								
Male	367	334	122	120	354	314	0.83	0.88
Female	260	238	91	87	244	223	1.19	1.15
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	434	383	140	132	409	362	0.73	0.75
White	416	372	125	112	391	355	0.80	0.79
Black or African American	172	140	57	61	160	129	2.12	2.63
American Indian or Alaska Native	29	51	17	25	23	45	*	*
Native Hawaiian or Other Pacific Islander	10	31	1	*	9	29	*	*
Asian	66	53	11	9	65	52	*	*
Two or More Races	35	42	11	8	34	42	*	2.59
Hispanic or Latino	201	173	60	59	196	159	1.76	1.70
EDUCATION								
< High School	209	179	82	78	194	162	1.96	2.10
High School Graduate	229	241	77	77	218	224	1.21	1.22
Some College	275	241	94	74	259	230	1.35	1.16
College Graduate	263	227	37	60	260	218	0.75	1.26
CURRENT EMPLOYMENT								
Full-Time	346	317	77	81	335	306	0.71	0.78
Part-Time	175	150	64	36	165	146	1.59	1.08
Unemployed	144	128	49	58	134	110	1.85	2.28
Other ¹	260	227	105	95	236	207	2.05	2.01

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.52D Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Demographic Characteristic	Needed Treatment (2010)	Needed Treatment (2011)	Needed and Received Treatment (2010)	Needed and Received Treatment (2011)	Needed but Did Not Receive Treatment (2010)	Needed but Did Not Receive Treatment (2011)	Percentage Who Received Treatment among Persons Who Needed Treatment (2010)	Percentage Who Received Treatment among Persons Who Needed Treatment (2011)
TOTAL	0.20	0.18	0.07	0.06	0.19	0.17	0.68	0.71
GENDER								
Male	0.33	0.30	0.11	0.11	0.32	0.28	0.83	0.88
Female	0.22	0.20	0.08	0.07	0.21	0.18	1.19	1.15
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.22	0.19	0.07	0.07	0.21	0.18	0.73	0.75
White	0.25	0.22	0.08	0.07	0.24	0.21	0.80	0.79
Black or African American	0.61	0.49	0.21	0.23	0.57	0.45	2.12	2.63
American Indian or Alaska Native	2.73	3.19	1.60	1.88	2.17	2.88	*	*
Native Hawaiian or Other Pacific Islander	1.54	3.45	0.21	*	1.47	3.25	*	*
Asian	0.61	0.45	0.11	0.08	0.60	0.45	*	*
Two or More Races	1.41	1.30	0.43	0.24	1.34	1.28	*	2.59
Hispanic or Latino	0.63	0.51	0.19	0.17	0.61	0.47	1.76	1.70
EDUCATION								
< High School	0.59	0.51	0.24	0.23	0.55	0.47	1.96	2.10
High School Graduate	0.31	0.33	0.11	0.11	0.30	0.31	1.21	1.22
Some College	0.44	0.36	0.16	0.12	0.42	0.35	1.35	1.16
College Graduate	0.36	0.32	0.06	0.09	0.36	0.31	0.75	1.26
CURRENT EMPLOYMENT								
Full-Time	0.29	0.26	0.07	0.07	0.28	0.25	0.71	0.78
Part-Time	0.51	0.45	0.19	0.11	0.48	0.43	1.59	1.08
Unemployed	0.91	0.86	0.33	0.41	0.85	0.76	1.85	2.28
Other ¹	0.38	0.31	0.16	0.13	0.34	0.29	2.05	2.01

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.52P Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Demographic Characteristic	Needed Treatment (2010)	Needed Treatment (2011)	Needed and Received Treatment (2010)	Needed and Received Treatment (2011)	Needed but Did Not Receive Treatment (2010)	Needed but Did Not Receive Treatment (2011)	Percentage Who Received Treatment among Persons Who Needed Treatment (2010)	Percentage Who Received Treatment among Persons Who Needed Treatment (2011)
TOTAL	0.0031		0.1524		0.0093		0.6153	
GENDER								
Male	0.0023		0.1964		0.0059		0.7466	
Female	0.4770		0.5239		0.6122		0.6629	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.0070		0.0678		0.0272		0.3408	
White	0.0277		0.0545		0.0984		0.2179	
Black or African American	0.0874		0.9144		0.0805		0.5948	
American Indian or Alaska Native	0.8836		0.8602		0.7701		*	
Native Hawaiian or Other Pacific Islander	0.0790		*		0.1165		*	
Asian	0.3339		0.7788		0.3511		*	
Two or More Races	0.6967		0.3350		0.8860		*	
Hispanic or Latino	0.2386		0.6022		0.1480		0.3483	
EDUCATION								
< High School	0.3034		0.5917		0.1717		0.2974	
High School Graduate	0.3675		0.1035		0.7270		0.1670	
Some College	0.0265		0.0322		0.1211		0.1372	
College Graduate	0.1290		0.1892		0.0654		0.1046	
CURRENT EMPLOYMENT								
Full-Time	0.1969		0.7547		0.2142		0.9629	
Part-Time	0.0459		0.0016		0.3313		0.0065	
Unemployed	0.6862		0.3654		0.3843		0.2340	
Other ¹	0.0817		0.5056		0.1063		0.9248	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.53C Perceived Need for Illicit Drug or Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug or Alcohol Problem, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Demographic Characteristic	Needed but Did Not Receive Treatment ¹ (2010)	Needed but Did Not Receive Treatment ¹ (2011)	Felt Need for Treatment ² (2010)	Felt Need for Treatment ² (2011)	Felt Need and Made Effort to Get Treatment ² (2010)	Felt Need and Made Effort to Get Treatment ² (2011)	Felt Need and Made No Effort to Get Treatment ² (2010)	Felt Need and Made No Effort to Get Treatment ² (2011)	Did Not Feel Need for Treatment ² (2010)	Did Not Feel Need for Treatment ² (2011)
TOTAL	488	426	114	87	76	44	87	78	472	418
AGE										
12-17	63	58	11	8	7	5	8	5	62	58
18-25	168	170	22	19	13	11	18	16	164	168
26 or Older	443	386	112	85	74	42	84	77	425	378
GENDER										
Male	390	336	99	78	69	38	72	68	379	327
Female	254	235	56	40	31	21	47	37	243	233

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs or alcohol, but have not received treatment for an illicit drug or alcohol problem at a specialty facility.

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug or alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.53D Perceived Need for Illicit Drug or Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug or Alcohol Problem, by Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Demographic Characteristic	Needed but Did Not Receive Treatment ¹ (2010)	Needed but Did Not Receive Treatment ¹ (2011)	Felt Need for Treatment ² (2010)	Felt Need for Treatment ² (2011)	Felt Need and Made Effort to Get Treatment ² (2010)	Felt Need and Made Effort to Get Treatment ² (2011)	Felt Need and Made No Effort to Get Treatment ² (2010)	Felt Need and Made No Effort to Get Treatment ² (2011)	Did Not Feel Need for Treatment ² (2010)	Did Not Feel Need for Treatment ² (2011)
TOTAL	0.00	0.00	0.54	0.44	0.36	0.23	0.41	0.40	0.54	0.44
AGE										
12-17	0.00	0.00	0.64	0.47	0.43	0.33	0.47	0.33	0.64	0.47
18-25	0.00	0.00	0.34	0.31	0.21	0.18	0.27	0.26	0.34	0.31
26 or Older	0.00	0.00	0.86	0.72	0.58	0.36	0.65	0.65	0.86	0.72
GENDER										
Male	0.00	0.00	0.72	0.62	0.51	0.31	0.53	0.55	0.72	0.62
Female	0.00	0.00	0.74	0.56	0.42	0.30	0.64	0.52	0.74	0.56

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs or alcohol, but have not received treatment for an illicit drug or alcohol problem at a specialty facility.

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug or alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 5.53P Perceived Need for Illicit Drug or Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug or Alcohol Problem, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Demographic Characteristic	Needed but Did Not Receive Treatment ¹ (2010)	Needed but Did Not Receive Treatment ¹ (2011)	Felt Need for Treatment ² (2010)	Felt Need for Treatment ² (2011)	Felt Need and Made Effort to Get Treatment ² (2010)	Felt Need and Made Effort to Get Treatment ² (2011)	Felt Need and Made No Effort to Get Treatment ² (2010)	Felt Need and Made No Effort to Get Treatment ² (2011)	Did Not Feel Need for Treatment ² (2010)	Did Not Feel Need for Treatment ² (2011)
TOTAL	N/A		0.6863		0.6455		0.8863		0.6863	
AGE										
12-17	N/A		0.0705		0.4667		0.0741		0.0705	
18-25	N/A		0.9787		0.8440		0.8609		0.9787	
26 or Older	N/A		0.8203		0.6614		0.9585		0.8203	
GENDER										
Male	N/A		0.6009		0.9286		0.5451		0.6009	
Female	N/A		0.0789		0.2051		0.2298		0.0789	

*Low precision; no estimate reported.

N/A: Not applicable.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs or alcohol, but have not received treatment for an illicit drug or alcohol problem at a specialty facility.

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug or alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.