

**Table 6.19A Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older, by Past Month Cigarette and Alcohol Use: Numbers in Thousands, 2010 and 2011**

Drug	CIGARETTE AND ALCOHOL USE IN PAST MONTH							
	Cigarettes and Alcohol		Cigarettes But Not Alcohol		Alcohol But Not Cigarettes		Neither Alcohol Nor Cigarettes	
	2010	2011	2010	2011	2010	2011	2010	2011
<b>ILLCIT DRUGS<sup>1</sup></b>	10,672	10,165	2,495	2,388	7,029	7,104	2,452	2,798
Marijuana and Hashish	8,974	8,847	1,878	1,803	5,345	5,710	1,212 <sup>b</sup>	1,711
Cocaine	1,096	986	117	111	206	263	53 <sup>a</sup>	9
Crack	275	199	53	25	31	*	19	*
Heroin	166	158	47	100	*	11	24	12
Hallucinogens	841 <sup>a</sup>	647	65	67	234	197	68	61
LSD	112	99	8	19	30	27	*	6
PCP	8	24	1	*	*	*	23	*
Ecstasy	496	393	38	26	133	107	24	19
Inhalants	225	236	20	26	254	159	190	203
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	3,061 <sup>a</sup>	2,654	771	816	2,002	1,601	1,123	1,048
Pain Relievers	2,341 <sup>b</sup>	1,885	538	633	1,373	1,138	840	815
OxyContin <sup>®</sup>	359	256	130	51	60	80	17	47
Tranquilizers	1,095	910	282	216	553	513	230	201
Stimulants <sup>3</sup>	593	579	122	108	251	163	116	121
Methamphetamine <sup>3</sup>	181	253	59	63	71	33	41	89
Sedatives	126	90	24	43	102	40	122	58
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	4,304 <sup>a</sup>	3,697	912	950	2,447	2,082	1,353	1,292

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 6.19B Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older, by Past Month Cigarette and Alcohol Use: Percentages, 2010 and 2011**

Drug	CIGARETTE AND ALCOHOL USE IN PAST MONTH							
	Cigarettes and Alcohol		Cigarettes But Not Alcohol		Alcohol But Not Cigarettes		Neither Alcohol Nor Cigarettes	
	2010	2011	2010	2011	2010	2011	2010	2011
<b>ILLCIT DRUGS<sup>1</sup></b>	27.7	26.9	12.6	12.5	7.6	7.4	2.4	2.7
Marijuana and Hashish	23.3	23.4	9.5	9.5	5.8	6.0	1.2 <sup>b</sup>	1.6
Cocaine	2.8	2.6	0.6	0.6	0.2	0.3	0.1 <sup>a</sup>	0.0
Crack	0.7	0.5	0.3	0.1	0.0	*	0.0	*
Heroin	0.4	0.4	0.2	0.5	*	0.0	0.0	0.0
Hallucinogens	2.2 <sup>a</sup>	1.7	0.3	0.4	0.3	0.2	0.1	0.1
LSD	0.3	0.3	0.0	0.1	0.0	0.0	*	0.0
PCP	0.0	0.1	0.0	*	*	*	0.0	*
Ecstasy	1.3	1.0	0.2	0.1	0.1	0.1	0.0	0.0
Inhalants	0.6	0.6	0.1	0.1	0.3	0.2	0.2	0.2
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	7.9	7.0	3.9	4.3	2.2 <sup>a</sup>	1.7	1.1	1.0
Pain Relievers	6.1 <sup>a</sup>	5.0	2.7	3.3	1.5	1.2	0.8	0.8
OxyContin <sup>®</sup>	0.9	0.7	0.7	0.3	0.1	0.1	0.0	0.0
Tranquilizers	2.8	2.4	1.4	1.1	0.6	0.5	0.2	0.2
Stimulants <sup>3</sup>	1.5	1.5	0.6	0.6	0.3	0.2	0.1	0.1
Methamphetamine <sup>3</sup>	0.5	0.7	0.3	0.3	0.1	0.0	0.0	0.1
Sedatives	0.3	0.2	0.1	0.2	0.1	0.0	0.1	0.1
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	11.2 <sup>a</sup>	9.8	4.6	5.0	2.6 <sup>a</sup>	2.2	1.3	1.2

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 6.20A Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17, by Past Month Cigarette and Alcohol Use: Numbers in Thousands, 2010 and 2011**

Drug	CIGARETTE AND ALCOHOL USE IN PAST MONTH							
	Cigarettes and Alcohol		Cigarettes But Not Alcohol		Alcohol But Not Cigarettes		Neither Alcohol Nor Cigarettes	
	2010	2011	2010	2011	2010	2011	2010	2011
<b>ILLCIT DRUGS<sup>1</sup></b>	798	804	276	312	591	561	803	845
Marijuana and Hashish	726	745	215	276	480	492	380	455
Cocaine	47	47	5	9	6	10	3	1
Crack	3	3	*	*	0	*	*	*
Heroin	4	13	*	1	2	0	2	*
Hallucinogens	131	117	17	15	33	40	34	43
LSD	32	24	3	1	7	5	3	4
PCP	2	3	0	*	1	1	3	*
Ecstasy	78	61	8	4	20	30	17	13
Inhalants	47	51	17	14	46	25	152	133
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	229	255	75	65	126	95	291	272
Pain Relievers	193	197	62	51	107	73	246	241
OxyContin <sup>®</sup>	30	35	6	6	3	7	7	3
Tranquilizers	66 <sup>a</sup>	111	22	12	16	16	29	23
Stimulants <sup>3</sup>	57	60	3	8	19	13	29	17
Methamphetamine <sup>3</sup>	13	26	2	6	6	3	4	1
Sedatives	12	7	3	3	3	8	16	7
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	345	355	100	88	193	149	453	435

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 6.20B Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17, by Past Month Cigarette and Alcohol Use: Percentages, 2010 and 2011**

Drug	CIGARETTE AND ALCOHOL USE IN PAST MONTH							
	Cigarettes and Alcohol		Cigarettes But Not Alcohol		Alcohol But Not Cigarettes		Neither Alcohol Nor Cigarettes	
	2010	2011	2010	2011	2010	2011	2010	2011
<b>ILLCIT DRUGS<sup>1</sup></b>	65.3	68.7	33.8 <sup>a</sup>	40.7	28.2	26.0	4.0	4.0
Marijuana and Hashish	59.4	63.6	26.3 <sup>b</sup>	35.9	22.9	22.8	1.9	2.2
Cocaine	3.9	4.0	0.6	1.2	0.3	0.5	0.0	0.0
Crack	0.3	0.3	*	*	0.0	*	*	*
Heroin	0.3	1.1	*	0.1	0.1	0.0	0.0	*
Hallucinogens	10.7	10.0	2.0	2.0	1.6	1.9	0.2	0.2
LSD	2.6	2.1	0.4	0.1	0.3	0.2	0.0	0.0
PCP	0.2	0.2	0.0	*	0.0	0.0	0.0	*
Ecstasy	6.4	5.2	1.0	0.5	1.0	1.4	0.1	0.1
Inhalants	3.9	4.3	2.0	1.8	2.2 <sup>a</sup>	1.1	0.8	0.6
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	18.7	21.8	9.2	8.5	6.0	4.4	1.4	1.3
Pain Relievers	15.8	16.8	7.6	6.7	5.1 <sup>a</sup>	3.4	1.2	1.2
OxyContin <sup>®</sup>	2.5	3.0	0.8	0.8	0.2	0.3	0.0	0.0
Tranquilizers	5.4 <sup>b</sup>	9.5	2.7	1.5	0.8	0.7	0.1	0.1
Stimulants <sup>3</sup>	4.6	5.1	0.4	1.1	0.9	0.6	0.1	0.1
Methamphetamine <sup>3</sup>	1.1	2.2	0.2	0.8	0.3	0.1	0.0	0.0
Sedatives	1.0	0.6	0.4	0.3	0.1	0.4	0.1	0.0
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	28.2	30.3	12.2	11.4	9.2 <sup>a</sup>	6.9	2.2	2.1

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 6.21A Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25, by Past Month Cigarette and Alcohol Use: Numbers in Thousands, 2010 and 2011**

Drug	CIGARETTE AND ALCOHOL USE IN PAST MONTH							
	Cigarettes and Alcohol		Cigarettes But Not Alcohol		Alcohol But Not Cigarettes		Neither Alcohol Nor Cigarettes	
	2010	2011	2010	2011	2010	2011	2010	2011
<b>ILLCIT DRUGS<sup>1</sup></b>	4,133	4,055	618	530	2,121	2,259	473	508
Marijuana and Hashish	3,658	3,697	511	438	1,809	1,998	334	393
Cocaine	411	391	19	17	69	53	5	3
Crack	65 <sup>b</sup>	18	3	1	4	2	*	*
Heroin	81	81	8	16	1	4	1	6
Hallucinogens	496 <sup>a</sup>	379	33	36	132	126	11	16
LSD	76	71	5	3	23	17	1	*
PCP	5	12	*	0	*	*	*	*
Ecstasy	300	225	20	22	74	63	7	5
Inhalants	92	119	4	8	27	14	12	3
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	1,207 <sup>a</sup>	1,040	201	160	446	392	143	119
Pain Relievers	932 <sup>a</sup>	756	151 <sup>a</sup>	102	316	275	112	87
OxyContin <sup>®</sup>	172	118	44 <sup>b</sup>	11	15	21	9	8
Tranquilizers	421	350	41	59	95	112	13	26
Stimulants <sup>3</sup>	255	251	42	31	96 <sup>a</sup>	52	21	10
Methamphetamine <sup>3</sup>	65	48	9	21	9	8	1	2
Sedatives	26	25	5	6	14	10	14	2
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	1,717	1,519	230	199	603	523	160	143

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 6.21B Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25, by Past Month Cigarette and Alcohol Use: Percentages, 2010 and 2011**

Drug	CIGARETTE AND ALCOHOL USE IN PAST MONTH							
	Cigarettes and Alcohol		Cigarettes But Not Alcohol		Alcohol But Not Cigarettes		Neither Alcohol Nor Cigarettes	
	2010	2011	2010	2011	2010	2011	2010	2011
<b>ILLCIT DRUGS<sup>1</sup></b>	45.2	45.7	24.1	20.3	18.0	18.9	4.5	4.7
Marijuana and Hashish	40.0	41.6	20.0	16.8	15.4	16.7	3.2	3.6
Cocaine	4.5	4.4	0.7	0.7	0.6	0.4	0.0	0.0
Crack	0.7 <sup>b</sup>	0.2	0.1	0.0	0.0	0.0	*	*
Heroin	0.9	0.9	0.3	0.6	0.0	0.0	0.0	0.1
Hallucinogens	5.4 <sup>a</sup>	4.3	1.3	1.4	1.1	1.1	0.1	0.1
LSD	0.8	0.8	0.2	0.1	0.2	0.1	0.0	*
PCP	0.1	0.1	*	0.0	*	*	*	*
Ecstasy	3.3	2.5	0.8	0.8	0.6	0.5	0.1	0.0
Inhalants	1.0	1.3	0.1	0.3	0.2	0.1	0.1	0.0
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	13.2	11.7	7.8	6.2	3.8	3.3	1.4	1.1
Pain Relievers	10.2 <sup>a</sup>	8.5	5.9 <sup>a</sup>	3.9	2.7	2.3	1.1	0.8
OxyContin <sup>®</sup>	1.9	1.3	1.7 <sup>b</sup>	0.4	0.1	0.2	0.1	0.1
Tranquilizers	4.6	3.9	1.6	2.3	0.8	0.9	0.1	0.2
Stimulants <sup>3</sup>	2.8	2.8	1.7	1.2	0.8 <sup>a</sup>	0.4	0.2	0.1
Methamphetamine <sup>3</sup>	0.7	0.5	0.3	0.8	0.1	0.1	0.0	0.0
Sedatives	0.3	0.3	0.2	0.2	0.1	0.1	0.1	0.0
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	18.8	17.1	9.0	7.6	5.1	4.4	1.5	1.3

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 6.22A Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older, by Past Month Cigarette and Alcohol Use: Numbers in Thousands, 2010 and 2011**

Drug	CIGARETTE AND ALCOHOL USE IN PAST MONTH							
	Cigarettes and Alcohol		Cigarettes But Not Alcohol		Alcohol But Not Cigarettes		Neither Alcohol Nor Cigarettes	
	2010	2011	2010	2011	2010	2011	2010	2011
<b>ILLCIT DRUGS<sup>1</sup></b>	5,741	5,306	1,601	1,545	4,317	4,285	1,176	1,445
Marijuana and Hashish	4,589	4,406	1,152	1,089	3,055	3,220	498 <sup>b</sup>	863
Cocaine	638	549	94	84	131	200	46	4
Crack	207	178	50	24	26	*	19	*
Heroin	81	64	39	83	*	7	20	5
Hallucinogens	213	151	15	16	69	31	23	*
LSD	4	4	*	15	*	5	*	*
PCP	*	10	*	*	*	*	20	*
Ecstasy	117	106	10	*	38	14	*	*
Inhalants	86	66	*	5	181	120	26	66
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	1,625	1,359	495	590	1,430	1,114	689	657
Pain Relievers	1,216 <sup>a</sup>	933	325	480	951	789	482	486
OxyContin <sup>®</sup>	158	103	80	35	42	52	*	36
Tranquilizers	607	449	219	146	442	385	188	152
Stimulants <sup>3</sup>	282	268	77	68	136	98	67	94
Methamphetamine <sup>3</sup>	103	179	49	36	57	22	36	85
Sedatives	88	58	16	35	85	22	92	49
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	2,242 <sup>a</sup>	1,823	582	662	1,650	1,410	740	714

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 6.22B Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older, by Past Month Cigarette and Alcohol Use: Percentages, 2010 and 2011**

Drug	CIGARETTE AND ALCOHOL USE IN PAST MONTH							
	Cigarettes and Alcohol		Cigarettes But Not Alcohol		Alcohol But Not Cigarettes		Neither Alcohol Nor Cigarettes	
	2010	2011	2010	2011	2010	2011	2010	2011
<b>ILLCIT DRUGS<sup>1</sup></b>	20.3	19.1	9.8	9.9	5.5	5.3	1.6	2.0
Marijuana and Hashish	16.3	15.9	7.0	6.9	3.9	3.9	0.7 <sup>b</sup>	1.2
Cocaine	2.3	2.0	0.6	0.5	0.2	0.2	0.1	0.0
Crack	0.7	0.6	0.3	0.2	0.0	*	0.0	*
Heroin	0.3	0.2	0.2	0.5	*	0.0	0.0	0.0
Hallucinogens	0.8	0.5	0.1	0.1	0.1	0.0	0.0	*
LSD	0.0	0.0	*	0.1	*	0.0	*	*
PCP	*	0.0	*	*	*	*	0.0	*
Ecstasy	0.4	0.4	0.1	*	0.0	0.0	*	*
Inhalants	0.3	0.2	*	0.0	0.2	0.1	0.0	0.1
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	5.8	4.9	3.0	3.8	1.8	1.4	1.0	0.9
Pain Relievers	4.3	3.4	2.0	3.1	1.2	1.0	0.7	0.7
OxyContin <sup>®</sup>	0.6	0.4	0.5	0.2	0.1	0.1	*	0.0
Tranquilizers	2.2	1.6	1.3	0.9	0.6	0.5	0.3	0.2
Stimulants <sup>3</sup>	1.0	1.0	0.5	0.4	0.2	0.1	0.1	0.1
Methamphetamine <sup>3</sup>	0.4	0.6	0.3	0.2	0.1	0.0	0.1	0.1
Sedatives	0.3	0.2	0.1	0.2	0.1	0.0	0.1	0.1
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	7.9	6.6	3.6	4.2	2.1	1.7	1.0	1.0

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 6.23A Illicit Drug Use in the Past Month, by Past Month Cigarette Use, Levels of Past Month Alcohol Use, and Age Group: Numbers in Thousands, 2010 and 2011**

<b>Cigarette Use/Level of Alcohol Use</b>	<b>Total (2010)</b>	<b>Total (2011)</b>	<b>Aged 12-17 (2010)</b>	<b>Aged 12-17 (2011)</b>	<b>Aged 18-25 (2010)</b>	<b>Aged 18-25 (2011)</b>	<b>Aged 26+ (2010)</b>	<b>Aged 26+ (2011)</b>
<b>TOTAL</b>	22,648	22,454	2,468	2,522	7,345	7,352	12,835	12,580
Heavy Alcohol Use <sup>1</sup>	5,368	4,962	287	267	2,251	2,019	2,831	2,676
Binge Alcohol Use But Not Heavy Use <sup>1</sup>	7,383	7,285	737	658	2,746	2,903	3,899	3,724
Alcohol Use But Not Binge Use <sup>1</sup>	4,949	5,022	364	441	1,257	1,391	3,328	3,190
No Alcohol Use	4,947	5,185	1,079	1,157	1,091	1,038	2,777	2,990
<b>PAST MONTH CIGARETTE USE</b>	13,167	12,553	1,075	1,117	4,750	4,586	7,342	6,851
Heavy Alcohol Use <sup>1</sup>	3,928	3,497	219	206	1,658	1,517	2,051	1,774
Binge Alcohol Use But Not Heavy Use <sup>1</sup>	4,432	4,328	429	414	1,812	1,824	2,190	2,091
Alcohol Use But Not Binge Use <sup>1</sup>	2,312	2,340	151	185	662	714	1,499	1,441
No Alcohol Use	2,495	2,388	276	312	618	530	1,601	1,545
<b>NO PAST MONTH CIGARETTE USE</b>	9,481	9,901	1,393	1,406	2,595	2,766	5,493	5,729
Heavy Alcohol Use <sup>1</sup>	1,441	1,466	69	61	593	502	779	903
Binge Alcohol Use But Not Heavy Use <sup>1</sup>	2,951	2,957	308 <sup>a</sup>	244	934	1,079	1,709	1,634
Alcohol Use But Not Binge Use <sup>1</sup>	2,638	2,681	214	256	595	677	1,829	1,748
No Alcohol Use	2,452	2,798	803	845	473	508	1,176	1,445

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 6.23B Illicit Drug Use in the Past Month, by Past Month Cigarette Use, Levels of Past Month Alcohol Use, and Age Group: Percentages, 2010 and 2011**

<b>Cigarette Use/Level of Alcohol Use</b>	<b>Total (2010)</b>	<b>Total (2011)</b>	<b>Aged 12-17 (2010)</b>	<b>Aged 12-17 (2011)</b>	<b>Aged 18-25 (2010)</b>	<b>Aged 18-25 (2011)</b>	<b>Aged 26+ (2010)</b>	<b>Aged 26+ (2011)</b>
<b>TOTAL</b>	8.9	8.7	10.1	10.1	21.6	21.4	6.6	6.3
Heavy Alcohol Use <sup>1</sup>	31.8	31.3	70.2	70.4	48.8	48.5	23.8	23.6
Binge Alcohol Use But Not Heavy Use <sup>1</sup>	17.7	17.2	49.1	44.7	29.9	30.6	12.6	11.8
Alcohol Use But Not Binge Use <sup>1</sup>	6.8	6.7	25.9	29.8	17.7	19.4	5.2	4.8
No Alcohol Use	4.0	4.2	5.1	5.3	8.3	7.7	3.2	3.4
<b>PAST MONTH CIGARETTE USE</b>	22.6	22.1	52.7 <sup>a</sup>	57.6	40.6	39.9	16.5	15.8
Heavy Alcohol Use <sup>1</sup>	42.5	40.1	76.7	82.5	56.2	57.3	34.2	30.5
Binge Alcohol Use But Not Heavy Use <sup>1</sup>	27.3	28.0	65.0	67.3	42.2	42.4	19.4	19.9
Alcohol Use But Not Binge Use <sup>1</sup>	17.7	17.2	54.4	60.2	34.9	36.9	13.7	12.7
No Alcohol Use	12.6	12.5	33.8 <sup>a</sup>	40.7	24.1	20.3	9.8	9.9
<b>NO PAST MONTH CIGARETTE USE</b>	4.9	4.9	6.2	6.1	11.6	12.1	3.6	3.7
Heavy Alcohol Use <sup>1</sup>	18.8	20.5	55.4	47.1	35.6	33.1	13.3	16.4
Binge Alcohol Use But Not Heavy Use <sup>1</sup>	11.6	10.9	36.6 <sup>b</sup>	28.5	19.1	20.8	8.7	7.8
Alcohol Use But Not Binge Use <sup>1</sup>	4.4	4.4	18.9	21.9	11.4	13.0	3.4	3.2
No Alcohol Use	2.4	2.7	4.0	4.0	4.5	4.7	1.6	2.0

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.