

Table 6.1A Number of Days Used Marijuana in the Past Year among Past Year Users and the Number of Days Used Marijuana in the Past Month among Past Month Users, by Age Group: Numbers in Thousands, 2010 and 2011

Frequency of Use	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	9,011	9,373	1,242	1,278	3,009	3,111	4,760	4,984
12-49	5,691	5,358	759	764	1,918	1,921	3,015	2,673
50-99	2,758	3,184	344	403	919 ^a	1,105	1,495	1,676
100-299	7,238	6,846	732	808	2,506	2,593	4,000	3,446
300 or More	4,603	4,979	337	301	1,863	1,825	2,402	2,853
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	4,030	4,359	549	575	1,338	1,441	2,143	2,343
3-5	2,767	2,949	378	397	974	1,091	1,415	1,462
6-19	3,676	3,689	436 ^a	530	1,342	1,318	1,899	1,842
20 or More	6,935	7,074	439	466	2,658	2,676	3,838	3,931

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.1B Number of Days Used Marijuana in the Past Year among Past Year Users and the Number of Days Used Marijuana in the Past Month among Past Month Users, by Age Group: Percentages, 2010 and 2011

Frequency of Use	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	30.8	31.5	36.4	36.0	29.5	29.5	30.4	31.9
12-49	19.4	18.0	22.2	21.5	18.8	18.2	19.2	17.1
50-99	9.4	10.7	10.1	11.3	9.0 ^a	10.5	9.5	10.7
100-299	24.7	23.0	21.4	22.7	24.5	24.6	25.5 ^a	22.0
300 or More	15.7	16.7	9.9	8.5	18.2	17.3	15.3	18.3
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	23.1	24.1	30.5	29.2	21.2	22.1	23.1	24.5
3-5	15.9	16.3	21.0	20.2	15.4	16.7	15.2	15.3
6-19	21.1	20.4	24.2	26.9	21.3	20.2	20.4	19.2
20 or More	39.8	39.1	24.4	23.7	42.1	41.0	41.3	41.0

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.2A Number of Days Used Cocaine in the Past Year among Past Year Users and the Number of Days Used Cocaine in the Past Month among Past Month Users, by Age Group: Numbers in Thousands, 2010 and 2011

Frequency of Use	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	2,429	2,240	168	148	1,025	1,064	1,236	1,028
12-49	1,078	866	50	50	311	318	717	498
50-99	496 ^a	325	10	17	119	107	367 ^a	200
100-299	462	382	10	12	132 ^b	65	320	306
300 or More	69	44	2	*	7	9	60	33
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	785	806	*	*	314	312	422	451
3-5	361	329	*	*	105	108	251	*
6-19	148	165	*	*	69	35	74	119
20 or More	178 ^a	69	*	*	15	10	161	59

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.2B Number of Days Used Cocaine in the Past Year among Past Year Users and the Number of Days Used Cocaine in the Past Month among Past Month Users, by Age Group: Percentages, 2010 and 2011

Frequency of Use	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	53.6	58.1	70.1	64.5	64.3	68.1	45.8	49.8
12-49	23.8	22.5	20.7	21.8	19.5	20.3	26.6	24.1
50-99	10.9	8.4	4.4	7.6	7.4	6.9	13.6	9.7
100-299	10.2	9.9	4.1	5.3	8.3 ^b	4.1	11.9	14.8
300 or More	1.5	1.1	0.7	*	0.4	0.6	2.2	1.6
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	53.3	58.9	*	*	62.4	67.1	46.5	53.8
3-5	24.5	24.0	*	*	20.9	23.3	27.7	*
6-19	10.1	12.1	*	*	13.6	7.5	8.1	14.2
20 or More	12.1 ^a	5.1	*	*	3.1	2.0	17.7	7.1

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.3A Number of Days Used Hallucinogens in the Past Year among Past Year Users and the Number of Days Used Hallucinogens in the Past Month among Past Month Users, by Age Group: Numbers in Thousands, 2010 and 2011

Frequency of Use	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	3,429	3,051	514	438	1,848	1,755	1,067	858
12-49	722	615	147	135	384	362	191	118
50-99	225	250	49	34	117	120	60	95
100-299	150	140	38	38	79	79	*	24
300 or More	16	13	*	3	11	7	*	3
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	900	741	147	150	511	437	*	*
3-5	215	146	42	39	109	88	*	*
6-19	73	74	22	24	41	29	*	*
20 or More	20	10	4	3	11	3	*	*

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.3B Number of Days Used Hallucinogens in the Past Year among Past Year Users and the Number of Days Used Hallucinogens in the Past Month among Past Month Users, by Age Group: Percentages, 2010 and 2011

Frequency of Use	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	75.5	75.0	68.8	67.6	75.8	75.5	78.7	78.2
12-49	15.9	15.1	19.7	20.8	15.7	15.6	14.1	10.8
50-99	5.0	6.1	6.5	5.3	4.8	5.2	4.4	8.6
100-299	3.3	3.5	5.0	5.8	3.3	3.4	*	2.2
300 or More	0.4	0.3	*	0.5	0.5	0.3	*	0.3
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	74.5	76.3	68.4	69.4	76.1	78.4	*	*
3-5	17.8	15.0	19.6	18.1	16.1	15.8	*	*
6-19	6.0	7.7	10.0	11.3	6.2	5.3	*	*
20 or More	1.7	1.1	2.0	1.3	1.6	0.5	*	*

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.4A Number of Days Used Inhalants in the Past Year among Past Year Users and the Number of Days Used Inhalants in the Past Month among Past Month Users, by Age Group: Numbers in Thousands, 2010 and 2011

Frequency of Use	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	1,254	1,148	510	512	425	381	*	*
12-49	444	369	220 ^a	153	98	72	*	*
50-99	176	176	99	87	47	28	*	*
100-299	169	153	53	58	24	19	*	*
300 or More	5	15	3	9	*	*	*	*
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	*	357	162	127	*	*	*	*
3-5	136	105	42	35	*	*	*	*
6-19	*	115	49	43	*	*	*	*
20 or More	31	*	9	18	*	*	*	*

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.4B Number of Days Used Inhalants in the Past Year among Past Year Users and the Number of Days Used Inhalants in the Past Month among Past Month Users, by Age Group: Percentages, 2010 and 2011

Frequency of Use	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	61.2	61.7	57.7	62.5	71.3	76.3	*	*
12-49	21.7	19.8	24.9 ^a	18.7	16.4	14.4	*	*
50-99	8.6	9.5	11.1	10.6	7.9	5.6	*	*
100-299	8.2	8.2	6.0	7.1	4.0	3.8	*	*
300 or More	0.3	0.8	0.3	1.1	*	*	*	*
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	*	57.1	61.9	57.0	*	*	*	*
3-5	19.8	16.9	16.1	15.8	*	*	*	*
6-19	*	18.4	18.5	19.2	*	*	*	*
20 or More	4.5	*	3.5	8.0	*	*	*	*

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.5A Number of Days Used Cigarettes in the Past Month among Past Month Users and the Number of Cigarettes Smoked Per Day among Daily Smokers, by Age Group: Numbers in Thousands, 2010 and 2011

Frequency of Use	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	5,914	5,685	563	546	1,690	1,713	3,661	3,427
3-5	4,430	4,017	323	328	1,402	1,273	2,704	2,416
6-19	6,535	6,210	368	384	1,782	1,709	4,385	4,117
20-29	6,739	6,419	327 ^a	241	1,470	1,586	4,942	4,591
30	34,718	34,488	459	440	5,358	5,207	28,901	28,841
NUMBER OF CIGARETTES SMOKED PER DAY AMONG DAILY SMOKERS¹								
Fewer Than 6	6,448	6,364	197	210	1,552	1,604	4,698	4,549
6-15 (1/2 Pack)	12,597	13,023	184	163	2,340	2,241	10,073	10,619
16-25 (1 Pack)	11,760	11,072	65	57	1,275	1,137	10,420	9,878
26 or More (More Than 1 Pack)	3,859	4,021	11	7	186	224	3,662	3,789
Not Reported	54	8	2	1	5	1	48	5

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Daily Cigarette Use is defined as smoking on each of the past 30 days.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.5B Number of Days Used Cigarettes in the Past Month among Past Month Users and the Number of Cigarettes Smoked Per Day among Daily Smokers, by Age Group: Percentages, 2010 and 2011

Frequency of Use	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	10.1	10.0	27.6	28.2	14.4	14.9	8.2	7.9
3-5	7.6	7.1	15.9	16.9	12.0	11.1	6.1	5.6
6-19	11.2	10.9	18.0	19.8	15.2	14.9	9.8	9.5
20-29	11.6	11.3	16.0 ^a	12.4	12.6	13.8	11.1	10.6
30	59.5	60.7	22.5	22.7	45.8	45.3	64.8	66.5
NUMBER OF CIGARETTES SMOKED PER DAY AMONG DAILY SMOKERS¹								
Fewer Than 6	18.6	18.5	43.0	47.8	29.0	30.8	16.3	15.8
6-15 (1/2 Pack)	36.3	37.8	40.0	37.1	43.7	43.0	34.9	36.8
16-25 (1 Pack)	33.9	32.1	14.2	13.0	23.8	21.8	36.1	34.3
26 or More (More Than 1 Pack)	11.1	11.7	2.4	1.7	3.5	4.3	12.7	13.1
Not Reported	0.2	0.0	0.3	0.3	0.1	0.0	0.2	0.0

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Daily Cigarette Use is defined as smoking on each of the past 30 days.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.6A Number of Days Used Alcohol in the Past Year among Past Year Users and the Number of Days Used Alcohol in the Past Month among Past Month Users, by Age Group: Numbers in Thousands, 2010 and 2011

Frequency of Use	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	37,147	37,899	3,574	3,636	5,709	5,456	27,864	28,807
12-49	43,743	45,049	1,827	1,779	7,638	7,495	34,278	35,776
50-99	26,287	26,942	834	837	4,719	4,885	20,735	21,220
100-299	51,175	49,740	697	629	8,075	7,990	42,404	41,121
300 or More	10,028	10,793	50	60	642	604	9,336	10,129
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	37,155	37,856	1,692	1,737	6,061	5,941	29,402	30,177
3-5	34,819	35,828	966	895	6,083	6,126	27,769	28,807
6-19	39,044	39,069	574	617	6,975	7,102	31,495	31,350
20 or More	20,357	20,632	87	77	1,798	1,645	18,472	18,911

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.6B Number of Days Used Alcohol in the Past Year among Past Year Users and the Number of Days Used Alcohol in the Past Month among Past Month Users, by Age Group: Percentages, 2010 and 2011

Frequency of Use	Total (2010)	Total (2011)	Aged 12-17 (2010)	Aged 12-17 (2011)	Aged 18-25 (2010)	Aged 18-25 (2011)	Aged 26+ (2010)	Aged 26+ (2011)
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	22.1	22.2	51.2	52.4	21.3	20.6	20.7	21.0
12-49	26.0	26.4	26.2	25.6	28.5	28.4	25.5	26.1
50-99	15.6	15.8	11.9	12.1	17.6	18.5	15.4	15.5
100-299	30.4 ^a	29.2	10.0	9.1	30.1	30.2	31.5 ^a	30.0
300 or More	6.0	6.3	0.7	0.9	2.4	2.3	6.9	7.4
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	28.3	28.4	51.0	52.2	29.0	28.5	27.4	27.6
3-5	26.5	26.9	29.1	26.9	29.1	29.4	25.9	26.4
6-19	29.7	29.3	17.3	18.5	33.3	34.1	29.4	28.7
20 or More	15.5	15.5	2.6	2.3	8.6	7.9	17.2	17.3

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.