

Table 6.79A Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status: Numbers in Thousands, 2010 and 2011

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
ILLCIT DRUGS³	5,058	5,064	2,046	2,056	3,011	3,008
Marijuana and Hashish	4,402	4,585	1,809	1,896	2,592	2,689
Cocaine	321	325	123	148	198	177
Crack	46 ^a	16	4	2	42 ^a	14
Heroin	50	68	13	15	37	53
Hallucinogens	501	415	204	173	296	242
LSD	89	74	55	30	34	45
PCP	*	5	*	*	*	5
Ecstasy	299	241	109	101	189	140
Inhalants	94	120	29	53	65	67
Nonmedical Use of Psychotherapeutics ^{4,5}	1,357 ^b	1,117	461	386	896 ^a	731
Pain Relievers	1,019 ^b	811	289	230	730 ^a	581
OxyContin [®]	160 ^a	97	53	34	107 ^a	62
Tranquilizers	387	342	130	126	257	216
Stimulants ⁵	287	236	122	115	165	121
Methamphetamine ⁵	59	49	5	7	54	42
Sedatives	44	20	19	8	25	12
ILLCIT DRUGS OTHER THAN MARIJUANA³	1,845 ^a	1,594	670	600	1,175 ^a	994

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

⁵ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.79B Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status: Percentages, 2010 and 2011

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
ILLCIT DRUGS³	23.0	22.8	22.1	22.0	23.6	23.4
Marijuana and Hashish	20.0	20.7	19.6	20.3	20.3	20.9
Cocaine	1.5	1.5	1.3	1.6	1.6	1.4
Crack	0.2 ^a	0.1	0.0	0.0	0.3 ^a	0.1
Heroin	0.2	0.3	0.1	0.2	0.3	0.4
Hallucinogens	2.3	1.9	2.2	1.9	2.3	1.9
LSD	0.4	0.3	0.6	0.3	0.3	0.3
PCP	*	0.0	*	*	*	0.0
Ecstasy	1.4	1.1	1.2	1.1	1.5	1.1
Inhalants	0.4	0.5	0.3	0.6	0.5	0.5
Nonmedical Use of Psychotherapeutics ^{4,5}	6.2 ^b	5.0	5.0	4.1	7.0 ^b	5.7
Pain Relievers	4.6 ^b	3.7	3.1	2.5	5.7 ^b	4.5
OxyContin [®]	0.7 ^a	0.4	0.6	0.4	0.8 ^a	0.5
Tranquilizers	1.8	1.5	1.4	1.4	2.0	1.7
Stimulants ⁵	1.3	1.1	1.3	1.2	1.3	0.9
Methamphetamine ⁵	0.3	0.2	0.1	0.1	0.4	0.3
Sedatives	0.2 ^a	0.1	0.2	0.1	0.2	0.1
ILLCIT DRUGS OTHER THAN MARIJUANA³	8.4 ^b	7.2	7.2	6.4	9.2 ^a	7.7

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

⁵ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.80A Types of Illicit Drug Use in the Past Month among Males Aged 18 to 22, by College Enrollment Status: Numbers in Thousands, 2010 and 2011

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Male College Students		Other Males Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
ILLCIT DRUGS³	3,128	3,024	1,196	1,088	1,932	1,936
Marijuana and Hashish	2,785	2,789	1,085	1,000	1,699	1,788
Cocaine	224	219	93	98	130	122
Crack	26	9	2	2	24	7
Heroin	27	45	8	8	20	38
Hallucinogens	334	257	142	101	192	156
LSD	71	56	46	20	25	35
PCP	*	3	*	*	*	3
Ecstasy	183	136	70	61	113	74
Inhalants	57	75	7	33	49	41
Nonmedical Use of Psychotherapeutics ^{4,5}	768 ^a	627	253	213	514 ^a	414
Pain Relievers	608 ^b	465	169	124	439 ^a	341
OxyContin [®]	98	70	39	32	59	38
Tranquilizers	205	168	68	57	136	111
Stimulants ⁵	139	148	69	80	70	67
Methamphetamine ⁵	23	29	3	2	19	27
Sedatives	21	12	7	6	13	6
ILLCIT DRUGS OTHER THAN MARIJUANA³	1,106 ^a	926	397	327	710	598

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column are for all males aged 18 to 22, including those with unknown enrollment status.

² Other Males include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

⁵ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.80B Types of Illicit Drug Use in the Past Month among Males Aged 18 to 22, by College Enrollment Status: Percentages, 2010 and 2011

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Male College Students		Other Males Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
ILLCIT DRUGS³	27.5	27.0	26.1	25.8	28.5	27.7
Marijuana and Hashish	24.5	24.9	23.7	23.7	25.1	25.6
Cocaine	2.0	2.0	2.0	2.3	1.9	1.7
Crack	0.2	0.1	0.1	0.0	0.3	0.1
Heroin	0.2	0.4	0.2	0.2	0.3	0.5
Hallucinogens	2.9	2.3	3.1	2.4	2.8	2.2
LSD	0.6	0.5	1.0	0.5	0.4	0.5
PCP	*	0.0	*	*	*	0.0
Ecstasy	1.6	1.2	1.5	1.5	1.7	1.1
Inhalants	0.5	0.7	0.2	0.8	0.7	0.6
Nonmedical Use of Psychotherapeutics ^{4,5}	6.8 ^a	5.6	5.5	5.1	7.6 ^a	5.9
Pain Relievers	5.4 ^a	4.1	3.7	2.9	6.5 ^a	4.9
OxyContin [®]	0.9	0.6	0.9	0.8	0.9	0.5
Tranquilizers	1.8	1.5	1.5	1.4	2.0	1.6
Stimulants ⁵	1.2	1.3	1.5	1.9	1.0	1.0
Methamphetamine ⁵	0.2	0.3	0.1	0.1	0.3	0.4
Sedatives	0.2	0.1	0.2	0.1	0.2	0.1
ILLCIT DRUGS OTHER THAN MARIJUANA³	9.7 ^a	8.3	8.7	7.8	10.5 ^a	8.6

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column are for all males aged 18 to 22, including those with unknown enrollment status.

² Other Males include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

⁵ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.81A Types of Illicit Drug Use in the Past Month among Females Aged 18 to 22, by College Enrollment Status: Numbers in Thousands, 2010 and 2011

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Female College Students		Other Females Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
ILLCIT DRUGS³	1,930	2,040	850	968	1,079	1,072
Marijuana and Hashish	1,618	1,797	724 ^a	896	892	901
Cocaine	98	105	30	50	68	55
Crack	20	7	2	*	18	7
Heroin	23	23	6	8	17	15
Hallucinogens	166	158	63	71	104	86
LSD	18	19	9	9	9	10
PCP	*	2	*	*	*	2
Ecstasy	116	106	40	40	76	66
Inhalants	37	45	22	20	15	26
Nonmedical Use of Psychotherapeutics ^{4,5}	590	490	208	173	382	317
Pain Relievers	411	346	120	106	290	241
OxyContin [®]	62 ^b	27	14	3	49 ^a	24
Tranquilizers	182	174	61	69	121	105
Stimulants ⁵	148 ^a	88	53	35	94 ^a	54
Methamphetamine ⁵	36	20	2	5	35	15
Sedatives	24	8	12	3	12	6
ILLCIT DRUGS OTHER THAN MARIJUANA³	739	669	273	273	466	396

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column are for all females aged 18 to 22, including those with unknown enrollment status.

² Other Females include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

⁵ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.81B Types of Illicit Drug Use in the Past Month among Females Aged 18 to 22, by College Enrollment Status: Percentages, 2010 and 2011

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Female College Students		Other Females Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
ILLCIT DRUGS³	18.1	18.6	18.2	18.9	18.0	18.3
Marijuana and Hashish	15.2	16.4	15.5	17.5	14.9	15.3
Cocaine	0.9	1.0	0.6	1.0	1.1	0.9
Crack	0.2	0.1	0.0	*	0.3	0.1
Heroin	0.2	0.2	0.1	0.2	0.3	0.3
Hallucinogens	1.6	1.4	1.3	1.4	1.7	1.5
LSD	0.2	0.2	0.2	0.2	0.1	0.2
PCP	*	0.0	*	*	*	0.0
Ecstasy	1.1	1.0	0.9	0.8	1.3	1.1
Inhalants	0.3	0.4	0.5	0.4	0.3	0.4
Nonmedical Use of Psychotherapeutics ^{4,5}	5.5 ^a	4.5	4.5	3.4	6.4	5.4
Pain Relievers	3.9	3.2	2.6	2.1	4.9	4.1
OxyContin [®]	0.6 ^b	0.2	0.3	0.1	0.8 ^a	0.4
Tranquilizers	1.7	1.6	1.3	1.3	2.0	1.8
Stimulants ⁵	1.4 ^b	0.8	1.1	0.7	1.6	0.9
Methamphetamine ⁵	0.3	0.2	0.0	0.1	0.6	0.3
Sedatives	0.2	0.1	0.2	0.0	0.2	0.1
ILLCIT DRUGS OTHER THAN MARIJUANA³	6.9	6.1	5.9	5.3	7.8	6.7

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column are for all females aged 18 to 22, including those with unknown enrollment status.

² Other Females include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

⁵ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 6.82A Illicit Drug Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics:
Numbers in Thousands, 2010 and 2011**

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
TOTAL	5,058	5,064	2,046	2,056	3,011	3,008
AGE						
18	1,047	1,063	342	404	705	659
19	1,082	1,021	492	487	590	534
20	1,031	1,129	468	516	564	613
21	983	939	456	372	527	567
22	915	912	288	278	625	634
GENDER						
Male	3,128	3,024	1,196	1,088	1,932	1,936
Female	1,930	2,040	850	968	1,079	1,072
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	4,329	4,132	1,814	1,716	2,513	2,417
White	3,407	3,099	1,537	1,342	1,869	1,757
Black or African American	682	720	183	242	497	478
American Indian or Alaska Native	45	28	*	*	*	23
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	90	133	45	69	*	64
Two or More Races	93	129	38	*	56 ^a	90
Hispanic or Latino	730 ^a	932	232 ^a	341	498	591

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.82B Illicit Drug Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Percentages, 2010 and 2011

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
TOTAL	23.0	22.8	22.1	22.0	23.6	23.4
AGE						
18	22.2	22.4	20.3	23.3	23.2	21.9
19	24.8	23.7	23.1	21.9	26.5	25.8
20	22.7	25.2	22.2	23.8	23.1	26.5
21	23.2	21.5	23.5	20.0	22.9	22.6
22	22.2	21.2	20.9	20.5	22.7	21.5
GENDER						
Male	27.5	27.0	26.1	25.8	28.5	27.7
Female	18.1	18.6	18.2	18.9	18.0	18.3
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	24.4	23.7	22.7	21.9	25.8	25.1
White	26.1	24.9	25.3	23.6	26.9	25.9
Black or African American	21.1	22.4	16.0	20.1	23.8	23.7
American Indian or Alaska Native	36.2 ^a	22.4	*	*	*	25.8
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	9.9	12.2	7.7	10.0	*	16.0
Two or More Races	26.1	26.6	26.6	*	25.7	31.8
Hispanic or Latino	17.1	19.7	18.7	22.7	16.4	18.4

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 6.83A Marijuana Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics:
Numbers in Thousands, 2010 and 2011**

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
TOTAL	4,402	4,585	1,809	1,896	2,592	2,689
AGE						
18	916	965	314	366	601	599
19	947	937	440	458	508	479
20	915	1,028	425	479	490	548
21	824	861	378	349	447	512
22	800	795	253	244	545	551
GENDER						
Male	2,785	2,789	1,085	1,000	1,699	1,788
Female	1,618	1,797	724 ^a	896	892	901
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	3,761	3,740	1,590	1,578	2,170	2,162
White	2,954	2,791	1,349	1,229	1,604	1,562
Black or African American	597	667	161	225	435	442
American Indian or Alaska Native	*	27	*	*	*	21
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	74	124	33	63	*	61
Two or More Races	88	108	37	*	52	71
Hispanic or Latino	641 ^b	846	219 ^a	319	422	527

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.83B Marijuana Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Percentages, 2010 and 2011

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
TOTAL	20.0	20.7	19.6	20.3	20.3	20.9
AGE						
18	19.4	20.4	18.6	21.1	19.8	19.9
19	21.7	21.8	20.6	20.6	22.8	23.1
20	20.1	22.9	20.2	22.1	20.1	23.7
21	19.4	19.7	19.4	18.8	19.4	20.4
22	19.4	18.5	18.4	18.0	19.8	18.7
GENDER						
Male	24.5	24.9	23.7	23.7	25.1	25.6
Female	15.2	16.4	15.5	17.5	14.9	15.3
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	21.2	21.4	19.9	20.1	22.3	22.4
White	22.7	22.4	22.2	21.6	23.1	23.0
Black or African American	18.4	20.7	14.0 ^a	18.8	20.8	21.9
American Indian or Alaska Native	*	21.4	*	*	*	24.4
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	8.1	11.3	5.5	9.1	*	15.1
Two or More Races	24.7	22.3	26.0	*	23.9	25.3
Hispanic or Latino	15.0 ^a	17.9	17.7	21.2	13.9	16.4

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.84A Tobacco Product and Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status: Numbers in Thousands, 2010 and 2011

Substance	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
TOBACCO PRODUCTS³	8,924	8,600	3,136	2,857	5,786	5,738
Cigarettes	7,419	7,265	2,312	2,223	5,105	5,037
Smokeless Tobacco	1,493 ^a	1,281	575 ^a	444	918	837
Cigars	2,692	2,613	1,103 ^a	916	1,589	1,697
Pipe Tobacco	477	446	223	217	254	229
ALCOHOL	12,493	12,372	5,838	5,679	6,649	6,682
Binge Alcohol Use ⁴	8,413	8,197	3,897	3,645	4,513	4,550
Heavy Alcohol Use ⁴	2,941 ^a	2,623	1,441	1,269	1,498	1,355

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.84B Tobacco Product and Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status: Percentages, 2010 and 2011

Substance	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
TOBACCO PRODUCTS³	40.6 ^a	38.7	33.9 ^b	30.6	45.3	44.7
Cigarettes	33.7	32.7	25.0	23.8	40.0	39.2
Smokeless Tobacco	6.8 ^b	5.8	6.2 ^a	4.8	7.2	6.5
Cigars	12.2	11.8	11.9 ^b	9.8	12.5	13.2
Pipe Tobacco	2.2	2.0	2.4	2.3	2.0	1.8
ALCOHOL	56.8	55.7	63.2	60.8	52.1	52.0
Binge Alcohol Use ⁴	38.2	36.9	42.2 ^a	39.1	35.4	35.4
Heavy Alcohol Use ⁴	13.4 ^a	11.8	15.6	13.6	11.7	10.5

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.85A Tobacco Product and Alcohol Use in the Past Month among Males Aged 18 to 22, by College Enrollment Status: Numbers in Thousands, 2010 and 2011

Substance	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Male College Students		Other Males Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
TOBACCO PRODUCTS³	5,446	5,160	1,900 ^b	1,580	3,546	3,578
Cigarettes	4,207	4,159	1,250	1,120	2,958	3,037
Smokeless Tobacco	1,402 ^a	1,209	545 ^a	416	857	793
Cigars	2,028	1,879	847 ^b	627	1,181	1,251
Pipe Tobacco	306	305	129	132	178	173
ALCOHOL	6,927	6,486	3,066 ^a	2,646	3,859	3,829
Binge Alcohol Use ⁴	5,125	4,754	2,249 ^a	1,901	2,876	2,851
Heavy Alcohol Use ⁴	2,036 ^a	1,765	958	784	1,078	981

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column are for all males aged 18 to 22, including those with unknown enrollment status.

² Other Males include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.85B Tobacco Product and Alcohol Use in the Past Month among Males Aged 18 to 22, by College Enrollment Status: Percentages, 2010 and 2011

Substance	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Male College Students		Other Males Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
TOBACCO PRODUCTS³	47.9	46.1	41.5 ^a	37.5	52.3	51.3
Cigarettes	37.0	37.1	27.3	26.6	43.6	43.5
Smokeless Tobacco	12.3 ^a	10.8	11.9	9.9	12.6	11.4
Cigars	17.8	16.8	18.5 ^b	14.9	17.4	17.9
Pipe Tobacco	2.7	2.7	2.8	3.1	2.6	2.5
ALCOHOL	61.0 ^b	57.9	67.0 ^a	62.8	56.9	54.9
Binge Alcohol Use ⁴	45.1 ^a	42.4	49.1 ^a	45.1	42.4	40.9
Heavy Alcohol Use ⁴	17.9 ^a	15.7	20.9	18.6	15.9	14.1

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column are for all males aged 18 to 22, including those with unknown enrollment status.

² Other Males include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.86A Tobacco Product and Alcohol Use in the Past Month among Females Aged 18 to 22, by College Enrollment Status: Numbers in Thousands, 2010 and 2011

Substance	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Female College Students		Other Females Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
TOBACCO PRODUCTS³	3,478	3,440	1,236	1,277	2,240	2,160
Cigarettes	3,212	3,106	1,063	1,104	2,147	2,000
Smokeless Tobacco	91	72	30	27	61	45
Cigars	664	735	256	289	408	446
Pipe Tobacco	170	140	94	85	76	56
ALCOHOL	5,566	5,887	2,771	3,033	2,790	2,853
Binge Alcohol Use ⁴	3,287	3,443	1,648	1,744	1,637	1,699
Heavy Alcohol Use ⁴	905	858	484	484	419	374

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column are for all females aged 18 to 22, including those with unknown enrollment status.

² Other Females include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.86B Tobacco Product and Alcohol Use in the Past Month among Females Aged 18 to 22, by College Enrollment Status: Percentages, 2010 and 2011

Substance	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Female College Students		Other Females Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
TOBACCO PRODUCTS³	32.7	31.3	26.5	25.0	37.5	36.8
Cigarettes	30.2	28.3	22.8	21.6	35.9	34.1
Smokeless Tobacco	0.9	0.7	0.6	0.5	1.0	0.8
Cigars	6.2	6.7	5.5	5.6	6.8	7.6
Pipe Tobacco	1.6	1.3	2.0	1.7	1.3	0.9
ALCOHOL	52.3	53.6	59.5	59.3	46.7	48.6
Binge Alcohol Use ⁴	30.9	31.3	35.4	34.1	27.4	28.9
Heavy Alcohol Use ⁴	8.5	7.8	10.4	9.5	7.0	6.4

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column are for all females aged 18 to 22, including those with unknown enrollment status.

² Other Females include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.87A Cigarette Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Numbers in Thousands, 2010 and 2011

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
TOTAL	7,419	7,265	2,312	2,223	5,105	5,037
AGE						
18	1,337	1,370	363	410	974	960
19	1,490	1,353	525	499	965	853
20	1,553	1,549	528	528	1,026	1,020
21	1,517	1,497	520	450	998	1,045
22	1,521	1,496	376	336	1,143	1,159
GENDER						
Male	4,207	4,159	1,250	1,120	2,958	3,037
Female	3,212	3,106	1,063	1,104	2,147	2,000
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	6,306	5,962	2,033	1,877	4,271	4,081
White	5,120 ^a	4,687	1,747 ^a	1,508	3,373	3,176
Black or African American	801	742	161	170	638	571
American Indian or Alaska Native	68	58	*	*	58	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	169	241	78	134	92	107
Two or More Races	126 ^b	200	33	47	93 ^a	153
Hispanic or Latino	1,113	1,303	279	347	834	956

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.87B Cigarette Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Percentages, 2010 and 2011

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
TOTAL	33.7	32.7	25.0	23.8	40.0	39.2
AGE						
18	28.3	28.9	21.6	23.7	32.0	31.9
19	34.2	31.5	24.7	22.5	43.3	41.2
20	34.2	34.5	25.1	24.3	42.1	44.1
21	35.7	34.3	26.7	24.3	43.3	41.7
22	36.8	34.8	27.4	24.8	41.5	39.3
GENDER						
Male	37.0	37.1	27.3	26.6	43.6	43.5
Female	30.2	28.3	22.8	21.6	35.9	34.1
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	35.6	34.1	25.4	24.0	43.9	42.4
White	39.3	37.6	28.8	26.6	48.5	46.9
Black or African American	24.7	23.1	14.1	14.2	30.6	28.3
American Indian or Alaska Native	54.4	46.9	*	*	60.1	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	18.6	22.0	13.2	19.3	28.6	26.7
Two or More Races	35.4	41.2	23.5	23.3	43.2	54.0
Hispanic or Latino	26.1	27.6	22.6	23.1	27.5	29.7

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.88A Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Numbers in Thousands, 2010 and 2011

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
TOTAL	12,493	12,372	5,838	5,679	6,649	6,682
AGE						
18	1,963	1,858	824	796	1,139	1,062
19	2,134	1,988	1,132	1,121	999 ^a	858
20	2,519	2,482	1,308	1,331	1,209	1,151
21	3,033	3,045	1,521	1,418	1,512	1,626
22	2,845	3,000	1,054	1,013	1,789	1,986
GENDER						
Male	6,927	6,486	3,066 ^a	2,646	3,859	3,829
Female	5,566	5,887	2,771	3,033	2,790	2,853
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	10,418	10,119	5,165	4,920	5,247	5,196
White	8,234	7,847	4,192	3,893	4,040	3,950
Black or African American	1,436	1,352	581	532	851	820
American Indian or Alaska Native	67	57	*	*	*	44
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	427	516	276	337	152	179
Two or More Races	207 ^a	291	91	*	116 ^a	166
Hispanic or Latino	2,075	2,253	673	759	1,402	1,486

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.88B Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Percentages, 2010 and 2011

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
TOTAL	56.8	55.7	63.2	60.8	52.1	52.0
AGE						
18	41.5	39.2	48.9	46.0	37.5	35.3
19	48.9	46.2	53.2	50.5	44.8	41.4
20	55.4	55.3	62.1	61.3	49.6	49.7
21	71.4	69.7	78.3	76.4	65.6	64.8
22	68.9	69.7	76.6	74.7	65.0	67.4
GENDER						
Male	61.0 ^b	57.9	67.0 ^a	62.8	56.9	54.9
Female	52.3	53.6	59.5	59.3	46.7	48.6
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	58.7	57.9	64.5	62.8	54.0	53.9
White	63.2	63.0	69.0	68.6	58.1	58.3
Black or African American	44.3	42.1	50.6	44.4	40.8	40.7
American Indian or Alaska Native	53.8	45.8	*	*	*	50.2
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	47.0	47.2	46.8	48.7	47.4	44.5
Two or More Races	57.9	59.8	64.6	*	53.5	58.8
Hispanic or Latino	48.6	47.7	54.4	50.6	46.2	46.2

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.89A Binge Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Numbers in Thousands, 2010 and 2011

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
TOTAL	8,413	8,197	3,897	3,645	4,513	4,550
AGE						
18	1,346	1,294	559	535	786	760
19	1,483 ^a	1,290	782	688	699	602
20	1,682	1,642	886	885	796	757
21	2,023	1,989	1,013	929	1,010	1,059
22	1,879	1,981	656	608	1,223	1,373
GENDER						
Male	5,125	4,754	2,249 ^a	1,901	2,876	2,851
Female	3,287	3,443	1,648	1,744	1,637	1,699
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	6,995	6,680	3,476	3,159	3,517	3,519
White	5,821	5,437	2,991	2,704	2,829	2,732
Black or African American	774	725	295	232	478	493
American Indian or Alaska Native	51	40	*	*	*	33
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	211	254	129	148	82	107
Two or More Races	114 ^a	185	46	*	68 ^a	119
Hispanic or Latino	1,417	1,517	422	486	996	1,031

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.89B Binge Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Percentages, 2010 and 2011

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
TOTAL	38.2	36.9	42.2 ^a	39.1	35.4	35.4
AGE						
18	28.5	27.3	33.2	30.9	25.9	25.2
19	34.0 ^a	30.0	36.7 ^a	31.0	31.4	29.1
20	37.0	36.6	42.1	40.8	32.7	32.7
21	47.6	45.6	52.2	50.1	43.8	42.2
22	45.5	46.0	47.7	44.9	44.4	46.6
GENDER						
Male	45.1 ^a	42.4	49.1 ^a	45.1	42.4	40.9
Female	30.9	31.3	35.4	34.1	27.4	28.9
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	39.4	38.2	43.4 ^a	40.3	36.2	36.5
White	44.7	43.6	49.2	47.6	40.7	40.3
Black or African American	23.9	22.5	25.7 ^a	19.3	22.9	24.5
American Indian or Alaska Native	41.2	32.1	*	*	*	37.7
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	23.2	23.3	21.8	21.3	25.7	26.6
Two or More Races	32.0	38.0	32.9	*	31.5	41.9
Hispanic or Latino	33.2	32.1	34.2	32.4	32.8	32.0

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.90A Heavy Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Numbers in Thousands, 2010 and 2011

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
TOTAL	2,941 ^a	2,623	1,441	1,269	1,498	1,355
AGE						
18	387	366	184	189	202	177
19	526	426	294	237	230	189
20	619	527	348	294	272	233
21	739	675	400	333	339	342
22	670	629	215	216	455	413
GENDER						
Male	2,036 ^a	1,765	958	784	1,078	981
Female	905	858	484	484	419	374
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	2,530 ^a	2,194	1,328	1,116	1,201	1,079
White	2,282 ^a	1,947	1,243	1,023	1,037	924
Black or African American	150	118	42	37	108	81
American Indian or Alaska Native	*	16	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	38	48	24	24	14	24
Two or More Races	34	60	14	*	21	32
Hispanic or Latino	411	429	114	153	297	276

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on each of 5 or more days in the past 30 days.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.90B Heavy Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Percentages, 2010 and 2011

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
TOTAL	13.4 ^a	11.8	15.6	13.6	11.7	10.5
AGE						
18	8.2	7.7	10.9	10.9	6.7	5.9
19	12.1	9.9	13.8	10.7	10.3	9.1
20	13.6	11.8	16.5	13.6	11.1	10.1
21	17.4	15.5	20.6	17.9	14.7	13.6
22	16.2	14.6	15.7	15.9	16.5	14.0
GENDER						
Male	17.9 ^a	15.7	20.9	18.6	15.9	14.1
Female	8.5	7.8	10.4	9.5	7.0	6.4
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	14.3 ^a	12.6	16.6	14.2	12.3	11.2
White	17.5 ^a	15.6	20.5	18.0	14.9	13.6
Black or African American	4.6	3.7	3.7	3.1	5.2	4.0
American Indian or Alaska Native	*	12.5	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	4.2	4.4	4.1	3.4	4.4	6.0
Two or More Races	9.6	12.4	9.7	*	9.6	11.4
Hispanic or Latino	9.6	9.1	9.2	10.2	9.8	8.6

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on each of 5 or more days in the past 30 days.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.91A Illicit Drug Dependence or Abuse in the Past Year among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Numbers in Thousands, 2010 and 2011

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
TOTAL	1,852	1,823	668	604	1,184	1,219
AGE						
18	421	395	119	137	302	258
19	413	364	172	131	240	232
20	377	385	140	139	237	246
21	350	361	148	137	202	225
22	291	318	89	59	202	259
GENDER						
Male	1,156	1,212	402	362	755	849
Female	696	612	267	241	429	370
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	1,524	1,469	579	508	945	960
White	1,146	1,115	477	386	669	730
Black or African American	275	239	68	72	207	167
American Indian or Alaska Native	*	14	*	*	*	9
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	38	47	20	29	*	18
Two or More Races	38	41	*	8	27	33
Hispanic or Latino	328	355	90	96	239	259

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.91B Illicit Drug Dependence or Abuse in the Past Year among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Percentages, 2010 and 2011

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
TOTAL	8.4	8.2	7.2	6.5	9.3	9.5
AGE						
18	8.9	8.3	7.1	7.9	9.9	8.6
19	9.5	8.5	8.1	5.9	10.8	11.2
20	8.3	8.6	6.6	6.4	9.7	10.6
21	8.2	8.3	7.6	7.4	8.8	9.0
22	7.1	7.4	6.5	4.4	7.3	8.8
GENDER						
Male	10.2	10.8	8.8	8.6	11.1	12.2
Female	6.5	5.6	5.7	4.7	7.2	6.3
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	8.6	8.4	7.2	6.5	9.7	10.0
White	8.8	9.0	7.9	6.8	9.6	10.8
Black or African American	8.5	7.4	5.9	6.0	9.9	8.3
American Indian or Alaska Native	*	10.9	*	*	*	10.7
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	4.2	4.3	3.4	4.1	*	4.5
Two or More Races	10.6	8.4	*	3.9	12.7	11.7
Hispanic or Latino	7.7	7.5	7.2	6.4	7.9	8.0

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.92A Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Numbers in Thousands, 2010 and 2011

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
TOTAL	3,478	3,192	1,548	1,457	1,931	1,733
AGE						
18	552	575	219	230	333	346
19	645	572	325	328	319 ^a	243
20	718	622	344	323	374	300
21	845 ^a	702	418	359	426	343
22	720	719	241	218	478	501
GENDER						
Male	2,165 ^a	1,866	889 ^a	720	1,276	1,145
Female	1,313	1,325	659	737	654	588
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	2,855	2,593	1,365	1,255	1,490	1,337
White	2,383 ^a	2,107	1,195	1,054	1,188	1,051
Black or African American	277	239	102	82	175	157
American Indian or Alaska Native	34	21	*	*	*	18
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	87	123	47	73	40	50
Two or More Races	69	81	17	*	52	41
Hispanic or Latino	624	598	183	202	441	396

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.92B Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Percentages, 2010 and 2011

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
TOTAL	15.8 ^a	14.4	16.8	15.6	15.1 ^a	13.5
AGE						
18	11.7	12.1	13.0	13.3	10.9	11.5
19	14.8	13.3	15.3	14.8	14.3	11.7
20	15.8	13.9	16.3	14.9	15.3	13.0
21	19.9 ^b	16.1	21.5	19.4	18.5 ^b	13.7
22	17.4	16.7	17.5	16.1	17.4	17.0
GENDER						
Male	19.1 ^b	16.7	19.4	17.1	18.8 ^a	16.4
Female	12.3	12.1	14.1	14.4	10.9	10.0
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	16.1	14.8	17.1	16.0	15.3	13.9
White	18.3	16.9	19.7	18.6	17.1	15.5
Black or African American	8.5	7.4	8.9	6.9	8.4	7.8
American Indian or Alaska Native	27.4	17.1	*	*	*	20.1
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	9.6	11.2	8.0	10.5	12.6	12.5
Two or More Races	19.2	16.6	11.8	*	24.1	14.4
Hispanic or Latino	14.6	12.7	14.8	13.5	14.5	12.3

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.93A Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Numbers in Thousands, 2010 and 2011

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
TOTAL	4,474	4,222	1,871	1,792	2,603	2,429
AGE						
18	792	795	274	306	518	489
19	884	768	422	398	462 ^a	368
20	916	853	412	406	504	447
21	1,036	901	477	437	558	464
22	846	905	285	244	561	661
GENDER						
Male	2,785	2,530	1,090	919	1,695	1,610
Female	1,689	1,692	780	873	908	819
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	3,671	3,422	1,642	1,526	2,029	1,894
White	2,976	2,715	1,408	1,246	1,568	1,468
Black or African American	463	398	147	127	316	271
American Indian or Alaska Native	39	27	*	*	*	20
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	98	148	56	91	42	57
Two or More Races	90	101	26	*	64	56
Hispanic or Latino	803	800	228	266	575	535

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.93B Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Percentages, 2010 and 2011

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
TOTAL	20.3	19.0	20.2	19.2	20.4	18.9
AGE						
18	16.8	16.8	16.3	17.7	17.0	16.2
19	20.3	17.9	19.8	17.9	20.7	17.8
20	20.2	19.0	19.6	18.7	20.7	19.3
21	24.4 ^a	20.6	24.6	23.5	24.2 ^b	18.5
22	20.5	21.0	20.7	18.0	20.4	22.4
GENDER						
Male	24.5	22.6	23.8	21.8	25.0	23.1
Female	15.9	15.4	16.7	17.1	15.2	14.0
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	20.7	19.6	20.5	19.5	20.9	19.7
White	22.8	21.8	23.2	22.0	22.5	21.7
Black or African American	14.3	12.4	12.8	10.6	15.2	13.5
American Indian or Alaska Native	31.2	21.5	*	*	*	22.3
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	10.8	13.6	9.4	13.1	13.3	14.3
Two or More Races	25.1	20.7	18.1	*	29.6	19.9
Hispanic or Latino	18.8	16.9	18.5	17.7	18.9	16.6

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.