

Table 6.7A Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older, by Past Month Cigarette Use: Numbers in Thousands, 2010 and 2011

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2010	2011	2010	2011
ILLICIT DRUGS¹	13,167	12,553	9,481	9,901
Marijuana and Hashish	10,851	10,650	6,557 ^a	7,420
Cocaine	1,213	1,097	259	272
Crack	328	224	50	*
Heroin	213	258	26	23
Hallucinogens	906 ^a	714	302	258
LSD	120	118	34	34
PCP	9	25	27	*
Ecstasy	534	418	157	126
Inhalants	246	263	444	361
Nonmedical Use of Psychotherapeutics ^{2,3}	3,832	3,470	3,124	2,649
Pain Relievers	2,879	2,518	2,214	1,952
OxyContin [®]	489 ^a	307	77	127
Tranquilizers	1,377	1,126	782	714
Stimulants ³	715	686	367	284
Methamphetamine ³	241	317	112	122
Sedatives	150	133	224	98
ILLICIT DRUGS OTHER THAN MARIJUANA¹	5,216 ^a	4,647	3,800	3,373

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.7B Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older, by Past Month Cigarette Use: Percentages, 2010 and 2011

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2010	2011	2010	2011
ILLCIT DRUGS¹	22.6	22.1	4.9	4.9
Marijuana and Hashish	18.6	18.7	3.4	3.7
Cocaine	2.1	1.9	0.1	0.1
Crack	0.6	0.4	0.0	*
Heroin	0.4	0.5	0.0	0.0
Hallucinogens	1.6	1.3	0.2	0.1
LSD	0.2	0.2	0.0	0.0
PCP	0.0	0.0	0.0	*
Ecstasy	0.9	0.7	0.1	0.1
Inhalants	0.4	0.5	0.2	0.2
Nonmedical Use of Psychotherapeutics ^{2,3}	6.6	6.1	1.6 ^a	1.3
Pain Relievers	4.9	4.4	1.1	1.0
OxyContin [®]	0.8 ^a	0.5	0.0	0.1
Tranquilizers	2.4	2.0	0.4	0.4
Stimulants ³	1.2	1.2	0.2	0.1
Methamphetamine ³	0.4	0.6	0.1	0.1
Sedatives	0.3	0.2	0.1	0.0
ILLCIT DRUGS OTHER THAN MARIJUANA¹	8.9	8.2	1.9	1.7

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.8A Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17, by Past Month Cigarette Use: Numbers in Thousands, 2010 and 2011

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2010	2011	2010	2011
ILLICIT DRUGS¹	1,075	1,117	1,393	1,406
Marijuana and Hashish	942	1,020	860	947
Cocaine	52	56	9	11
Crack	3	3	*	*
Heroin	4	14	4	*
Hallucinogens	148	132	67	83
LSD	35	25	11	9
PCP	3	3	4	2
Ecstasy	86	65	37	43
Inhalants	64	64	198	158
Nonmedical Use of Psychotherapeutics ^{2,3}	304	321	417	368
Pain Relievers	255	248	352	315
OxyContin [®]	37	41	11	10
Tranquilizers	88	123	46	39
Stimulants ³	60	68	47	30
Methamphetamine ³	15	32	10	4
Sedatives	16	9	19	15
ILLICIT DRUGS OTHER THAN MARIJUANA¹	446	443	647	583

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.8B Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17, by Past Month Cigarette Use: Percentages, 2010 and 2011

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2010	2011	2010	2011
ILLCIT DRUGS¹	52.7 ^a	57.6	6.2	6.1
Marijuana and Hashish	46.2 ^b	52.6	3.9	4.1
Cocaine	2.5	2.9	0.0	0.0
Crack	0.2	0.2	*	*
Heroin	0.2	0.7	0.0	*
Hallucinogens	7.2	6.8	0.3	0.4
LSD	1.7	1.3	0.0	0.0
PCP	0.1	0.1	0.0	0.0
Ecstasy	4.2	3.4	0.2	0.2
Inhalants	3.1	3.3	0.9	0.7
Nonmedical Use of Psychotherapeutics ^{2,3}	14.9	16.5	1.9	1.6
Pain Relievers	12.5	12.8	1.6	1.4
OxyContin [®]	1.8	2.1	0.0	0.0
Tranquilizers	4.3 ^a	6.3	0.2	0.2
Stimulants ³	2.9	3.5	0.2	0.1
Methamphetamine ³	0.7	1.7	0.0	0.0
Sedatives	0.8	0.5	0.1	0.1
ILLCIT DRUGS OTHER THAN MARIJUANA¹	21.8	22.8	2.9	2.5

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.9A Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25, by Past Month Cigarette Use: Numbers in Thousands, 2010 and 2011

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2010	2011	2010	2011
ILLCIT DRUGS¹	4,750	4,586	2,595	2,766
Marijuana and Hashish	4,169	4,135	2,144	2,391
Cocaine	430	408	73	56
Crack	68 ^b	19	4	2
Heroin	88	98	2	10
Hallucinogens	529 ^a	415	143	142
LSD	81	75	24	17
PCP	5	12	*	*
Ecstasy	321	247	82	69
Inhalants	96	127	39	17
Nonmedical Use of Psychotherapeutics ^{2,3}	1,408 ^a	1,200	589	511
Pain Relievers	1,082 ^b	858	428	362
OxyContin [®]	215 ^b	129	24	29
Tranquilizers	462	409	108	137
Stimulants ³	297	282	117 ^a	62
Methamphetamine ³	74	69	10	10
Sedatives	31	31	29	12
ILLCIT DRUGS OTHER THAN MARIJUANA¹	1,946 ^a	1,719	763	666

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.9B Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25, by Past Month Cigarette Use: Percentages, 2010 and 2011

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2010	2011	2010	2011
ILLCIT DRUGS¹	40.6	39.9	11.6	12.1
Marijuana and Hashish	35.6	36.0	9.6	10.5
Cocaine	3.7	3.6	0.3	0.2
Crack	0.6 ^b	0.2	0.0	0.0
Heroin	0.8	0.8	0.0	0.0
Hallucinogens	4.5 ^a	3.6	0.6	0.6
LSD	0.7	0.6	0.1	0.1
PCP	0.0	0.1	*	*
Ecstasy	2.7	2.1	0.4	0.3
Inhalants	0.8	1.1	0.2	0.1
Nonmedical Use of Psychotherapeutics ^{2,3}	12.0 ^a	10.4	2.6	2.2
Pain Relievers	9.2 ^b	7.5	1.9	1.6
OxyContin [®]	1.8 ^b	1.1	0.1	0.1
Tranquilizers	3.9	3.6	0.5	0.6
Stimulants ³	2.5	2.5	0.5 ^b	0.3
Methamphetamine ³	0.6	0.6	0.0	0.0
Sedatives	0.3	0.3	0.1	0.1
ILLCIT DRUGS OTHER THAN MARIJUANA¹	16.6 ^a	15.0	3.4	2.9

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.10A Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older, by Past Month Cigarette Use: Numbers in Thousands, 2010 and 2011

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2010	2011	2010	2011
ILLCIT DRUGS¹	7,342	6,851	5,493	5,729
Marijuana and Hashish	5,741	5,495	3,553	4,083
Cocaine	732	633	177	205
Crack	257	202	46	*
Heroin	121	147	20	12
Hallucinogens	229	167	91	33
LSD	4	19	*	*
PCP	*	10	23	*
Ecstasy	127	106	38	14
Inhalants	86	71	206	186
Nonmedical Use of Psychotherapeutics ^{2,3}	2,120	1,949	2,118	1,771
Pain Relievers	1,542	1,412	1,433	1,276
OxyContin [®]	238	138	43	88
Tranquilizers	827	594	629	538
Stimulants ³	358	336	203	192
Methamphetamine ³	152	215	93	108
Sedatives	104	93	176	71
ILLCIT DRUGS OTHER THAN MARIJUANA¹	2,824	2,486	2,390	2,124

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.10B Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older, by Past Month Cigarette Use: Percentages, 2010 and 2011

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2010	2011	2010	2011
ILLCIT DRUGS¹	16.5	15.8	3.6	3.7
Marijuana and Hashish	12.9	12.7	2.4	2.6
Cocaine	1.6	1.5	0.1	0.1
Crack	0.6	0.5	0.0	*
Heroin	0.3	0.3	0.0	0.0
Hallucinogens	0.5	0.4	0.1	0.0
LSD	0.0	0.0	*	*
PCP	*	0.0	0.0	*
Ecstasy	0.3	0.2	0.0	0.0
Inhalants	0.2	0.2	0.1	0.1
Nonmedical Use of Psychotherapeutics ^{2,3}	4.8	4.5	1.4	1.1
Pain Relievers	3.5	3.3	1.0	0.8
OxyContin [®]	0.5	0.3	0.0	0.1
Tranquilizers	1.9	1.4	0.4	0.3
Stimulants ³	0.8	0.8	0.1	0.1
Methamphetamine ³	0.3	0.5	0.1	0.1
Sedatives	0.2	0.2	0.1	0.0
ILLCIT DRUGS OTHER THAN MARIJUANA¹	6.3	5.7	1.6	1.4

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.