

Table 6.103C Types of Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Parole/Supervised Release Status: Standard Errors of Numbers in Thousands, 2010 and 2011

| Drug | Total ¹ | | PAROLE/SUPERVISED RELEASE DURING THE PAST YEAR ² | | | |
|--|--------------------|------|---|------|------|------|
| | | | Yes | | No | |
| | 2010 | 2011 | 2010 | 2011 | 2010 | 2011 |
| ILLCIT DRUGS³ | 482 | 453 | 54 | 62 | 506 | 473 |
| Marijuana and Hashish | 401 | 403 | 45 | 57 | 422 | 416 |
| Cocaine | 106 | 106 | 18 | 36 | 107 | 98 |
| Crack | 60 | 42 | 16 | 15 | 59 | 40 |
| Heroin | 43 | 48 | 16 | 8 | 40 | 47 |
| Hallucinogens | 80 | 56 | 7 | 8 | 79 | 55 |
| LSD | 17 | 21 | 4 | 3 | 17 | 21 |
| PCP | 21 | 10 | * | * | 21 | 10 |
| Ecstasy | 58 | 43 | 4 | 7 | 58 | 42 |
| Inhalants | 80 | 65 | 3 | 18 | 81 | 63 |
| Nonmedical Use of Psychotherapeutics ^{4,5} | 265 | 228 | 29 | 28 | 264 | 228 |
| Pain Relievers | 212 | 187 | 25 | 22 | 209 | 187 |
| OxyContin [®] | 67 | 54 | 7 | 5 | 66 | 53 |
| Tranquilizers | 137 | 132 | 14 | 9 | 137 | 131 |
| Stimulants ⁵ | 84 | 88 | 22 | 20 | 82 | 85 |
| Methamphetamine ⁵ | 53 | 71 | 21 | 10 | 48 | 70 |
| Sedatives | 72 | 48 | 21 | 2 | 69 | 48 |
| ILLCIT DRUGS OTHER THAN MARIJUANA³ | 296 | 251 | 33 | 43 | 300 | 247 |

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Estimates in the Total column are for persons aged 18 or older, including those with unknown parole/supervised release status.

² Respondents were asked if they were on parole, supervised release, or other conditional release from prison during the past year.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

⁵ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.103D Types of Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Parole/Supervised Release Status: Standard Errors of Percentages, 2010 and 2011

| Drug | Total ¹ | | PAROLE/SUPERVISED RELEASE DURING THE PAST YEAR ² | | | |
|--|--------------------|------|---|------|------|------|
| | | | Yes | | No | |
| | 2010 | 2011 | 2010 | 2011 | 2010 | 2011 |
| ILLCIT DRUGS³ | 0.21 | 0.19 | 3.31 | 3.50 | 0.21 | 0.19 |
| Marijuana and Hashish | 0.18 | 0.17 | 2.81 | 3.20 | 0.18 | 0.17 |
| Cocaine | 0.05 | 0.05 | 1.17 | 2.10 | 0.05 | 0.04 |
| Crack | 0.03 | 0.02 | 1.05 | 0.90 | 0.03 | 0.02 |
| Heroin | 0.02 | 0.02 | 1.11 | 0.49 | 0.02 | 0.02 |
| Hallucinogens | 0.03 | 0.02 | 0.47 | 0.51 | 0.03 | 0.02 |
| LSD | 0.01 | 0.01 | 0.29 | 0.16 | 0.01 | 0.01 |
| PCP | 0.01 | 0.00 | * | * | 0.01 | 0.00 |
| Ecstasy | 0.03 | 0.02 | 0.30 | 0.44 | 0.03 | 0.02 |
| Inhalants | 0.04 | 0.03 | 0.22 | 1.08 | 0.04 | 0.03 |
| Nonmedical Use of Psychotherapeutics ^{4,5} | 0.12 | 0.10 | 1.96 | 1.74 | 0.12 | 0.10 |
| Pain Relievers | 0.09 | 0.08 | 1.69 | 1.40 | 0.09 | 0.08 |
| OxyContin [®] | 0.03 | 0.02 | 0.49 | 0.32 | 0.03 | 0.02 |
| Tranquilizers | 0.06 | 0.06 | 0.97 | 0.58 | 0.06 | 0.06 |
| Stimulants ⁵ | 0.04 | 0.04 | 1.48 | 1.23 | 0.04 | 0.04 |
| Methamphetamine ⁵ | 0.02 | 0.03 | 1.43 | 0.63 | 0.02 | 0.03 |
| Sedatives | 0.03 | 0.02 | 1.38 | 0.13 | 0.03 | 0.02 |
| ILLCIT DRUGS OTHER THAN MARIJUANA³ | 0.13 | 0.11 | 2.13 | 2.49 | 0.13 | 0.11 |

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Estimates in the Total column are for persons aged 18 or older, including those with unknown parole/supervised release status.

² Respondents were asked if they were on parole, supervised release, or other conditional release from prison during the past year.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

⁵ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.103P Types of Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Parole/Supervised Release Status: P Values from Tests of Differences of Percentages, 2011 Versus 2010

| Drug | Total ¹ | | PAROLE/SUPERVISED RELEASE DURING THE PAST YEAR ² | | | |
|--|--------------------|------|---|------|--------|------|
| | | | Yes | | No | |
| | 2010 | 2011 | 2010 | 2011 | 2010 | 2011 |
| ILLCIT DRUGS³ | 0.4075 | | 0.9197 | | 0.3890 | |
| Marijuana and Hashish | 0.6285 | | 0.9351 | | 0.6618 | |
| Cocaine | 0.3918 | | 0.4362 | | 0.2372 | |
| Crack | 0.0395 | | 0.6886 | | 0.0381 | |
| Heroin | 0.6211 | | 0.2412 | | 0.4064 | |
| Hallucinogens | 0.0126 | | 0.4708 | | 0.0082 | |
| LSD | 0.7755 | | 0.7847 | | 0.6984 | |
| PCP | 0.7284 | | * | | 0.7287 | |
| Ecstasy | 0.0584 | | 0.2899 | | 0.0409 | |
| Inhalants | 0.7544 | | 0.1464 | | 0.5814 | |
| Nonmedical Use of Psychotherapeutics ^{4,5} | 0.0105 | | 0.7941 | | 0.0097 | |
| Pain Relievers | 0.0236 | | 0.6345 | | 0.0259 | |
| OxyContin [®] | 0.0967 | | 0.3646 | | 0.0928 | |
| Tranquilizers | 0.0464 | | 0.1698 | | 0.0504 | |
| Stimulants ⁵ | 0.3530 | | 0.7949 | | 0.3565 | |
| Methamphetamine ⁵ | 0.4579 | | 0.2524 | | 0.2903 | |
| Sedatives | 0.1138 | | 0.0597 | | 0.2483 | |
| ILLCIT DRUGS OTHER THAN MARIJUANA³ | 0.0080 | | 0.8447 | | 0.0061 | |

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Estimates in the Total column are for persons aged 18 or older, including those with unknown parole/supervised release status.

² Respondents were asked if they were on parole, supervised release, or other conditional release from prison during the past year.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

⁵ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.104C Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 49, by Parole/Supervised Release Status: Standard Errors of Numbers in Thousands, 2010 and 2011

| Drug | Total ¹ | | PAROLE/SUPERVISED RELEASE DURING THE PAST YEAR ² | | | |
|--|--------------------|------|---|------|------|------|
| | | | Yes | | No | |
| | 2010 | 2011 | 2010 | 2011 | 2010 | 2011 |
| ILLCIT DRUGS³ | 367 | 344 | 50 | 53 | 404 | 374 |
| Marijuana and Hashish | 317 | 305 | 42 | 48 | 348 | 323 |
| Cocaine | 97 | 87 | 18 | 20 | 98 | 85 |
| Crack | 48 | 34 | 16 | 15 | 45 | 30 |
| Heroin | 36 | 40 | 16 | 8 | 32 | 39 |
| Hallucinogens | 77 | 56 | 7 | 8 | 77 | 55 |
| LSD | 17 | 21 | * | 3 | 17 | 21 |
| PCP | 21 | 10 | * | * | 21 | 10 |
| Ecstasy | 55 | 43 | 4 | 7 | 55 | 42 |
| Inhalants | 43 | 57 | 3 | 18 | 43 | 55 |
| Nonmedical Use of Psychotherapeutics ^{4,5} | 194 | 189 | 27 | 28 | 194 | 192 |
| Pain Relievers | 172 | 157 | 25 | 22 | 170 | 159 |
| OxyContin [®] | 46 | 49 | 7 | 5 | 45 | 48 |
| Tranquilizers | 98 | 103 | 14 | 9 | 97 | 103 |
| Stimulants ⁵ | 77 | 76 | 22 | 20 | 76 | 73 |
| Methamphetamine ⁵ | 49 | 58 | 21 | 10 | 44 | 57 |
| Sedatives | 38 | 37 | 17 | 2 | 34 | 37 |
| ILLCIT DRUGS OTHER THAN MARIJUANA³ | 227 | 209 | 31 | 31 | 232 | 213 |

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Estimates in the Total column are for persons aged 18 to 49, including those with unknown parole/supervised release status.

² Respondents were asked if they were on parole, supervised release, or other conditional release from prison during the past year.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

⁵ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.104D Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 49, by Parole/Supervised Release Status: Standard Errors of Percentages, 2010 and 2011

| Drug | Total ¹ | | PAROLE/SUPERVISED RELEASE DURING THE PAST YEAR ² | | | |
|--|--------------------|------|---|------|------|------|
| | | | Yes | | No | |
| | 2010 | 2011 | 2010 | 2011 | 2010 | 2011 |
| ILLCIT DRUGS³ | 0.28 | 0.26 | 3.37 | 3.66 | 0.28 | 0.26 |
| Marijuana and Hashish | 0.24 | 0.23 | 2.87 | 3.31 | 0.24 | 0.23 |
| Cocaine | 0.07 | 0.07 | 1.32 | 1.53 | 0.07 | 0.06 |
| Crack | 0.04 | 0.03 | 1.19 | 1.13 | 0.03 | 0.02 |
| Heroin | 0.03 | 0.03 | 1.26 | 0.62 | 0.02 | 0.03 |
| Hallucinogens | 0.06 | 0.04 | 0.54 | 0.64 | 0.06 | 0.04 |
| LSD | 0.01 | 0.02 | * | 0.20 | 0.01 | 0.02 |
| PCP | 0.02 | 0.01 | * | * | 0.02 | 0.01 |
| Ecstasy | 0.04 | 0.03 | 0.34 | 0.56 | 0.04 | 0.03 |
| Inhalants | 0.03 | 0.04 | 0.25 | 1.36 | 0.03 | 0.04 |
| Nonmedical Use of Psychotherapeutics ^{4,5} | 0.15 | 0.14 | 2.03 | 2.11 | 0.15 | 0.14 |
| Pain Relievers | 0.13 | 0.12 | 1.91 | 1.72 | 0.13 | 0.12 |
| OxyContin [®] | 0.03 | 0.04 | 0.56 | 0.40 | 0.03 | 0.04 |
| Tranquilizers | 0.07 | 0.08 | 1.10 | 0.73 | 0.07 | 0.08 |
| Stimulants ⁵ | 0.06 | 0.06 | 1.68 | 1.54 | 0.06 | 0.06 |
| Methamphetamine ⁵ | 0.04 | 0.04 | 1.63 | 0.80 | 0.03 | 0.04 |
| Sedatives | 0.03 | 0.03 | 1.29 | 0.16 | 0.03 | 0.03 |
| ILLCIT DRUGS OTHER THAN MARIJUANA³ | 0.17 | 0.16 | 2.24 | 2.36 | 0.17 | 0.16 |

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Estimates in the Total column are for persons aged 18 to 49, including those with unknown parole/supervised release status.

² Respondents were asked if they were on parole, supervised release, or other conditional release from prison during the past year.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

⁵ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.104P Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 49, by Parole/Supervised Release Status: P Values from Tests of Differences of Percentages, 2011 Versus 2010

| Drug | Total ¹ | | PAROLE/SUPERVISED RELEASE DURING THE PAST YEAR ² | | | |
|--|--------------------|------|---|------|--------|------|
| | | | Yes | | No | |
| | 2010 | 2011 | 2010 | 2011 | 2010 | 2011 |
| ILLCIT DRUGS³ | 0.2747 | | 0.4765 | | 0.2319 | |
| Marijuana and Hashish | 0.9456 | | 0.6591 | | 0.9890 | |
| Cocaine | 0.2337 | | 0.7230 | | 0.1898 | |
| Crack | 0.0459 | | 0.8199 | | 0.0401 | |
| Heroin | 0.4665 | | 0.2869 | | 0.2516 | |
| Hallucinogens | 0.0248 | | 0.3468 | | 0.0164 | |
| LSD | 0.7913 | | * | | 0.7150 | |
| PCP | 0.7413 | | * | | 0.7418 | |
| Ecstasy | 0.1102 | | 0.2236 | | 0.0793 | |
| Inhalants | 0.7196 | | 0.1313 | | 0.9846 | |
| Nonmedical Use of Psychotherapeutics ^{4,5} | 0.0378 | | 0.6417 | | 0.0272 | |
| Pain Relievers | 0.0185 | | 0.9039 | | 0.0172 | |
| OxyContin [®] | 0.1725 | | 0.4605 | | 0.1634 | |
| Tranquilizers | 0.4019 | | 0.2469 | | 0.4366 | |
| Stimulants ⁵ | 0.1183 | | 0.9668 | | 0.1129 | |
| Methamphetamine ⁵ | 0.9918 | | 0.3076 | | 0.7322 | |
| Sedatives | 0.1736 | | 0.1164 | | 0.3789 | |
| ILLCIT DRUGS OTHER THAN MARIJUANA³ | 0.0208 | | 0.7475 | | 0.0162 | |

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Estimates in the Total column are for persons aged 18 to 49, including those with unknown parole/supervised release status.

² Respondents were asked if they were on parole, supervised release, or other conditional release from prison during the past year.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

⁵ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.105C Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Parole/Supervised Release Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

| Demographic Characteristic | Total ¹ | | PAROLE/SUPERVISED RELEASE DURING THE PAST YEAR ² | | | |
|----------------------------|--------------------|------|---|------|------|------|
| | | | Yes | | No | |
| | 2010 | 2011 | 2010 | 2011 | 2010 | 2011 |
| TOTAL 18 OR OLDER | 482 | 453 | 54 | 62 | 506 | 473 |
| AGE | | | | | | |
| 18-49 | 367 | 344 | 50 | 53 | 404 | 374 |
| 18-25 | 136 | 142 | 20 | 22 | 172 | 191 |
| 26-34 | 227 | 214 | * | * | 249 | 227 |
| 35-49 | 214 | 211 | * | * | 222 | 214 |
| GENDER/AGE | | | | | | |
| Male 18 or Older | 381 | 335 | 50 | 57 | 392 | 352 |
| Male 18-49 | 292 | 261 | 45 | 48 | 315 | 276 |
| Female 18 or Older | 257 | 256 | * | * | 260 | 263 |
| Female 18-49 | 199 | 203 | * | * | 209 | 215 |

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

¹ Estimates in the Total column are for all persons aged 18 or older, including those with unknown parole/supervised release status.

² Respondents were asked if they were on parole, supervised release, or other conditional release from prison during the past year.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.105D Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Parole/Supervised Release Status and Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011

| Demographic Characteristic | Total ¹ | | PAROLE/SUPERVISED RELEASE DURING THE PAST YEAR ² | | | |
|----------------------------|--------------------|------|---|------|------|------|
| | | | Yes | | No | |
| | 2010 | 2011 | 2010 | 2011 | 2010 | 2011 |
| TOTAL 18 OR OLDER | 0.21 | 0.19 | 3.31 | 3.50 | 0.21 | 0.19 |
| AGE | | | | | | |
| 18-49 | 0.28 | 0.26 | 3.37 | 3.66 | 0.28 | 0.26 |
| 18-25 | 0.40 | 0.42 | 4.02 | 4.16 | 0.40 | 0.42 |
| 26-34 | 0.62 | 0.59 | * | * | 0.63 | 0.59 |
| 35-49 | 0.34 | 0.34 | * | * | 0.34 | 0.34 |
| GENDER/AGE | | | | | | |
| Male 18 or Older | 0.34 | 0.30 | 3.76 | 3.87 | 0.34 | 0.30 |
| Male 18-49 | 0.44 | 0.40 | 3.72 | 4.10 | 0.45 | 0.40 |
| Female 18 or Older | 0.22 | 0.21 | * | * | 0.22 | 0.21 |
| Female 18-49 | 0.30 | 0.30 | * | * | 0.30 | 0.30 |

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

¹ Estimates in the Total column are for all persons aged 18 or older, including those with unknown parole/supervised release status.

² Respondents were asked if they were on parole, supervised release, or other conditional release from prison during the past year.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.105P Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Parole/Supervised Release Status and Demographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

| Demographic Characteristic | Total ¹ | | PAROLE/SUPERVISED RELEASE DURING THE PAST YEAR ² | | | |
|----------------------------|--------------------|------|---|------|--------|------|
| | | | Yes | | No | |
| | 2010 | 2011 | 2010 | 2011 | 2010 | 2011 |
| TOTAL 18 OR OLDER | 0.4075 | | 0.9197 | | 0.3890 | |
| AGE | | | | | | |
| 18-49 | 0.2747 | | 0.4765 | | 0.2319 | |
| 18-25 | 0.8206 | | 0.7382 | | 0.7667 | |
| 26-34 | 0.2752 | | * | | 0.2185 | |
| 35-49 | 0.4900 | | * | | 0.4890 | |
| GENDER/AGE | | | | | | |
| Male 18 or Older | 0.6672 | | 0.6954 | | 0.6448 | |
| Male 18-49 | 0.5834 | | 0.7681 | | 0.5374 | |
| Female 18 or Older | 0.4271 | | * | | 0.4199 | |
| Female 18-49 | 0.3035 | | * | | 0.2619 | |

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

¹ Estimates in the Total column are for all persons aged 18 or older, including those with unknown parole/supervised release status.

² Respondents were asked if they were on parole, supervised release, or other conditional release from prison during the past year.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.106C Illicit Drug Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Parole/Supervised Release Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

| Demographic Characteristic | Total ¹ | | PAROLE/SUPERVISED RELEASE DURING THE PAST YEAR ² | | | |
|----------------------------|--------------------|------|---|------|------|------|
| | | | Yes | | No | |
| | 2010 | 2011 | 2010 | 2011 | 2010 | 2011 |
| TOTAL 18 OR OLDER | 237 | 195 | 45 | 35 | 231 | 192 |
| AGE | | | | | | |
| 18-49 | 203 | 168 | 41 | 35 | 203 | 166 |
| 18-25 | 85 | 83 | 16 | 17 | 91 | 89 |
| 26-34 | 122 | 104 | * | * | 120 | 103 |
| 35-49 | 121 | 96 | * | * | 120 | 95 |
| GENDER/AGE | | | | | | |
| Male 18 or Older | 187 | 161 | 40 | 32 | 183 | 158 |
| Male 18-49 | 160 | 140 | 36 | 32 | 159 | 137 |
| Female 18 or Older | 131 | 107 | * | * | 126 | 106 |
| Female 18-49 | 112 | 92 | * | * | 112 | 92 |

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates in the Total column are for all persons aged 18 or older, including those with unknown parole/supervised release status.

² Respondents were asked if they were on parole, supervised release, or other conditional release from prison during the past year.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.106D Illicit Drug Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Parole/Supervised Release Status and Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011

| Demographic Characteristic | Total ¹ | | PAROLE/SUPERVISED RELEASE DURING THE PAST YEAR ² | | | |
|----------------------------|--------------------|------|---|------|------|------|
| | | | Yes | | No | |
| | 2010 | 2011 | 2010 | 2011 | 2010 | 2011 |
| TOTAL 18 OR OLDER | 0.10 | 0.08 | 2.85 | 2.19 | 0.10 | 0.08 |
| AGE | | | | | | |
| 18-49 | 0.15 | 0.13 | 2.90 | 2.61 | 0.15 | 0.13 |
| 18-25 | 0.25 | 0.24 | 3.51 | 3.51 | 0.25 | 0.24 |
| 26-34 | 0.33 | 0.29 | * | * | 0.33 | 0.28 |
| 35-49 | 0.19 | 0.16 | * | * | 0.19 | 0.15 |
| GENDER/AGE | | | | | | |
| Male 18 or Older | 0.17 | 0.14 | 3.17 | 2.52 | 0.17 | 0.14 |
| Male 18-49 | 0.24 | 0.22 | 3.15 | 3.00 | 0.24 | 0.21 |
| Female 18 or Older | 0.11 | 0.09 | * | * | 0.11 | 0.09 |
| Female 18-49 | 0.17 | 0.14 | * | * | 0.17 | 0.14 |

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates in the Total column are for all persons aged 18 or older, including those with unknown parole/supervised release status.

² Respondents were asked if they were on parole, supervised release, or other conditional release from prison during the past year.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.106P Illicit Drug Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Parole/Supervised Release Status and Demographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

| Demographic Characteristic | Total ¹ | | PAROLE/SUPERVISED RELEASE DURING THE PAST YEAR ² | | | |
|----------------------------|--------------------|------|---|------|--------|------|
| | | | Yes | | No | |
| | 2010 | 2011 | 2010 | 2011 | 2010 | 2011 |
| TOTAL 18 OR OLDER | 0.0218 | | 0.0503 | | 0.0389 | |
| AGE | | | | | | |
| 18-49 | 0.0174 | | 0.3261 | | 0.0260 | |
| 18-25 | 0.3019 | | 0.7457 | | 0.3069 | |
| 26-34 | 0.0773 | | * | | 0.1005 | |
| 35-49 | 0.1368 | | * | | 0.1585 | |
| GENDER/AGE | | | | | | |
| Male 18 or Older | 0.2123 | | 0.0777 | | 0.2950 | |
| Male 18-49 | 0.2836 | | 0.3998 | | 0.3291 | |
| Female 18 or Older | 0.0228 | | * | | 0.0300 | |
| Female 18-49 | 0.0093 | | * | | 0.0129 | |

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates in the Total column are for all persons aged 18 or older, including those with unknown parole/supervised release status.

² Respondents were asked if they were on parole, supervised release, or other conditional release from prison during the past year.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.107C Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Parole/Supervised Release Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

| Demographic Characteristic | Total ¹ | | PAROLE/SUPERVISED RELEASE DURING THE PAST YEAR ² | | | |
|----------------------------|--------------------|------|---|------|------|------|
| | | | Yes | | No | |
| | 2010 | 2011 | 2010 | 2011 | 2010 | 2011 |
| TOTAL 18 OR OLDER | 460 | 401 | 69 | 72 | 490 | 420 |
| AGE | | | | | | |
| 18-49 | 345 | 303 | 66 | 63 | 392 | 333 |
| 18-25 | 139 | 128 | 20 | 26 | 170 | 171 |
| 26-34 | 204 | 196 | * | * | 219 | 205 |
| 35-49 | 225 | 204 | * | * | 242 | 210 |
| GENDER/AGE | | | | | | |
| Male 18 or Older | 362 | 321 | 55 | 67 | 391 | 328 |
| Male 18-49 | 274 | 245 | 51 | 59 | 315 | 260 |
| Female 18 or Older | 251 | 230 | * | * | 251 | 237 |
| Female 18-49 | 185 | 187 | * | * | 192 | 199 |

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates in the Total column are for all persons aged 18 or older, including those with unknown parole/supervised release status.

² Respondents were asked if they were on parole, supervised release, or other conditional release from prison during the past year.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.107D Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Parole/Supervised Release Status and Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011

| Demographic Characteristic | Total ¹ | | PAROLE/SUPERVISED RELEASE DURING THE PAST YEAR ² | | | |
|----------------------------|--------------------|------|---|------|------|------|
| | | | Yes | | No | |
| | 2010 | 2011 | 2010 | 2011 | 2010 | 2011 |
| TOTAL 18 OR OLDER | 0.20 | 0.17 | 3.65 | 3.87 | 0.20 | 0.17 |
| AGE | | | | | | |
| 18-49 | 0.26 | 0.23 | 3.70 | 3.91 | 0.26 | 0.23 |
| 18-25 | 0.41 | 0.37 | 3.95 | 4.41 | 0.41 | 0.37 |
| 26-34 | 0.56 | 0.54 | * | * | 0.56 | 0.53 |
| 35-49 | 0.36 | 0.33 | * | * | 0.36 | 0.33 |
| GENDER/AGE | | | | | | |
| Male 18 or Older | 0.33 | 0.29 | 3.87 | 4.14 | 0.33 | 0.28 |
| Male 18-49 | 0.42 | 0.38 | 3.87 | 4.36 | 0.42 | 0.37 |
| Female 18 or Older | 0.21 | 0.19 | * | * | 0.21 | 0.19 |
| Female 18-49 | 0.28 | 0.28 | * | * | 0.27 | 0.28 |

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates in the Total column are for all persons aged 18 or older, including those with unknown parole/supervised release status.

² Respondents were asked if they were on parole, supervised release, or other conditional release from prison during the past year.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.107P Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Parole/Supervised Release Status and Demographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

| Demographic Characteristic | Total ¹ | | PAROLE/SUPERVISED RELEASE DURING THE PAST YEAR ² | | | |
|----------------------------|--------------------|------|---|------|--------|------|
| | | | Yes | | No | |
| | 2010 | 2011 | 2010 | 2011 | 2010 | 2011 |
| TOTAL 18 OR OLDER | 0.0023 | | 0.5847 | | 0.0020 | |
| AGE | | | | | | |
| 18-49 | 0.0086 | | 0.9153 | | 0.0086 | |
| 18-25 | 0.0104 | | 0.8944 | | 0.0105 | |
| 26-34 | 0.0382 | | * | | 0.0245 | |
| 35-49 | 0.5814 | | * | | 0.6822 | |
| GENDER/AGE | | | | | | |
| Male 18 or Older | 0.0014 | | 0.9251 | | 0.0008 | |
| Male 18-49 | 0.0090 | | 0.6512 | | 0.0051 | |
| Female 18 or Older | 0.5197 | | * | | 0.6036 | |
| Female 18-49 | 0.5164 | | * | | 0.6566 | |

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates in the Total column are for all persons aged 18 or older, including those with unknown parole/supervised release status.

² Respondents were asked if they were on parole, supervised release, or other conditional release from prison during the past year.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.