

Table 6.79C Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status: Standard Errors of Numbers in Thousands, 2010 and 2011

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
ILLICIT DRUGS³	145	168	106	128	99	106
Marijuana and Hashish	135	154	101	118	91	97
Cocaine	31	37	19	30	24	21
Crack	13	5	3	2	13	5
Heroin	13	16	7	9	11	13
Hallucinogens	40	34	26	24	31	24
LSD	16	12	14	7	8	10
PCP	*	3	*	*	*	3
Ecstasy	32	27	18	20	27	19
Inhalants	14	35	8	31	12	15
Nonmedical Use of Psychotherapeutics ^{4,5}	64	62	37	40	53	46
Pain Relievers	55	51	27	29	48	42
OxyContin [®]	21	17	13	12	15	12
Tranquilizers	33	32	18	21	27	23
Stimulants ⁵	29	29	19	23	22	17
Methamphetamine ⁵	15	13	3	3	14	12
Sedatives	11	6	7	4	8	5
ILLICIT DRUGS OTHER THAN MARIJUANA³	76	82	47	59	61	54

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

⁵ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.79D Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status: Standard Errors of Percentages, 2010 and 2011

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
ILLCIT DRUGS³	0.52	0.55	0.85	0.94	0.64	0.65
Marijuana and Hashish	0.50	0.52	0.85	0.88	0.60	0.61
Cocaine	0.14	0.16	0.20	0.30	0.19	0.17
Crack	0.06	0.02	0.03	0.02	0.10	0.04
Heroin	0.06	0.07	0.08	0.09	0.08	0.10
Hallucinogens	0.18	0.15	0.27	0.25	0.24	0.19
LSD	0.07	0.05	0.15	0.08	0.06	0.08
PCP	*	0.01	*	*	*	0.02
Ecstasy	0.14	0.12	0.19	0.21	0.21	0.14
Inhalants	0.07	0.16	0.09	0.34	0.10	0.12
Nonmedical Use of						
Psychotherapeutics ^{4,5}	0.27	0.26	0.36	0.39	0.38	0.33
Pain Relievers	0.24	0.22	0.27	0.30	0.35	0.30
OxyContin [®]	0.09	0.07	0.14	0.13	0.11	0.09
Tranquilizers	0.15	0.14	0.19	0.22	0.21	0.18
Stimulants ⁵	0.13	0.13	0.20	0.23	0.17	0.13
Methamphetamine ⁵	0.07	0.06	0.03	0.04	0.11	0.09
Sedatives	0.05	0.03	0.07	0.04	0.07	0.04
ILLCIT DRUGS OTHER THAN MARIJUANA³	0.32	0.33	0.45	0.55	0.44	0.38

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

⁵ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.79P Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
ILLCIT DRUGS³	0.8165		0.9258		0.8316	
Marijuana and Hashish	0.3355		0.5057		0.4563	
Cocaine	0.9919		0.4494		0.4713	
Crack	0.0303		0.5124		0.0384	
Heroin	0.3937		0.8712		0.3545	
Hallucinogens	0.0787		0.3220		0.1523	
LSD	0.4531		0.1008		0.3906	
PCP	*		*		*	
Ecstasy	0.1434		0.7241		0.1191	
Inhalants	0.5011		0.4597		0.9442	
Nonmedical Use of Psychotherapeutics ^{4,5}	0.0022		0.1066		0.0079	
Pain Relievers	0.0021		0.0999		0.0088	
OxyContin [®]	0.0161		0.2912		0.0139	
Tranquilizers	0.3004		0.8583		0.2286	
Stimulants ⁵	0.1712		0.7516		0.1004	
Methamphetamine ⁵	0.5932		0.6498		0.5146	
Sedatives	0.0495		0.1658		0.1593	
ILLCIT DRUGS OTHER THAN MARIJUANA³	0.0075		0.2308		0.0106	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

⁵ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.80C Types of Illicit Drug Use in the Past Month among Males Aged 18 to 22, by College Enrollment Status: Standard Errors of Numbers in Thousands, 2010 and 2011

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Male College Students		Other Males Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
ILLICIT DRUGS³	109	106	76	68	79	80
Marijuana and Hashish	102	99	72	63	73	77
Cocaine	26	30	18	23	19	18
Crack	8	4	2	2	8	4
Heroin	9	12	5	4	7	11
Hallucinogens	31	27	21	18	25	19
LSD	15	11	13	6	7	9
PCP	*	2	*	*	*	2
Ecstasy	24	20	14	15	21	13
Inhalants	12	20	3	17	11	11
Nonmedical Use of Psychotherapeutics ^{4,5}	50	44	28	30	41	32
Pain Relievers	45	36	21	20	39	30
OxyContin [®]	16	15	12	12	11	9
Tranquilizers	26	21	14	14	21	15
Stimulants ⁵	20	25	15	20	14	13
Methamphetamine ⁵	7	11	2	2	7	10
Sedatives	8	5	3	4	7	3
ILLICIT DRUGS OTHER THAN MARIJUANA³	60	56	37	37	49	39

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Estimates in the Total column are for all males aged 18 to 22, including those with unknown enrollment status.

² Other Males include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

⁵ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.80D Types of Illicit Drug Use in the Past Month among Males Aged 18 to 22, by College Enrollment Status: Standard Errors of Percentages, 2010 and 2011

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Male College Students		Other Males Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
ILLCIT DRUGS³	0.76	0.74	1.24	1.27	0.93	0.88
Marijuana and Hashish	0.73	0.71	1.25	1.22	0.89	0.85
Cocaine	0.22	0.26	0.38	0.54	0.28	0.26
Crack	0.07	0.04	0.05	0.05	0.12	0.06
Heroin	0.08	0.10	0.11	0.09	0.10	0.16
Hallucinogens	0.27	0.23	0.43	0.41	0.36	0.27
LSD	0.13	0.10	0.29	0.15	0.10	0.13
PCP	*	0.02	*	*	*	0.03
Ecstasy	0.20	0.17	0.30	0.36	0.30	0.18
Inhalants	0.10	0.18	0.07	0.41	0.16	0.16
Nonmedical Use of						
Psychotherapeutics ^{4,5}	0.41	0.36	0.54	0.65	0.57	0.44
Pain Relievers	0.37	0.30	0.41	0.46	0.54	0.41
OxyContin [®]	0.14	0.13	0.26	0.28	0.16	0.13
Tranquilizers	0.22	0.18	0.30	0.31	0.30	0.22
Stimulants ⁵	0.17	0.21	0.31	0.46	0.20	0.19
Methamphetamine ⁵	0.06	0.09	0.05	0.05	0.10	0.15
Sedatives	0.07	0.04	0.07	0.08	0.10	0.04
ILLCIT DRUGS OTHER THAN MARIJUANA³	0.48	0.45	0.71	0.79	0.67	0.52

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Estimates in the Total column are for all males aged 18 to 22, including those with unknown enrollment status.

² Other Males include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

⁵ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.80P Types of Illicit Drug Use in the Past Month among Males Aged 18 to 22, by College Enrollment Status: *P* Values from Tests of Differences of Percentages, 2011 Versus 2010

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Male College Students		Other Males Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
ILLICIT DRUGS³	0.5993		0.8576		0.5440	
Marijuana and Hashish	0.7087		0.9853		0.6420	
Cocaine	0.9734		0.6523		0.6407	
Crack	0.0697		0.9543		0.0518	
Heroin	0.2027		0.9208		0.1813	
Hallucinogens	0.0655		0.2444		0.1786	
LSD	0.4474		0.1156		0.3994	
PCP	*		*		*	
Ecstasy	0.1410		0.8907		0.0916	
Inhalants	0.4261		0.1268		0.5412	
Nonmedical Use of Psychotherapeutics ^{4,5}	0.0281		0.5640		0.0167	
Pain Relievers	0.0103		0.2269		0.0156	
OxyContin [®]	0.2337		0.7976		0.1320	
Tranquilizers	0.2986		0.7716		0.2505	
Stimulants ⁵	0.7323		0.4588		0.7976	
Methamphetamine ⁵	0.5798		0.8027		0.5615	
Sedatives	0.3388		0.8205		0.3308	
ILLICIT DRUGS OTHER THAN MARIJUANA³	0.0203		0.3733		0.0194	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Estimates in the Total column are for all males aged 18 to 22, including those with unknown enrollment status.

² Other Males include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

⁵ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.81C Types of Illicit Drug Use in the Past Month among Females Aged 18 to 22, by College Enrollment Status: Standard Errors of Numbers in Thousands, 2010 and 2011

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Female College Students		Other Females Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
ILLICIT DRUGS³	79	109	55	88	56	59
Marijuana and Hashish	71	99	51	81	51	54
Cocaine	16	18	7	14	14	11
Crack	10	3	1	*	10	3
Heroin	9	11	5	8	8	7
Hallucinogens	22	21	12	15	19	14
LSD	6	5	4	3	4	4
PCP	*	2	*	*	*	2
Ecstasy	19	18	10	13	16	13
Inhalants	9	18	8	15	5	10
Nonmedical Use of Psychotherapeutics ^{4,5}	40	39	23	22	33	31
Pain Relievers	32	32	16	17	28	26
OxyContin [®]	11	7	6	2	10	7
Tranquilizers	20	23	11	16	17	16
Stimulants ⁵	21	14	11	9	17	11
Methamphetamine ⁵	13	7	1	3	13	7
Sedatives	8	4	6	1	5	4
ILLICIT DRUGS OTHER THAN MARIJUANA³	44	49	25	34	36	33

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Estimates in the Total column are for all females aged 18 to 22, including those with unknown enrollment status.

² Other Females include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

⁵ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.81D Types of Illicit Drug Use in the Past Month among Females Aged 18 to 22, by College Enrollment Status: Standard Errors of Percentages, 2010 and 2011

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Female College Students		Other Females Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
ILLICIT DRUGS³	0.63	0.76	0.95	1.24	0.84	0.87
Marijuana and Hashish	0.58	0.72	0.89	1.16	0.77	0.81
Cocaine	0.15	0.16	0.16	0.26	0.24	0.18
Crack	0.10	0.03	0.03	*	0.17	0.05
Heroin	0.09	0.10	0.10	0.15	0.13	0.12
Hallucinogens	0.21	0.19	0.26	0.30	0.31	0.24
LSD	0.05	0.04	0.09	0.07	0.06	0.06
PCP	*	0.01	*	*	*	0.03
Ecstasy	0.18	0.16	0.21	0.25	0.27	0.22
Inhalants	0.09	0.16	0.16	0.29	0.09	0.17
Nonmedical Use of						
Psychotherapeutics ^{4,5}	0.36	0.34	0.47	0.41	0.53	0.50
Pain Relievers	0.30	0.28	0.34	0.31	0.45	0.43
OxyContin [®]	0.11	0.06	0.12	0.03	0.16	0.12
Tranquilizers	0.19	0.21	0.25	0.31	0.28	0.27
Stimulants ⁵	0.19	0.13	0.23	0.16	0.29	0.19
Methamphetamine ⁵	0.12	0.06	0.02	0.05	0.21	0.11
Sedatives	0.07	0.04	0.13	0.03	0.08	0.06
ILLICIT DRUGS OTHER THAN MARIJUANA³	0.40	0.41	0.52	0.60	0.58	0.54

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Estimates in the Total column are for all females aged 18 to 22, including those with unknown enrollment status.

² Other Females include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

⁵ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.81P Types of Illicit Drug Use in the Past Month among Females Aged 18 to 22, by College Enrollment Status: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Drug	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Female College Students		Other Females Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
ILLICIT DRUGS³	0.6406		0.6352		0.8545	
Marijuana and Hashish	0.1776		0.1385		0.7026	
Cocaine	0.8475		0.2277		0.5105	
Crack	0.1997		*		0.2799	
Heroin	0.9484		0.8839		0.8656	
Hallucinogens	0.6563		0.8948		0.5060	
LSD	1.0000		0.8614		0.8728	
PCP	*		*		*	
Ecstasy	0.5924		0.8149		0.6629	
Inhalants	0.7287		0.8126		0.3581	
Nonmedical Use of Psychotherapeutics ^{4,5}	0.0290		0.0818		0.1775	
Pain Relievers	0.0772		0.2574		0.2172	
OxyContin [®]	0.0063		0.0580		0.0454	
Tranquilizers	0.6705		0.9450		0.5794	
Stimulants ⁵	0.0098		0.0839		0.0504	
Methamphetamine ⁵	0.2260		0.3132		0.1680	
Sedatives	0.0658		0.1272		0.3021	
ILLICIT DRUGS OTHER THAN MARIJUANA³	0.1314		0.4972		0.1832	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Estimates in the Total column are for all females aged 18 to 22, including those with unknown enrollment status.

² Other Females include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

⁴ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

⁵ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 6.82C Illicit Drug Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics:
Standard Errors of Numbers in Thousands, 2010 and 2011**

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
TOTAL	145	168	106	128	99	106
AGE						
18	58	65	34	49	47	42
19	57	61	40	48	39	39
20	60	68	43	52	42	44
21	54	53	39	34	38	40
22	52	57	28	34	42	44
GENDER						
Male	109	106	76	68	79	80
Female	79	109	55	88	56	59
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	135	144	100	111	91	89
White	119	123	88	95	76	75
Black or African American	49	50	20	30	43	38
American Indian or Alaska Native	9	6	*	*	*	5
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	21	24	14	15	*	18
Two or More Races	14	18	9	*	11	14
Hispanic or Latino	49	66	27	40	40	52

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 6.82D Illicit Drug Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics:
Standard Errors of Percentages, 2010 and 2011**

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
TOTAL	0.52	0.55	0.85	0.94	0.64	0.65
AGE						
18	1.03	1.04	1.57	1.97	1.30	1.21
19	1.09	1.15	1.53	1.62	1.51	1.64
20	1.15	1.17	1.68	1.72	1.50	1.58
21	1.09	1.03	1.65	1.52	1.45	1.37
22	1.05	1.11	1.72	2.13	1.30	1.25
GENDER						
Male	0.76	0.74	1.24	1.27	0.93	0.88
Female	0.63	0.76	0.95	1.24	0.84	0.87
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.60	0.60	0.93	0.97	0.76	0.74
White	0.71	0.73	1.08	1.14	0.89	0.90
Black or African American	1.27	1.25	1.60	1.96	1.74	1.56
American Indian or Alaska Native	5.62	3.93	*	*	*	4.47
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	1.97	2.02	1.93	2.11	*	4.11
Two or More Races	3.35	3.12	5.32	*	4.37	3.93
Hispanic or Latino	0.94	1.13	1.82	2.17	1.11	1.36

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.82P Illicit Drug Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics:
P Values from Tests of Differences of Percentages, 2011 Versus 2010

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS	
			Full-Time College Students	Other Persons Aged 18-22 ²
	2010	2011	2010	2011
TOTAL	0.8165		0.9258	0.8316
AGE				
18	0.8557		0.1912	0.4703
19	0.4925		0.5849	0.7674
20	0.1187		0.4900	0.1095
21	0.2658		0.1147	0.8899
22	0.5362		0.8766	0.5115
GENDER				
Male	0.5993		0.8576	0.5440
Female	0.6406		0.6352	0.8545
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.3517		0.5330	0.4685
White	0.1833		0.2387	0.4431
Black or African American	0.4307		0.0969	0.9645
American Indian or Alaska Native	0.0354		*	*
Native Hawaiian or Other Pacific Islander	*		*	*
Asian	0.4118		0.4315	*
Two or More Races	0.9057		*	0.2932
Hispanic or Latino	0.0660		0.1566	0.2543

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 6.83C Marijuana Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics:
Standard Errors of Numbers in Thousands, 2010 and 2011**

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
TOTAL	135	154	101	118	91	97
AGE						
18	54	61	33	46	42	40
19	54	59	38	46	36	37
20	59	66	42	50	40	41
21	49	51	36	33	35	39
22	49	53	26	31	39	40
GENDER						
Male	102	99	72	63	73	77
Female	71	99	51	81	51	54
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	125	135	95	105	84	83
White	110	114	83	89	71	70
Black or African American	43	49	18	29	37	37
American Indian or Alaska Native	*	6	*	*	*	5
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	20	24	12	15	*	18
Two or More Races	14	16	9	*	11	12
Hispanic or Latino	47	61	27	38	37	48

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 6.83D Marijuana Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics:
Standard Errors of Percentages, 2010 and 2011**

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
TOTAL	0.50	0.52	0.85	0.88	0.60	0.61
AGE						
18	0.98	0.99	1.57	1.86	1.22	1.16
19	1.04	1.11	1.47	1.60	1.43	1.59
20	1.13	1.15	1.68	1.72	1.46	1.52
21	1.03	1.00	1.61	1.47	1.37	1.32
22	1.02	1.04	1.65	1.97	1.25	1.17
GENDER						
Male	0.73	0.71	1.25	1.22	0.89	0.85
Female	0.58	0.72	0.89	1.16	0.77	0.81
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.58	0.58	0.92	0.94	0.73	0.70
White	0.69	0.69	1.08	1.09	0.86	0.84
Black or African American	1.10	1.23	1.45	1.97	1.50	1.53
American Indian or Alaska Native	*	3.90	*	*	*	4.48
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	1.90	2.01	1.76	2.07	*	4.07
Two or More Races	3.34	2.93	5.32	*	4.33	3.47
Hispanic or Latino	0.92	1.09	1.81	2.12	1.07	1.31

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.83P Marijuana Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics:
P Values from Tests of Differences of Percentages, 2011 Versus 2010

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
TOTAL	0.3355		0.5057		0.4563	
AGE						
18	0.4697		0.2631		0.9457	
19	0.9693		0.9920		0.8702	
20	0.0794		0.4091		0.0761	
21	0.8269		0.7657		0.5906	
22	0.5359		0.8871		0.5111	
GENDER						
Male	0.7087		0.9853		0.6420	
Female	0.1776		0.1385		0.7026	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.7946		0.8160		0.8905	
White	0.7761		0.6839		0.9880	
Black or African American	0.1386		0.0475		0.5975	
American Indian or Alaska Native	*		*		*	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.2514		0.1968		*	
Two or More Races	0.5758		*		0.8004	
Hispanic or Latino	0.0405		0.2062		0.1330	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.84C Tobacco Product and Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status: Standard Errors of Numbers in Thousands, 2010 and 2011

Substance	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
TOBACCO PRODUCTS³	189	202	135	131	135	148
Cigarettes	162	180	102	110	126	138
Smokeless Tobacco	73	58	51	36	54	46
Cigars	94	98	68	63	67	69
Pipe Tobacco	37	41	25	33	27	26
ALCOHOL	274	321	235	268	147	163
Binge Alcohol Use ⁴	211	245	179	199	116	128
Heavy Alcohol Use ⁴	123	125	104	107	66	58

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.84D Tobacco Product and Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status: Standard Errors of Percentages, 2010 and 2011

Substance	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
TOBACCO PRODUCTS³	0.59	0.60	0.88	0.87	0.74	0.78
Cigarettes	0.58	0.57	0.80	0.80	0.72	0.76
Smokeless Tobacco	0.31	0.25	0.49	0.36	0.41	0.34
Cigars	0.38	0.36	0.59	0.52	0.49	0.48
Pipe Tobacco	0.16	0.19	0.25	0.36	0.21	0.19
ALCOHOL	0.63	0.71	1.00	1.20	0.74	0.75
Binge Alcohol Use ⁴	0.61	0.71	1.08	1.24	0.67	0.73
Heavy Alcohol Use ⁴	0.48	0.46	0.88	0.88	0.48	0.43

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.84P Tobacco Product and Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status: *P* Values from Tests of Differences of Percentages, 2011 Versus 2010

Substance	Total ¹		COLLEGE ENROLLMENT STATUS	
			Full-Time College Students	Other Persons Aged 18-22 ²
	2010	2011	2010	2011
TOBACCO PRODUCTS³	0.0226		0.0043	0.4966
Cigarettes	0.2043		0.2686	0.4205
Smokeless Tobacco	0.0079		0.0129	0.1993
Cigars	0.3602		0.0044	0.2413
Pipe Tobacco	0.5213		0.8375	0.4612
ALCOHOL	0.2426		0.0908	0.9204
Binge Alcohol Use ⁴	0.1449		0.0342	0.9643
Heavy Alcohol Use ⁴	0.0120		0.0749	0.0587

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.85C Tobacco Product and Alcohol Use in the Past Month among Males Aged 18 to 22, by College Enrollment Status: Standard Errors of Numbers in Thousands, 2010 and 2011

Substance	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Male College Students		Other Males Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
TOBACCO PRODUCTS³	142	136	103	83	102	106
Cigarettes	115	121	72	69	91	99
Smokeless Tobacco	70	56	50	34	51	45
Cigars	83	82	60	50	57	59
Pipe Tobacco	29	34	18	27	22	22
ALCOHOL	185	176	150	128	110	118
Binge Alcohol Use ⁴	158	151	128	106	93	100
Heavy Alcohol Use ⁴	99	81	82	63	57	50

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Estimates in the Total column are for all males aged 18 to 22, including those with unknown enrollment status.

² Other Males include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.85D Tobacco Product and Alcohol Use in the Past Month among Males Aged 18 to 22, by College Enrollment Status: Standard Errors of Percentages, 2010 and 2011

Substance	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Male College Students		Other Males Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
TOBACCO PRODUCTS³	0.83	0.82	1.34	1.38	1.03	1.01
Cigarettes	0.78	0.79	1.13	1.24	0.99	1.02
Smokeless Tobacco	0.54	0.46	0.90	0.74	0.70	0.61
Cigars	0.63	0.61	1.03	0.96	0.76	0.74
Pipe Tobacco	0.25	0.30	0.37	0.62	0.32	0.30
ALCOHOL	0.85	0.87	1.31	1.48	1.04	1.03
Binge Alcohol Use ⁴	0.89	0.90	1.54	1.62	1.00	1.00
Heavy Alcohol Use ⁴	0.73	0.62	1.36	1.22	0.77	0.65

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Estimates in the Total column are for all males aged 18 to 22, including those with unknown enrollment status.

² Other Males include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.85P Tobacco Product and Alcohol Use in the Past Month among Males Aged 18 to 22, by College Enrollment Status: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Substance	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Male College Students		Other Males Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
TOBACCO PRODUCTS ³	0.0898		0.0290		0.4507	
Cigarettes	0.9370		0.6642		0.9343	
Smokeless Tobacco	0.0264		0.0745		0.1701	
Cigars	0.1924		0.0076		0.6173	
Pipe Tobacco	0.9432		0.6613		0.7546	
ALCOHOL	0.0065		0.0165		0.1542	
Binge Alcohol Use ⁴	0.0218		0.0434		0.2533	
Heavy Alcohol Use ⁴	0.0153		0.1751		0.0570	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Estimates in the Total column are for all males aged 18 to 22, including those with unknown enrollment status.

² Other Males include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.86C Tobacco Product and Alcohol Use in the Past Month among Females Aged 18 to 22, by College Enrollment Status: Standard Errors of Numbers in Thousands, 2010 and 2011

Substance	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Female College Students		Other Females Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
TOBACCO PRODUCTS³	103	114	64	76	79	81
Cigarettes	99	105	58	68	78	77
Smokeless Tobacco	19	12	8	9	17	9
Cigars	39	46	25	31	31	35
Pipe Tobacco	22	23	17	19	16	12
ALCOHOL	154	206	126	177	90	94
Binge Alcohol Use ⁴	108	143	85	122	68	70
Heavy Alcohol Use ⁴	57	73	46	64	33	30

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Estimates in the Total column are for all females aged 18 to 22, including those with unknown enrollment status.

² Other Females include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.86D Tobacco Product and Alcohol Use in the Past Month among Females Aged 18 to 22, by College Enrollment Status: Standard Errors of Percentages, 2010 and 2011

Substance	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time Female College Students		Other Females Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
TOBACCO PRODUCTS³	0.74	0.76	0.99	1.02	0.98	1.07
Cigarettes	0.74	0.73	0.97	0.97	0.98	1.04
Smokeless Tobacco	0.18	0.11	0.17	0.17	0.28	0.15
Cigars	0.36	0.40	0.50	0.55	0.51	0.58
Pipe Tobacco	0.20	0.21	0.34	0.38	0.26	0.20
ALCOHOL	0.83	0.99	1.25	1.58	1.05	1.04
Binge Alcohol Use ⁴	0.76	0.89	1.19	1.50	0.94	0.96
Heavy Alcohol Use ⁴	0.48	0.57	0.82	1.02	0.53	0.50

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Estimates in the Total column are for all females aged 18 to 22, including those with unknown enrollment status.

² Other Females include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.86P Tobacco Product and Alcohol Use in the Past Month among Females Aged 18 to 22, by College Enrollment Status: *P* Values from Tests of Differences of Percentages, 2011 Versus 2010

Substance	Total ¹		COLLEGE ENROLLMENT STATUS	
			Full-Time Female College Students	Other Females Aged 18-22 ²
	2010	2011	2010	2011
TOBACCO PRODUCTS³	0.1816		0.2709	0.6407
Cigarettes	0.0573		0.3573	0.1928
Smokeless Tobacco	0.3330		0.6528	0.4062
Cigars	0.4026		0.8357	0.3061
Pipe Tobacco	0.2645		0.4714	0.3064
ALCOHOL	0.2980		0.9107	0.1789
Binge Alcohol Use ⁴	0.6920		0.4726	0.2372
Heavy Alcohol Use ⁴	0.3310		0.4569	0.3755

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Estimates in the Total column are for all females aged 18 to 22, including those with unknown enrollment status.

² Other Females include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

³ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

⁴ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.87C Cigarette Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
TOTAL	162	180	102	110	126	138
AGE						
18	64	67	36	45	52	50
19	63	67	38	47	50	49
20	68	69	41	43	56	53
21	66	65	42	35	51	55
22	64	75	33	32	54	68
GENDER						
Male	115	121	72	69	91	99
Female	99	105	58	68	78	77
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	148	155	94	97	114	117
White	132	130	86	85	100	101
Black or African American	50	52	20	23	44	43
American Indian or Alaska Native	11	10	*	*	11	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	24	33	16	25	19	20
Two or More Races	16	23	8	12	13	20
Hispanic or Latino	65	76	31	40	56	64

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.87D Cigarette Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
TOTAL	0.58	0.57	0.80	0.80	0.72	0.76
AGE						
18	1.05	1.13	1.61	1.74	1.40	1.39
19	1.17	1.24	1.49	1.68	1.63	1.80
20	1.24	1.23	1.61	1.62	1.77	1.72
21	1.25	1.23	1.67	1.68	1.70	1.64
22	1.19	1.25	1.94	2.03	1.48	1.62
GENDER						
Male	0.78	0.79	1.13	1.24	0.99	1.02
Female	0.74	0.73	0.97	0.97	0.98	1.04
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.66	0.63	0.90	0.84	0.80	0.84
White	0.75	0.75	1.00	1.01	0.95	0.97
Black or African American	1.25	1.25	1.62	1.69	1.57	1.68
American Indian or Alaska Native	5.05	5.78	*	*	5.81	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	2.60	2.55	2.61	3.23	5.13	4.16
Two or More Races	3.54	3.58	4.93	5.08	4.76	4.09
Hispanic or Latino	1.17	1.26	2.02	2.24	1.45	1.55

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.87P Cigarette Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2011 Versus 2010

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS	
			Full-Time College Students	Other Persons Aged 18-22 ²
	2010	2011	2010	2011
TOTAL	0.2043		0.2686	0.4205
AGE				
18	0.6899		0.3681	0.9474
19	0.1013		0.3192	0.3815
20	0.8357		0.7400	0.4178
21	0.4037		0.2836	0.4956
22	0.2291		0.3633	0.3031
GENDER				
Male	0.9370		0.6642	0.9343
Female	0.0573		0.3573	0.1928
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.0973		0.2141	0.1779
White	0.0930		0.0869	0.2250
Black or African American	0.3665		0.9675	0.3477
American Indian or Alaska Native	0.3340		*	*
Native Hawaiian or Other Pacific Islander	*		*	*
Asian	0.3554		0.1380	0.7781
Two or More Races	0.2734		0.9810	0.0942
Hispanic or Latino	0.3706		0.8551	0.2776

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.88C Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
TOTAL	274	321	235	268	147	163
AGE						
18	85	94	67	79	56	53
19	84	96	67	82	51	48
20	96	117	79	97	60	57
21	113	106	90	82	66	68
22	95	117	60	66	70	88
GENDER						
Male	185	176	150	128	110	118
Female	154	206	126	177	90	94
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	254	283	221	243	127	130
White	217	238	190	210	109	109
Black or African American	79	74	49	46	56	52
American Indian or Alaska Native	10	8	*	*	*	8
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	51	56	40	48	25	28
Two or More Races	22	30	15	*	16	21
Hispanic or Latino	96	104	52	58	79	83

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.88D Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
TOTAL	0.63	0.71	1.00	1.20	0.74	0.75
AGE						
18	1.20	1.29	1.99	2.29	1.46	1.45
19	1.24	1.39	1.84	2.01	1.69	1.74
20	1.27	1.40	1.86	2.05	1.72	1.68
21	1.29	1.26	1.73	1.99	1.74	1.55
22	1.23	1.23	1.86	2.07	1.57	1.52
GENDER						
Male	0.85	0.87	1.31	1.48	1.04	1.03
Female	0.83	0.99	1.25	1.58	1.05	1.04
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.70	0.76	1.07	1.23	0.83	0.81
White	0.80	0.82	1.18	1.30	0.98	0.90
Black or African American	1.52	1.42	2.53	2.33	1.84	1.70
American Indian or Alaska Native	5.58	5.16	*	*	*	5.08
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	2.98	3.37	3.30	4.41	5.53	5.22
Two or More Races	3.80	3.60	5.42	*	5.14	4.23
Hispanic or Latino	1.41	1.44	2.46	2.71	1.72	1.69

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.88P Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2011 Versus 2010

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
TOTAL	0.2426		0.0908		0.9204	
AGE						
18	0.1727		0.3327		0.2940	
19	0.1338		0.2887		0.1545	
20	0.9655		0.7722		0.9659	
21	0.3259		0.4672		0.7073	
22	0.6363		0.4983		0.2787	
GENDER						
Male	0.0065		0.0165		0.1542	
Female	0.2980		0.9107		0.1789	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.4008		0.2338		0.9940	
White	0.8555		0.7855		0.8782	
Black or African American	0.2627		0.0607		0.9656	
American Indian or Alaska Native	0.2964		*		*	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.9620		0.7202		0.7108	
Two or More Races	0.7124		*		0.4129	
Hispanic or Latino	0.6482		0.2681		1.0000	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 6.89C Binge Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics:
Standard Errors of Numbers in Thousands, 2010 and 2011**

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
TOTAL	211	245	179	199	116	128
AGE						
18	68	72	52	55	47	46
19	69	71	54	58	43	41
20	77	102	64	86	49	43
21	88	85	67	63	54	57
22	73	90	44	47	57	70
GENDER						
Male	158	151	128	106	93	100
Female	108	143	85	122	68	70
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	196	212	170	179	100	102
White	176	185	154	161	87	86
Black or African American	54	50	32	26	42	38
American Indian or Alaska Native	10	7	*	*	*	7
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	30	36	24	28	17	22
Two or More Races	14	24	9	*	11	19
Hispanic or Latino	79	86	41	48	66	69

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 6.89D Binge Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics:
Standard Errors of Percentages, 2010 and 2011**

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
TOTAL	0.61	0.71	1.08	1.24	0.67	0.73
AGE						
18	1.10	1.16	1.95	2.10	1.32	1.32
19	1.18	1.21	1.77	1.74	1.57	1.61
20	1.25	1.55	1.97	2.52	1.60	1.52
21	1.42	1.39	2.01	2.24	1.81	1.69
22	1.23	1.40	2.12	2.53	1.56	1.59
GENDER						
Male	0.89	0.90	1.54	1.62	1.00	1.00
Female	0.76	0.89	1.19	1.50	0.94	0.96
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.69	0.76	1.18	1.28	0.77	0.79
White	0.85	0.88	1.35	1.43	0.94	0.91
Black or African American	1.24	1.19	1.99	1.77	1.63	1.55
American Indian or Alaska Native	5.64	4.69	*	*	*	5.09
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	2.40	2.72	2.81	3.39	4.60	4.63
Two or More Races	3.35	3.65	5.27	*	4.35	4.50
Hispanic or Latino	1.36	1.37	2.35	2.67	1.68	1.59

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.89P Binge Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics:
P Values from Tests of Differences of Percentages, 2011 Versus 2010

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS	
			Full-Time College Students	Other Persons Aged 18-22 ²
	2010	2011	2010	2011
TOTAL	0.1449		0.0342	0.9643
AGE				
18	0.4713		0.4332	0.7460
19	0.0154		0.0133	0.3201
20	0.8360		0.6621	0.9792
21	0.2894		0.4900	0.5072
22	0.7790		0.3896	0.3317
GENDER				
Male	0.0218		0.0434	0.2533
Female	0.6920		0.4726	0.2372
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.2213		0.0477	0.7420
White	0.3761		0.3612	0.7910
Black or African American	0.4137		0.0142	0.4842
American Indian or Alaska Native	0.2211		*	*
Native Hawaiian or Other Pacific Islander	*		*	*
Asian	0.9872		0.9099	0.8939
Two or More Races	0.2339		*	0.1014
Hispanic or Latino	0.5641		0.6048	0.7281

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 6.90C Heavy Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics:
Standard Errors of Numbers in Thousands, 2010 and 2011**

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
TOTAL	123	125	104	107	66	58
AGE						
18	32	37	23	31	24	21
19	40	37	30	30	26	22
20	50	56	41	51	28	23
21	52	46	41	35	31	30
22	45	42	27	25	34	31
GENDER						
Male	99	81	82	63	57	50
Female	57	73	46	64	33	30
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	118	110	102	97	58	48
White	115	104	100	90	53	46
Black or African American	20	17	9	10	18	14
American Indian or Alaska Native	*	4	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	9	13	7	9	6	10
Two or More Races	10	13	5	*	8	8
Hispanic or Latino	38	42	18	25	34	34

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on each of 5 or more days in the past 30 days.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.90D Heavy Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
TOTAL	0.48	0.46	0.88	0.88	0.48	0.43
AGE						
18	0.62	0.71	1.13	1.48	0.75	0.69
19	0.83	0.76	1.20	1.11	1.07	1.00
20	0.99	1.06	1.64	1.94	1.07	0.93
21	1.07	0.94	1.73	1.58	1.25	1.12
22	0.96	0.90	1.70	1.69	1.12	0.99
GENDER						
Male	0.73	0.62	1.36	1.22	0.77	0.65
Female	0.48	0.57	0.82	1.02	0.53	0.50
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.56	0.51	0.98	0.93	0.56	0.47
White	0.71	0.66	1.21	1.14	0.69	0.62
Black or African American	0.59	0.51	0.78	0.78	0.85	0.66
American Indian or Alaska Native	*	3.55	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	1.01	1.18	1.23	1.19	1.75	2.49
Two or More Races	2.52	2.46	3.44	*	3.52	2.69
Hispanic or Latino	0.82	0.83	1.41	1.56	1.02	0.98

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on each of 5 or more days in the past 30 days.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.90P Heavy Alcohol Use in the Past Month among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics:
P Values from Tests of Differences of Percentages, 2011 Versus 2010

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
TOTAL	0.0120		0.0749		0.0587	
AGE						
18	0.6256		0.9888		0.4691	
19	0.0532		0.0543		0.4132	
20	0.1621		0.1985		0.4490	
21	0.1496		0.2370		0.5053	
22	0.2234		0.9098		0.0851	
GENDER						
Male	0.0153		0.1751		0.0570	
Female	0.3310		0.4569		0.3755	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.0151		0.0530		0.1135	
White	0.0350		0.1007		0.1696	
Black or African American	0.2170		0.5842		0.2937	
American Indian or Alaska Native	*		*		*	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.9033		0.6980		0.5769	
Two or More Races	0.4407		*		0.6811	
Hispanic or Latino	0.6344		0.6317		0.3854	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on each of 5 or more days in the past 30 days.

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.91C Illicit Drug Dependence or Abuse in the Past Year among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
TOTAL	76	76	44	47	60	59
AGE						
18	33	34	17	24	29	25
19	35	31	23	19	25	23
20	34	34	19	21	28	27
21	29	33	20	21	22	26
22	28	30	15	10	24	27
GENDER						
Male	60	60	33	34	49	49
Female	43	42	26	28	33	31
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	67	66	42	41	51	51
White	55	55	37	34	40	44
Black or African American	28	29	13	15	24	22
American Indian or Alaska Native	*	5	*	*	*	4
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	13	13	8	9	*	8
Two or More Races	11	8	*	3	9	8
Hispanic or Latino	33	34	15	19	29	28

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.91D Illicit Drug Dependence or Abuse in the Past Year among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
TOTAL	0.32	0.31	0.44	0.46	0.43	0.43
AGE						
18	0.65	0.64	0.90	1.17	0.89	0.78
19	0.76	0.66	1.01	0.79	1.05	1.07
20	0.72	0.74	0.86	0.93	1.09	1.08
21	0.65	0.72	0.97	1.05	0.88	0.98
22	0.65	0.64	1.05	0.77	0.82	0.84
GENDER						
Male	0.49	0.48	0.67	0.72	0.67	0.64
Female	0.38	0.37	0.53	0.52	0.52	0.51
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.36	0.35	0.47	0.48	0.49	0.50
White	0.40	0.41	0.57	0.56	0.54	0.61
Black or African American	0.81	0.80	1.12	1.13	1.10	1.01
American Indian or Alaska Native	*	3.36	*	*	*	3.71
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	1.31	1.14	1.28	1.32	*	2.09
Two or More Races	2.75	1.66	*	1.40	3.91	2.56
Hispanic or Latino	0.70	0.70	1.17	1.20	0.87	0.84

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.91P Illicit Drug Dependence or Abuse in the Past Year among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS	
			Full-Time College Students	Other Persons Aged 18-22 ²
	2010	2011	2010	2011
TOTAL	0.6500		0.2196	0.7225
AGE				
18	0.5384		0.5500	0.2655
19	0.3135		0.0883	0.7706
20	0.7758		0.8559	0.5537
21	0.9684		0.8707	0.8937
22	0.7116		0.1072	0.2109
GENDER				
Male	0.3540		0.8590	0.2607
Female	0.0679		0.1754	0.2287
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.7125		0.2647	0.7172
White	0.7838		0.1740	0.1618
Black or African American	0.3510		0.9556	0.2569
American Indian or Alaska Native	*		*	*
Native Hawaiian or Other Pacific Islander	*		*	*
Asian	0.9567		0.6913	*
Two or More Races	0.5004		*	0.8436
Hispanic or Latino	0.8546		0.6024	0.8738

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.92C Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
TOTAL	123	123	95	99	77	71
AGE						
18	40	45	26	35	32	30
19	46	43	34	36	31	24
20	48	49	34	40	35	27
21	55	45	40	36	36	28
22	44	52	26	24	36	45
GENDER						
Male	98	79	74	53	63	57
Female	63	83	46	71	42	40
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	110	108	90	86	63	60
White	101	95	84	75	55	53
Black or African American	28	24	15	15	23	19
American Indian or Alaska Native	8	5	*	*	*	5
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	19	26	14	20	13	16
Two or More Races	14	14	4	*	14	8
Hispanic or Latino	50	46	25	27	44	39

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.92D Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
TOTAL	0.46	0.43	0.76	0.73	0.54	0.49
AGE						
18	0.76	0.80	1.28	1.56	0.98	0.92
19	0.94	0.87	1.39	1.28	1.26	1.13
20	0.96	0.93	1.36	1.45	1.32	1.10
21	1.08	0.88	1.63	1.53	1.40	1.03
22	0.96	1.00	1.63	1.50	1.17	1.30
GENDER						
Male	0.71	0.60	1.23	1.01	0.83	0.73
Female	0.53	0.62	0.80	1.07	0.65	0.62
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.51	0.48	0.83	0.76	0.60	0.56
White	0.62	0.57	0.98	0.89	0.71	0.68
Black or African American	0.80	0.72	1.28	1.08	0.99	0.93
American Indian or Alaska Native	5.32	3.74	*	*	*	4.74
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	1.81	2.07	2.00	2.53	3.65	3.77
Two or More Races	3.48	2.62	2.74	*	5.13	2.74
Hispanic or Latino	1.03	0.89	1.80	1.62	1.28	1.10

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.92P Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
TOTAL	0.0219		0.2668		0.0237	
AGE						
18	0.6790		0.8898		0.6907	
19	0.2512		0.7859		0.1251	
20	0.1510		0.4515		0.1685	
21	0.0049		0.3269		0.0053	
22	0.5834		0.4915		0.8239	
GENDER						
Male	0.0081		0.1162		0.0288	
Female	0.7277		0.8312		0.2914	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.0679		0.3310		0.0800	
White	0.1003		0.3770		0.1177	
Black or African American	0.2872		0.2194		0.6531	
American Indian or Alaska Native	0.1089		*		*	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.5658		0.4400		0.9837	
Two or More Races	0.5514		*		0.1027	
Hispanic or Latino	0.1452		0.5925		0.1656	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.93C Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
TOTAL	139	143	104	113	89	86
AGE						
18	48	55	30	43	39	35
19	55	50	39	41	36	29
20	53	56	38	43	38	35
21	60	51	44	39	40	34
22	48	61	28	25	39	54
GENDER						
Male	108	95	80	63	72	69
Female	71	90	50	76	50	46
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	125	123	98	97	74	72
White	113	105	90	82	64	63
Black or African American	36	35	18	19	30	27
American Indian or Alaska Native	8	6	*	*	*	5
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	19	27	14	21	13	17
Two or More Races	16	15	6	*	14	9
Hispanic or Latino	55	55	28	32	49	46

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.93D Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS			
			Full-Time College Students		Other Persons Aged 18-22 ²	
	2010	2011	2010	2011	2010	2011
TOTAL	0.50	0.47	0.81	0.80	0.60	0.56
AGE						
18	0.86	0.91	1.36	1.81	1.14	1.05
19	1.08	0.96	1.54	1.40	1.42	1.30
20	1.03	1.03	1.48	1.52	1.42	1.36
21	1.14	0.97	1.73	1.65	1.46	1.20
22	1.03	1.13	1.78	1.55	1.23	1.49
GENDER						
Male	0.76	0.68	1.28	1.15	0.91	0.83
Female	0.57	0.65	0.85	1.09	0.74	0.70
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.57	0.51	0.89	0.82	0.67	0.63
White	0.66	0.60	1.03	0.94	0.79	0.77
Black or African American	0.99	0.94	1.41	1.33	1.29	1.22
American Indian or Alaska Native	5.38	4.32	*	*	*	4.84
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	1.87	2.13	2.12	2.66	3.68	3.77
Two or More Races	3.71	2.75	4.22	*	5.21	3.05
Hispanic or Latino	1.08	1.02	1.97	1.87	1.34	1.24

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.93P Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 to 22, by College Enrollment Status and Demographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Demographic Characteristic	Total ¹		COLLEGE ENROLLMENT STATUS	
			Full-Time College Students	Other Persons Aged 18-22 ²
	2010	2011	2010	2011
TOTAL	0.0547		0.3357	0.0652
AGE				
18	0.9932		0.5062	0.6080
19	0.0927		0.3623	0.1233
20	0.4345		0.6839	0.4749
21	0.0123		0.6648	0.0028
22	0.7140		0.2405	0.2765
GENDER				
Male	0.0545		0.2182	0.1137
Female	0.5805		0.8220	0.2082
HISPANIC ORIGIN AND RACE				
Not Hispanic or Latino	0.1455		0.3678	0.2030
White	0.2507		0.3535	0.4312
Black or African American	0.1517		0.2416	0.3250
American Indian or Alaska Native	0.1579		*	*
Native Hawaiian or Other Pacific Islander	*		*	*
Asian	0.3439		0.2885	0.8400
Two or More Races	0.3618		*	0.1159
Hispanic or Latino	0.1860		0.7737	0.1737

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Estimates in the Total column are for all persons aged 18 to 22, including those with unknown enrollment status.

² Other Persons include respondents aged 18 to 22 not enrolled in school, enrolled in college part time, enrolled in other grades either full or part time, or enrolled with no other information available.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.