

Table 6.7C Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older, by Past Month Cigarette Use: Standard Errors of Numbers in Thousands, 2010 and 2011

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2010	2011	2010	2011
ILLCIT DRUGS¹	355	342	330	330
Marijuana and Hashish	312	314	263	278
Cocaine	99	86	46	60
Crack	57	42	21	*
Heroin	38	45	20	11
Hallucinogens	72	52	39	29
LSD	18	21	8	8
PCP	4	10	21	*
Ecstasy	55	41	27	22
Inhalants	39	45	74	51
Nonmedical Use of Psychotherapeutics ^{2,3}	176	156	196	168
Pain Relievers	152	128	149	141
OxyContin [®]	63	42	23	31
Tranquilizers	101	91	94	96
Stimulants ³	67	67	55	56
Methamphetamine ³	41	53	35	47
Sedatives	35	34	64	35
ILLCIT DRUGS OTHER THAN MARIJUANA¹	210	174	204	183

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.7D Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older, by Past Month Cigarette Use: Standard Errors of Percentages, 2010 and 2011

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2010	2011	2010	2011
ILLCIT DRUGS¹	0.54	0.54	0.17	0.16
Marijuana and Hashish	0.49	0.51	0.13	0.14
Cocaine	0.16	0.15	0.02	0.03
Crack	0.10	0.07	0.01	*
Heroin	0.07	0.08	0.01	0.01
Hallucinogens	0.12	0.09	0.02	0.01
LSD	0.03	0.04	0.00	0.00
PCP	0.01	0.02	0.01	*
Ecstasy	0.09	0.07	0.01	0.01
Inhalants	0.07	0.08	0.04	0.03
Nonmedical Use of Psychotherapeutics ^{2,3}	0.29	0.26	0.10	0.08
Pain Relievers	0.25	0.22	0.08	0.07
OxyContin [®]	0.11	0.07	0.01	0.02
Tranquilizers	0.17	0.16	0.05	0.05
Stimulants ³	0.11	0.12	0.03	0.03
Methamphetamine ³	0.07	0.09	0.02	0.02
Sedatives	0.06	0.06	0.03	0.02
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.34	0.30	0.10	0.09

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.7P Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older, by Past Month Cigarette Use: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2010	2011	2010	2011
ILLCIT DRUGS¹	0.5443		0.7422	
Marijuana and Hashish	0.8458		0.0761	
Cocaine	0.5091		0.9359	
Crack	0.1723		*	
Heroin	0.3879		0.8639	
Hallucinogens	0.0616		0.2991	
LSD	0.9696		0.8774	
PCP	0.1250		*	
Ecstasy	0.1367		0.3077	
Inhalants	0.6880		0.2957	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.2323		0.0322	
Pain Relievers	0.1293		0.1222	
OxyContin [®]	0.0225		0.2278	
Tranquilizers	0.0969		0.5167	
Stimulants ³	0.9127		0.2396	
Methamphetamine ³	0.2263		0.9060	
Sedatives	0.7813		0.0732	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0897		0.0551	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.8C Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17, by Past Month Cigarette Use: Standard Errors of Numbers in Thousands, 2010 and 2011

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2010	2011	2010	2011
ILLCIT DRUGS¹	48	47	57	52
Marijuana and Hashish	45	46	45	41
Cocaine	11	11	3	5
Crack	2	2	*	*
Heroin	2	8	2	*
Hallucinogens	18	16	14	13
LSD	9	7	3	4
PCP	2	2	2	1
Ecstasy	13	11	9	11
Inhalants	12	10	20	17
Nonmedical Use of Psychotherapeutics ^{2,3}	25	24	29	25
Pain Relievers	22	21	27	23
OxyContin [®]	9	9	4	3
Tranquilizers	13	15	9	8
Stimulants ³	12	11	10	6
Methamphetamine ³	6	8	5	2
Sedatives	5	4	5	5
ILLCIT DRUGS OTHER THAN MARIJUANA¹	31	29	36	33

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.8D Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17, by Past Month Cigarette Use: Standard Errors of Percentages, 2010 and 2011

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2010	2011	2010	2011
ILLCIT DRUGS¹	1.57	1.49	0.24	0.21
Marijuana and Hashish	1.54	1.52	0.19	0.17
Cocaine	0.53	0.54	0.01	0.02
Crack	0.09	0.11	*	*
Heroin	0.10	0.39	0.01	*
Hallucinogens	0.82	0.79	0.06	0.06
LSD	0.44	0.36	0.02	0.02
PCP	0.08	0.09	0.01	0.00
Ecstasy	0.64	0.53	0.04	0.05
Inhalants	0.57	0.52	0.09	0.07
Nonmedical Use of Psychotherapeutics ^{2,3}	1.09	1.14	0.13	0.11
Pain Relievers	1.01	1.02	0.12	0.10
OxyContin [®]	0.45	0.46	0.02	0.01
Tranquilizers	0.63	0.75	0.04	0.03
Stimulants ³	0.55	0.53	0.04	0.02
Methamphetamine ³	0.29	0.42	0.02	0.01
Sedatives	0.26	0.18	0.02	0.02
ILLCIT DRUGS OTHER THAN MARIJUANA¹	1.31	1.29	0.16	0.14

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.8P Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17, by Past Month Cigarette Use: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2010	2011	2010	2011
ILLCIT DRUGS¹	0.0223		0.6525	
Marijuana and Hashish	0.0026		0.3124	
Cocaine	0.6563		0.6286	
Crack	1.0000		*	
Heroin	0.1964		*	
Hallucinogens	0.7084		0.4950	
LSD	0.4256		0.6853	
PCP	0.9968		0.3802	
Ecstasy	0.2896		0.7205	
Inhalants	0.7967		0.0850	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.3015		0.0955	
Pain Relievers	0.8336		0.1667	
OxyContin [®]	0.6308		0.8933	
Tranquilizers	0.0388		0.5047	
Stimulants ³	0.4656		0.0873	
Methamphetamine ³	0.0663		0.3090	
Sedatives	0.3599		0.5177	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.5873		0.0862	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.9C Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25, by Past Month Cigarette Use: Standard Errors of Numbers in Thousands, 2010 and 2011

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2010	2011	2010	2011
ILLCIT DRUGS¹	132	133	95	113
Marijuana and Hashish	122	126	85	101
Cocaine	37	38	15	17
Crack	16	6	2	2
Heroin	17	19	1	7
Hallucinogens	43	34	20	22
LSD	14	13	8	5
PCP	3	6	*	*
Ecstasy	33	27	17	16
Inhalants	17	35	12	6
Nonmedical Use of Psychotherapeutics ^{2,3}	61	62	42	38
Pain Relievers	55	51	35	31
OxyContin [®]	24	18	6	10
Tranquilizers	36	34	16	21
Stimulants ³	30	31	18	11
Methamphetamine ³	16	15	4	4
Sedatives	9	9	9	5
ILLCIT DRUGS OTHER THAN MARIJUANA¹	76	80	48	46

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.9D Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25, by Past Month Cigarette Use: Standard Errors of Percentages, 2010 and 2011

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2010	2011	2010	2011
ILLCIT DRUGS¹	0.78	0.80	0.37	0.41
Marijuana and Hashish	0.77	0.78	0.34	0.37
Cocaine	0.30	0.32	0.07	0.07
Crack	0.14	0.05	0.01	0.01
Heroin	0.14	0.16	0.00	0.03
Hallucinogens	0.35	0.29	0.09	0.09
LSD	0.12	0.11	0.04	0.02
PCP	0.03	0.05	*	*
Ecstasy	0.27	0.23	0.07	0.07
Inhalants	0.15	0.30	0.05	0.03
Nonmedical Use of Psychotherapeutics ^{2,3}	0.48	0.47	0.18	0.16
Pain Relievers	0.44	0.40	0.15	0.13
OxyContin [®]	0.20	0.16	0.03	0.04
Tranquilizers	0.30	0.29	0.07	0.09
Stimulants ³	0.25	0.26	0.08	0.05
Methamphetamine ³	0.14	0.13	0.02	0.02
Sedatives	0.07	0.08	0.04	0.02
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.55	0.60	0.20	0.19

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.9P Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25, by Past Month Cigarette Use: *P* Values from Tests of Differences of Percentages, 2011 Versus 2010

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2010	2011	2010	2011
ILLCIT DRUGS¹	0.5297		0.3475	
Marijuana and Hashish	0.7338		0.0763	
Cocaine	0.7900		0.4193	
Crack	0.0041		0.3481	
Heroin	0.6626		0.2474	
Hallucinogens	0.0443		0.8911	
LSD	0.7841		0.4699	
PCP	0.3171		*	
Ecstasy	0.0958		0.5343	
Inhalants	0.3872		0.0984	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0166		0.1071	
Pain Relievers	0.0023		0.1126	
OxyContin [®]	0.0051		0.6722	
Tranquilizers	0.3275		0.3074	
Stimulants ³	0.8131		0.0075	
Methamphetamine ³	0.8907		0.9465	
Sedatives	0.9622		0.0816	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0400		0.0852	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.10C Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older, by Past Month Cigarette Use: Standard Errors of Numbers in Thousands, 2010 and 2011

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2010	2011	2010	2011
ILLCIT DRUGS¹	318	299	308	300
Marijuana and Hashish	277	274	243	253
Cocaine	90	77	43	57
Crack	55	41	21	*
Heroin	34	40	20	9
Hallucinogens	53	36	30	13
LSD	3	15	*	*
PCP	*	8	20	*
Ecstasy	40	28	19	10
Inhalants	32	25	71	48
Nonmedical Use of Psychotherapeutics ^{2,3}	159	138	190	160
Pain Relievers	135	114	142	135
OxyContin [®]	57	37	22	30
Tranquilizers	92	82	93	92
Stimulants ³	58	59	51	54
Methamphetamine ³	35	51	34	47
Sedatives	33	33	63	34
ILLCIT DRUGS OTHER THAN MARIJUANA¹	189	148	197	172

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.10D Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older, by Past Month Cigarette Use: Standard Errors of Percentages, 2010 and 2011

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2010	2011	2010	2011
ILLCIT DRUGS¹	0.64	0.64	0.20	0.19
Marijuana and Hashish	0.57	0.59	0.16	0.16
Cocaine	0.20	0.18	0.03	0.04
Crack	0.12	0.09	0.01	*
Heroin	0.08	0.09	0.01	0.01
Hallucinogens	0.12	0.08	0.02	0.01
LSD	0.01	0.03	*	*
PCP	*	0.02	0.01	*
Ecstasy	0.09	0.06	0.01	0.01
Inhalants	0.07	0.06	0.05	0.03
Nonmedical Use of Psychotherapeutics ^{2,3}	0.35	0.31	0.13	0.10
Pain Relievers	0.30	0.26	0.09	0.09
OxyContin [®]	0.13	0.08	0.01	0.02
Tranquilizers	0.20	0.19	0.06	0.06
Stimulants ³	0.13	0.14	0.03	0.04
Methamphetamine ³	0.08	0.12	0.02	0.03
Sedatives	0.07	0.08	0.04	0.02
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.40	0.33	0.13	0.11

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 6.10P Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older, by Past Month Cigarette Use: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2010	2011	2010	2011
ILLCIT DRUGS¹	0.4582		0.8585	
Marijuana and Hashish	0.8042		0.2348	
Cocaine	0.5007		0.7551	
Crack	0.4797		*	
Heroin	0.5756		0.7120	
Hallucinogens	0.3781		0.0736	
LSD	0.3223		*	
PCP	*		*	
Ecstasy	0.7244		0.2378	
Inhalants	0.7468		0.7632	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.5654		0.1047	
Pain Relievers	0.6047		0.3199	
OxyContin [®]	0.1624		0.2379	
Tranquilizers	0.0807		0.4162	
Stimulants ³	0.8753		0.8281	
Methamphetamine ³	0.2644		0.8311	
Sedatives	0.8621		0.1315	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.2480		0.2065	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.