

**Table 6.94C Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2010 and 2011**

Age Category	Illicit Drugs (2010)	Illicit Drugs (2011)	Alcohol (2010)	Alcohol (2011)	Illicit Drugs or Alcohol (2010)	Illicit Drugs or Alcohol (2011)
<b>TOTAL</b>	304	261	570	573	581	593
12	2	5	2	5	2	5
13	3	4	4	4	4	4
14	7	5	8	4	8	5
15	12	10	11	9	13	12
16	18	18	20	17	23	20
17	27	25	26	21	30	27
18	40	41	41	40	47	48
19	44	41	43	42	51	49
20	45	42	50	51	57	59
21	45	39	61	51	63	54
22	38	46	56	59	57	63
23	33	34	48	56	52	58
24	38	31	48	53	51	55
25	34	37	57	51	60	52
26-29	118	106	179	192	196	205
30-34	115	105	190	191	196	196
35-39	86	86	180	178	185	180
40-44	105	71	188	178	190	182
45-49	85	55	171	170	178	173
50-54	104	100	230	225	236	234
55-59	74	64	207	166	211	170
60-64	59	44	145	170	146	171
65 or Older	67	31	139	157	153	160

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 6.94D Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year, by Detailed Age Category: Standard Errors of Percentages, 2010 and 2011**

Age Category	Illicit Drugs (2010)	Illicit Drugs (2011)	Alcohol (2010)	Alcohol (2011)	Illicit Drugs or Alcohol (2010)	Illicit Drugs or Alcohol (2011)
<b>TOTAL</b>	0.12	0.10	0.22	0.22	0.23	0.23
12	0.05	0.13	0.05	0.13	0.05	0.13
13	0.08	0.10	0.10	0.10	0.10	0.11
14	0.18	0.11	0.21	0.10	0.22	0.13
15	0.27	0.23	0.26	0.21	0.30	0.27
16	0.41	0.40	0.48	0.37	0.54	0.45
17	0.60	0.57	0.58	0.49	0.67	0.62
18	0.76	0.75	0.77	0.75	0.85	0.85
19	0.89	0.83	0.87	0.87	1.01	0.97
20	0.92	0.89	0.98	0.94	1.06	1.04
21	0.94	0.82	1.16	0.99	1.18	1.04
22	0.83	0.94	1.11	1.11	1.11	1.13
23	0.77	0.81	1.06	1.20	1.12	1.21
24	0.84	0.71	1.02	1.10	1.06	1.12
25	0.81	0.88	1.20	1.09	1.25	1.10
26-29	0.66	0.59	0.93	1.01	0.98	1.06
30-34	0.55	0.53	0.84	0.89	0.85	0.91
35-39	0.43	0.42	0.85	0.83	0.87	0.83
40-44	0.50	0.35	0.82	0.80	0.83	0.82
45-49	0.38	0.25	0.71	0.72	0.73	0.73
50-54	0.47	0.43	0.98	0.93	1.00	0.96
55-59	0.38	0.33	1.02	0.84	1.04	0.86
60-64	0.36	0.24	0.85	0.90	0.85	0.91
65 or Older	0.17	0.08	0.36	0.39	0.39	0.40

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 6.94P Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year, by Detailed Age Category: P Values from Tests of Differences of Percentages, 2011 Versus 2010**

Age Category	Illicit Drugs (2010)	Illicit Drugs (2011)	Alcohol (2010)	Alcohol (2011)	Illicit Drugs or Alcohol (2010)	Illicit Drugs or Alcohol (2011)
<b>TOTAL</b>	0.0007		0.3392		0.2708	
12	0.6614		0.4755		0.6251	
13	0.5523		0.8022		0.8311	
14	0.2364		0.0526		0.1325	
15	0.4334		0.1473		0.6483	
16	0.9201		0.4988		0.4305	
17	0.8940		0.2323		0.3873	
18	0.1609		0.0684		0.0944	
19	0.3387		0.5350		0.2953	
20	0.9511		0.1224		0.5138	
21	0.1081		0.0404		0.0701	
22	0.8802		0.1108		0.3093	
23	0.5695		0.3066		0.7016	
24	0.0237		0.9853		0.4970	
25	0.5336		0.0326		0.0362	
26-29	0.2352		0.8314		0.9351	
30-34	0.1097		0.5445		0.5505	
35-39	0.8794		0.1277		0.1152	
40-44	0.1662		0.6021		0.7107	
45-49	0.0251		0.6876		0.7053	
50-54	0.7415		0.5191		0.4639	
55-59	0.8015		0.2010		0.2446	
60-64	0.6973		0.2817		0.2707	
65 or Older	0.3123		0.3567		0.6568	

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 6.95C Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011**

<b>Demographic Characteristic</b>	<b>Illicit Drugs (2010)</b>	<b>Illicit Drugs (2011)</b>	<b>Alcohol (2010)</b>	<b>Alcohol (2011)</b>	<b>Illicit Drugs or Alcohol (2010)</b>	<b>Illicit Drugs or Alcohol (2011)</b>
<b>TOTAL</b>	304	261	570	573	581	593
<b>AGE</b>						
12-17	35	33	37	29	41	37
18-25	104	101	137	134	145	139
26 or Older	274	240	536	547	544	566
<b>GENDER</b>						
Male	253	223	451	445	466	459
Female	159	129	296	319	308	328
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	283	241	528	523	537	542
White	250	219	486	481	491	503
Black or African American	114	87	161	161	170	165
American Indian or Alaska Native	20	19	25	37	25	39
Native Hawaiian or Other Pacific Islander	6	*	*	38	*	39
Asian	48	30	84	81	89	82
Two or More Races	26	29	40	41	42	44
Hispanic or Latino	114	101	182	207	188	209

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 6.95D Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011**

<b>Demographic Characteristic</b>	<b>Illicit Drugs (2010)</b>	<b>Illicit Drugs (2011)</b>	<b>Alcohol (2010)</b>	<b>Alcohol (2011)</b>	<b>Illicit Drugs or Alcohol (2010)</b>	<b>Illicit Drugs or Alcohol (2011)</b>
<b>TOTAL</b>	0.12	0.10	0.22	0.22	0.23	0.23
<b>AGE</b>						
12-17	0.14	0.13	0.15	0.12	0.17	0.15
18-25	0.30	0.30	0.40	0.39	0.42	0.41
26 or Older	0.14	0.12	0.27	0.28	0.28	0.29
<b>GENDER</b>						
Male	0.20	0.18	0.37	0.36	0.38	0.37
Female	0.12	0.10	0.23	0.24	0.24	0.25
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.13	0.11	0.24	0.24	0.25	0.25
White	0.15	0.13	0.29	0.28	0.29	0.30
Black or African American	0.38	0.29	0.53	0.53	0.56	0.54
American Indian or Alaska Native	1.63	1.26	2.04	2.12	2.06	2.18
Native Hawaiian or Other Pacific Islander	0.88	*	*	3.81	*	3.95
Asian	0.42	0.25	0.69	0.65	0.74	0.65
Two or More Races	0.85	0.73	1.28	1.01	1.37	1.09
Hispanic or Latino	0.31	0.26	0.49	0.52	0.51	0.53

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 6.95P Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010**

<b>Demographic Characteristic</b>	<b>Illicit Drugs (2010)</b>	<b>Illicit Drugs (2011)</b>	<b>Alcohol (2010)</b>	<b>Alcohol (2011)</b>	<b>Illicit Drugs or Alcohol (2010)</b>	<b>Illicit Drugs or Alcohol (2011)</b>
<b>TOTAL</b>	0.0007		0.3392		0.2708	
<b>AGE</b>						
12-17	0.5940		0.0387		0.1245	
18-25	0.0075		0.0063		0.0066	
26 or Older	0.0112		0.8896		0.7609	
<b>GENDER</b>						
Male	0.0104		0.3710		0.4075	
Female	0.0276		0.7395		0.4987	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.0016		0.2685		0.2240	
White	0.0088		0.3845		0.3616	
Black or African American	0.1797		0.5237		0.5732	
American Indian or Alaska Native	0.2126		0.9541		0.8640	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.0907		0.9624		0.6262	
Two or More Races	0.9881		0.7170		0.7038	
Hispanic or Latino	0.3180		0.6450		0.7124	

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 6.96C Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011**

<b>Demographic Characteristic</b>	<b>Illicit Drugs (2010)</b>	<b>Illicit Drugs (2011)</b>	<b>Alcohol (2010)</b>	<b>Alcohol (2011)</b>	<b>Illicit Drugs or Alcohol (2010)</b>	<b>Illicit Drugs or Alcohol (2011)</b>
<b>TOTAL</b>	301	259	569	573	578	592
<b>GENDER</b>						
Male	250	221	448	446	460	459
Female	158	128	298	319	310	327
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	281	240	528	524	536	542
White	258	221	548	543	562	571
Black or African American	116	92	172	172	182	179
American Indian or Alaska Native	20	18	25	37	25	38
Native Hawaiian or Other Pacific Islander	6	*	*	*	*	39
Asian	48	30	84	81	89	82
Two or More Races	26	28	39	41	42	43
Hispanic or Latino	112	99	181	205	187	207
<b>EDUCATION</b>						
< High School	118	104	148	145	163	157
High School Graduate	154	142	265	282	281	300
Some College	174	156	326	314	336	333
College Graduate	147	129	385	407	390	419
<b>CURRENT EMPLOYMENT</b>						
Full-Time	228	207	507	518	515	534
Part-Time	123	98	208	200	217	208
Unemployed	92	79	132	106	143	118
Other <sup>1</sup>	127	107	207	222	221	235

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 6.96D Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011**

Demographic Characteristic	Illicit Drugs (2010)	Illicit Drugs (2011)	Alcohol (2010)	Alcohol (2011)	Illicit Drugs or Alcohol (2010)	Illicit Drugs or Alcohol (2011)
<b>TOTAL</b>	0.13	0.11	0.25	0.25	0.25	0.25
<b>GENDER</b>						
Male	0.23	0.20	0.40	0.40	0.41	0.41
Female	0.13	0.11	0.25	0.26	0.26	0.27
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.14	0.12	0.27	0.26	0.27	0.27
White	0.16	0.14	0.31	0.31	0.31	0.32
Black or African American	0.42	0.33	0.60	0.60	0.64	0.62
American Indian or Alaska Native	1.84	1.34	2.31	2.31	2.35	2.37
Native Hawaiian or Other Pacific Islander	0.98	*	*	*	*	4.27
Asian	0.45	0.27	0.76	0.72	0.81	0.72
Two or More Races	1.01	0.87	1.55	1.24	1.67	1.33
Hispanic or Latino	0.35	0.29	0.57	0.60	0.59	0.61
<b>EDUCATION</b>						
< High School	0.34	0.31	0.42	0.43	0.47	0.47
High School Graduate	0.21	0.20	0.37	0.39	0.39	0.41
Some College	0.29	0.24	0.50	0.45	0.51	0.48
College Graduate	0.22	0.19	0.52	0.53	0.52	0.54
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.19	0.17	0.39	0.38	0.39	0.39
Part-Time	0.36	0.30	0.60	0.58	0.62	0.60
Unemployed	0.60	0.56	0.84	0.76	0.90	0.82
Other <sup>1</sup>	0.19	0.15	0.30	0.31	0.33	0.32

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 6.96P Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010**

<b>Demographic Characteristic</b>	<b>Illicit Drugs (2010)</b>	<b>Illicit Drugs (2011)</b>	<b>Alcohol (2010)</b>	<b>Alcohol (2011)</b>	<b>Illicit Drugs or Alcohol (2010)</b>	<b>Illicit Drugs or Alcohol (2011)</b>
<b>TOTAL</b>	0.0008		0.4221		0.3316	
<b>GENDER</b>						
Male	0.0110		0.4316		0.4578	
Female	0.0318		0.8449		0.5810	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.0019		0.3191		0.2686	
White	0.0099		0.4286		0.4029	
Black or African American	0.1789		0.5508		0.6023	
American Indian or Alaska Native	0.1821		0.8386		0.7747	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.1263		0.8984		0.7084	
Two or More Races	0.8712		0.7586		0.6808	
Hispanic or Latino	0.3118		0.5803		0.6952	
<b>EDUCATION</b>						
< High School	0.8700		0.9786		0.9347	
High School Graduate	0.0838		0.1701		0.2180	
Some College	0.0424		0.1394		0.0982	
College Graduate	0.0063		0.6520		0.8130	
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.0139		0.7249		0.8085	
Part-Time	0.0391		0.3517		0.1042	
Unemployed	0.6716		0.2245		0.4922	
Other <sup>1</sup>	0.2649		0.3927		0.5222	

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 6.97C Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011**

Geographic Characteristic	Illicit Drugs (2010)	Illicit Drugs (2011)	Alcohol (2010)	Alcohol (2011)	Illicit Drugs or Alcohol (2010)	Illicit Drugs or Alcohol (2011)
<b>TOTAL</b>	301	259	569	573	578	592
<b>GEOGRAPHIC DIVISION</b>						
Northeast	117	113	226	250	232	260
New England	56	66	117	133	119	135
Middle Atlantic	103	91	191	210	198	221
Midwest	121	111	233	232	243	240
East North Central	101	93	197	195	207	203
West North Central	63	57	124	122	128	125
South	172	169	354	366	363	372
South Atlantic	131	122	264	262	276	267
East South Central	71	67	136	114	139	120
West South Central	87	96	180	201	181	202
West	186	134	302	293	310	299
Mountain	91	57	163	141	165	143
Pacific	163	121	254	257	262	263
<b>COUNTY TYPE</b>						
Large Metro	236	213	479	507	493	526
Small Metro	163	154	364	360	376	371
250K – 1 Mil. Pop.	135	124	291	288	298	298
< 250K Pop.	93	85	207	228	217	231
Nonmetro	133	90	221	196	245	210
Urbanized	99	65	152	99	165	113
Less Urbanized	86	62	162	159	182	162
Completely Rural	15	22	57	68	59	70

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 6.97D Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2010 and 2011**

<b>Geographic Characteristic</b>	<b>Illicit Drugs (2010)</b>	<b>Illicit Drugs (2011)</b>	<b>Alcohol (2010)</b>	<b>Alcohol (2011)</b>	<b>Illicit Drugs or Alcohol (2010)</b>	<b>Illicit Drugs or Alcohol (2011)</b>
<b>TOTAL</b>	0.13	0.11	0.25	0.25	0.25	0.25
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.28	0.26	0.53	0.59	0.55	0.61
New England	0.50	0.59	1.05	1.19	1.07	1.20
Middle Atlantic	0.33	0.29	0.61	0.67	0.64	0.70
Midwest	0.24	0.22	0.47	0.46	0.49	0.48
East North Central	0.29	0.27	0.57	0.56	0.59	0.58
West North Central	0.41	0.37	0.81	0.79	0.84	0.81
South	0.20	0.20	0.42	0.43	0.43	0.43
South Atlantic	0.29	0.27	0.59	0.57	0.62	0.59
East South Central	0.52	0.48	1.00	0.82	1.02	0.87
West South Central	0.33	0.36	0.70	0.76	0.70	0.76
West	0.35	0.25	0.57	0.54	0.59	0.56
Mountain	0.56	0.35	1.00	0.86	1.02	0.87
Pacific	0.44	0.32	0.69	0.69	0.71	0.70
<b>COUNTY TYPE</b>						
Large Metro	0.18	0.17	0.34	0.36	0.35	0.38
Small Metro	0.22	0.20	0.45	0.41	0.46	0.42
250K – 1 Mil. Pop.	0.29	0.24	0.55	0.51	0.55	0.51
< 250K Pop.	0.36	0.35	0.76	0.77	0.79	0.77
Nonmetro	0.34	0.23	0.54	0.46	0.58	0.48
Urbanized	0.60	0.39	0.86	0.63	0.91	0.68
Less Urbanized	0.45	0.32	0.81	0.74	0.87	0.73
Completely Rural	0.46	0.59	1.24	1.56	1.30	1.60

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 6.97P Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 18 or Older, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010**

<b>Geographic Characteristic</b>	<b>Illicit Drugs (2010)</b>	<b>Illicit Drugs (2011)</b>	<b>Alcohol (2010)</b>	<b>Alcohol (2011)</b>	<b>Illicit Drugs or Alcohol (2010)</b>	<b>Illicit Drugs or Alcohol (2011)</b>
<b>TOTAL</b>	0.0008		0.4221		0.3316	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.2684		0.4909		0.6000	
New England	0.2465		0.6724		0.8496	
Middle Atlantic	0.5728		0.5768		0.6145	
Midwest	0.2327		0.2400		0.3795	
East North Central	0.6183		0.3642		0.5897	
West North Central	0.1403		0.4329		0.4063	
South	0.3622		0.6917		0.8097	
South Atlantic	0.4153		0.5972		0.6517	
East South Central	0.5959		0.5198		0.8856	
West South Central	0.8439		0.6969		0.7844	
West	0.0015		0.5223		0.2085	
Mountain	0.0017		0.1589		0.1108	
Pacific	0.0494		0.8764		0.6218	
<b>COUNTY TYPE</b>						
Large Metro	0.0168		0.7649		0.8990	
Small Metro	0.1249		0.4128		0.4110	
250K – 1 Mil. Pop.	0.0608		0.1867		0.1826	
< 250K Pop.	1.0000		0.6639		0.6850	
Nonmetro	0.0904		0.0517		0.0471	
Urbanized	0.2174		0.0203		0.0312	
Less Urbanized	0.1478		0.5073		0.3923	
Completely Rural	0.2885		0.7889		0.8102	

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.