

**Table 6.98C Types of Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Probation Status: Standard Errors of Numbers in Thousands, 2010 and 2011**

Drug	Total <sup>1</sup>		PROBATION DURING THE PAST YEAR			
			Yes		No	
	2010	2011	2010	2011	2010	2011
<b>ILLCIT DRUGS<sup>2</sup></b>	482	453	122	97	488	457
Marijuana and Hashish	401	403	108	90	405	401
Cocaine	106	106	46	41	101	96
Crack	60	42	28	16	54	39
Heroin	43	48	16	21	40	39
Hallucinogens	80	56	21	14	76	54
LSD	17	21	6	5	16	20
PCP	21	10	2	1	21	10
Ecstasy	58	43	14	12	56	41
Inhalants	80	65	18	16	79	64
Nonmedical Use of Psychotherapeutics <sup>3,4</sup>	265	228	67	51	257	224
Pain Relievers	212	187	55	39	201	183
OxyContin <sup>®</sup>	67	54	19	15	63	49
Tranquilizers	137	132	39	24	132	130
Stimulants <sup>4</sup>	84	88	39	30	76	82
Methamphetamine <sup>4</sup>	53	71	25	24	46	67
Sedatives	72	48	25	5	68	48
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>2</sup></b>	296	251	78	62	290	243

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>1</sup> Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>3</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>4</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 6.98D Types of Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Probation Status: Standard Errors of Percentages, 2010 and 2011**

Drug	Total <sup>1</sup>		PROBATION DURING THE PAST YEAR			
			Yes		No	
	2010	2011	2010	2011	2010	2011
<b>ILLCIT DRUGS<sup>2</sup></b>	0.21	0.19	1.80	1.89	0.21	0.19
Marijuana and Hashish	0.18	0.17	1.69	1.73	0.17	0.17
Cocaine	0.05	0.05	0.81	0.85	0.04	0.04
Crack	0.03	0.02	0.50	0.34	0.02	0.02
Heroin	0.02	0.02	0.29	0.45	0.02	0.02
Hallucinogens	0.03	0.02	0.39	0.31	0.03	0.02
LSD	0.01	0.01	0.11	0.11	0.01	0.01
PCP	0.01	0.00	0.03	0.03	0.01	0.00
Ecstasy	0.03	0.02	0.25	0.26	0.02	0.02
Inhalants	0.04	0.03	0.33	0.34	0.04	0.03
Nonmedical Use of Psychotherapeutics <sup>3,4</sup>	0.12	0.10	1.17	1.06	0.11	0.10
Pain Relievers	0.09	0.08	0.99	0.83	0.09	0.08
OxyContin <sup>®</sup>	0.03	0.02	0.35	0.32	0.03	0.02
Tranquilizers	0.06	0.06	0.71	0.52	0.06	0.06
Stimulants <sup>4</sup>	0.04	0.04	0.70	0.62	0.03	0.04
Methamphetamine <sup>4</sup>	0.02	0.03	0.46	0.50	0.02	0.03
Sedatives	0.03	0.02	0.46	0.10	0.03	0.02
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>2</sup></b>	0.13	0.11	1.33	1.27	0.13	0.11

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>1</sup> Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>3</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>4</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 6.98P Types of Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Probation Status: P Values from Tests of Differences of Percentages, 2011 Versus 2010**

Drug	Total <sup>1</sup>		PROBATION DURING THE PAST YEAR			
			Yes		No	
	2010	2011	2010	2011	2010	2011
<b>ILLCIT DRUGS<sup>2</sup></b>	0.4075		0.5904		0.6783	
Marijuana and Hashish	0.6285		0.8116		0.4578	
Cocaine	0.3918		0.6074		0.6208	
Crack	0.0395		0.2734		0.1002	
Heroin	0.6211		0.1193		0.9641	
Hallucinogens	0.0126		0.4059		0.0248	
LSD	0.7755		0.6800		0.7597	
PCP	0.7284		0.9668		0.7363	
Ecstasy	0.0584		0.7091		0.0471	
Inhalants	0.7544		0.7202		0.8796	
Nonmedical Use of Psychotherapeutics <sup>3,4</sup>	0.0105		0.8073		0.0198	
Pain Relievers	0.0236		0.6210		0.0496	
OxyContin <sup>®</sup>	0.0967		0.6963		0.0714	
Tranquilizers	0.0464		0.5081		0.0724	
Stimulants <sup>4</sup>	0.3530		0.9323		0.4415	
Methamphetamine <sup>4</sup>	0.4579		0.7675		0.4040	
Sedatives	0.1138		0.0779		0.2768	
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>2</sup></b>	0.0080		0.3943		0.0240	

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>1</sup> Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>3</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>4</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 6.99C Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 49, by Probation Status: Standard Errors of Numbers in Thousands, 2010 and 2011**

Drug	Total <sup>1</sup>		PROBATION DURING THE PAST YEAR			
			Yes		No	
	2010	2011	2010	2011	2010	2011
<b>ILLCIT DRUGS<sup>2</sup></b>	367	344	114	85	387	360
Marijuana and Hashish	317	305	101	76	329	311
Cocaine	97	87	41	27	92	83
Crack	48	34	18	16	44	30
Heroin	36	40	16	21	32	32
Hallucinogens	77	56	21	14	74	54
LSD	17	21	6	5	16	20
PCP	21	10	2	1	21	10
Ecstasy	55	43	14	12	53	41
Inhalants	43	57	18	16	39	55
Nonmedical Use of Psychotherapeutics <sup>3,4</sup>	194	189	63	49	185	188
Pain Relievers	172	157	52	39	163	155
OxyContin <sup>®</sup>	46	49	11	15	44	46
Tranquilizers	98	103	36	24	91	101
Stimulants <sup>4</sup>	77	76	39	27	69	70
Methamphetamine <sup>4</sup>	49	58	25	20	42	54
Sedatives	38	37	15	5	35	36
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>2</sup></b>	227	209	73	53	222	208

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>1</sup> Estimates in the Total column are for all persons aged 18 to 49, including those with unknown probation status.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>3</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>4</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 6.99D Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 49, by Probation Status: Standard Errors of Percentages, 2010 and 2011**

Drug	Total <sup>1</sup>		PROBATION DURING THE PAST YEAR			
			Yes		No	
	2010	2011	2010	2011	2010	2011
<b>ILLCIT DRUGS<sup>2</sup></b>	0.28	0.26	1.89	1.92	0.27	0.26
Marijuana and Hashish	0.24	0.23	1.75	1.73	0.23	0.23
Cocaine	0.07	0.07	0.81	0.67	0.07	0.06
Crack	0.04	0.03	0.37	0.40	0.03	0.02
Heroin	0.03	0.03	0.32	0.52	0.03	0.03
Hallucinogens	0.06	0.04	0.43	0.35	0.06	0.04
LSD	0.01	0.02	0.12	0.12	0.01	0.02
PCP	0.02	0.01	0.04	0.03	0.02	0.01
Ecstasy	0.04	0.03	0.28	0.31	0.04	0.03
Inhalants	0.03	0.04	0.36	0.40	0.03	0.04
Nonmedical Use of Psychotherapeutics <sup>3,4</sup>	0.15	0.14	1.21	1.18	0.14	0.14
Pain Relievers	0.13	0.12	1.02	0.95	0.13	0.12
OxyContin <sup>®</sup>	0.03	0.04	0.23	0.37	0.04	0.04
Tranquilizers	0.07	0.08	0.72	0.60	0.07	0.08
Stimulants <sup>4</sup>	0.06	0.06	0.78	0.66	0.05	0.05
Methamphetamine <sup>4</sup>	0.04	0.04	0.51	0.50	0.03	0.04
Sedatives	0.03	0.03	0.31	0.12	0.03	0.03
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>2</sup></b>	0.17	0.16	1.40	1.28	0.17	0.16

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>1</sup> Estimates in the Total column are for all persons aged 18 to 49, including those with unknown probation status.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>3</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>4</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 6.99P Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 49, by Probation Status: P Values from Tests of Differences of Percentages, 2011 Versus 2010**

Drug	Total <sup>1</sup>		PROBATION DURING THE PAST YEAR			
			Yes		No	
	2010	2011	2010	2011	2010	2011
<b>ILLCIT DRUGS<sup>2</sup></b>	0.2747		0.9768		0.4497	
Marijuana and Hashish	0.9456		0.6587		0.7583	
Cocaine	0.2337		0.6004		0.4094	
Crack	0.0459		0.9811		0.0432	
Heroin	0.4665		0.1021		0.9321	
Hallucinogens	0.0248		0.5162		0.0441	
LSD	0.7913		0.6185		0.7891	
PCP	0.7413		0.9961		0.7468	
Ecstasy	0.1102		0.6022		0.0877	
Inhalants	0.7196		0.7838		0.5343	
Nonmedical Use of Psychotherapeutics <sup>3,4</sup>	0.0378		0.7471		0.0451	
Pain Relievers	0.0185		0.8672		0.0241	
OxyContin <sup>®</sup>	0.1725		0.1741		0.0821	
Tranquilizers	0.4019		0.8137		0.5058	
Stimulants <sup>4</sup>	0.1183		0.8125		0.1764	
Methamphetamine <sup>4</sup>	0.9918		1.0000		0.8513	
Sedatives	0.1736		0.3017		0.2937	
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>2</sup></b>	0.0208		0.6283		0.0482	

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>1</sup> Estimates in the Total column are for all persons aged 18 to 49, including those with unknown probation status.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>3</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>4</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 6.100C Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011**

Demographic Characteristic	Total <sup>1</sup>		PROBATION DURING THE PAST YEAR			
			Yes		No	
	2010	2011	2010	2011	2010	2011
<b>TOTAL 18 OR OLDER</b>	482	453	122	97	488	457
<b>AGE</b>						
18-49	367	344	114	85	387	360
18-25	136	142	47	43	165	180
26-34	227	214	77	59	239	222
35-49	214	211	64	37	216	214
<b>GENDER/AGE</b>						
Male 18 or Older	381	335	107	76	378	345
Male 18-49	292	261	100	66	300	270
Female 18 or Older	257	256	52	53	254	255
Female 18-49	199	203	48	47	203	208

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 6.100D Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011**

Demographic Characteristic	Total <sup>1</sup>		PROBATION DURING THE PAST YEAR			
			Yes		No	
	2010	2011	2010	2011	2010	2011
<b>TOTAL 18 OR OLDER</b>	0.21	0.19	1.80	1.89	0.21	0.19
<b>AGE</b>						
18-49	0.28	0.26	1.89	1.92	0.27	0.26
18-25	0.40	0.42	2.02	1.99	0.40	0.42
26-34	0.62	0.59	4.09	4.35	0.62	0.59
35-49	0.34	0.34	3.58	3.11	0.34	0.35
<b>GENDER/AGE</b>						
Male 18 or Older	0.34	0.30	2.28	2.14	0.34	0.30
Male 18-49	0.44	0.40	2.30	2.20	0.44	0.40
Female 18 or Older	0.22	0.21	2.73	3.42	0.21	0.21
Female 18-49	0.30	0.30	2.98	3.45	0.29	0.30

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 6.100P Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010**

Demographic Characteristic	Total <sup>1</sup>		PROBATION DURING THE PAST YEAR			
			Yes		No	
	2010	2011	2010	2011	2010	2011
<b>TOTAL 18 OR OLDER</b>	0.4075		0.5904		0.6783	
<b>AGE</b>						
18-49	0.2747		0.9768		0.4497	
18-25	0.8206		0.6965		0.8545	
26-34	0.2752		0.7520		0.3458	
35-49	0.4900		0.1495		0.7864	
<b>GENDER/AGE</b>						
Male 18 or Older	0.6672		0.2278		0.9640	
Male 18-49	0.5834		0.6661		0.8935	
Female 18 or Older	0.4271		0.3680		0.4524	
Female 18-49	0.3035		0.5057		0.2879	

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>1</sup> Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 6.101C Illicit Drug Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011**

Demographic Characteristic	Total <sup>1</sup>		PROBATION DURING THE PAST YEAR			
			Yes		No	
	2010	2011	2010	2011	2010	2011
<b>TOTAL 18 OR OLDER</b>	237	195	84	61	220	187
<b>AGE</b>						
18-49	203	168	71	59	194	162
18-25	85	83	36	30	85	83
26-34	122	104	46	36	115	104
35-49	121	96	41	37	115	90
<b>GENDER/AGE</b>						
Male 18 or Older	187	161	69	52	174	155
Male 18-49	160	140	63	51	150	133
Female 18 or Older	131	107	49	30	120	102
Female 18-49	112	92	34	30	108	87

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 6.101D Illicit Drug Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011**

Demographic Characteristic	Total <sup>1</sup>		PROBATION DURING THE PAST YEAR			
			Yes		No	
	2010	2011	2010	2011	2010	2011
<b>TOTAL 18 OR OLDER</b>	0.10	0.08	1.33	1.27	0.10	0.08
<b>AGE</b>						
18-49	0.15	0.13	1.31	1.39	0.15	0.13
18-25	0.25	0.24	1.76	1.66	0.24	0.24
26-34	0.33	0.29	2.77	2.91	0.33	0.29
35-49	0.19	0.16	2.43	3.05	0.19	0.15
<b>GENDER/AGE</b>						
Male 18 or Older	0.17	0.14	1.64	1.56	0.16	0.14
Male 18-49	0.24	0.22	1.66	1.75	0.24	0.21
Female 18 or Older	0.11	0.09	2.62	2.19	0.10	0.09
Female 18-49	0.17	0.14	2.19	2.40	0.16	0.13

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 6.101P Illicit Drug Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010**

Demographic Characteristic	Total <sup>1</sup>		PROBATION DURING THE PAST YEAR			
			Yes		No	
	2010	2011	2010	2011	2010	2011
<b>TOTAL 18 OR OLDER</b>	0.0218		0.3228		0.0879	
<b>AGE</b>						
18-49	0.0174		0.7673		0.0367	
18-25	0.3019		0.8760		0.3717	
26-34	0.0773		0.9962		0.1135	
35-49	0.1368		0.9299		0.1954	
<b>GENDER/AGE</b>						
Male 18 or Older	0.2123		0.2951		0.5000	
Male 18-49	0.2836		0.9809		0.4854	
Female 18 or Older	0.0228		0.8709		0.0365	
Female 18-49	0.0093		0.5201		0.0071	

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 6.102C Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011**

Demographic Characteristic	Total <sup>1</sup>		PROBATION DURING THE PAST YEAR			
			Yes		No	
	2010	2011	2010	2011	2010	2011
<b>TOTAL 18 OR OLDER</b>	460	401	141	105	475	411
<b>AGE</b>						
18-49	345	303	123	90	377	324
18-25	139	128	49	44	159	163
26-34	204	196	79	58	213	207
35-49	225	204	84	53	232	206
<b>GENDER/AGE</b>						
Male 18 or Older	362	321	111	91	378	325
Male 18-49	274	245	105	79	299	258
Female 18 or Older	251	230	76	48	243	232
Female 18-49	185	187	66	40	186	194

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 6.102D Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: Standard Errors of Percentages, 2010 and 2011**

Demographic Characteristic	Total <sup>1</sup>		PROBATION DURING THE PAST YEAR			
			Yes		No	
	2010	2011	2010	2011	2010	2011
<b>TOTAL 18 OR OLDER</b>	0.20	0.17	1.98	1.91	0.20	0.17
<b>AGE</b>						
18-49	0.26	0.23	1.94	1.91	0.26	0.23
18-25	0.41	0.37	2.04	2.01	0.40	0.37
26-34	0.56	0.54	4.15	4.20	0.56	0.56
35-49	0.36	0.33	4.12	4.25	0.35	0.33
<b>GENDER/AGE</b>						
Male 18 or Older	0.33	0.29	2.33	2.25	0.32	0.29
Male 18-49	0.42	0.38	2.36	2.28	0.42	0.38
Female 18 or Older	0.21	0.19	3.61	3.27	0.20	0.19
Female 18-49	0.28	0.28	3.64	3.17	0.27	0.28

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

**Table 6.102P Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010**

Demographic Characteristic	Total <sup>1</sup>		PROBATION DURING THE PAST YEAR			
			Yes		No	
	2010	2011	2010	2011	2010	2011
<b>TOTAL 18 OR OLDER</b>	0.0023		0.1800		0.0155	
<b>AGE</b>						
18-49	0.0086		0.2292		0.0708	
18-25	0.0104		0.5709		0.0216	
26-34	0.0382		0.6477		0.1010	
35-49	0.5814		0.1862		0.8529	
<b>GENDER/AGE</b>						
Male 18 or Older	0.0014		0.1823		0.0067	
Male 18-49	0.0090		0.3083		0.0501	
Female 18 or Older	0.5197		0.6076		0.7745	
Female 18-49	0.5164		0.5792		0.7782	

\*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Estimates in the Total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.