

**Table 7.1A Types of Illicit Drug Use in Lifetime among Persons Aged 12 or Older: Numbers in Thousands, 2002-2011**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
<b>ILLCIT DRUGS<sup>1</sup></b>	108,255 <sup>b</sup>	110,205 <sup>b</sup>	110,057 <sup>b</sup>	112,085 <sup>b</sup>	111,747 <sup>b</sup>	114,509 <sup>b</sup>	117,815 <sup>a</sup>	119,259	119,933	121,078
Marijuana and Hashish	94,946 <sup>b</sup>	96,611 <sup>b</sup>	96,772 <sup>b</sup>	97,545 <sup>b</sup>	97,792 <sup>b</sup>	100,737 <sup>b</sup>	102,857 <sup>b</sup>	104,950 <sup>a</sup>	106,613	107,842
Cocaine	33,910 <sup>b</sup>	34,891 <sup>a</sup>	34,153 <sup>b</sup>	33,673 <sup>b</sup>	35,303	35,947	36,916	36,742	37,361	36,921
Crack	8,402	7,949	7,840	7,928	8,559	8,615	8,454	8,390	9,208 <sup>a</sup>	8,214
Heroin	3,668	3,744	3,145 <sup>b</sup>	3,534	3,788	3,806	3,795	3,680	4,144	4,162
Hallucinogens	34,314 <sup>a</sup>	34,363 <sup>a</sup>	34,333 <sup>a</sup>	33,728 <sup>b</sup>	35,290	34,278 <sup>a</sup>	36,064	37,404	37,544	36,362
LSD	24,516 <sup>a</sup>	24,424 <sup>a</sup>	23,398	22,433	23,365	22,720	23,604	23,714	23,375	23,000
PCP	7,418 <sup>b</sup>	7,107 <sup>a</sup>	6,762	6,603	6,633	6,179	6,657	6,271	6,255	6,103
Ecstasy	10,150 <sup>b</sup>	10,904 <sup>b</sup>	11,130 <sup>b</sup>	11,495 <sup>b</sup>	12,282 <sup>b</sup>	12,418 <sup>b</sup>	12,964 <sup>b</sup>	14,280	15,929 <sup>a</sup>	14,570
Inhalants	22,870 <sup>b</sup>	22,995 <sup>b</sup>	22,798 <sup>b</sup>	22,745 <sup>b</sup>	22,856 <sup>b</sup>	22,558 <sup>b</sup>	22,430 <sup>b</sup>	22,552 <sup>b</sup>	21,778	20,523
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	47,958 <sup>b</sup>	49,001 <sup>a</sup>	49,157 <sup>a</sup>	49,571	50,983	50,541	52,154	51,991	51,832	51,243
Pain Relievers	29,611 <sup>b</sup>	31,207 <sup>b</sup>	31,768 <sup>b</sup>	32,692	33,478	33,132	34,992	35,197	34,908	34,247
OxyContin <sup>®</sup>	1,924 <sup>b</sup>	2,832 <sup>b</sup>	3,072 <sup>b</sup>	3,481 <sup>b</sup>	4,116 <sup>b</sup>	4,379 <sup>b</sup>	4,857 <sup>b</sup>	5,863	6,160	5,917
Tranquilizers	19,267 <sup>b</sup>	20,220 <sup>a</sup>	19,852 <sup>b</sup>	21,041	21,318	20,253 <sup>a</sup>	21,551	21,848	22,187	21,655
Stimulants <sup>3</sup>	23,496 <sup>b</sup>	23,004 <sup>b</sup>	22,297 <sup>b</sup>	20,983	22,495 <sup>b</sup>	21,669	21,285	22,033 <sup>a</sup>	21,739	20,379
Methamphetamine <sup>3</sup>	15,365 <sup>b</sup>	15,139 <sup>b</sup>	14,512 <sup>b</sup>	12,663	14,226 <sup>b</sup>	13,081 <sup>a</sup>	12,634	12,908	13,060	11,928
Sedatives	9,960 <sup>b</sup>	9,510 <sup>b</sup>	9,891 <sup>b</sup>	8,982 <sup>b</sup>	8,842 <sup>b</sup>	8,401	8,920 <sup>b</sup>	8,633 <sup>a</sup>	7,653	7,515
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	70,300 <sup>b</sup>	71,128 <sup>b</sup>	70,657 <sup>b</sup>	71,822 <sup>b</sup>	72,934 <sup>a</sup>	73,654	75,907	76,080	76,472	75,447

\*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

**Table 7.1B Types of Illicit Drug Use in Lifetime among Persons Aged 12 or Older: Percentages, 2002-2011**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
<b>ILLCIT DRUGS<sup>1</sup></b>	46.0	46.4	45.8 <sup>a</sup>	46.1	45.4 <sup>b</sup>	46.2	47.2	47.4	47.3	47.0
Marijuana and Hashish	40.4 <sup>b</sup>	40.6 <sup>a</sup>	40.2 <sup>b</sup>	40.1 <sup>b</sup>	39.7 <sup>b</sup>	40.6 <sup>a</sup>	41.2	41.7	42.0	41.9
Cocaine	14.4	14.7	14.2	13.8	14.3	14.5	14.8	14.6	14.7	14.3
Crack	3.6 <sup>a</sup>	3.3	3.3	3.3	3.5	3.5	3.4	3.3	3.6 <sup>a</sup>	3.2
Heroin	1.6	1.6	1.3 <sup>b</sup>	1.5	1.5	1.5	1.5	1.5	1.6	1.6
Hallucinogens	14.6	14.5	14.3	13.9	14.3	13.8	14.4	14.9 <sup>a</sup>	14.8 <sup>a</sup>	14.1
LSD	10.4 <sup>b</sup>	10.3 <sup>b</sup>	9.7 <sup>b</sup>	9.2	9.5	9.2	9.4	9.4	9.2	8.9
PCP	3.2 <sup>b</sup>	3.0 <sup>b</sup>	2.8 <sup>a</sup>	2.7 <sup>a</sup>	2.7 <sup>a</sup>	2.5	2.7	2.5	2.5	2.4
Ecstasy	4.3 <sup>b</sup>	4.6 <sup>b</sup>	4.6 <sup>b</sup>	4.7 <sup>b</sup>	5.0 <sup>b</sup>	5.0 <sup>b</sup>	5.2 <sup>a</sup>	5.7	6.3 <sup>b</sup>	5.7
Inhalants	9.7 <sup>b</sup>	9.7 <sup>b</sup>	9.5 <sup>b</sup>	9.4 <sup>b</sup>	9.3 <sup>b</sup>	9.1 <sup>b</sup>	9.0 <sup>b</sup>	9.0 <sup>b</sup>	8.6 <sup>a</sup>	8.0
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	20.4	20.6	20.4	20.4	20.7 <sup>a</sup>	20.4	20.9 <sup>a</sup>	20.6	20.4	19.9
Pain Relievers	12.6 <sup>a</sup>	13.1	13.2	13.4	13.6	13.4	14.0 <sup>a</sup>	14.0 <sup>a</sup>	13.8	13.3
OxyContin <sup>®</sup>	0.8 <sup>b</sup>	1.2 <sup>b</sup>	1.3 <sup>b</sup>	1.4 <sup>b</sup>	1.7 <sup>b</sup>	1.8 <sup>b</sup>	1.9 <sup>b</sup>	2.3	2.4	2.3
Tranquilizers	8.2	8.5	8.3	8.7	8.7	8.2	8.6	8.7	8.7	8.4
Stimulants <sup>3</sup>	10.0 <sup>b</sup>	9.7 <sup>b</sup>	9.3 <sup>b</sup>	8.6 <sup>b</sup>	9.1 <sup>b</sup>	8.7 <sup>b</sup>	8.5 <sup>a</sup>	8.7 <sup>b</sup>	8.6 <sup>a</sup>	7.9
Methamphetamine <sup>3</sup>	6.5 <sup>b</sup>	6.4 <sup>b</sup>	6.0 <sup>b</sup>	5.2 <sup>b</sup>	5.8 <sup>b</sup>	5.3 <sup>b</sup>	5.1	5.1 <sup>a</sup>	5.1 <sup>a</sup>	4.6
Sedatives	4.2 <sup>b</sup>	4.0 <sup>b</sup>	4.1 <sup>b</sup>	3.7 <sup>b</sup>	3.6 <sup>b</sup>	3.4 <sup>a</sup>	3.6 <sup>b</sup>	3.4 <sup>b</sup>	3.0	2.9
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	29.9	29.9	29.4	29.5	29.6	29.7	30.4 <sup>a</sup>	30.2	30.2	29.3

\*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

**Table 7.2A Types of Illicit Drug Use in the Past Year among Persons Aged 12 or Older: Numbers in Thousands, 2002-2011**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
<b>ILLCIT DRUGS<sup>1</sup></b>	35,132 <sup>b</sup>	34,993 <sup>b</sup>	34,807 <sup>b</sup>	35,041 <sup>b</sup>	35,810 <sup>b</sup>	35,789 <sup>b</sup>	35,643 <sup>b</sup>	38,123	38,908	38,287
Marijuana and Hashish	25,755 <sup>b</sup>	25,231 <sup>b</sup>	25,451 <sup>b</sup>	25,375 <sup>b</sup>	25,432 <sup>b</sup>	25,136 <sup>b</sup>	25,891 <sup>b</sup>	28,688	29,301	29,739
Cocaine	5,902 <sup>b</sup>	5,908 <sup>b</sup>	5,658 <sup>b</sup>	5,523 <sup>b</sup>	6,075 <sup>b</sup>	5,748 <sup>b</sup>	5,283 <sup>b</sup>	4,806 <sup>b</sup>	4,533 <sup>a</sup>	3,857
Crack	1,554 <sup>b</sup>	1,406 <sup>b</sup>	1,304 <sup>b</sup>	1,381 <sup>b</sup>	1,478 <sup>b</sup>	1,452 <sup>b</sup>	1,113 <sup>b</sup>	1,008 <sup>b</sup>	885 <sup>a</sup>	625
Heroin	404 <sup>a</sup>	314 <sup>b</sup>	398 <sup>a</sup>	379 <sup>b</sup>	560	373 <sup>b</sup>	455	582	621	620
Hallucinogens	4,749 <sup>b</sup>	3,936	3,878	3,809	3,970	3,759	3,670 <sup>a</sup>	4,536 <sup>a</sup>	4,543 <sup>a</sup>	4,069
LSD	999	558 <sup>b</sup>	592 <sup>b</sup>	563 <sup>b</sup>	667 <sup>b</sup>	621 <sup>b</sup>	808	790	881	880
PCP	235 <sup>b</sup>	219 <sup>b</sup>	210 <sup>b</sup>	164	187	139	99	125	96	119
Ecstasy	3,167 <sup>b</sup>	2,119 <sup>a</sup>	1,915 <sup>b</sup>	1,960 <sup>b</sup>	2,138	2,122	2,116 <sup>a</sup>	2,804 <sup>a</sup>	2,653	2,422
Inhalants	2,084	2,075	2,255 <sup>b</sup>	2,187 <sup>a</sup>	2,219 <sup>a</sup>	2,085	2,065	2,109	2,048	1,861
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	14,795	15,163	14,849	15,346	16,482 <sup>b</sup>	16,334 <sup>b</sup>	15,190	16,064 <sup>b</sup>	16,051 <sup>a</sup>	14,657
Pain Relievers	10,992	11,671	11,256	11,815	12,650 <sup>b</sup>	12,517 <sup>b</sup>	11,916	12,450 <sup>b</sup>	12,242 <sup>a</sup>	11,143
OxyContin <sup>®</sup>	--	--	1,213 <sup>b</sup>	1,226 <sup>b</sup>	1,324 <sup>a</sup>	1,427	1,462	1,685	1,879	1,623
Tranquilizers	4,849	5,051	5,068	5,249	5,066	5,293	5,099	5,493	5,583	5,109
Stimulants <sup>3</sup>	3,380 <sup>b</sup>	3,031	3,254 <sup>a</sup>	3,088	3,789 <sup>b</sup>	2,994	2,648	3,093	2,902	2,700
Methamphetamine <sup>3</sup>	1,755 <sup>b</sup>	1,602 <sup>b</sup>	1,808 <sup>b</sup>	1,603 <sup>b</sup>	1,885 <sup>b</sup>	1,345	854	1,167	959	1,033
Sedatives	981 <sup>b</sup>	831 <sup>b</sup>	737 <sup>a</sup>	750 <sup>a</sup>	927 <sup>b</sup>	864 <sup>b</sup>	626	816 <sup>b</sup>	906 <sup>b</sup>	526
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	20,423 <sup>a</sup>	20,305 <sup>a</sup>	19,658	20,109 <sup>a</sup>	21,262 <sup>b</sup>	21,205 <sup>b</sup>	20,018	21,077 <sup>b</sup>	20,625 <sup>b</sup>	18,959

\*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

**Table 7.2B Types of Illicit Drug Use in the Past Year among Persons Aged 12 or Older: Percentages, 2002-2011**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
<b>ILLCIT DRUGS<sup>1</sup></b>	14.9	14.7	14.5	14.4	14.6	14.4	14.3	15.1	15.3	14.9
Marijuana and Hashish	11.0 <sup>a</sup>	10.6 <sup>b</sup>	10.6 <sup>b</sup>	10.4 <sup>b</sup>	10.3 <sup>b</sup>	10.1 <sup>b</sup>	10.4 <sup>b</sup>	11.4	11.6	11.5
Cocaine	2.5 <sup>b</sup>	2.5 <sup>b</sup>	2.4 <sup>b</sup>	2.3 <sup>b</sup>	2.5 <sup>b</sup>	2.3 <sup>b</sup>	2.1 <sup>b</sup>	1.9 <sup>b</sup>	1.8 <sup>b</sup>	1.5
Crack	0.7 <sup>b</sup>	0.6 <sup>b</sup>	0.5 <sup>b</sup>	0.6 <sup>b</sup>	0.6 <sup>b</sup>	0.6 <sup>b</sup>	0.4 <sup>b</sup>	0.4 <sup>b</sup>	0.3 <sup>a</sup>	0.2
Heroin	0.2	0.1 <sup>b</sup>	0.2 <sup>a</sup>	0.2 <sup>a</sup>	0.2	0.2 <sup>a</sup>	0.2	0.2	0.2	0.2
Hallucinogens	2.0 <sup>b</sup>	1.7	1.6	1.6	1.6	1.5	1.5	1.8 <sup>b</sup>	1.8 <sup>a</sup>	1.6
LSD	0.4 <sup>a</sup>	0.2 <sup>b</sup>	0.2 <sup>b</sup>	0.2 <sup>b</sup>	0.3 <sup>a</sup>	0.3 <sup>b</sup>	0.3	0.3	0.3	0.3
PCP	0.1 <sup>b</sup>	0.1 <sup>b</sup>	0.1 <sup>b</sup>	0.1	0.1	0.1	0.0	0.0	0.0	0.0
Ecstasy	1.3 <sup>b</sup>	0.9	0.8 <sup>a</sup>	0.8 <sup>a</sup>	0.9	0.9	0.8	1.1 <sup>b</sup>	1.0	0.9
Inhalants	0.9 <sup>b</sup>	0.8 <sup>a</sup>	0.8	0.8	0.8	0.7				
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	6.3 <sup>b</sup>	6.4 <sup>b</sup>	6.2 <sup>a</sup>	6.3 <sup>b</sup>	6.7 <sup>b</sup>	6.6 <sup>b</sup>	6.1	6.4 <sup>b</sup>	6.3 <sup>b</sup>	5.7
Pain Relievers	4.7 <sup>a</sup>	4.9 <sup>b</sup>	4.7 <sup>a</sup>	4.9 <sup>b</sup>	5.1 <sup>b</sup>	5.1 <sup>b</sup>	4.8 <sup>b</sup>	4.9 <sup>b</sup>	4.8 <sup>b</sup>	4.3
OxyContin <sup>®</sup>	--	--	0.5 <sup>a</sup>	0.5 <sup>a</sup>	0.5	0.6	0.6	0.7	0.7	0.6
Tranquilizers	2.1	2.1	2.1	2.2	2.1	2.1	2.0	2.2	2.2	2.0
Stimulants <sup>3</sup>	1.4 <sup>b</sup>	1.3 <sup>b</sup>	1.4 <sup>b</sup>	1.3 <sup>b</sup>	1.5 <sup>b</sup>	1.2	1.1	1.2 <sup>a</sup>	1.1	1.0
Methamphetamine <sup>3</sup>	0.7 <sup>b</sup>	0.7 <sup>b</sup>	0.8 <sup>b</sup>	0.7 <sup>b</sup>	0.8 <sup>b</sup>	0.5 <sup>a</sup>	0.3	0.5	0.4	0.4
Sedatives	0.4 <sup>b</sup>	0.3 <sup>b</sup>	0.3 <sup>b</sup>	0.3 <sup>b</sup>	0.4 <sup>b</sup>	0.3 <sup>b</sup>	0.3	0.3 <sup>b</sup>	0.4 <sup>b</sup>	0.2
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	8.7 <sup>b</sup>	8.5 <sup>b</sup>	8.2 <sup>b</sup>	8.3 <sup>b</sup>	8.6 <sup>b</sup>	8.6 <sup>b</sup>	8.0 <sup>b</sup>	8.4 <sup>b</sup>	8.1 <sup>b</sup>	7.4

\*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

**Table 7.3A Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older: Numbers in Thousands, 2002-2011**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
<b>ILLCIT DRUGS<sup>1</sup></b>	19,522 <sup>b</sup>	19,470 <sup>b</sup>	19,071 <sup>b</sup>	19,720 <sup>b</sup>	20,387 <sup>b</sup>	19,892 <sup>b</sup>	20,123 <sup>b</sup>	21,930	22,648	22,454
Marijuana and Hashish	14,584 <sup>b</sup>	14,638 <sup>b</sup>	14,576 <sup>b</sup>	14,626 <sup>b</sup>	14,849 <sup>b</sup>	14,470 <sup>b</sup>	15,269 <sup>b</sup>	16,826 <sup>a</sup>	17,409	18,071
Cocaine	2,020 <sup>b</sup>	2,281 <sup>b</sup>	2,021 <sup>b</sup>	2,397 <sup>b</sup>	2,426 <sup>b</sup>	2,077 <sup>b</sup>	1,865 <sup>b</sup>	1,642	1,472	1,369
Crack	567 <sup>b</sup>	604 <sup>b</sup>	467 <sup>b</sup>	682 <sup>b</sup>	704 <sup>b</sup>	611 <sup>b</sup>	363	497 <sup>b</sup>	378 <sup>a</sup>	228
Heroin	166	119 <sup>b</sup>	166	136 <sup>b</sup>	339	161	213	193	239	281
Hallucinogens	1,196 <sup>a</sup>	1,042	929	1,088	1,008	998	1,059	1,263 <sup>b</sup>	1,207 <sup>a</sup>	972
LSD	112	133	141	104	130	144	157	159	155	152
PCP	58	56	49	48	31	43	25	54	36	26
Ecstasy	676	470	450	502	529	503	546	763 <sup>b</sup>	691	544
Inhalants	635	570	638	611	762	617	644	562	690	624
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	6,287	6,451	6,110	6,491	7,098 <sup>b</sup>	6,907 <sup>a</sup>	6,210	6,980 <sup>a</sup>	6,957 <sup>a</sup>	6,119
Pain Relievers	4,377	4,693	4,404	4,658	5,226 <sup>a</sup>	5,188 <sup>a</sup>	4,732	5,282 <sup>b</sup>	5,093 <sup>a</sup>	4,471
OxyContin <sup>®</sup>	--	--	325	334	275 <sup>a</sup>	371	436	510	566	434
Tranquilizers	1,804	1,830	1,616	1,817	1,761	1,838	1,796	2,030	2,159	1,840
Stimulants <sup>3</sup>	1,303 <sup>a</sup>	1,310 <sup>a</sup>	1,312 <sup>a</sup>	1,188	1,385 <sup>b</sup>	1,051	908	1,299 <sup>a</sup>	1,082	970
Methamphetamine <sup>3</sup>	683 <sup>a</sup>	726 <sup>b</sup>	706 <sup>a</sup>	628 <sup>a</sup>	731 <sup>b</sup>	530	314	502	353	439
Sedatives	436 <sup>a</sup>	294	265	272	385	345	237	367	375	231
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	8,777 <sup>a</sup>	8,849 <sup>a</sup>	8,247	8,963 <sup>a</sup>	9,620 <sup>b</sup>	9,295 <sup>b</sup>	8,556	9,195 <sup>b</sup>	9,016 <sup>a</sup>	8,020

\*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

**Table 7.3B Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older: Percentages, 2002-2011**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
<b>ILLCIT DRUGS<sup>1</sup></b>	8.3	8.2 <sup>a</sup>	7.9 <sup>b</sup>	8.1 <sup>a</sup>	8.3	8.0 <sup>b</sup>	8.1 <sup>b</sup>	8.7	8.9	8.7
Marijuana and Hashish	6.2 <sup>b</sup>	6.2 <sup>b</sup>	6.1 <sup>b</sup>	6.0 <sup>b</sup>	6.0 <sup>b</sup>	5.8 <sup>b</sup>	6.1 <sup>b</sup>	6.7	6.9	7.0
Cocaine	0.9 <sup>b</sup>	1.0 <sup>b</sup>	0.8 <sup>b</sup>	1.0 <sup>b</sup>	1.0 <sup>b</sup>	0.8 <sup>b</sup>	0.7 <sup>b</sup>	0.7	0.6	0.5
Crack	0.2 <sup>b</sup>	0.3 <sup>b</sup>	0.2 <sup>b</sup>	0.3 <sup>b</sup>	0.3 <sup>b</sup>	0.2 <sup>b</sup>	0.1 <sup>a</sup>	0.2 <sup>b</sup>	0.1 <sup>a</sup>	0.1
Heroin	0.1	0.1 <sup>b</sup>	0.1	0.1 <sup>b</sup>	0.1	0.1	0.1	0.1	0.1	0.1
Hallucinogens	0.5 <sup>b</sup>	0.4	0.4	0.4	0.4	0.4	0.4	0.5 <sup>b</sup>	0.5 <sup>a</sup>	0.4
LSD	0.0	0.1	0.1	0.0	0.1	0.1	0.1	0.1	0.1	0.1
PCP	0.0	0.0 <sup>a</sup>	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Ecstasy	0.3 <sup>a</sup>	0.2	0.2	0.2	0.2	0.2	0.2	0.3 <sup>b</sup>	0.3 <sup>a</sup>	0.2
Inhalants	0.3	0.2	0.3	0.3	0.3	0.2	0.3	0.2	0.3	0.2
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	2.7 <sup>a</sup>	2.7 <sup>a</sup>	2.5	2.7 <sup>a</sup>	2.9 <sup>b</sup>	2.8 <sup>b</sup>	2.5	2.8 <sup>b</sup>	2.7 <sup>b</sup>	2.4
Pain Relievers	1.9	2.0 <sup>a</sup>	1.8	1.9	2.1 <sup>b</sup>	2.1 <sup>b</sup>	1.9	2.1 <sup>b</sup>	2.0 <sup>a</sup>	1.7
OxyContin <sup>®</sup>	--	--	0.1	0.1	0.1 <sup>a</sup>	0.1	0.2	0.2	0.2	0.2
Tranquilizers	0.8	0.8	0.7	0.7	0.7	0.7	0.7	0.8	0.9	0.7
Stimulants <sup>3</sup>	0.6 <sup>b</sup>	0.6 <sup>b</sup>	0.5 <sup>b</sup>	0.5 <sup>a</sup>	0.6 <sup>b</sup>	0.4	0.4	0.5 <sup>b</sup>	0.4	0.4
Methamphetamine <sup>3</sup>	0.3 <sup>b</sup>	0.3 <sup>b</sup>	0.3 <sup>b</sup>	0.3 <sup>a</sup>	0.3 <sup>b</sup>	0.2	0.1	0.2	0.1	0.2
Sedatives	0.2 <sup>b</sup>	0.1	0.1	0.1	0.2 <sup>a</sup>	0.1	0.1	0.1 <sup>a</sup>	0.1	0.1
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	3.7 <sup>b</sup>	3.7 <sup>b</sup>	3.4 <sup>a</sup>	3.7 <sup>b</sup>	3.9 <sup>b</sup>	3.8 <sup>b</sup>	3.4 <sup>a</sup>	3.7 <sup>b</sup>	3.6 <sup>b</sup>	3.1

\*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

**Table 7.4A Types of Illicit Drug Use in Lifetime among Persons Aged 12 to 17: Numbers in Thousands, 2002-2011**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
<b>ILLCIT DRUGS<sup>1</sup></b>	7,642 <sup>b</sup>	7,631 <sup>b</sup>	7,566 <sup>b</sup>	7,022 <sup>b</sup>	7,014 <sup>b</sup>	6,638	6,565	6,629	6,278	6,373
Marijuana and Hashish	5,104 <sup>b</sup>	4,888 <sup>b</sup>	4,788 <sup>b</sup>	4,402	4,400	4,096 <sup>a</sup>	4,138 <sup>a</sup>	4,204	4,157	4,378
Cocaine	670 <sup>b</sup>	648 <sup>b</sup>	611 <sup>b</sup>	582 <sup>b</sup>	571 <sup>b</sup>	544 <sup>b</sup>	473 <sup>b</sup>	405	363	337
Crack	163 <sup>b</sup>	157 <sup>b</sup>	125 <sup>b</sup>	108	129 <sup>b</sup>	107	80	58	60	68
Heroin	94	80	78	60	60	55	67	56	46	70
Hallucinogens	1,419 <sup>b</sup>	1,250 <sup>b</sup>	1,160 <sup>b</sup>	998	990	898	972	1,015	1,000	930
LSD	670 <sup>b</sup>	397 <sup>b</sup>	313 <sup>b</sup>	288 <sup>a</sup>	219	202	271	249	231	229
PCP	233 <sup>b</sup>	204 <sup>b</sup>	175 <sup>b</sup>	182 <sup>b</sup>	128 <sup>b</sup>	105	102	99	76	76
Ecstasy	820 <sup>b</sup>	603	523	399 <sup>b</sup>	476 <sup>b</sup>	446 <sup>b</sup>	524	572	618	605
Inhalants	2,605 <sup>b</sup>	2,670 <sup>b</sup>	2,762 <sup>b</sup>	2,658 <sup>b</sup>	2,559 <sup>b</sup>	2,428 <sup>b</sup>	2,326 <sup>b</sup>	2,283 <sup>b</sup>	2,015	1,877
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	3,402 <sup>b</sup>	3,372 <sup>b</sup>	3,403 <sup>b</sup>	3,019 <sup>b</sup>	3,175 <sup>b</sup>	2,954 <sup>b</sup>	2,783 <sup>b</sup>	2,810 <sup>b</sup>	2,591	2,522
Pain Relievers	2,775 <sup>b</sup>	2,798 <sup>b</sup>	2,879 <sup>b</sup>	2,517 <sup>b</sup>	2,650 <sup>b</sup>	2,457 <sup>b</sup>	2,353 <sup>a</sup>	2,393 <sup>b</sup>	2,245	2,150
OxyContin <sup>®</sup>	224 <sup>b</sup>	254 <sup>b</sup>	305	276 <sup>b</sup>	343	360	344	381	369	369
Tranquilizers	834 <sup>a</sup>	874 <sup>b</sup>	816 <sup>a</sup>	766	742	748	721	696	723	699
Stimulants <sup>3</sup>	1,112 <sup>b</sup>	1,046 <sup>b</sup>	906 <sup>b</sup>	870 <sup>b</sup>	930 <sup>b</sup>	730 <sup>b</sup>	673 <sup>b</sup>	583	531	508
Methamphetamine <sup>3</sup>	416 <sup>b</sup>	382 <sup>b</sup>	346 <sup>b</sup>	319 <sup>b</sup>	341 <sup>b</sup>	221	195	187	157	184
Sedatives	238 <sup>b</sup>	249 <sup>b</sup>	251 <sup>b</sup>	232 <sup>b</sup>	224 <sup>b</sup>	213 <sup>b</sup>	205 <sup>a</sup>	224 <sup>b</sup>	178	144
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	5,286 <sup>b</sup>	5,319 <sup>b</sup>	5,355 <sup>b</sup>	4,944 <sup>b</sup>	4,951 <sup>b</sup>	4,649 <sup>b</sup>	4,513 <sup>b</sup>	4,501 <sup>b</sup>	4,166	4,007

\*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

**Table 7.4B Types of Illicit Drug Use in Lifetime among Persons Aged 12 to 17: Percentages, 2002-2011**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
<b>ILLCIT DRUGS<sup>1</sup></b>	30.9 <sup>b</sup>	30.5 <sup>b</sup>	30.0 <sup>b</sup>	27.7 <sup>b</sup>	27.6 <sup>b</sup>	26.3	26.4	26.9 <sup>a</sup>	25.8	25.5
Marijuana and Hashish	20.6 <sup>b</sup>	19.6 <sup>b</sup>	19.0 <sup>b</sup>	17.4	17.3	16.2 <sup>a</sup>	16.6	17.1	17.1	17.5
Cocaine	2.7 <sup>b</sup>	2.6 <sup>b</sup>	2.4 <sup>b</sup>	2.3 <sup>b</sup>	2.2 <sup>b</sup>	2.2 <sup>b</sup>	1.9 <sup>b</sup>	1.6	1.5	1.3
Crack	0.7 <sup>b</sup>	0.6 <sup>b</sup>	0.5 <sup>b</sup>	0.4	0.5 <sup>b</sup>	0.4	0.3	0.2	0.2	0.3
Heroin	0.4	0.3	0.3	0.2	0.2	0.2	0.3	0.2	0.2	0.3
Hallucinogens	5.7 <sup>b</sup>	5.0 <sup>b</sup>	4.6 <sup>b</sup>	3.9	3.9	3.6	3.9	4.1	4.1	3.7
LSD	2.7 <sup>b</sup>	1.6 <sup>b</sup>	1.2 <sup>b</sup>	1.1	0.9	0.8	1.1	1.0	0.9	0.9
PCP	0.9 <sup>b</sup>	0.8 <sup>b</sup>	0.7 <sup>b</sup>	0.7 <sup>b</sup>	0.5 <sup>b</sup>	0.4	0.4	0.4	0.3	0.3
Ecstasy	3.3 <sup>b</sup>	2.4	2.1	1.6 <sup>b</sup>	1.9 <sup>b</sup>	1.8 <sup>b</sup>	2.1	2.3	2.5	2.4
Inhalants	10.5 <sup>b</sup>	10.7 <sup>b</sup>	11.0 <sup>b</sup>	10.5 <sup>b</sup>	10.1 <sup>b</sup>	9.6 <sup>b</sup>	9.3 <sup>b</sup>	9.3 <sup>b</sup>	8.3 <sup>a</sup>	7.5
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	13.7 <sup>b</sup>	13.5 <sup>b</sup>	13.5 <sup>b</sup>	11.9 <sup>b</sup>	12.5 <sup>b</sup>	11.7 <sup>b</sup>	11.2 <sup>b</sup>	11.4 <sup>b</sup>	10.6	10.1
Pain Relievers	11.2 <sup>b</sup>	11.2 <sup>b</sup>	11.4 <sup>b</sup>	9.9 <sup>b</sup>	10.4 <sup>b</sup>	9.7 <sup>b</sup>	9.5 <sup>a</sup>	9.7 <sup>b</sup>	9.2	8.6
OxyContin <sup>®</sup>	0.9 <sup>b</sup>	1.0 <sup>b</sup>	1.2	1.1 <sup>b</sup>	1.4	1.4	1.4	1.5	1.5	1.5
Tranquilizers	3.4 <sup>b</sup>	3.5 <sup>b</sup>	3.2 <sup>a</sup>	3.0	2.9	3.0	2.9	2.8	3.0	2.8
Stimulants <sup>3</sup>	4.5 <sup>b</sup>	4.2 <sup>b</sup>	3.6 <sup>b</sup>	3.4 <sup>b</sup>	3.7 <sup>b</sup>	2.9 <sup>b</sup>	2.7 <sup>b</sup>	2.4	2.2	2.0
Methamphetamine <sup>3</sup>	1.7 <sup>b</sup>	1.5 <sup>b</sup>	1.4 <sup>b</sup>	1.3 <sup>b</sup>	1.3 <sup>b</sup>	0.9	0.8	0.8	0.6	0.7
Sedatives	1.0 <sup>b</sup>	1.0 <sup>b</sup>	1.0 <sup>b</sup>	0.9 <sup>b</sup>	0.9 <sup>b</sup>	0.8 <sup>b</sup>	0.8 <sup>a</sup>	0.9 <sup>b</sup>	0.7	0.6
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	21.4 <sup>b</sup>	21.3 <sup>b</sup>	21.2 <sup>b</sup>	19.5 <sup>b</sup>	19.5 <sup>b</sup>	18.4 <sup>b</sup>	18.1 <sup>b</sup>	18.3 <sup>b</sup>	17.1 <sup>a</sup>	16.0

\*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

**Table 7.5A Types of Illicit Drug Use in the Past Year among Persons Aged 12 to 17: Numbers in Thousands, 2002-2011**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
<b>ILLCIT DRUGS<sup>1</sup></b>	5,494 <sup>b</sup>	5,455 <sup>b</sup>	5,300 <sup>b</sup>	5,041 <sup>a</sup>	4,978	4,737	4,751	4,838	4,745	4,735
Marijuana and Hashish	3,905 <sup>b</sup>	3,745	3,656	3,383	3,355	3,158 <sup>b</sup>	3,258 <sup>b</sup>	3,363	3,414	3,553
Cocaine	508 <sup>b</sup>	438 <sup>b</sup>	411 <sup>b</sup>	423 <sup>b</sup>	411 <sup>b</sup>	385 <sup>b</sup>	306 <sup>a</sup>	242	239	229
Crack	100 <sup>b</sup>	95 <sup>b</sup>	63 <sup>b</sup>	54 <sup>a</sup>	74 <sup>b</sup>	65 <sup>b</sup>	34	29	18	29
Heroin	51	36	48	37	37	24 <sup>a</sup>	41	34	28	54
Hallucinogens	945 <sup>b</sup>	778 <sup>a</sup>	753 <sup>a</sup>	665	653	629	689	737	747	648
LSD	314 <sup>b</sup>	149	157	150	106 <sup>a</sup>	126	185	143	136	159
PCP	110 <sup>b</sup>	89 <sup>b</sup>	72 <sup>a</sup>	85 <sup>b</sup>	59	56	61	48	35	39
Ecstasy	547 <sup>b</sup>	329 <sup>a</sup>	310 <sup>b</sup>	256 <sup>b</sup>	308 <sup>b</sup>	328 <sup>a</sup>	346	416	465	419
Inhalants	1,078 <sup>b</sup>	1,119 <sup>b</sup>	1,168 <sup>b</sup>	1,144 <sup>b</sup>	1,109 <sup>b</sup>	995 <sup>b</sup>	986 <sup>b</sup>	960 <sup>a</sup>	885	820
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	2,285 <sup>b</sup>	2,295 <sup>b</sup>	2,228 <sup>b</sup>	2,101 <sup>b</sup>	2,184 <sup>b</sup>	2,037 <sup>b</sup>	1,919 <sup>a</sup>	1,895	1,812	1,749
Pain Relievers	1,870 <sup>b</sup>	1,917 <sup>b</sup>	1,865 <sup>b</sup>	1,741 <sup>b</sup>	1,821 <sup>b</sup>	1,684 <sup>b</sup>	1,613	1,628 <sup>a</sup>	1,522	1,484
OxyContin <sup>®</sup>	--	--	194	187	200	232	226	225	235	219
Tranquilizers	568 <sup>a</sup>	586 <sup>a</sup>	532	497	484	505	483	462	466	475
Stimulants <sup>3</sup>	665 <sup>b</sup>	578 <sup>b</sup>	507 <sup>b</sup>	506 <sup>b</sup>	548 <sup>b</sup>	415 <sup>b</sup>	373 <sup>a</sup>	334	325	299
Methamphetamine <sup>3</sup>	245 <sup>b</sup>	185 <sup>b</sup>	177 <sup>b</sup>	178 <sup>b</sup>	185 <sup>b</sup>	116	94	87	98	106
Sedatives	138 <sup>b</sup>	131 <sup>a</sup>	133 <sup>a</sup>	118	110	111	113	126 <sup>a</sup>	111	84
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	3,338 <sup>b</sup>	3,351 <sup>b</sup>	3,269 <sup>b</sup>	3,129 <sup>b</sup>	3,147 <sup>b</sup>	2,921 <sup>b</sup>	2,860 <sup>b</sup>	2,849 <sup>b</sup>	2,758	2,565

\*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

**Table 7.5B Types of Illicit Drug Use in the Past Year among Persons Aged 12 to 17: Percentages, 2002-2011**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
<b>ILLCIT DRUGS<sup>1</sup></b>	22.2 <sup>b</sup>	21.8 <sup>b</sup>	21.0 <sup>b</sup>	19.9	19.6	18.8	19.1	19.7	19.5	19.0
Marijuana and Hashish	15.8 <sup>b</sup>	15.0	14.5	13.3 <sup>a</sup>	13.2 <sup>a</sup>	12.5 <sup>b</sup>	13.1 <sup>b</sup>	13.7	14.0	14.2
Cocaine	2.1 <sup>b</sup>	1.8 <sup>b</sup>	1.6 <sup>b</sup>	1.7 <sup>b</sup>	1.6 <sup>b</sup>	1.5 <sup>b</sup>	1.2 <sup>a</sup>	1.0	1.0	0.9
Crack	0.4 <sup>b</sup>	0.4 <sup>b</sup>	0.3 <sup>b</sup>	0.2 <sup>a</sup>	0.3 <sup>b</sup>	0.3 <sup>b</sup>	0.1	0.1	0.1	0.1
Heroin	0.2	0.1	0.2	0.1	0.1	0.1 <sup>a</sup>	0.2	0.1	0.1	0.2
Hallucinogens	3.8 <sup>b</sup>	3.1 <sup>a</sup>	3.0 <sup>a</sup>	2.6	2.6	2.5	2.8	3.0	3.1 <sup>a</sup>	2.6
LSD	1.3 <sup>b</sup>	0.6	0.6	0.6	0.4 <sup>a</sup>	0.5	0.7	0.6	0.6	0.6
PCP	0.4 <sup>b</sup>	0.4 <sup>b</sup>	0.3 <sup>a</sup>	0.3 <sup>b</sup>	0.2	0.2	0.2	0.2	0.1	0.2
Ecstasy	2.2 <sup>b</sup>	1.3 <sup>a</sup>	1.2 <sup>b</sup>	1.0 <sup>b</sup>	1.2 <sup>b</sup>	1.3 <sup>a</sup>	1.4	1.7	1.9	1.7
Inhalants	4.4 <sup>b</sup>	4.5 <sup>b</sup>	4.6 <sup>b</sup>	4.5 <sup>b</sup>	4.4 <sup>b</sup>	3.9 <sup>b</sup>	4.0 <sup>b</sup>	3.9 <sup>b</sup>	3.6	3.3
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	9.2 <sup>b</sup>	9.2 <sup>b</sup>	8.8 <sup>b</sup>	8.3 <sup>b</sup>	8.6 <sup>b</sup>	8.1 <sup>b</sup>	7.7 <sup>a</sup>	7.7 <sup>a</sup>	7.4	7.0
Pain Relievers	7.6 <sup>b</sup>	7.7 <sup>b</sup>	7.4 <sup>b</sup>	6.9 <sup>b</sup>	7.2 <sup>b</sup>	6.7 <sup>a</sup>	6.5	6.6 <sup>a</sup>	6.3	5.9
OxyContin <sup>®</sup>	--	--	0.8	0.7	0.8	0.9	0.9	0.9	1.0	0.9
Tranquilizers	2.3 <sup>a</sup>	2.3 <sup>a</sup>	2.1	2.0	1.9	2.0	1.9	1.9	1.9	1.9
Stimulants <sup>3</sup>	2.7 <sup>b</sup>	2.3 <sup>b</sup>	2.0 <sup>b</sup>	2.0 <sup>b</sup>	2.2 <sup>b</sup>	1.6 <sup>b</sup>	1.5 <sup>a</sup>	1.4	1.3	1.2
Methamphetamine <sup>3</sup>	1.0 <sup>b</sup>	0.7 <sup>b</sup>	0.7 <sup>b</sup>	0.7 <sup>b</sup>	0.7 <sup>b</sup>	0.5	0.4	0.4	0.4	0.4
Sedatives	0.6 <sup>b</sup>	0.5 <sup>a</sup>	0.5 <sup>a</sup>	0.5	0.4	0.4	0.5	0.5 <sup>a</sup>	0.5	0.3
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	13.5 <sup>b</sup>	13.4 <sup>b</sup>	13.0 <sup>b</sup>	12.3 <sup>b</sup>	12.4 <sup>b</sup>	11.6 <sup>b</sup>	11.5 <sup>b</sup>	11.6 <sup>b</sup>	11.3 <sup>a</sup>	10.3

\*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

**Table 7.6A Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17: Numbers in Thousands, 2002-2011**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
<b>ILLCIT DRUGS<sup>1</sup></b>	2,878 <sup>b</sup>	2,811 <sup>b</sup>	2,674	2,511	2,488	2,415	2,312 <sup>a</sup>	2,484	2,468	2,522
Marijuana and Hashish	2,023	1,971	1,909	1,730 <sup>b</sup>	1,695 <sup>b</sup>	1,693 <sup>b</sup>	1,668 <sup>b</sup>	1,813	1,802	1,967
Cocaine	146 <sup>b</sup>	153 <sup>b</sup>	126 <sup>b</sup>	142 <sup>b</sup>	110 <sup>a</sup>	104 <sup>a</sup>	98	70	60	67
Crack	26 <sup>b</sup>	32 <sup>b</sup>	16 <sup>a</sup>	25 <sup>b</sup>	12 <sup>a</sup>	16 <sup>a</sup>	7	8	4	3
Heroin	11	18	15	15	16	3	14	13	8	15
Hallucinogens	255	260	211	205	182	174	245	217	215	215
LSD	61	51	38	32	31	30	52	35	46	34
PCP	23 <sup>b</sup>	20 <sup>b</sup>	11	17 <sup>a</sup>	12	9	15 <sup>a</sup>	12	6	4
Ecstasy	124	91	77	74	83	65 <sup>a</sup>	105	115	123	108
Inhalants	301 <sup>b</sup>	320 <sup>b</sup>	312 <sup>b</sup>	313 <sup>b</sup>	340 <sup>b</sup>	294 <sup>a</sup>	270	244	262	223
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	986 <sup>b</sup>	997 <sup>b</sup>	914 <sup>b</sup>	838 <sup>b</sup>	846 <sup>b</sup>	830 <sup>b</sup>	711	774	721	688
Pain Relievers	794 <sup>b</sup>	801 <sup>b</sup>	751 <sup>b</sup>	686 <sup>b</sup>	692 <sup>b</sup>	671 <sup>a</sup>	566	658 <sup>a</sup>	607	563
OxyContin <sup>®</sup>	--	--	66	34	29 <sup>a</sup>	47	49	70	47	51
Tranquilizers	188	226 <sup>a</sup>	161	161	125	181	151	144	134	162
Stimulants <sup>3</sup>	208 <sup>b</sup>	222 <sup>b</sup>	180 <sup>b</sup>	172 <sup>b</sup>	171 <sup>b</sup>	126	112	127	107	98
Methamphetamine <sup>3</sup>	71 <sup>a</sup>	70 <sup>a</sup>	58	72 <sup>a</sup>	53	34	29	36	25	37
Sedatives	47 <sup>a</sup>	47 <sup>a</sup>	26	27	45 <sup>a</sup>	34	35	40	35	24
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	1,421 <sup>b</sup>	1,417 <sup>b</sup>	1,328 <sup>b</sup>	1,253 <sup>b</sup>	1,252 <sup>b</sup>	1,182 <sup>a</sup>	1,092	1,122	1,092	1,026

\*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

**Table 7.6B Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17: Percentages, 2002-2011**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
<b>ILLCIT DRUGS<sup>1</sup></b>	11.6 <sup>b</sup>	11.2 <sup>b</sup>	10.6	9.9	9.8	9.6	9.3 <sup>a</sup>	10.1	10.1	10.1
Marijuana and Hashish	8.2	7.9	7.6	6.8 <sup>b</sup>	6.7 <sup>b</sup>	6.7 <sup>b</sup>	6.7 <sup>b</sup>	7.4	7.4	7.9
Cocaine	0.6 <sup>b</sup>	0.6 <sup>b</sup>	0.5 <sup>b</sup>	0.6 <sup>b</sup>	0.4 <sup>a</sup>	0.4 <sup>a</sup>	0.4	0.3	0.2	0.3
Crack	0.1 <sup>b</sup>	0.1 <sup>b</sup>	0.1 <sup>a</sup>	0.1 <sup>b</sup>	0.0 <sup>a</sup>	0.1 <sup>a</sup>	0.0	0.0	0.0	0.0
Heroin	0.0	0.1	0.1	0.1	0.1	0.0	0.1	0.1	0.0	0.1
Hallucinogens	1.0	1.0	0.8	0.8	0.7	0.7	1.0	0.9	0.9	0.9
LSD	0.2	0.2	0.2	0.1	0.1	0.1	0.2	0.1	0.2	0.1
PCP	0.1 <sup>b</sup>	0.1 <sup>b</sup>	0.0	0.1 <sup>a</sup>	0.0	0.0	0.1 <sup>a</sup>	0.1	0.0	0.0
Ecstasy	0.5	0.4	0.3	0.3	0.3	0.3 <sup>a</sup>	0.4	0.5	0.5	0.4
Inhalants	1.2 <sup>b</sup>	1.3 <sup>b</sup>	1.2 <sup>b</sup>	1.2 <sup>b</sup>	1.3 <sup>b</sup>	1.2 <sup>a</sup>	1.1	1.0	1.1	0.9
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	4.0 <sup>b</sup>	4.0 <sup>b</sup>	3.6 <sup>b</sup>	3.3 <sup>b</sup>	3.3 <sup>b</sup>	3.3 <sup>a</sup>	2.9	3.1	3.0	2.8
Pain Relievers	3.2 <sup>b</sup>	3.2 <sup>b</sup>	3.0 <sup>b</sup>	2.7 <sup>a</sup>	2.7 <sup>a</sup>	2.7 <sup>a</sup>	2.3	2.7 <sup>a</sup>	2.5	2.3
OxyContin <sup>®</sup>	--	--	0.3	0.1	0.1 <sup>a</sup>	0.2	0.2	0.3	0.2	0.2
Tranquilizers	0.8	0.9 <sup>a</sup>	0.6	0.6	0.5	0.7	0.6	0.6	0.5	0.6
Stimulants <sup>3</sup>	0.8 <sup>b</sup>	0.9 <sup>b</sup>	0.7 <sup>b</sup>	0.7 <sup>b</sup>	0.7 <sup>b</sup>	0.5	0.5	0.5	0.4	0.4
Methamphetamine <sup>3</sup>	0.3 <sup>a</sup>	0.3 <sup>a</sup>	0.2	0.3 <sup>a</sup>	0.2	0.1	0.1	0.1	0.1	0.1
Sedatives	0.2 <sup>a</sup>	0.2 <sup>a</sup>	0.1	0.1	0.2	0.1	0.1	0.2	0.1	0.1
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	5.7 <sup>b</sup>	5.7 <sup>b</sup>	5.3 <sup>b</sup>	4.9 <sup>b</sup>	4.9 <sup>b</sup>	4.7 <sup>a</sup>	4.4	4.6	4.5	4.1

\*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

**Table 7.7A Types of Illicit Drug Use in Lifetime among Persons Aged 18 to 25: Numbers in Thousands, 2002-2011**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
<b>ILLCIT DRUGS<sup>1</sup></b>	18,562 <sup>b</sup>	19,195	19,043 <sup>a</sup>	19,222	19,328	18,831 <sup>b</sup>	18,772 <sup>b</sup>	19,658	19,538	19,534
Marijuana and Hashish	16,680 <sup>b</sup>	17,103 <sup>b</sup>	16,983 <sup>b</sup>	17,032 <sup>b</sup>	17,180 <sup>a</sup>	16,652 <sup>b</sup>	16,718 <sup>b</sup>	17,677	17,529	17,796
Cocaine	4,786 <sup>b</sup>	4,755 <sup>b</sup>	4,893 <sup>b</sup>	4,905 <sup>b</sup>	5,139 <sup>b</sup>	4,925 <sup>b</sup>	4,772 <sup>b</sup>	4,997 <sup>b</sup>	4,568 <sup>a</sup>	4,253
Crack	1,182 <sup>b</sup>	1,193 <sup>b</sup>	1,135 <sup>b</sup>	1,145 <sup>b</sup>	1,176 <sup>b</sup>	985 <sup>b</sup>	916 <sup>b</sup>	965 <sup>b</sup>	886 <sup>b</sup>	714
Heroin	487	516	529	496	514	498	467 <sup>a</sup>	587	614	594
Hallucinogens	7,517 <sup>b</sup>	7,377 <sup>b</sup>	6,855 <sup>b</sup>	6,820 <sup>b</sup>	6,625 <sup>b</sup>	6,291	5,876	6,418 <sup>a</sup>	6,295	6,029
LSD	4,928 <sup>b</sup>	4,450 <sup>b</sup>	3,900 <sup>b</sup>	3,417 <sup>b</sup>	2,933 <sup>b</sup>	2,381 <sup>b</sup>	2,167	2,326 <sup>a</sup>	2,194	2,054
PCP	834 <sup>b</sup>	948 <sup>b</sup>	737 <sup>b</sup>	716 <sup>b</sup>	641 <sup>b</sup>	540 <sup>b</sup>	523 <sup>b</sup>	480 <sup>b</sup>	447 <sup>a</sup>	351
Ecstasy	4,674 <sup>b</sup>	4,683 <sup>b</sup>	4,439	4,464	4,392	4,186	4,008	4,194	4,230	4,222
Inhalants	4,867 <sup>b</sup>	4,729 <sup>b</sup>	4,516 <sup>b</sup>	4,333 <sup>b</sup>	4,097 <sup>b</sup>	3,703 <sup>b</sup>	3,445 <sup>a</sup>	3,620 <sup>b</sup>	3,396 <sup>a</sup>	3,106
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	8,778 <sup>b</sup>	9,360	9,564	9,990 <sup>b</sup>	10,067 <sup>b</sup>	9,807 <sup>a</sup>	9,694	9,896 <sup>a</sup>	9,832 <sup>a</sup>	9,373
Pain Relievers	6,854 <sup>b</sup>	7,513	7,813	8,279 <sup>b</sup>	8,353 <sup>b</sup>	8,143 <sup>b</sup>	8,096 <sup>b</sup>	8,221 <sup>b</sup>	8,143 <sup>b</sup>	7,600
OxyContin <sup>®</sup>	820 <sup>b</sup>	1,145 <sup>b</sup>	1,376 <sup>b</sup>	1,616 <sup>b</sup>	1,684 <sup>b</sup>	1,716 <sup>b</sup>	1,765 <sup>b</sup>	2,110	2,149	2,079
Tranquilizers	3,473 <sup>b</sup>	3,898 <sup>a</sup>	3,919 <sup>a</sup>	4,356	4,286	4,155	4,069	4,323	4,503	4,232
Stimulants <sup>3</sup>	3,796 <sup>b</sup>	3,873 <sup>b</sup>	3,892 <sup>b</sup>	4,008 <sup>b</sup>	3,926 <sup>b</sup>	3,569 <sup>b</sup>	3,485 <sup>a</sup>	3,587 <sup>b</sup>	3,534 <sup>b</sup>	3,172
Methamphetamine <sup>3</sup>	2,301 <sup>b</sup>	2,192 <sup>b</sup>	2,247 <sup>b</sup>	2,190 <sup>b</sup>	2,103 <sup>b</sup>	1,847 <sup>b</sup>	1,548 <sup>b</sup>	1,518 <sup>b</sup>	1,361 <sup>b</sup>	1,150
Sedatives	648 <sup>b</sup>	565	627 <sup>b</sup>	650 <sup>b</sup>	612 <sup>a</sup>	583 <sup>a</sup>	511	528	469	472
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	12,436 <sup>b</sup>	12,770 <sup>b</sup>	12,630 <sup>b</sup>	12,800 <sup>b</sup>	12,959 <sup>b</sup>	12,573 <sup>b</sup>	12,146	12,592 <sup>b</sup>	12,410 <sup>b</sup>	11,860

\*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

**Table 7.7B Types of Illicit Drug Use in Lifetime among Persons Aged 18 to 25: Percentages, 2002-2011**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
<b>ILLCIT DRUGS<sup>1</sup></b>	59.8 <sup>b</sup>	60.5 <sup>b</sup>	59.2 <sup>b</sup>	59.2 <sup>b</sup>	59.0 <sup>b</sup>	57.5	57.0	58.5 <sup>a</sup>	57.3	56.9
Marijuana and Hashish	53.8 <sup>b</sup>	53.9 <sup>b</sup>	52.8	52.4	52.5	50.9	50.8	52.6	51.4	51.9
Cocaine	15.4 <sup>b</sup>	15.0 <sup>b</sup>	15.2 <sup>b</sup>	15.1 <sup>b</sup>	15.7 <sup>b</sup>	15.0 <sup>b</sup>	14.5 <sup>b</sup>	14.9 <sup>b</sup>	13.4 <sup>a</sup>	12.4
Crack	3.8 <sup>b</sup>	3.8 <sup>b</sup>	3.5 <sup>b</sup>	3.5 <sup>b</sup>	3.6 <sup>b</sup>	3.0 <sup>b</sup>	2.8 <sup>b</sup>	2.9 <sup>b</sup>	2.6 <sup>b</sup>	2.1
Heroin	1.6	1.6	1.6	1.5	1.6	1.5	1.4	1.7	1.8	1.7
Hallucinogens	24.2 <sup>b</sup>	23.3 <sup>b</sup>	21.3 <sup>b</sup>	21.0 <sup>b</sup>	20.2 <sup>b</sup>	19.2 <sup>b</sup>	17.8	19.1 <sup>b</sup>	18.5	17.6
LSD	15.9 <sup>b</sup>	14.0 <sup>b</sup>	12.1 <sup>b</sup>	10.5 <sup>b</sup>	9.0 <sup>b</sup>	7.3 <sup>b</sup>	6.6	6.9 <sup>b</sup>	6.4	6.0
PCP	2.7 <sup>b</sup>	3.0 <sup>b</sup>	2.3 <sup>b</sup>	2.2 <sup>b</sup>	2.0 <sup>b</sup>	1.6 <sup>b</sup>	1.6 <sup>b</sup>	1.4 <sup>b</sup>	1.3 <sup>a</sup>	1.0
Ecstasy	15.1 <sup>b</sup>	14.8 <sup>b</sup>	13.8 <sup>b</sup>	13.7 <sup>b</sup>	13.4 <sup>a</sup>	12.8	12.2	12.5	12.4	12.3
Inhalants	15.7 <sup>b</sup>	14.9 <sup>b</sup>	14.0 <sup>b</sup>	13.3 <sup>b</sup>	12.5 <sup>b</sup>	11.3 <sup>b</sup>	10.5 <sup>b</sup>	10.8 <sup>b</sup>	10.0 <sup>a</sup>	9.1
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	28.3	29.5 <sup>b</sup>	29.7 <sup>b</sup>	30.8 <sup>b</sup>	30.7 <sup>b</sup>	30.0 <sup>b</sup>	29.4 <sup>b</sup>	29.5 <sup>b</sup>	28.9 <sup>b</sup>	27.3
Pain Relievers	22.1	23.7 <sup>b</sup>	24.3 <sup>b</sup>	25.5 <sup>b</sup>	25.5 <sup>b</sup>	24.9 <sup>b</sup>	24.6 <sup>b</sup>	24.5 <sup>b</sup>	23.9 <sup>b</sup>	22.2
OxyContin <sup>®</sup>	2.6 <sup>b</sup>	3.6 <sup>b</sup>	4.3 <sup>b</sup>	5.0 <sup>b</sup>	5.1 <sup>b</sup>	5.2 <sup>b</sup>	5.4 <sup>a</sup>	6.3	6.3	6.1
Tranquilizers	11.2 <sup>b</sup>	12.3	12.2	13.4 <sup>a</sup>	13.1	12.7	12.4	12.9	13.2 <sup>a</sup>	12.3
Stimulants <sup>3</sup>	12.2 <sup>b</sup>	12.2 <sup>b</sup>	12.1 <sup>b</sup>	12.3 <sup>b</sup>	12.0 <sup>b</sup>	10.9 <sup>b</sup>	10.6 <sup>b</sup>	10.7 <sup>b</sup>	10.4 <sup>b</sup>	9.2
Methamphetamine <sup>3</sup>	7.4 <sup>b</sup>	6.9 <sup>b</sup>	7.0 <sup>b</sup>	6.7 <sup>b</sup>	6.4 <sup>b</sup>	5.6 <sup>b</sup>	4.7 <sup>b</sup>	4.5 <sup>b</sup>	4.0 <sup>b</sup>	3.4
Sedatives	2.1 <sup>b</sup>	1.8 <sup>a</sup>	1.9 <sup>b</sup>	2.0 <sup>b</sup>	1.9 <sup>b</sup>	1.8 <sup>b</sup>	1.6	1.6	1.4	1.4
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	40.1 <sup>b</sup>	40.2 <sup>b</sup>	39.2 <sup>b</sup>	39.4 <sup>b</sup>	39.6 <sup>b</sup>	38.4 <sup>b</sup>	36.9 <sup>b</sup>	37.5 <sup>b</sup>	36.4 <sup>b</sup>	34.6

\*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

**Table 7.8A Types of Illicit Drug Use in the Past Year among Persons Aged 18 to 25: Numbers in Thousands, 2002-2011**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
<b>ILLCIT DRUGS<sup>1</sup></b>	11,000 <sup>b</sup>	10,976 <sup>b</sup>	10,913 <sup>b</sup>	11,117 <sup>b</sup>	11,267 <sup>b</sup>	10,889 <sup>b</sup>	11,090 <sup>b</sup>	12,186	11,990	12,067
Marijuana and Hashish	9,238 <sup>b</sup>	9,044 <sup>b</sup>	8,963 <sup>b</sup>	9,111 <sup>b</sup>	9,188 <sup>b</sup>	9,008 <sup>b</sup>	9,154 <sup>b</sup>	10,343	10,215	10,554
Cocaine	2,087 <sup>b</sup>	2,098 <sup>b</sup>	2,134 <sup>b</sup>	2,247 <sup>b</sup>	2,263 <sup>b</sup>	2,087 <sup>b</sup>	1,844 <sup>b</sup>	1,790 <sup>a</sup>	1,593	1,563
Crack	266 <sup>b</sup>	275 <sup>b</sup>	263 <sup>b</sup>	328 <sup>b</sup>	293 <sup>b</sup>	249 <sup>b</sup>	217 <sup>b</sup>	172 <sup>a</sup>	180 <sup>b</sup>	107
Heroin	122 <sup>b</sup>	96 <sup>b</sup>	118 <sup>b</sup>	159 <sup>a</sup>	147 <sup>b</sup>	142 <sup>b</sup>	149 <sup>b</sup>	183	211	230
Hallucinogens	2,610 <sup>a</sup>	2,112	1,944 <sup>b</sup>	2,051 <sup>a</sup>	2,151	2,042 <sup>a</sup>	2,101 <sup>a</sup>	2,430	2,439	2,323
LSD	553	336 <sup>b</sup>	317 <sup>b</sup>	322 <sup>b</sup>	380 <sup>b</sup>	375 <sup>b</sup>	507	523	549	586
PCP	95	117 <sup>a</sup>	100	57	76	57	30	35	37	63
Ecstasy	1,784 <sup>b</sup>	1,164 <sup>b</sup>	999 <sup>b</sup>	998 <sup>b</sup>	1,235 <sup>a</sup>	1,146 <sup>b</sup>	1,270	1,456	1,500	1,413
Inhalants	685 <sup>b</sup>	662 <sup>b</sup>	674 <sup>b</sup>	685 <sup>b</sup>	578	528	538	635 <sup>a</sup>	597	500
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	4,452	4,637	4,807 <sup>b</sup>	4,915 <sup>b</sup>	5,130 <sup>b</sup>	4,920 <sup>b</sup>	4,891 <sup>b</sup>	5,061 <sup>b</sup>	4,876 <sup>b</sup>	4,366
Pain Relievers	3,540	3,803 <sup>b</sup>	3,834 <sup>b</sup>	4,030 <sup>b</sup>	4,077 <sup>b</sup>	3,981 <sup>b</sup>	3,956 <sup>b</sup>	4,027 <sup>b</sup>	3,779 <sup>b</sup>	3,353
OxyContin <sup>®</sup>	--	--	562	559	577	568	602	773 <sup>a</sup>	752 <sup>a</sup>	628
Tranquilizers	1,509	1,682	1,658	1,796 <sup>b</sup>	1,793 <sup>a</sup>	1,702	1,762 <sup>a</sup>	1,802 <sup>b</sup>	1,803 <sup>b</sup>	1,555
Stimulants <sup>3</sup>	1,233 <sup>a</sup>	1,197	1,280 <sup>a</sup>	1,242 <sup>a</sup>	1,376 <sup>b</sup>	1,132	1,123	1,238 <sup>a</sup>	1,242 <sup>a</sup>	1,065
Methamphetamine <sup>3</sup>	619 <sup>b</sup>	594 <sup>b</sup>	619 <sup>b</sup>	576 <sup>b</sup>	553 <sup>b</sup>	406 <sup>b</sup>	270	303 <sup>a</sup>	268	225
Sedatives	162	156	163	191 <sup>a</sup>	185 <sup>a</sup>	171	178	160	166	128
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	6,277	6,266	6,201	6,467 <sup>b</sup>	6,638 <sup>b</sup>	6,374 <sup>a</sup>	6,253	6,701 <sup>b</sup>	6,395 <sup>a</sup>	5,972

\*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

**Table 7.8B Types of Illicit Drug Use in the Past Year among Persons Aged 18 to 25: Percentages, 2002-2011**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
<b>ILLCIT DRUGS<sup>1</sup></b>	35.5	34.6	33.9	34.2	34.4	33.3 <sup>b</sup>	33.7 <sup>a</sup>	36.3	35.2	35.2
Marijuana and Hashish	29.8	28.5 <sup>b</sup>	27.8 <sup>b</sup>	28.0 <sup>b</sup>	28.1 <sup>b</sup>	27.5 <sup>b</sup>	27.8 <sup>b</sup>	30.8	30.0	30.8
Cocaine	6.7 <sup>b</sup>	6.6 <sup>b</sup>	6.6 <sup>b</sup>	6.9 <sup>b</sup>	6.9 <sup>b</sup>	6.4 <sup>b</sup>	5.6 <sup>b</sup>	5.3 <sup>b</sup>	4.7	4.6
Crack	0.9 <sup>b</sup>	0.9 <sup>b</sup>	0.8 <sup>b</sup>	1.0 <sup>b</sup>	0.9 <sup>b</sup>	0.8 <sup>b</sup>	0.7 <sup>b</sup>	0.5 <sup>b</sup>	0.5 <sup>b</sup>	0.3
Heroin	0.4 <sup>b</sup>	0.3 <sup>b</sup>	0.4 <sup>b</sup>	0.5	0.4 <sup>a</sup>	0.4 <sup>a</sup>	0.5 <sup>a</sup>	0.5	0.6	0.7
Hallucinogens	8.4 <sup>b</sup>	6.7	6.0 <sup>a</sup>	6.3	6.6	6.2	6.4	7.2	7.2	6.8
LSD	1.8	1.1 <sup>b</sup>	1.0 <sup>b</sup>	1.0 <sup>b</sup>	1.2 <sup>b</sup>	1.1 <sup>b</sup>	1.5	1.6	1.6	1.7
PCP	0.3	0.4 <sup>a</sup>	0.3	0.2	0.2	0.2	0.1	0.1	0.1	0.2
Ecstasy	5.8 <sup>b</sup>	3.7	3.1 <sup>b</sup>	3.1 <sup>b</sup>	3.8	3.5 <sup>a</sup>	3.9	4.3	4.4	4.1
Inhalants	2.2 <sup>b</sup>	2.1 <sup>b</sup>	2.1 <sup>b</sup>	2.1 <sup>b</sup>	1.8	1.6	1.6	1.9 <sup>a</sup>	1.8	1.5
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	14.4 <sup>b</sup>	14.6 <sup>b</sup>	14.9 <sup>b</sup>	15.1 <sup>b</sup>	15.7 <sup>b</sup>	15.0 <sup>b</sup>	14.9 <sup>b</sup>	15.1 <sup>b</sup>	14.3 <sup>b</sup>	12.7
Pain Relievers	11.4 <sup>b</sup>	12.0 <sup>b</sup>	11.9 <sup>b</sup>	12.4 <sup>b</sup>	12.5 <sup>b</sup>	12.2 <sup>b</sup>	12.0 <sup>b</sup>	12.0 <sup>b</sup>	11.1 <sup>b</sup>	9.8
OxyContin <sup>®</sup>	--	--	1.7	1.7	1.8	1.7	1.8	2.3 <sup>b</sup>	2.2 <sup>a</sup>	1.8
Tranquilizers	4.9	5.3 <sup>b</sup>	5.2 <sup>a</sup>	5.5 <sup>b</sup>	5.5 <sup>b</sup>	5.2 <sup>a</sup>	5.4 <sup>b</sup>	5.4 <sup>b</sup>	5.3 <sup>b</sup>	4.5
Stimulants <sup>3</sup>	4.0 <sup>b</sup>	3.8 <sup>b</sup>	4.0 <sup>b</sup>	3.8 <sup>b</sup>	4.2 <sup>b</sup>	3.5	3.4	3.7 <sup>a</sup>	3.6 <sup>a</sup>	3.1
Methamphetamine <sup>3</sup>	2.0 <sup>b</sup>	1.9 <sup>b</sup>	1.9 <sup>b</sup>	1.8 <sup>b</sup>	1.7 <sup>b</sup>	1.2 <sup>b</sup>	0.8	0.9 <sup>a</sup>	0.8	0.7
Sedatives	0.5	0.5	0.5	0.6 <sup>b</sup>	0.6 <sup>a</sup>	0.5	0.5 <sup>a</sup>	0.5	0.5	0.4
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	20.2 <sup>b</sup>	19.7 <sup>b</sup>	19.3 <sup>b</sup>	19.9 <sup>b</sup>	20.3 <sup>b</sup>	19.5 <sup>b</sup>	19.0 <sup>b</sup>	20.0 <sup>b</sup>	18.8 <sup>a</sup>	17.4

\*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

**Table 7.9A Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25: Numbers in Thousands, 2002-2011**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
<b>ILLCIT DRUGS<sup>1</sup></b>	6,264 <sup>b</sup>	6,435 <sup>b</sup>	6,239 <sup>b</sup>	6,543 <sup>b</sup>	6,498 <sup>b</sup>	6,475 <sup>b</sup>	6,490 <sup>b</sup>	7,176	7,345	7,352
Marijuana and Hashish	5,376 <sup>b</sup>	5,400 <sup>b</sup>	5,196 <sup>b</sup>	5,388 <sup>b</sup>	5,337 <sup>b</sup>	5,392 <sup>b</sup>	5,459 <sup>b</sup>	6,128 <sup>a</sup>	6,313	6,526
Cocaine	631 <sup>b</sup>	696 <sup>b</sup>	692 <sup>b</sup>	832 <sup>b</sup>	730 <sup>b</sup>	572	515	466	503	464
Crack	52 <sup>b</sup>	55 <sup>a</sup>	80 <sup>b</sup>	104 <sup>b</sup>	72 <sup>b</sup>	56 <sup>b</sup>	54 <sup>b</sup>	40	72 <sup>b</sup>	20
Heroin	39 <sup>b</sup>	25 <sup>b</sup>	43 <sup>b</sup>	59 <sup>a</sup>	55 <sup>a</sup>	49 <sup>a</sup>	76	67	90	107
Hallucinogens	589	545	477	503	564	475	545	620	672	557
LSD	36 <sup>b</sup>	67	83	60	58	69	98	97	105	92
PCP	15	30	17	11	14	15	4	5	6	12
Ecstasy	355	230 <sup>a</sup>	231 <sup>a</sup>	267	326	230 <sup>a</sup>	295	378	402	315
Inhalants	150	134	144	146	130	131	104	148	135	144
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	1,698	1,922 <sup>a</sup>	1,978 <sup>b</sup>	2,046 <sup>b</sup>	2,122 <sup>b</sup>	1,947 <sup>a</sup>	1,936 <sup>a</sup>	2,133 <sup>b</sup>	1,997 <sup>b</sup>	1,711
Pain Relievers	1,262	1,486 <sup>b</sup>	1,504 <sup>b</sup>	1,535 <sup>b</sup>	1,627 <sup>b</sup>	1,518 <sup>b</sup>	1,489 <sup>b</sup>	1,610 <sup>b</sup>	1,510 <sup>b</sup>	1,220
OxyContin <sup>®</sup>	--	--	142	146	140	157	130	179	239 <sup>a</sup>	158
Tranquilizers	487	525	566	606	651	573	570	622	570	546
Stimulants <sup>3</sup>	409	412	479 <sup>b</sup>	468 <sup>a</sup>	457 <sup>a</sup>	350	351	424	414	344
Methamphetamine <sup>3</sup>	183 <sup>b</sup>	197 <sup>b</sup>	220 <sup>b</sup>	225 <sup>b</sup>	183 <sup>b</sup>	116	74	84	83	79
Sedatives	49	58	49	74	54	71	67	84 <sup>a</sup>	59	42
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	2,459	2,665 <sup>a</sup>	2,619	2,850 <sup>b</sup>	2,912 <sup>b</sup>	2,642 <sup>a</sup>	2,579	2,811 <sup>b</sup>	2,709 <sup>b</sup>	2,385

\*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

**Table 7.9B Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25: Percentages, 2002-2011**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
<b>ILLCIT DRUGS<sup>1</sup></b>	20.2 <sup>a</sup>	20.3 <sup>a</sup>	19.4 <sup>b</sup>	20.1 <sup>a</sup>	19.8 <sup>b</sup>	19.8 <sup>b</sup>	19.7 <sup>b</sup>	21.4	21.6	21.4
Marijuana and Hashish	17.3 <sup>b</sup>	17.0 <sup>b</sup>	16.1 <sup>b</sup>	16.6 <sup>b</sup>	16.3 <sup>b</sup>	16.5 <sup>b</sup>	16.6 <sup>b</sup>	18.2	18.5	19.0
Cocaine	2.0 <sup>b</sup>	2.2 <sup>b</sup>	2.1 <sup>b</sup>	2.6 <sup>b</sup>	2.2 <sup>b</sup>	1.7 <sup>a</sup>	1.6	1.4	1.5	1.4
Crack	0.2 <sup>b</sup>	0.2 <sup>a</sup>	0.3 <sup>b</sup>	0.3 <sup>b</sup>	0.2 <sup>b</sup>	0.2 <sup>b</sup>	0.2 <sup>b</sup>	0.1	0.2 <sup>b</sup>	0.1
Heroin	0.1 <sup>b</sup>	0.1 <sup>b</sup>	0.1 <sup>b</sup>	0.2 <sup>a</sup>	0.2 <sup>a</sup>	0.1 <sup>a</sup>	0.2	0.2	0.3	0.3
Hallucinogens	1.9	1.7	1.5	1.5	1.7	1.5	1.7	1.8	2.0	1.6
LSD	0.1 <sup>b</sup>	0.2	0.3	0.2	0.2	0.2	0.3	0.3	0.3	0.3
PCP	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Ecstasy	1.1	0.7	0.7	0.8	1.0	0.7	0.9	1.1	1.2	0.9
Inhalants	0.5	0.4	0.4	0.5	0.4	0.4	0.3	0.4	0.4	0.4
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	5.5	6.1 <sup>b</sup>	6.1 <sup>b</sup>	6.3 <sup>b</sup>	6.5 <sup>b</sup>	5.9 <sup>b</sup>	5.9 <sup>b</sup>	6.4 <sup>b</sup>	5.9 <sup>b</sup>	5.0
Pain Relievers	4.1 <sup>a</sup>	4.7 <sup>b</sup>	4.7 <sup>b</sup>	4.7 <sup>b</sup>	5.0 <sup>b</sup>	4.6 <sup>b</sup>	4.5 <sup>b</sup>	4.8 <sup>b</sup>	4.4 <sup>b</sup>	3.6
OxyContin <sup>®</sup>	--	--	0.4	0.4	0.4	0.5	0.4	0.5	0.7 <sup>a</sup>	0.5
Tranquilizers	1.6	1.7	1.8	1.9	2.0 <sup>a</sup>	1.7	1.7	1.9	1.7	1.6
Stimulants <sup>3</sup>	1.3 <sup>a</sup>	1.3 <sup>a</sup>	1.5 <sup>b</sup>	1.4 <sup>b</sup>	1.4 <sup>b</sup>	1.1	1.1	1.3	1.2	1.0
Methamphetamine <sup>3</sup>	0.6 <sup>b</sup>	0.6 <sup>b</sup>	0.7 <sup>b</sup>	0.7 <sup>b</sup>	0.6 <sup>b</sup>	0.4	0.2	0.2	0.2	0.2
Sedatives	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2 <sup>a</sup>	0.2	0.1
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	7.9 <sup>b</sup>	8.4 <sup>b</sup>	8.1 <sup>b</sup>	8.8 <sup>b</sup>	8.9 <sup>b</sup>	8.1 <sup>b</sup>	7.8 <sup>a</sup>	8.4 <sup>b</sup>	8.0 <sup>b</sup>	7.0

\*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

**Table 7.10A Types of Illicit Drug Use in Lifetime among Persons Aged 26 or Older: Numbers in Thousands, 2002-2011**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
<b>ILLCIT DRUGS<sup>1</sup></b>	82,051 <sup>b</sup>	83,380 <sup>b</sup>	83,448 <sup>b</sup>	85,841 <sup>b</sup>	85,405 <sup>b</sup>	89,040 <sup>b</sup>	92,478 <sup>a</sup>	92,973	94,117	95,171
Marijuana and Hashish	73,162 <sup>b</sup>	74,620 <sup>b</sup>	75,001 <sup>b</sup>	76,111 <sup>b</sup>	76,213 <sup>b</sup>	79,988 <sup>b</sup>	82,001 <sup>b</sup>	83,070	84,927	85,668
Cocaine	28,453 <sup>b</sup>	29,488 <sup>b</sup>	28,649 <sup>b</sup>	28,185 <sup>b</sup>	29,593 <sup>b</sup>	30,477 <sup>a</sup>	31,671	31,339	32,430	32,332
Crack	7,057	6,599 <sup>a</sup>	6,580 <sup>a</sup>	6,675	7,254	7,524	7,458	7,368	8,262	7,433
Heroin	3,087	3,148	2,538 <sup>b</sup>	2,979	3,214	3,253	3,262	3,036	3,483	3,499
Hallucinogens	25,378 <sup>b</sup>	25,736 <sup>b</sup>	26,318 <sup>b</sup>	25,910 <sup>b</sup>	27,675 <sup>a</sup>	27,088 <sup>b</sup>	29,217	29,970	30,248	29,403
LSD	18,917 <sup>a</sup>	19,577	19,185 <sup>a</sup>	18,728 <sup>b</sup>	20,213	20,137	21,166	21,138	20,950	20,716
PCP	6,352	5,955	5,851	5,705	5,865	5,533	6,032	5,692	5,731	5,676
Ecstasy	4,656 <sup>b</sup>	5,619 <sup>b</sup>	6,168 <sup>b</sup>	6,632 <sup>b</sup>	7,414 <sup>b</sup>	7,786 <sup>b</sup>	8,431 <sup>b</sup>	9,513	11,082 <sup>b</sup>	9,743
Inhalants	15,398	15,596	15,521	15,754	16,200	16,426	16,659	16,649	16,367	15,540
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	35,779 <sup>b</sup>	36,269 <sup>b</sup>	36,190 <sup>b</sup>	36,562 <sup>b</sup>	37,741	37,781	39,677	39,285	39,409	39,348
Pain Relievers	19,983 <sup>b</sup>	20,896 <sup>b</sup>	21,076 <sup>b</sup>	21,896 <sup>b</sup>	22,475 <sup>a</sup>	22,533 <sup>a</sup>	24,543	24,583	24,521	24,497
OxyContin <sup>®</sup>	881 <sup>b</sup>	1,433 <sup>b</sup>	1,392 <sup>b</sup>	1,589 <sup>b</sup>	2,089 <sup>b</sup>	2,303 <sup>b</sup>	2,748 <sup>b</sup>	3,373	3,642	3,469
Tranquilizers	14,959 <sup>b</sup>	15,447 <sup>a</sup>	15,117 <sup>a</sup>	15,919	16,290	15,350 <sup>a</sup>	16,762	16,830	16,960	16,725
Stimulants <sup>3</sup>	18,588 <sup>b</sup>	18,085 <sup>a</sup>	17,499	16,105	17,639	17,369	17,126	17,863	17,674	16,699
Methamphetamine <sup>3</sup>	12,648 <sup>b</sup>	12,565 <sup>b</sup>	11,920 <sup>a</sup>	10,154	11,782 <sup>a</sup>	11,012	10,891	11,203	11,542	10,594
Sedatives	9,075 <sup>b</sup>	8,696 <sup>b</sup>	9,012 <sup>b</sup>	8,101 <sup>a</sup>	8,007 <sup>a</sup>	7,604	8,204 <sup>a</sup>	7,882 <sup>a</sup>	7,006	6,899
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	52,578 <sup>b</sup>	53,040 <sup>b</sup>	52,672 <sup>b</sup>	54,078 <sup>b</sup>	55,024 <sup>b</sup>	56,431 <sup>b</sup>	59,248	58,987	59,895	59,580

\*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

**Table 7.10B Types of Illicit Drug Use in Lifetime among Persons Aged 26 or Older: Percentages, 2002-2011**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
<b>ILLCIT DRUGS<sup>1</sup></b>	45.7 <sup>b</sup>	46.1 <sup>b</sup>	45.6 <sup>b</sup>	46.3 <sup>a</sup>	45.5 <sup>b</sup>	46.9	48.2	48.0	48.2	48.0
Marijuana and Hashish	40.8 <sup>b</sup>	41.2 <sup>b</sup>	41.0 <sup>b</sup>	41.1 <sup>b</sup>	40.6 <sup>b</sup>	42.1	42.7	42.9	43.5	43.2
Cocaine	15.9	16.3	15.6	15.2 <sup>a</sup>	15.7	16.1	16.5	16.2	16.6	16.3
Crack	3.9	3.6	3.6	3.6	3.9	4.0	3.9	3.8	4.2 <sup>a</sup>	3.7
Heroin	1.7	1.7	1.4 <sup>a</sup>	1.6	1.7	1.7	1.7	1.6	1.8	1.8
Hallucinogens	14.1	14.2	14.4	14.0 <sup>a</sup>	14.7	14.3	15.2	15.5	15.5	14.8
LSD	10.5	10.8	10.5	10.1	10.8	10.6	11.0	10.9	10.7	10.4
PCP	3.5 <sup>b</sup>	3.3 <sup>a</sup>	3.2	3.1	3.1	2.9	3.1	2.9	2.9	2.9
Ecstasy	2.6 <sup>b</sup>	3.1 <sup>b</sup>	3.4 <sup>b</sup>	3.6 <sup>b</sup>	3.9 <sup>b</sup>	4.1 <sup>b</sup>	4.4 <sup>a</sup>	4.9	5.7 <sup>b</sup>	4.9
Inhalants	8.6 <sup>a</sup>	8.6 <sup>a</sup>	8.5	8.5 <sup>a</sup>	8.6 <sup>a</sup>	8.7 <sup>a</sup>	8.7 <sup>a</sup>	8.6 <sup>a</sup>	8.4	7.8
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	19.9	20.0	19.8	19.7	20.1	19.9	20.7	20.3	20.2	19.8
Pain Relievers	11.1 <sup>b</sup>	11.5 <sup>a</sup>	11.5 <sup>a</sup>	11.8	12.0	11.9	12.8	12.7	12.6	12.4
OxyContin <sup>®</sup>	0.5 <sup>b</sup>	0.8 <sup>b</sup>	0.8 <sup>b</sup>	0.9 <sup>b</sup>	1.1 <sup>b</sup>	1.2 <sup>b</sup>	1.4 <sup>a</sup>	1.7	1.9	1.7
Tranquilizers	8.3	8.5	8.3	8.6	8.7	8.1	8.7	8.7	8.7	8.4
Stimulants <sup>3</sup>	10.4 <sup>b</sup>	10.0 <sup>b</sup>	9.6 <sup>b</sup>	8.7	9.4 <sup>b</sup>	9.1 <sup>a</sup>	8.9	9.2 <sup>a</sup>	9.1	8.4
Methamphetamine <sup>3</sup>	7.1 <sup>b</sup>	6.9 <sup>b</sup>	6.5 <sup>b</sup>	5.5	6.3 <sup>b</sup>	5.8	5.7	5.8	5.9	5.3
Sedatives	5.1 <sup>b</sup>	4.8 <sup>b</sup>	4.9 <sup>b</sup>	4.4 <sup>b</sup>	4.3 <sup>b</sup>	4.0 <sup>a</sup>	4.3 <sup>b</sup>	4.1 <sup>a</sup>	3.6	3.5
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	29.3	29.3	28.8 <sup>a</sup>	29.2	29.3	29.7	30.9	30.5	30.7	30.0

\*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

**Table 7.11A Types of Illicit Drug Use in the Past Year among Persons Aged 26 or Older: Numbers in Thousands, 2002-2011**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
<b>ILLCIT DRUGS<sup>1</sup></b>	18,639 <sup>b</sup>	18,562 <sup>b</sup>	18,594 <sup>b</sup>	18,883 <sup>b</sup>	19,565 <sup>b</sup>	20,163	19,801 <sup>a</sup>	21,099	22,174	21,485
Marijuana and Hashish	12,612 <sup>b</sup>	12,441 <sup>b</sup>	12,833 <sup>b</sup>	12,880 <sup>b</sup>	12,889 <sup>b</sup>	12,970 <sup>b</sup>	13,479 <sup>b</sup>	14,983	15,672	15,632
Cocaine	3,307 <sup>b</sup>	3,372 <sup>b</sup>	3,114 <sup>b</sup>	2,852 <sup>b</sup>	3,400 <sup>b</sup>	3,275 <sup>b</sup>	3,133 <sup>b</sup>	2,773 <sup>b</sup>	2,700 <sup>b</sup>	2,065
Crack	1,188 <sup>b</sup>	1,036 <sup>b</sup>	978 <sup>b</sup>	1,000 <sup>b</sup>	1,111 <sup>b</sup>	1,138 <sup>b</sup>	862 <sup>b</sup>	807 <sup>b</sup>	686	490
Heroin	231	182	232	184 <sup>a</sup>	376	207	265	364	382	336
Hallucinogens	1,194	1,046	1,182	1,093	1,166	1,089	881	1,369	1,356	1,098
LSD	131	73	117	91	181	120	115	124	197	135
PCP	31	13	38	22	52	26	*	42	24	17
Ecstasy	836 <sup>a</sup>	626	606	705	595	647	499	932 <sup>b</sup>	687	590
Inhalants	320 <sup>a</sup>	295 <sup>a</sup>	413	358	532	562	540	514	566	541
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	8,057	8,231	7,814	8,331	9,168	9,377	8,380	9,108	9,362	8,542
Pain Relievers	5,582	5,950	5,556	6,044	6,752	6,851	6,347	6,795	6,941	6,306
OxyContin <sup>®</sup>	--	--	457 <sup>b</sup>	480 <sup>a</sup>	547	626	634	687	893	776
Tranquilizers	2,772	2,783	2,878	2,956	2,788	3,086	2,853	3,228	3,314	3,080
Stimulants <sup>3</sup>	1,482	1,256	1,467	1,340	1,864 <sup>a</sup>	1,447	1,152	1,521	1,335	1,336
Methamphetamine <sup>3</sup>	891	823	1,012	849	1,146 <sup>a</sup>	823	490	777	593	703
Sedatives	681 <sup>b</sup>	544 <sup>a</sup>	441	441	632 <sup>b</sup>	582 <sup>a</sup>	335	530 <sup>a</sup>	630 <sup>b</sup>	314
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	10,808	10,689	10,189	10,513	11,477 <sup>a</sup>	11,910 <sup>b</sup>	10,906	11,526 <sup>a</sup>	11,472	10,422

\*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

**Table 7.11B Types of Illicit Drug Use in the Past Year among Persons Aged 26 or Older: Percentages, 2002-2011**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
<b>ILLCIT DRUGS<sup>1</sup></b>	10.4	10.3	10.2	10.2	10.4	10.6	10.3	10.9	11.4	10.8
Marijuana and Hashish	7.0 <sup>b</sup>	6.9 <sup>b</sup>	7.0 <sup>b</sup>	6.9 <sup>b</sup>	6.9 <sup>b</sup>	6.8 <sup>b</sup>	7.0 <sup>b</sup>	7.7	8.0	7.9
Cocaine	1.8 <sup>b</sup>	1.9 <sup>b</sup>	1.7 <sup>b</sup>	1.5 <sup>b</sup>	1.8 <sup>b</sup>	1.7 <sup>b</sup>	1.6 <sup>b</sup>	1.4 <sup>b</sup>	1.4 <sup>b</sup>	1.0
Crack	0.7 <sup>b</sup>	0.6 <sup>b</sup>	0.5 <sup>b</sup>	0.5 <sup>b</sup>	0.6 <sup>b</sup>	0.6 <sup>b</sup>	0.4 <sup>b</sup>	0.4 <sup>b</sup>	0.4	0.2
Heroin	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.2	0.2	0.2
Hallucinogens	0.7	0.6	0.6	0.6	0.6	0.6	0.5	0.7	0.7	0.6
LSD	0.1	0.0	0.1	0.0	0.1	0.1	0.1	0.1	0.1	0.1
PCP	0.0	0.0	0.0	0.0	0.0	0.0	*	0.0	0.0	0.0
Ecstasy	0.5 <sup>b</sup>	0.3	0.3	0.4	0.3	0.3	0.3	0.5 <sup>b</sup>	0.4	0.3
Inhalants	0.2	0.2 <sup>a</sup>	0.2	0.2	0.3	0.3	0.3	0.3	0.3	0.3
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	4.5	4.5	4.3	4.5	4.9 <sup>a</sup>	4.9 <sup>a</sup>	4.4	4.7	4.8	4.3
Pain Relievers	3.1	3.3	3.0	3.3	3.6 <sup>a</sup>	3.6 <sup>a</sup>	3.3	3.5	3.6	3.2
OxyContin <sup>®</sup>	--	--	0.2 <sup>a</sup>	0.3 <sup>a</sup>	0.3	0.3	0.3	0.4	0.5	0.4
Tranquilizers	1.5	1.5	1.6	1.6	1.5	1.6	1.5	1.7	1.7	1.6
Stimulants <sup>3</sup>	0.8	0.7	0.8	0.7	1.0 <sup>b</sup>	0.8	0.6	0.8	0.7	0.7
Methamphetamine <sup>3</sup>	0.5	0.5	0.6 <sup>a</sup>	0.5	0.6 <sup>b</sup>	0.4	0.3	0.4	0.3	0.4
Sedatives	0.4 <sup>b</sup>	0.3 <sup>b</sup>	0.2	0.2	0.3 <sup>b</sup>	0.3 <sup>b</sup>	0.2	0.3 <sup>a</sup>	0.3 <sup>b</sup>	0.2
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	6.0 <sup>b</sup>	5.9 <sup>a</sup>	5.6	5.7	6.1 <sup>b</sup>	6.3 <sup>b</sup>	5.7	6.0 <sup>a</sup>	5.9 <sup>a</sup>	5.3

\*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

**Table 7.12A Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older: Numbers in Thousands, 2002-2011**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
<b>ILLCIT DRUGS<sup>1</sup></b>	10,380 <sup>b</sup>	10,224 <sup>b</sup>	10,159 <sup>b</sup>	10,666 <sup>b</sup>	11,400 <sup>a</sup>	11,001 <sup>b</sup>	11,321 <sup>a</sup>	12,270	12,835	12,580
Marijuana and Hashish	7,185 <sup>b</sup>	7,267 <sup>b</sup>	7,471 <sup>b</sup>	7,508 <sup>b</sup>	7,818 <sup>b</sup>	7,385 <sup>b</sup>	8,142 <sup>b</sup>	8,885	9,294	9,578
Cocaine	1,243 <sup>b</sup>	1,431 <sup>b</sup>	1,204 <sup>a</sup>	1,423 <sup>b</sup>	1,586 <sup>b</sup>	1,400 <sup>b</sup>	1,252 <sup>b</sup>	1,106	909	838
Crack	488 <sup>b</sup>	517 <sup>b</sup>	370 <sup>a</sup>	553 <sup>b</sup>	619 <sup>b</sup>	538 <sup>b</sup>	302	448 <sup>b</sup>	303	205
Heroin	116	76	108	62 <sup>a</sup>	268	109	124	112	141	159
Hallucinogens	352 <sup>a</sup>	238	241	380 <sup>a</sup>	262	349 <sup>a</sup>	269	427 <sup>b</sup>	320	200
LSD	15	15	20	12	41	45	*	27	*	26
PCP	20	*	21	20	*	19	*	36	24	*
Ecstasy	197	149	142	161	120	209	146	269 <sup>a</sup>	165	120
Inhalants	183	117 <sup>a</sup>	181	152	292	191	270	170	293	257
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	3,602	3,532	3,218	3,607	4,130	4,130	3,563	4,072	4,239	3,720
Pain Relievers	2,321	2,406	2,149 <sup>a</sup>	2,437	2,908	2,998	2,676	3,014	2,975	2,688
OxyContin <sup>®</sup>	--	--	118	153	106 <sup>a</sup>	168	256	262	280	225
Tranquilizers	1,129	1,078	889	1,050	984	1,085	1,075	1,265	1,456	1,132
Stimulants <sup>3</sup>	685	676	653	548	757	574	445	748	561	528
Methamphetamine <sup>3</sup>	428	459	428	331	495	380	211	383	245	323
Sedatives	340 <sup>a</sup>	189	190	171	285	240	136	243	280	164
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	4,897	4,767	4,301	4,860	5,456 <sup>a</sup>	5,471 <sup>a</sup>	4,884	5,262	5,214	4,610

\*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

**Table 7.12B Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older: Percentages, 2002-2011**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
<b>ILLCIT DRUGS<sup>1</sup></b>	5.8	5.6 <sup>a</sup>	5.5 <sup>b</sup>	5.8 <sup>a</sup>	6.1	5.8	5.9	6.3	6.6	6.3
Marijuana and Hashish	4.0 <sup>b</sup>	4.0 <sup>b</sup>	4.1 <sup>b</sup>	4.1 <sup>b</sup>	4.2 <sup>b</sup>	3.9 <sup>b</sup>	4.2 <sup>a</sup>	4.6	4.8	4.8
Cocaine	0.7 <sup>b</sup>	0.8 <sup>b</sup>	0.7 <sup>b</sup>	0.8 <sup>b</sup>	0.8 <sup>b</sup>	0.7 <sup>b</sup>	0.7 <sup>b</sup>	0.6	0.5	0.4
Crack	0.3 <sup>b</sup>	0.3 <sup>b</sup>	0.2 <sup>a</sup>	0.3 <sup>b</sup>	0.3 <sup>b</sup>	0.3 <sup>b</sup>	0.2	0.2 <sup>b</sup>	0.2	0.1
Heroin	0.1	0.0	0.1	0.0 <sup>a</sup>	0.1	0.1	0.1	0.1	0.1	0.1
Hallucinogens	0.2 <sup>a</sup>	0.1	0.1	0.2 <sup>a</sup>	0.1	0.2 <sup>a</sup>	0.1	0.2 <sup>b</sup>	0.2	0.1
LSD	0.0	0.0	0.0	0.0	0.0	0.0	*	0.0	*	0.0
PCP	0.0	*	0.0	0.0	*	0.0	*	0.0	0.0	*
Ecstasy	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1 <sup>a</sup>	0.1	0.1
Inhalants	0.1	0.1 <sup>a</sup>	0.1	0.1	0.2	0.1	0.1	0.1	0.2	0.1
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	2.0	2.0	1.8	1.9	2.2 <sup>a</sup>	2.2	1.9	2.1	2.2	1.9
Pain Relievers	1.3	1.3	1.2	1.3	1.5	1.6	1.4	1.6	1.5	1.4
OxyContin <sup>®</sup>	--	--	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Tranquilizers	0.6	0.6	0.5	0.6	0.5	0.6	0.6	0.7	0.7	0.6
Stimulants <sup>3</sup>	0.4	0.4	0.4	0.3	0.4 <sup>a</sup>	0.3	0.2	0.4	0.3	0.3
Methamphetamine <sup>3</sup>	0.2	0.3	0.2	0.2	0.3	0.2	0.1	0.2	0.1	0.2
Sedatives	0.2 <sup>a</sup>	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	2.7 <sup>a</sup>	2.6	2.3	2.6	2.9 <sup>b</sup>	2.9 <sup>b</sup>	2.5	2.7 <sup>a</sup>	2.7	2.3

\*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

**Table 7.13A Types of Illicit Drug Use in Lifetime among Persons Aged 18 or Older: Numbers in Thousands, 2002-2011**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
<b>ILLCIT DRUGS<sup>1</sup></b>	100,612 <sup>b</sup>	102,574 <sup>b</sup>	102,491 <sup>b</sup>	105,063 <sup>b</sup>	104,733 <sup>b</sup>	107,871 <sup>b</sup>	111,250 <sup>a</sup>	112,631	113,655	114,705
Marijuana and Hashish	89,842 <sup>b</sup>	91,723 <sup>b</sup>	91,984 <sup>b</sup>	93,143 <sup>b</sup>	93,393 <sup>b</sup>	96,641 <sup>b</sup>	98,720 <sup>b</sup>	100,747 <sup>a</sup>	102,456	103,464
Cocaine	33,239 <sup>b</sup>	34,243 <sup>b</sup>	33,542 <sup>b</sup>	33,090 <sup>b</sup>	34,732 <sup>a</sup>	35,402	36,443	36,337	36,998	36,584
Crack	8,239	7,792	7,715	7,820	8,430	8,509	8,374	8,332	9,148 <sup>a</sup>	8,146
Heroin	3,574	3,664	3,067 <sup>b</sup>	3,475	3,728	3,751	3,729	3,623	4,097	4,093
Hallucinogens	32,895 <sup>b</sup>	33,113 <sup>b</sup>	33,173 <sup>a</sup>	32,730 <sup>b</sup>	34,300	33,380 <sup>a</sup>	35,093	36,388	36,543	35,432
LSD	23,845	24,027	23,085	22,145	23,146	22,518	23,333	23,464	23,143	22,771
PCP	7,185 <sup>b</sup>	6,903 <sup>a</sup>	6,587	6,421	6,505	6,073	6,554	6,173	6,179	6,027
Ecstasy	9,330 <sup>b</sup>	10,301 <sup>b</sup>	10,607 <sup>b</sup>	11,096 <sup>b</sup>	11,806 <sup>b</sup>	11,971 <sup>b</sup>	12,439 <sup>b</sup>	13,707	15,312 <sup>a</sup>	13,964
Inhalants	20,265 <sup>a</sup>	20,325 <sup>a</sup>	20,036 <sup>a</sup>	20,087 <sup>a</sup>	20,298 <sup>a</sup>	20,130 <sup>a</sup>	20,104 <sup>a</sup>	20,269 <sup>a</sup>	19,763	18,646
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	44,556 <sup>b</sup>	45,629 <sup>b</sup>	45,754 <sup>b</sup>	46,552 <sup>a</sup>	47,809	47,588	49,371	49,181	49,241	48,721
Pain Relievers	26,836 <sup>b</sup>	28,409 <sup>b</sup>	28,890 <sup>b</sup>	30,175 <sup>a</sup>	30,828	30,676	32,639	32,804	32,664	32,097
OxyContin <sup>®</sup>	1,700 <sup>b</sup>	2,579 <sup>b</sup>	2,767 <sup>b</sup>	3,205 <sup>b</sup>	3,773 <sup>b</sup>	4,019 <sup>b</sup>	4,513 <sup>b</sup>	5,483	5,791	5,547
Tranquilizers	18,433 <sup>b</sup>	19,346 <sup>a</sup>	19,036 <sup>b</sup>	20,275	20,576	19,505 <sup>a</sup>	20,831	21,152	21,463	20,956
Stimulants <sup>3</sup>	22,384 <sup>b</sup>	21,958 <sup>b</sup>	21,391 <sup>a</sup>	20,113	21,565 <sup>a</sup>	20,939	20,612	21,450 <sup>a</sup>	21,209	19,871
Methamphetamine <sup>3</sup>	14,949 <sup>b</sup>	14,756 <sup>b</sup>	14,166 <sup>b</sup>	12,344	13,885 <sup>b</sup>	12,859 <sup>a</sup>	12,438	12,721	12,903 <sup>a</sup>	11,743
Sedatives	9,723 <sup>b</sup>	9,261 <sup>b</sup>	9,640 <sup>b</sup>	8,751 <sup>b</sup>	8,619 <sup>a</sup>	8,188	8,715 <sup>b</sup>	8,409 <sup>a</sup>	7,475	7,371
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	65,014 <sup>b</sup>	65,809 <sup>b</sup>	65,302 <sup>b</sup>	66,879 <sup>b</sup>	67,984 <sup>b</sup>	69,005 <sup>a</sup>	71,394	71,579	72,306	71,440

\*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

**Table 7.13B Types of Illicit Drug Use in Lifetime among Persons Aged 18 or Older: Percentages, 2002-2011**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
<b>ILLCIT DRUGS<sup>1</sup></b>	47.8 <sup>a</sup>	48.2	47.6 <sup>b</sup>	48.2	47.5 <sup>b</sup>	48.5	49.5	49.6	49.6	49.3
Marijuana and Hashish	42.7 <sup>b</sup>	43.1 <sup>a</sup>	42.7 <sup>b</sup>	42.8 <sup>b</sup>	42.3 <sup>b</sup>	43.4	43.9	44.3	44.7	44.5
Cocaine	15.8	16.1	15.6	15.2	15.7	15.9	16.2	16.0	16.1	15.7
Crack	3.9 <sup>a</sup>	3.7	3.6	3.6	3.8	3.8	3.7	3.7	4.0 <sup>a</sup>	3.5
Heroin	1.7	1.7	1.4 <sup>a</sup>	1.6	1.7	1.7	1.7	1.6	1.8	1.8
Hallucinogens	15.6	15.6	15.4	15.0	15.5	15.0	15.6	16.0 <sup>a</sup>	15.9	15.2
LSD	11.3 <sup>b</sup>	11.3 <sup>b</sup>	10.7 <sup>b</sup>	10.2	10.5 <sup>a</sup>	10.1	10.4	10.3	10.1	9.8
PCP	3.4 <sup>b</sup>	3.2 <sup>b</sup>	3.1 <sup>a</sup>	2.9	2.9	2.7	2.9	2.7	2.7	2.6
Ecstasy	4.4 <sup>b</sup>	4.8 <sup>b</sup>	4.9 <sup>b</sup>	5.1 <sup>b</sup>	5.4 <sup>b</sup>	5.4 <sup>b</sup>	5.5 <sup>a</sup>	6.0	6.7 <sup>b</sup>	6.0
Inhalants	9.6 <sup>b</sup>	9.6 <sup>b</sup>	9.3 <sup>b</sup>	9.2 <sup>b</sup>	9.2 <sup>b</sup>	9.0 <sup>b</sup>	8.9 <sup>b</sup>	8.9 <sup>b</sup>	8.6 <sup>a</sup>	8.0
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	21.2	21.5	21.3	21.4	21.7	21.4	22.0 <sup>a</sup>	21.6	21.5	20.9
Pain Relievers	12.8 <sup>b</sup>	13.4	13.4	13.9	14.0	13.8	14.5 <sup>a</sup>	14.4	14.2	13.8
OxyContin <sup>®</sup>	0.8 <sup>b</sup>	1.2 <sup>b</sup>	1.3 <sup>b</sup>	1.5 <sup>b</sup>	1.7 <sup>b</sup>	1.8 <sup>b</sup>	2.0 <sup>b</sup>	2.4	2.5	2.4
Tranquilizers	8.8	9.1	8.8	9.3	9.3	8.8	9.3	9.3	9.4	9.0
Stimulants <sup>3</sup>	10.6 <sup>b</sup>	10.3 <sup>b</sup>	9.9 <sup>b</sup>	9.2 <sup>a</sup>	9.8 <sup>b</sup>	9.4 <sup>b</sup>	9.2	9.4 <sup>b</sup>	9.3 <sup>a</sup>	8.5
Methamphetamine <sup>3</sup>	7.1 <sup>b</sup>	6.9 <sup>b</sup>	6.6 <sup>b</sup>	5.7 <sup>a</sup>	6.3 <sup>b</sup>	5.8 <sup>b</sup>	5.5	5.6 <sup>a</sup>	5.6 <sup>a</sup>	5.0
Sedatives	4.6 <sup>b</sup>	4.4 <sup>b</sup>	4.5 <sup>b</sup>	4.0 <sup>b</sup>	3.9 <sup>b</sup>	3.7 <sup>a</sup>	3.9 <sup>b</sup>	3.7 <sup>a</sup>	3.3	3.2
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	30.9	30.9	30.3	30.7	30.8	31.0	31.7	31.5	31.5	30.7

\*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

**Table 7.14A Types of Illicit Drug Use in the Past Year among Persons Aged 18 or Older: Numbers in Thousands, 2002-2011**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
<b>ILLCIT DRUGS<sup>1</sup></b>	29,638 <sup>b</sup>	29,538 <sup>b</sup>	29,506 <sup>b</sup>	29,999 <sup>b</sup>	30,831 <sup>b</sup>	31,052 <sup>b</sup>	30,892 <sup>b</sup>	33,285	34,163	33,552
Marijuana and Hashish	21,850 <sup>b</sup>	21,486 <sup>b</sup>	21,796 <sup>b</sup>	21,991 <sup>b</sup>	22,077 <sup>b</sup>	21,978 <sup>b</sup>	22,633 <sup>b</sup>	25,325	25,887	26,186
Cocaine	5,394 <sup>b</sup>	5,470 <sup>b</sup>	5,247 <sup>b</sup>	5,099 <sup>b</sup>	5,663 <sup>b</sup>	5,362 <sup>b</sup>	4,977 <sup>b</sup>	4,564 <sup>b</sup>	4,294 <sup>a</sup>	3,628
Crack	1,454 <sup>b</sup>	1,310 <sup>b</sup>	1,241 <sup>b</sup>	1,327 <sup>b</sup>	1,404 <sup>b</sup>	1,387 <sup>b</sup>	1,079 <sup>b</sup>	979 <sup>b</sup>	866 <sup>a</sup>	597
Heroin	353 <sup>a</sup>	278 <sup>b</sup>	350 <sup>a</sup>	343 <sup>b</sup>	524	349 <sup>a</sup>	415	547	593	566
Hallucinogens	3,804	3,158	3,125	3,144	3,317	3,130	2,982 <sup>a</sup>	3,799	3,795	3,421
LSD	684	409 <sup>b</sup>	434 <sup>b</sup>	413 <sup>b</sup>	561 <sup>a</sup>	495 <sup>b</sup>	623	647	746	721
PCP	126	130	138	79	129	83	37 <sup>a</sup>	77	61	80
Ecstasy	2,621 <sup>b</sup>	1,790	1,605 <sup>b</sup>	1,703 <sup>a</sup>	1,830	1,794	1,770	2,388 <sup>a</sup>	2,188	2,003
Inhalants	1,005	956	1,087	1,043	1,110	1,090	1,079	1,149	1,163	1,041
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	12,509	12,868	12,621	13,246	14,298 <sup>b</sup>	14,297 <sup>b</sup>	13,271	14,169 <sup>a</sup>	14,238 <sup>a</sup>	12,908
Pain Relievers	9,122	9,753	9,391	10,074	10,829 <sup>b</sup>	10,833 <sup>b</sup>	10,304	10,822 <sup>b</sup>	10,720 <sup>a</sup>	9,659
OxyContin <sup>®</sup>	--	--	1,019 <sup>b</sup>	1,039 <sup>b</sup>	1,124 <sup>a</sup>	1,195	1,236	1,460	1,645	1,404
Tranquilizers	4,281	4,465	4,536	4,752	4,581	4,788	4,616	5,031	5,117	4,635
Stimulants <sup>3</sup>	2,716	2,453	2,747	2,581	3,241 <sup>b</sup>	2,579	2,275	2,759	2,577	2,401
Methamphetamine <sup>3</sup>	1,510 <sup>b</sup>	1,417 <sup>b</sup>	1,631 <sup>b</sup>	1,425 <sup>b</sup>	1,700 <sup>b</sup>	1,229	760	1,080	861	928
Sedatives	843 <sup>b</sup>	700 <sup>a</sup>	604	632 <sup>a</sup>	818 <sup>b</sup>	754 <sup>b</sup>	513	690 <sup>a</sup>	796 <sup>b</sup>	442
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	17,086	16,954	16,389	16,980	18,114 <sup>b</sup>	18,283 <sup>b</sup>	17,159	18,228 <sup>b</sup>	17,866 <sup>a</sup>	16,395

\*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

**Table 7.14B Types of Illicit Drug Use in the Past Year among Persons Aged 18 or Older: Percentages, 2002-2011**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
<b>ILLCIT DRUGS<sup>1</sup></b>	14.1	13.9	13.7 <sup>a</sup>	13.8	14.0	13.9	13.7	14.6	14.9	14.4
Marijuana and Hashish	10.4 <sup>b</sup>	10.1 <sup>b</sup>	10.1 <sup>b</sup>	10.1 <sup>b</sup>	10.0 <sup>b</sup>	9.9 <sup>b</sup>	10.1 <sup>b</sup>	11.1	11.3	11.3
Cocaine	2.6 <sup>b</sup>	2.6 <sup>b</sup>	2.4 <sup>b</sup>	2.3 <sup>b</sup>	2.6 <sup>b</sup>	2.4 <sup>b</sup>	2.2 <sup>b</sup>	2.0 <sup>b</sup>	1.9 <sup>b</sup>	1.6
Crack	0.7 <sup>b</sup>	0.6 <sup>b</sup>	0.5 <sup>b</sup>	0.4 <sup>b</sup>	0.4 <sup>a</sup>	0.3				
Heroin	0.2	0.1 <sup>b</sup>	0.2 <sup>a</sup>	0.2 <sup>a</sup>	0.2	0.2 <sup>a</sup>	0.2	0.2	0.3	0.2
Hallucinogens	1.8 <sup>b</sup>	1.5	1.5	1.4	1.5	1.4	1.3	1.7 <sup>a</sup>	1.7	1.5
LSD	0.3	0.2 <sup>b</sup>	0.2 <sup>b</sup>	0.2 <sup>b</sup>	0.3	0.2 <sup>a</sup>	0.3	0.3	0.3	0.3
PCP	0.1 <sup>a</sup>	0.1 <sup>a</sup>	0.1 <sup>a</sup>	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Ecstasy	1.2 <sup>b</sup>	0.8	0.7	0.8	0.8	0.8	0.8	1.1 <sup>b</sup>	1.0	0.9
Inhalants	0.5	0.4	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.4
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	5.9	6.1 <sup>a</sup>	5.9	6.1 <sup>a</sup>	6.5 <sup>b</sup>	6.4 <sup>b</sup>	5.9	6.2 <sup>b</sup>	6.2 <sup>b</sup>	5.5
Pain Relievers	4.3	4.6 <sup>a</sup>	4.4	4.6 <sup>a</sup>	4.9 <sup>b</sup>	4.9 <sup>b</sup>	4.6 <sup>a</sup>	4.8 <sup>b</sup>	4.7 <sup>b</sup>	4.2
OxyContin <sup>®</sup>	--	--	0.5 <sup>a</sup>	0.5 <sup>a</sup>	0.5	0.5	0.5	0.6	0.7	0.6
Tranquilizers	2.0	2.1	2.1	2.2	2.1	2.2	2.1	2.2	2.2	2.0
Stimulants <sup>3</sup>	1.3 <sup>b</sup>	1.2	1.3 <sup>a</sup>	1.2	1.5 <sup>b</sup>	1.2	1.0	1.2	1.1	1.0
Methamphetamine <sup>3</sup>	0.7 <sup>b</sup>	0.7 <sup>b</sup>	0.8 <sup>b</sup>	0.7 <sup>b</sup>	0.8 <sup>b</sup>	0.6 <sup>a</sup>	0.3	0.5	0.4	0.4
Sedatives	0.4 <sup>b</sup>	0.3 <sup>b</sup>	0.3 <sup>a</sup>	0.3 <sup>a</sup>	0.4 <sup>b</sup>	0.3 <sup>b</sup>	0.2	0.3 <sup>a</sup>	0.3 <sup>b</sup>	0.2
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	8.1 <sup>b</sup>	8.0 <sup>b</sup>	7.6 <sup>a</sup>	7.8 <sup>b</sup>	8.2 <sup>b</sup>	8.2 <sup>b</sup>	7.6 <sup>a</sup>	8.0 <sup>b</sup>	7.8 <sup>b</sup>	7.0

\*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

**Table 7.15A Types of Illicit Drug Use in the Past Month among Persons Aged 18 or Older: Numbers in Thousands, 2002-2011**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
<b>ILLCIT DRUGS<sup>1</sup></b>	16,644 <sup>b</sup>	16,659 <sup>b</sup>	16,397 <sup>b</sup>	17,209 <sup>b</sup>	17,898 <sup>b</sup>	17,477 <sup>b</sup>	17,811 <sup>b</sup>	19,446	20,180	19,932
Marijuana and Hashish	12,561 <sup>b</sup>	12,667 <sup>b</sup>	12,667 <sup>b</sup>	12,896 <sup>b</sup>	13,154 <sup>b</sup>	12,777 <sup>b</sup>	13,601 <sup>b</sup>	15,013	15,607	16,103
Cocaine	1,874 <sup>b</sup>	2,128 <sup>b</sup>	1,895 <sup>b</sup>	2,255 <sup>b</sup>	2,316 <sup>b</sup>	1,972 <sup>b</sup>	1,767 <sup>b</sup>	1,572	1,412	1,302
Crack	541 <sup>b</sup>	572 <sup>b</sup>	451 <sup>b</sup>	657 <sup>b</sup>	691 <sup>b</sup>	595 <sup>b</sup>	356	489 <sup>b</sup>	375 <sup>a</sup>	225
Heroin	155	101 <sup>b</sup>	151	121 <sup>b</sup>	323	157	200	180	231	267
Hallucinogens	941	783	719	883	826	824	814	1,047 <sup>b</sup>	992 <sup>a</sup>	757
LSD	51 <sup>b</sup>	82	103	72	99	114	105	124	109	118
PCP	35	35	37	31	19	34	*	42	30	22
Ecstasy	553	379	373	428	446	438	441	647 <sup>b</sup>	567	435
Inhalants	334	250 <sup>a</sup>	325	298	422	323	374	318	428	402
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	5,300	5,453	5,196	5,653	6,252 <sup>a</sup>	6,077	5,499	6,205 <sup>a</sup>	6,236 <sup>a</sup>	5,431
Pain Relievers	3,583	3,892	3,653	3,972	4,534 <sup>a</sup>	4,517 <sup>a</sup>	4,165	4,624 <sup>a</sup>	4,485 <sup>a</sup>	3,908
OxyContin <sup>®</sup>	--	--	260	299	246 <sup>a</sup>	324	387	440	519	383
Tranquilizers	1,617	1,604	1,455	1,657	1,636	1,657	1,646	1,887	2,026	1,678
Stimulants <sup>3</sup>	1,094	1,088	1,132 <sup>a</sup>	1,016	1,214 <sup>b</sup>	924	796	1,172 <sup>a</sup>	975	872
Methamphetamine <sup>3</sup>	612 <sup>a</sup>	655 <sup>a</sup>	648 <sup>a</sup>	556	678 <sup>b</sup>	496	285	466	328	402
Sedatives	389 <sup>a</sup>	247	239	245	340	311	203	327	340	206
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	7,356	7,432	6,920	7,710	8,368 <sup>b</sup>	8,113 <sup>b</sup>	7,463	8,073 <sup>b</sup>	7,924 <sup>a</sup>	6,994

\*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

**Table 7.15B Types of Illicit Drug Use in the Past Month among Persons Aged 18 or Older: Percentages, 2002-2011**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
<b>ILLCIT DRUGS<sup>1</sup></b>	7.9 <sup>a</sup>	7.8 <sup>b</sup>	7.6 <sup>b</sup>	7.9 <sup>a</sup>	8.1	7.9 <sup>a</sup>	7.9 <sup>a</sup>	8.6	8.8	8.6
Marijuana and Hashish	6.0 <sup>b</sup>	6.0 <sup>b</sup>	5.9 <sup>b</sup>	5.9 <sup>b</sup>	6.0 <sup>b</sup>	5.7 <sup>b</sup>	6.0 <sup>b</sup>	6.6	6.8	6.9
Cocaine	0.9 <sup>b</sup>	1.0 <sup>b</sup>	0.9 <sup>b</sup>	1.0 <sup>b</sup>	1.0 <sup>b</sup>	0.9 <sup>b</sup>	0.8 <sup>b</sup>	0.7	0.6	0.6
Crack	0.3 <sup>b</sup>	0.3 <sup>b</sup>	0.2 <sup>b</sup>	0.3 <sup>b</sup>	0.3 <sup>b</sup>	0.3 <sup>b</sup>	0.2 <sup>a</sup>	0.2 <sup>b</sup>	0.2 <sup>a</sup>	0.1
Heroin	0.1	0.0 <sup>b</sup>	0.1	0.1 <sup>b</sup>	0.1	0.1	0.1	0.1	0.1	0.1
Hallucinogens	0.4 <sup>b</sup>	0.4	0.3	0.4	0.4	0.4	0.4	0.5 <sup>b</sup>	0.4 <sup>a</sup>	0.3
LSD	0.0 <sup>a</sup>	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.1
PCP	0.0	0.0	0.0	0.0	0.0	0.0	*	0.0	0.0	0.0
Ecstasy	0.3 <sup>a</sup>	0.2	0.2	0.2	0.2	0.2	0.2	0.3 <sup>b</sup>	0.2	0.2
Inhalants	0.2	0.1	0.2	0.1	0.2	0.1	0.2	0.1	0.2	0.2
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	2.5	2.6	2.4	2.6	2.8 <sup>b</sup>	2.7 <sup>b</sup>	2.4	2.7 <sup>b</sup>	2.7 <sup>a</sup>	2.3
Pain Relievers	1.7	1.8	1.7	1.8	2.1 <sup>b</sup>	2.0 <sup>b</sup>	1.9	2.0 <sup>b</sup>	2.0 <sup>a</sup>	1.7
OxyContin <sup>®</sup>	--	--	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2
Tranquilizers	0.8	0.8	0.7	0.8	0.7	0.7	0.7	0.8	0.9 <sup>a</sup>	0.7
Stimulants <sup>3</sup>	0.5 <sup>a</sup>	0.5 <sup>a</sup>	0.5 <sup>b</sup>	0.5	0.6 <sup>b</sup>	0.4	0.4	0.5 <sup>a</sup>	0.4	0.4
Methamphetamine <sup>3</sup>	0.3 <sup>a</sup>	0.3 <sup>b</sup>	0.3 <sup>b</sup>	0.3	0.3 <sup>b</sup>	0.2	0.1	0.2	0.1	0.2
Sedatives	0.2 <sup>b</sup>	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	3.5 <sup>b</sup>	3.5 <sup>b</sup>	3.2	3.5 <sup>b</sup>	3.8 <sup>b</sup>	3.6 <sup>b</sup>	3.3 <sup>a</sup>	3.6 <sup>b</sup>	3.5 <sup>b</sup>	3.0

\*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

**Table 7.16A Types of Illicit Drug Use in Lifetime among Males Aged 12 to 17: Numbers in Thousands, 2002-2011**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
<b>ILLCIT DRUGS<sup>1</sup></b>	4,035 <sup>b</sup>	3,968 <sup>b</sup>	3,956 <sup>b</sup>	3,679 <sup>b</sup>	3,658 <sup>b</sup>	3,501	3,335	3,524	3,256	3,336
Marijuana and Hashish	2,714 <sup>b</sup>	2,569 <sup>a</sup>	2,552	2,348	2,315	2,233	2,203 <sup>a</sup>	2,352	2,269	2,387
Cocaine	337 <sup>b</sup>	319 <sup>b</sup>	339 <sup>b</sup>	283 <sup>b</sup>	257 <sup>b</sup>	258 <sup>b</sup>	218	220	190	175
Crack	61	89 <sup>b</sup>	60	48	51	43	32	28	34	36
Heroin	34	34	43	32	25	28	37	25	23	33
Hallucinogens	740 <sup>b</sup>	618 <sup>b</sup>	616 <sup>b</sup>	518	512	480	501	537	516	496
LSD	364 <sup>b</sup>	206 <sup>b</sup>	174	177	125	111	149	140	120	137
PCP	106 <sup>b</sup>	100 <sup>b</sup>	97 <sup>b</sup>	97 <sup>b</sup>	53	53	57	44	27	40
Ecstasy	376 <sup>a</sup>	257	243	181 <sup>b</sup>	202 <sup>b</sup>	215 <sup>a</sup>	224 <sup>a</sup>	277	277	298
Inhalants	1,426 <sup>b</sup>	1,390 <sup>b</sup>	1,429 <sup>b</sup>	1,360 <sup>b</sup>	1,302 <sup>b</sup>	1,225 <sup>b</sup>	1,081 <sup>b</sup>	1,109 <sup>b</sup>	985	909
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	1,643 <sup>b</sup>	1,639 <sup>b</sup>	1,616 <sup>b</sup>	1,444 <sup>b</sup>	1,561 <sup>b</sup>	1,441 <sup>b</sup>	1,263	1,352 <sup>a</sup>	1,198	1,215
Pain Relievers	1,362 <sup>b</sup>	1,391 <sup>b</sup>	1,378 <sup>b</sup>	1,211 <sup>b</sup>	1,315 <sup>b</sup>	1,200 <sup>b</sup>	1,068	1,178 <sup>a</sup>	1,053	1,027
OxyContin <sup>®</sup>	112 <sup>a</sup>	146	162	136	160	173	159	189	184	165
Tranquilizers	385	398 <sup>a</sup>	353	342	316	323	317	303	325	315
Stimulants <sup>3</sup>	469 <sup>b</sup>	472 <sup>b</sup>	387 <sup>b</sup>	364 <sup>b</sup>	399 <sup>b</sup>	302 <sup>a</sup>	248	234	230	232
Methamphetamine <sup>3</sup>	150 <sup>b</sup>	160 <sup>b</sup>	140 <sup>b</sup>	133 <sup>a</sup>	126 <sup>a</sup>	81	65	62	76	81
Sedatives	84	126 <sup>b</sup>	128 <sup>b</sup>	110 <sup>a</sup>	97	89	90	103	77	66
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	2,726 <sup>b</sup>	2,711 <sup>b</sup>	2,721 <sup>b</sup>	2,488 <sup>b</sup>	2,527 <sup>b</sup>	2,378 <sup>b</sup>	2,179 <sup>a</sup>	2,252 <sup>b</sup>	2,030	2,008

\*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

**Table 7.16B Types of Illicit Drug Use in Lifetime among Males Aged 12 to 17: Percentages, 2002-2011**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
<b>ILLCIT DRUGS<sup>1</sup></b>	31.9 <sup>b</sup>	31.1 <sup>b</sup>	30.7 <sup>b</sup>	28.4 <sup>b</sup>	28.2 <sup>a</sup>	27.2	26.2	28.0 <sup>a</sup>	26.1	26.1
Marijuana and Hashish	21.5 <sup>b</sup>	20.1 <sup>a</sup>	19.8	18.1	17.9	17.3	17.3 <sup>a</sup>	18.7	18.2	18.7
Cocaine	2.7 <sup>b</sup>	2.5 <sup>b</sup>	2.6 <sup>b</sup>	2.2 <sup>b</sup>	2.0 <sup>b</sup>	2.0 <sup>b</sup>	1.7	1.8	1.5	1.4
Crack	0.5	0.7 <sup>b</sup>	0.5	0.4	0.4	0.3	0.2	0.2	0.3	0.3
Heroin	0.3	0.3	0.3	0.2	0.2	0.2	0.3	0.2	0.2	0.3
Hallucinogens	5.8 <sup>b</sup>	4.8 <sup>b</sup>	4.8 <sup>a</sup>	4.0	4.0	3.7	3.9	4.3	4.1	3.9
LSD	2.9 <sup>b</sup>	1.6 <sup>b</sup>	1.4	1.4	1.0	0.9	1.2	1.1	1.0	1.1
PCP	0.8 <sup>b</sup>	0.8 <sup>b</sup>	0.8 <sup>b</sup>	0.7 <sup>b</sup>	0.4	0.4	0.5	0.3	0.2	0.3
Ecstasy	3.0 <sup>a</sup>	2.0	1.9	1.4 <sup>b</sup>	1.6 <sup>b</sup>	1.7 <sup>a</sup>	1.8 <sup>a</sup>	2.2	2.2	2.3
Inhalants	11.3 <sup>b</sup>	10.9 <sup>b</sup>	11.1 <sup>b</sup>	10.5 <sup>b</sup>	10.0 <sup>b</sup>	9.5 <sup>b</sup>	8.5 <sup>b</sup>	8.8 <sup>b</sup>	7.9	7.1
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	13.0 <sup>b</sup>	12.8 <sup>b</sup>	12.6 <sup>b</sup>	11.1 <sup>b</sup>	12.0 <sup>b</sup>	11.2 <sup>b</sup>	9.9	10.8 <sup>a</sup>	9.6	9.5
Pain Relievers	10.8 <sup>b</sup>	10.9 <sup>b</sup>	10.7 <sup>b</sup>	9.4 <sup>b</sup>	10.1 <sup>b</sup>	9.3 <sup>a</sup>	8.4	9.4 <sup>b</sup>	8.5	8.0
OxyContin <sup>®</sup>	0.9 <sup>a</sup>	1.1	1.3	1.0	1.2	1.3	1.3	1.5	1.5	1.3
Tranquilizers	3.0 <sup>a</sup>	3.1 <sup>a</sup>	2.7	2.6	2.4	2.5	2.5	2.4	2.6	2.5
Stimulants <sup>3</sup>	3.7 <sup>b</sup>	3.7 <sup>b</sup>	3.0 <sup>b</sup>	2.8 <sup>b</sup>	3.1 <sup>b</sup>	2.3 <sup>a</sup>	2.0	1.9	1.8	1.8
Methamphetamine <sup>3</sup>	1.2 <sup>b</sup>	1.3 <sup>b</sup>	1.1 <sup>b</sup>	1.0 <sup>a</sup>	1.0	0.6	0.5	0.5	0.6	0.6
Sedatives	0.7	1.0 <sup>b</sup>	1.0 <sup>b</sup>	0.8 <sup>a</sup>	0.7	0.7	0.7	0.8 <sup>a</sup>	0.6	0.5
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	21.6 <sup>b</sup>	21.2 <sup>b</sup>	21.1 <sup>b</sup>	19.2 <sup>b</sup>	19.5 <sup>b</sup>	18.4 <sup>b</sup>	17.1 <sup>a</sup>	17.9 <sup>b</sup>	16.3	15.7

\*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

**Table 7.17A Types of Illicit Drug Use in Lifetime among Females Aged 12 to 17: Numbers in Thousands, 2002-2011**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
<b>ILLCIT DRUGS<sup>1</sup></b>	3,607 <sup>b</sup>	3,663 <sup>b</sup>	3,610 <sup>b</sup>	3,342 <sup>b</sup>	3,356 <sup>b</sup>	3,137	3,230	3,104	3,022	3,037
Marijuana and Hashish	2,391 <sup>b</sup>	2,318 <sup>b</sup>	2,236 <sup>b</sup>	2,055	2,084	1,863	1,935	1,852	1,888	1,991
Cocaine	333 <sup>b</sup>	330 <sup>b</sup>	272 <sup>b</sup>	300 <sup>b</sup>	313 <sup>b</sup>	287 <sup>b</sup>	254 <sup>b</sup>	185	173	162
Crack	102 <sup>b</sup>	68 <sup>b</sup>	66 <sup>a</sup>	60 <sup>a</sup>	78 <sup>b</sup>	64 <sup>a</sup>	48	30	26	31
Heroin	60	45	35	28	35	27	30	32	23	37
Hallucinogens	680 <sup>b</sup>	632 <sup>b</sup>	543 <sup>a</sup>	480	477	418	470	479	485	435
LSD	306 <sup>b</sup>	191 <sup>b</sup>	139 <sup>a</sup>	111	94	91	122	109	111	92
PCP	127 <sup>b</sup>	104 <sup>b</sup>	77 <sup>b</sup>	85 <sup>b</sup>	75 <sup>b</sup>	52	45	55	49	37
Ecstasy	444 <sup>b</sup>	346	280	218 <sup>b</sup>	274	231 <sup>a</sup>	301	295	340	307
Inhalants	1,179 <sup>b</sup>	1,281 <sup>b</sup>	1,333 <sup>b</sup>	1,298 <sup>b</sup>	1,257 <sup>b</sup>	1,203 <sup>b</sup>	1,245 <sup>b</sup>	1,174 <sup>b</sup>	1,030	968
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	1,759 <sup>b</sup>	1,733 <sup>b</sup>	1,787 <sup>b</sup>	1,575 <sup>b</sup>	1,613 <sup>b</sup>	1,513 <sup>b</sup>	1,521 <sup>b</sup>	1,458 <sup>a</sup>	1,392	1,307
Pain Relievers	1,412 <sup>b</sup>	1,407 <sup>b</sup>	1,500 <sup>b</sup>	1,305 <sup>b</sup>	1,335 <sup>b</sup>	1,257 <sup>a</sup>	1,286 <sup>a</sup>	1,215	1,191	1,123
OxyContin <sup>®</sup>	112 <sup>b</sup>	108 <sup>b</sup>	143 <sup>a</sup>	140 <sup>a</sup>	184	187	185	191	185	204
Tranquilizers	450	476 <sup>a</sup>	464 <sup>a</sup>	424	426	425	403	392	398	385
Stimulants <sup>3</sup>	643 <sup>b</sup>	574 <sup>b</sup>	519 <sup>b</sup>	506 <sup>b</sup>	531 <sup>b</sup>	428 <sup>b</sup>	425 <sup>b</sup>	349 <sup>a</sup>	301	276
Methamphetamine <sup>3</sup>	266 <sup>b</sup>	222 <sup>b</sup>	206 <sup>b</sup>	185 <sup>b</sup>	216 <sup>b</sup>	140	130	125	81	103
Sedatives	154 <sup>b</sup>	123 <sup>a</sup>	123 <sup>a</sup>	122 <sup>a</sup>	126 <sup>b</sup>	124 <sup>a</sup>	115 <sup>a</sup>	121 <sup>a</sup>	101	77
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	2,559 <sup>b</sup>	2,607 <sup>b</sup>	2,634 <sup>b</sup>	2,456 <sup>b</sup>	2,424 <sup>b</sup>	2,271 <sup>b</sup>	2,334 <sup>b</sup>	2,250 <sup>b</sup>	2,136	1,999

\*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

**Table 7.17B Types of Illicit Drug Use in Lifetime among Females Aged 12 to 17: Percentages, 2002-2011**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
<b>ILLCIT DRUGS<sup>1</sup></b>	29.8 <sup>b</sup>	30.0 <sup>b</sup>	29.3 <sup>b</sup>	26.9 <sup>b</sup>	27.0 <sup>b</sup>	25.4	26.5	25.8	25.4	24.9
Marijuana and Hashish	19.7 <sup>b</sup>	19.0 <sup>b</sup>	18.1 <sup>b</sup>	16.6	16.8	15.1	15.9	15.4	15.9	16.3
Cocaine	2.8 <sup>b</sup>	2.7 <sup>b</sup>	2.2 <sup>b</sup>	2.4 <sup>b</sup>	2.5 <sup>b</sup>	2.3 <sup>b</sup>	2.1 <sup>b</sup>	1.5	1.5	1.3
Crack	0.8 <sup>b</sup>	0.6 <sup>b</sup>	0.5 <sup>a</sup>	0.5 <sup>a</sup>	0.6 <sup>b</sup>	0.5 <sup>a</sup>	0.4	0.3	0.2	0.3
Heroin	0.5	0.4	0.3	0.2	0.3	0.2	0.2	0.3	0.2	0.3
Hallucinogens	5.6 <sup>b</sup>	5.2 <sup>b</sup>	4.4 <sup>a</sup>	3.9	3.8	3.4	3.9	4.0	4.1	3.6
LSD	2.5 <sup>b</sup>	1.6 <sup>b</sup>	1.1 <sup>a</sup>	0.9	0.8	0.7	1.0	0.9	0.9	0.8
PCP	1.0 <sup>b</sup>	0.8 <sup>b</sup>	0.6 <sup>b</sup>	0.7 <sup>b</sup>	0.6 <sup>b</sup>	0.4	0.4	0.5	0.4	0.3
Ecstasy	3.7 <sup>b</sup>	2.8	2.3	1.8 <sup>b</sup>	2.2	1.9 <sup>a</sup>	2.5	2.5	2.9	2.5
Inhalants	9.7 <sup>b</sup>	10.5 <sup>b</sup>	10.8 <sup>b</sup>	10.5 <sup>b</sup>	10.1 <sup>b</sup>	9.7 <sup>b</sup>	10.2 <sup>b</sup>	9.7 <sup>b</sup>	8.7	7.9
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	14.5 <sup>b</sup>	14.2 <sup>b</sup>	14.5 <sup>b</sup>	12.7 <sup>b</sup>	13.0 <sup>b</sup>	12.2 <sup>b</sup>	12.5 <sup>b</sup>	12.1 <sup>b</sup>	11.7	10.7
Pain Relievers	11.7 <sup>b</sup>	11.5 <sup>b</sup>	12.2 <sup>b</sup>	10.5 <sup>b</sup>	10.7 <sup>b</sup>	10.2	10.6 <sup>a</sup>	10.1	10.0	9.2
OxyContin <sup>®</sup>	0.9 <sup>b</sup>	0.9 <sup>b</sup>	1.2 <sup>a</sup>	1.1 <sup>b</sup>	1.5	1.5	1.5	1.6	1.6	1.7
Tranquilizers	3.7	3.9 <sup>a</sup>	3.8	3.4	3.4	3.4	3.3	3.3	3.4	3.2
Stimulants <sup>3</sup>	5.3 <sup>b</sup>	4.7 <sup>b</sup>	4.2 <sup>b</sup>	4.1 <sup>b</sup>	4.3 <sup>b</sup>	3.5 <sup>b</sup>	3.5 <sup>b</sup>	2.9 <sup>a</sup>	2.5	2.3
Methamphetamine <sup>3</sup>	2.2 <sup>b</sup>	1.8 <sup>b</sup>	1.7 <sup>b</sup>	1.5 <sup>b</sup>	1.7 <sup>b</sup>	1.1	1.1	1.0	0.7	0.8
Sedatives	1.3 <sup>b</sup>	1.0 <sup>a</sup>	1.0 <sup>a</sup>	1.0 <sup>a</sup>	1.0 <sup>b</sup>	1.0 <sup>a</sup>	0.9 <sup>a</sup>	1.0 <sup>a</sup>	0.9	0.6
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	21.1 <sup>b</sup>	21.3 <sup>b</sup>	21.4 <sup>b</sup>	19.8 <sup>b</sup>	19.5 <sup>b</sup>	18.4 <sup>b</sup>	19.2 <sup>b</sup>	18.7 <sup>b</sup>	18.0 <sup>a</sup>	16.4

\*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

**Table 7.18A Types of Illicit Drug Use in the Past Year among Males Aged 12 to 17: Numbers in Thousands, 2002-2011**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
<b>ILLCIT DRUGS<sup>1</sup></b>	2,842 <sup>b</sup>	2,776 <sup>b</sup>	2,653 <sup>a</sup>	2,557	2,531	2,507	2,433	2,556	2,422	2,438
Marijuana and Hashish	2,064	1,955	1,918	1,796	1,752 <sup>a</sup>	1,754 <sup>a</sup>	1,738 <sup>a</sup>	1,898	1,861	1,933
Cocaine	263 <sup>b</sup>	222 <sup>b</sup>	223 <sup>b</sup>	208 <sup>b</sup>	179 <sup>b</sup>	174 <sup>b</sup>	161 <sup>a</sup>	146	116	115
Crack	36 <sup>a</sup>	47 <sup>b</sup>	31	23	32	25	19	16	8	16
Heroin	20	17	32	17	14	16	27	17	13	22
Hallucinogens	501 <sup>b</sup>	386	389	352	320	342	377	407	382	369
LSD	183 <sup>b</sup>	73	94	92	51 <sup>b</sup>	76	119	90	73	98
PCP	46 <sup>b</sup>	44 <sup>a</sup>	39	44 <sup>a</sup>	26	32	37	26	12	19
Ecstasy	262	142 <sup>b</sup>	141 <sup>b</sup>	125 <sup>b</sup>	130 <sup>b</sup>	165	160 <sup>a</sup>	212	206	218
Inhalants	586 <sup>b</sup>	554 <sup>b</sup>	587 <sup>b</sup>	538 <sup>b</sup>	520 <sup>b</sup>	501 <sup>a</sup>	470	458	381	396
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	1,091 <sup>b</sup>	1,090 <sup>b</sup>	974 <sup>b</sup>	962 <sup>a</sup>	1,055 <sup>b</sup>	973 <sup>a</sup>	867	878	806	829
Pain Relievers	913 <sup>b</sup>	930 <sup>b</sup>	837 <sup>b</sup>	818 <sup>a</sup>	885 <sup>b</sup>	819 <sup>a</sup>	730	755	688	693
OxyContin <sup>®</sup>	--	--	99	101	96	107	122	110	113	102
Tranquilizers	249	258	226	229	196	214	226	210	200	216
Stimulants <sup>3</sup>	294 <sup>b</sup>	253 <sup>b</sup>	210 <sup>b</sup>	194 <sup>a</sup>	224 <sup>b</sup>	174	140	138	133	134
Methamphetamine <sup>3</sup>	97 <sup>b</sup>	82 <sup>a</sup>	69	78 <sup>a</sup>	74	39	33	29	44	44
Sedatives	45	67 <sup>a</sup>	59 <sup>a</sup>	51	56	42	47	70 <sup>b</sup>	41	32
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	1,683 <sup>b</sup>	1,637 <sup>b</sup>	1,537 <sup>b</sup>	1,479 <sup>b</sup>	1,543 <sup>b</sup>	1,450 <sup>a</sup>	1,383	1,376	1,265	1,263

\*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

**Table 7.18B Types of Illicit Drug Use in the Past Year among Males Aged 12 to 17: Percentages, 2002-2011**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
<b>ILLCIT DRUGS<sup>1</sup></b>	22.5 <sup>b</sup>	21.7 <sup>b</sup>	20.6 <sup>a</sup>	19.7	19.5	19.4	19.1	20.3	19.4	19.1
Marijuana and Hashish	16.3	15.3	14.9	13.9 <sup>a</sup>	13.5 <sup>b</sup>	13.6 <sup>a</sup>	13.7 <sup>a</sup>	15.1	14.9	15.1
Cocaine	2.1 <sup>b</sup>	1.7 <sup>b</sup>	1.7 <sup>b</sup>	1.6 <sup>b</sup>	1.4 <sup>b</sup>	1.4 <sup>a</sup>	1.3 <sup>a</sup>	1.2	0.9	0.9
Crack	0.3 <sup>a</sup>	0.4 <sup>b</sup>	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1
Heroin	0.2	0.1	0.2	0.1	0.1	0.1	0.2	0.1	0.1	0.2
Hallucinogens	4.0 <sup>b</sup>	3.0	3.0	2.7	2.5	2.7	3.0	3.2	3.1	2.9
LSD	1.5 <sup>b</sup>	0.6	0.7	0.7	0.4 <sup>b</sup>	0.6	0.9	0.7	0.6	0.8
PCP	0.4 <sup>b</sup>	0.3 <sup>a</sup>	0.3	0.3 <sup>a</sup>	0.2	0.2	0.3	0.2	0.1	0.2
Ecstasy	2.1	1.1 <sup>b</sup>	1.1 <sup>b</sup>	1.0 <sup>b</sup>	1.0 <sup>b</sup>	1.3	1.3 <sup>a</sup>	1.7	1.7	1.7
Inhalants	4.6 <sup>b</sup>	4.3 <sup>b</sup>	4.6 <sup>b</sup>	4.2 <sup>b</sup>	4.0 <sup>b</sup>	3.9 <sup>a</sup>	3.7	3.6	3.1	3.1
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	8.6 <sup>b</sup>	8.5 <sup>b</sup>	7.6 <sup>a</sup>	7.4 <sup>a</sup>	8.1 <sup>b</sup>	7.5 <sup>a</sup>	6.8	7.0	6.5	6.5
Pain Relievers	7.2 <sup>b</sup>	7.3 <sup>b</sup>	6.5 <sup>b</sup>	6.3 <sup>a</sup>	6.8 <sup>b</sup>	6.4 <sup>a</sup>	5.7	6.0	5.5	5.4
OxyContin <sup>®</sup>	--	--	0.8	0.8	0.7	0.8	1.0	0.9	0.9	0.8
Tranquilizers	2.0	2.0	1.8	1.8	1.5	1.7	1.8	1.7	1.6	1.7
Stimulants <sup>3</sup>	2.3 <sup>b</sup>	2.0 <sup>b</sup>	1.6 <sup>b</sup>	1.5 <sup>a</sup>	1.7 <sup>b</sup>	1.4	1.1	1.1	1.1	1.1
Methamphetamine <sup>3</sup>	0.8 <sup>b</sup>	0.6 <sup>a</sup>	0.5	0.6 <sup>a</sup>	0.6	0.3	0.3	0.2	0.4	0.3
Sedatives	0.4	0.5 <sup>a</sup>	0.5 <sup>a</sup>	0.4	0.4	0.3	0.4	0.6 <sup>b</sup>	0.3	0.2
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	13.3 <sup>b</sup>	12.8 <sup>b</sup>	11.9 <sup>b</sup>	11.4 <sup>b</sup>	11.9 <sup>b</sup>	11.2 <sup>a</sup>	10.9	10.9	10.2	9.9

\*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

**Table 7.19A Types of Illicit Drug Use in the Past Year among Females Aged 12 to 17: Numbers in Thousands, 2002-2011**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
<b>ILLCIT DRUGS<sup>1</sup></b>	2,652 <sup>b</sup>	2,679 <sup>b</sup>	2,648 <sup>b</sup>	2,484 <sup>a</sup>	2,447	2,231	2,318	2,282	2,322	2,297
Marijuana and Hashish	1,841 <sup>b</sup>	1,790 <sup>a</sup>	1,738	1,587	1,603	1,404 <sup>b</sup>	1,520	1,464 <sup>a</sup>	1,553	1,620
Cocaine	245 <sup>b</sup>	216 <sup>b</sup>	188 <sup>b</sup>	215 <sup>b</sup>	232 <sup>b</sup>	211 <sup>b</sup>	145	96	124	113
Crack	64 <sup>b</sup>	48 <sup>b</sup>	32 <sup>a</sup>	31 <sup>a</sup>	41 <sup>b</sup>	40 <sup>b</sup>	16	13	10	12
Heroin	31	19	16	20	23	8 <sup>a</sup>	14	17	15	32
Hallucinogens	444 <sup>b</sup>	392 <sup>b</sup>	364 <sup>a</sup>	313	333	287	312	330	365 <sup>a</sup>	279
LSD	131 <sup>b</sup>	76	63	59	55	50	66	53	62	61
PCP	64 <sup>b</sup>	44 <sup>b</sup>	33	41 <sup>a</sup>	33	24	25	22	23	20
Ecstasy	285 <sup>b</sup>	188	169	131 <sup>b</sup>	177	163	186	204	258	201
Inhalants	492	565 <sup>b</sup>	581 <sup>b</sup>	606 <sup>b</sup>	589 <sup>b</sup>	494	516 <sup>a</sup>	502	504	424
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	1,194 <sup>b</sup>	1,205 <sup>b</sup>	1,254 <sup>b</sup>	1,139 <sup>b</sup>	1,129 <sup>b</sup>	1,064 <sup>a</sup>	1,052 <sup>a</sup>	1,017	1,006	920
Pain Relievers	957 <sup>b</sup>	987 <sup>b</sup>	1,028 <sup>b</sup>	922 <sup>a</sup>	937 <sup>b</sup>	866	883	873	833	791
OxyContin <sup>®</sup>	--	--	95	87	105	125	104	115	121	117
Tranquilizers	319	328 <sup>a</sup>	307	268	288	291	257	252	266	259
Stimulants <sup>3</sup>	371 <sup>b</sup>	325 <sup>b</sup>	297 <sup>b</sup>	312 <sup>b</sup>	324 <sup>b</sup>	240 <sup>b</sup>	233 <sup>a</sup>	196	191	165
Methamphetamine <sup>3</sup>	148 <sup>b</sup>	103 <sup>a</sup>	108 <sup>a</sup>	100 <sup>a</sup>	111 <sup>b</sup>	77	62	58	54	62
Sedatives	93 <sup>b</sup>	64	75	67	54	68	67	56	70	52
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	1,655 <sup>b</sup>	1,714 <sup>b</sup>	1,732 <sup>b</sup>	1,650 <sup>b</sup>	1,605 <sup>b</sup>	1,471 <sup>a</sup>	1,477 <sup>a</sup>	1,474 <sup>a</sup>	1,493 <sup>b</sup>	1,302

\*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

**Table 7.19B Types of Illicit Drug Use in the Past Year among Females Aged 12 to 17: Percentages, 2002-2011**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
<b>ILLCIT DRUGS<sup>1</sup></b>	21.9 <sup>b</sup>	21.9 <sup>b</sup>	21.5 <sup>b</sup>	20.0	19.7	18.1	19.0	18.9	19.5	18.8
Marijuana and Hashish	15.2 <sup>b</sup>	14.6 <sup>a</sup>	14.1	12.8	12.9	11.4 <sup>b</sup>	12.5	12.2	13.1	13.3
Cocaine	2.0 <sup>b</sup>	1.8 <sup>b</sup>	1.5 <sup>b</sup>	1.7 <sup>b</sup>	1.9 <sup>b</sup>	1.7 <sup>b</sup>	1.2	0.8	1.0	0.9
Crack	0.5 <sup>b</sup>	0.4 <sup>b</sup>	0.3 <sup>a</sup>	0.3 <sup>a</sup>	0.3 <sup>b</sup>	0.3 <sup>b</sup>	0.1	0.1	0.1	0.1
Heroin	0.3	0.2	0.1	0.2	0.2	0.1 <sup>a</sup>	0.1	0.1	0.1	0.3
Hallucinogens	3.7 <sup>b</sup>	3.2 <sup>b</sup>	3.0 <sup>a</sup>	2.5	2.7	2.3	2.6	2.7	3.1 <sup>a</sup>	2.3
LSD	1.1 <sup>b</sup>	0.6	0.5	0.5	0.4	0.4	0.5	0.4	0.5	0.5
PCP	0.5 <sup>b</sup>	0.4 <sup>b</sup>	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2
Ecstasy	2.4 <sup>b</sup>	1.5	1.4	1.1 <sup>b</sup>	1.4	1.3	1.5	1.7	2.2	1.7
Inhalants	4.1	4.6 <sup>b</sup>	4.7 <sup>b</sup>	4.9 <sup>b</sup>	4.7 <sup>b</sup>	4.0	4.2 <sup>a</sup>	4.2 <sup>a</sup>	4.2 <sup>a</sup>	3.5
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	9.9 <sup>b</sup>	9.9 <sup>b</sup>	10.2 <sup>b</sup>	9.2 <sup>b</sup>	9.1 <sup>b</sup>	8.6 <sup>a</sup>	8.6 <sup>a</sup>	8.4 <sup>a</sup>	8.5	7.5
Pain Relievers	7.9 <sup>b</sup>	8.1 <sup>b</sup>	8.3 <sup>b</sup>	7.4 <sup>a</sup>	7.5 <sup>a</sup>	7.0	7.2	7.2	7.0	6.5
OxyContin <sup>®</sup>	--	--	0.8	0.7	0.8	1.0	0.8	1.0	1.0	1.0
Tranquilizers	2.6	2.7 <sup>a</sup>	2.5	2.2	2.3	2.4	2.1	2.1	2.2	2.1
Stimulants <sup>3</sup>	3.1 <sup>b</sup>	2.7 <sup>b</sup>	2.4 <sup>b</sup>	2.5 <sup>b</sup>	2.6 <sup>b</sup>	1.9 <sup>b</sup>	1.9 <sup>a</sup>	1.6	1.6	1.3
Methamphetamine <sup>3</sup>	1.2 <sup>b</sup>	0.8 <sup>a</sup>	0.9 <sup>a</sup>	0.8 <sup>a</sup>	0.9 <sup>a</sup>	0.6	0.5	0.5	0.5	0.5
Sedatives	0.8 <sup>b</sup>	0.5	0.6	0.5	0.4	0.6	0.5	0.5	0.6	0.4
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	13.7 <sup>b</sup>	14.0 <sup>b</sup>	14.0 <sup>b</sup>	13.3 <sup>b</sup>	12.9 <sup>b</sup>	11.9 <sup>a</sup>	12.1 <sup>a</sup>	12.2 <sup>b</sup>	12.6 <sup>b</sup>	10.7

\*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

**Table 7.20A Types of Illicit Drug Use in the Past Month among Males Aged 12 to 17: Numbers in Thousands, 2002-2011**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
<b>ILLCIT DRUGS<sup>1</sup></b>	1,560 <sup>a</sup>	1,457	1,360	1,313	1,277	1,296	1,205 <sup>b</sup>	1,344	1,299	1,382
Marijuana and Hashish	1,152	1,093	1,037	967 <sup>b</sup>	893 <sup>b</sup>	973 <sup>b</sup>	929 <sup>b</sup>	1,056	1,042	1,151
Cocaine	77 <sup>b</sup>	70 <sup>b</sup>	75 <sup>b</sup>	79 <sup>b</sup>	49 <sup>a</sup>	48 <sup>a</sup>	62 <sup>b</sup>	43	37	23
Crack	10	22 <sup>b</sup>	9	14 <sup>a</sup>	5	4	6	5	*	2
Heroin	6	8	11	11	3	3	8	8	2	8
Hallucinogens	130	138	120	98	86 <sup>a</sup>	103	148	128	116	134
LSD	37	27	23	24	10	24	36	21	30	26
PCP	11	14 <sup>a</sup>	7	8	6	9	10	8	4	3
Ecstasy	58	37	45	32 <sup>a</sup>	38	34	58	65	50	57
Inhalants	159 <sup>b</sup>	139	141 <sup>a</sup>	160 <sup>b</sup>	156 <sup>b</sup>	158 <sup>b</sup>	136	120	115	98
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	460 <sup>b</sup>	478 <sup>b</sup>	413 <sup>b</sup>	400 <sup>b</sup>	403 <sup>b</sup>	392 <sup>a</sup>	310	351	282	302
Pain Relievers	376 <sup>b</sup>	385 <sup>b</sup>	337 <sup>b</sup>	325 <sup>a</sup>	331 <sup>b</sup>	325 <sup>a</sup>	248	302	246	244
OxyContin <sup>®</sup>	--	--	29	17	19	25	33	40	27	29
Tranquilizers	70	111 <sup>a</sup>	76	84	46	84	63	58	61	74
Stimulants <sup>3</sup>	106 <sup>b</sup>	107 <sup>b</sup>	89 <sup>b</sup>	79 <sup>a</sup>	81 <sup>b</sup>	48	54	53	49	43
Methamphetamine <sup>3</sup>	40 <sup>a</sup>	32 <sup>a</sup>	24	39 <sup>a</sup>	24	10	16	18	8	13
Sedatives	6	27	4	9	21	15	8	25	14	10
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	705 <sup>b</sup>	682 <sup>b</sup>	626 <sup>b</sup>	616 <sup>b</sup>	604 <sup>b</sup>	584 <sup>a</sup>	536	539	466	484

\*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

**Table 7.20B Types of Illicit Drug Use in the Past Month among Males Aged 12 to 17: Percentages, 2002-2011**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
<b>ILLCIT DRUGS<sup>1</sup></b>	12.3 <sup>b</sup>	11.4	10.6	10.1	9.8	10.1	9.5 <sup>b</sup>	10.7	10.4	10.8
Marijuana and Hashish	9.1	8.6	8.1 <sup>a</sup>	7.5 <sup>b</sup>	6.9 <sup>b</sup>	7.5 <sup>b</sup>	7.3 <sup>b</sup>	8.4	8.4	9.0
Cocaine	0.6 <sup>b</sup>	0.5 <sup>b</sup>	0.6 <sup>b</sup>	0.6 <sup>b</sup>	0.4 <sup>a</sup>	0.4 <sup>a</sup>	0.5 <sup>b</sup>	0.3	0.3	0.2
Crack	0.1	0.2 <sup>b</sup>	0.1	0.1 <sup>a</sup>	0.0	0.0	0.0	0.0	*	0.0
Heroin	0.0	0.1	0.1	0.1	0.0	0.0	0.1	0.1	0.0	0.1
Hallucinogens	1.0	1.1	0.9	0.8	0.7 <sup>a</sup>	0.8	1.2	1.0	0.9	1.0
LSD	0.3	0.2	0.2	0.2	0.1 <sup>a</sup>	0.2	0.3	0.2	0.2	0.2
PCP	0.1	0.1 <sup>a</sup>	0.1	0.1	0.0	0.1	0.1	0.1	0.0	0.0
Ecstasy	0.5	0.3	0.4	0.3 <sup>a</sup>	0.3	0.3	0.5	0.5	0.4	0.4
Inhalants	1.3 <sup>b</sup>	1.1	1.1 <sup>a</sup>	1.2 <sup>b</sup>	1.2 <sup>a</sup>	1.2 <sup>a</sup>	1.1	1.0	0.9	0.8
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	3.6 <sup>b</sup>	3.7 <sup>b</sup>	3.2 <sup>b</sup>	3.1 <sup>a</sup>	3.1 <sup>b</sup>	3.0 <sup>a</sup>	2.4	2.8	2.3	2.4
Pain Relievers	3.0 <sup>b</sup>	3.0 <sup>b</sup>	2.6 <sup>b</sup>	2.5 <sup>a</sup>	2.5 <sup>a</sup>	2.5 <sup>a</sup>	1.9	2.4 <sup>a</sup>	2.0	1.9
OxyContin <sup>®</sup>	--	--	0.2	0.1	0.1	0.2	0.3	0.3	0.2	0.2
Tranquilizers	0.6	0.9 <sup>a</sup>	0.6	0.7	0.4	0.6	0.5	0.5	0.5	0.6
Stimulants <sup>3</sup>	0.8 <sup>b</sup>	0.8 <sup>b</sup>	0.7 <sup>b</sup>	0.6 <sup>a</sup>	0.6 <sup>b</sup>	0.4	0.4	0.4	0.4	0.3
Methamphetamine <sup>3</sup>	0.3 <sup>a</sup>	0.3 <sup>a</sup>	0.2	0.3 <sup>a</sup>	0.2	0.1	0.1	0.1	0.1	0.1
Sedatives	0.0	0.2	0.0	0.1	0.2	0.1	0.1	0.2	0.1	0.1
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	5.6 <sup>b</sup>	5.3 <sup>b</sup>	4.9 <sup>b</sup>	4.8 <sup>b</sup>	4.7 <sup>a</sup>	4.5 <sup>a</sup>	4.2	4.3	3.7	3.8

\*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

**Table 7.21A Types of Illicit Drug Use in the Past Month among Females Aged 12 to 17: Numbers in Thousands, 2002-2011**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
<b>ILLCIT DRUGS<sup>1</sup></b>	1,318 <sup>b</sup>	1,355 <sup>b</sup>	1,314 <sup>b</sup>	1,198	1,211	1,119	1,107	1,141	1,169	1,140
Marijuana and Hashish	871	878	872	763	802	721	739	757	760	816
Cocaine	68	83 <sup>a</sup>	51	63	61	56	36	27	24	44
Crack	16	10 <sup>b</sup>	6	12 <sup>a</sup>	7	12 <sup>a</sup>	1	3	3	1
Heroin	5	10	4	4	13	*	5	5	6	6
Hallucinogens	126 <sup>a</sup>	122 <sup>a</sup>	91	107	96	71	97	89	99	82
LSD	23	23 <sup>a</sup>	15	8	21	6	16	14	16	8
PCP	11 <sup>a</sup>	6	4	9	6	*	5	4	3	1
Ecstasy	66	54	32	41	45	31	47	50	73	52
Inhalants	143	181 <sup>a</sup>	171	153	184 <sup>a</sup>	136	134	124	147	124
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	527 <sup>b</sup>	519 <sup>b</sup>	501 <sup>b</sup>	439	443	438	401	424	440	386
Pain Relievers	418 <sup>b</sup>	416 <sup>b</sup>	414 <sup>b</sup>	361	361	346	319	356	362	319
OxyContin <sup>®</sup>	--	--	37	17	10	22	17	29	20	21
Tranquilizers	117	115	86	76	79	97	88	86	73	88
Stimulants <sup>3</sup>	102 <sup>b</sup>	115 <sup>b</sup>	91 <sup>a</sup>	93 <sup>a</sup>	90 <sup>a</sup>	78	58	74	58	55
Methamphetamine <sup>3</sup>	31	38	34	32	29	24	13	18	16	23
Sedatives	41 <sup>b</sup>	20	22	18	24	19	27	15	21	14
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	715 <sup>b</sup>	735 <sup>b</sup>	702 <sup>b</sup>	637 <sup>a</sup>	648 <sup>a</sup>	598	557	583	626	541

\*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

**Table 7.21B Types of Illicit Drug Use in the Past Month among Females Aged 12 to 17: Percentages, 2002-2011**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
<b>ILLCIT DRUGS<sup>1</sup></b>	10.9 <sup>b</sup>	11.1 <sup>b</sup>	10.6 <sup>a</sup>	9.7	9.8	9.1	9.1	9.5	9.8	9.3
Marijuana and Hashish	7.2	7.2	7.1	6.2	6.5	5.8 <sup>a</sup>	6.1	6.3	6.4	6.7
Cocaine	0.6	0.7 <sup>a</sup>	0.4	0.5	0.5	0.5	0.3	0.2	0.2	0.4
Crack	0.1	0.1 <sup>b</sup>	0.1	0.1 <sup>a</sup>	0.1	0.1 <sup>a</sup>	0.0	0.0	0.0	0.0
Heroin	0.0	0.1	0.0	0.0	0.1	*	0.0	0.0	0.1	0.1
Hallucinogens	1.0 <sup>a</sup>	1.0 <sup>a</sup>	0.7	0.9	0.8	0.6	0.8	0.7	0.8	0.7
LSD	0.2	0.2 <sup>a</sup>	0.1	0.1	0.2	0.0	0.1	0.1	0.1	0.1
PCP	0.1 <sup>a</sup>	0.1	0.0	0.1	0.0	*	0.0	0.0	0.0	0.0
Ecstasy	0.5	0.4	0.3	0.3	0.4	0.3	0.4	0.4	0.6	0.4
Inhalants	1.2	1.5 <sup>a</sup>	1.4	1.2	1.5 <sup>a</sup>	1.1	1.1	1.0	1.2	1.0
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	4.4 <sup>b</sup>	4.2 <sup>b</sup>	4.1 <sup>b</sup>	3.5	3.6	3.5	3.3	3.5	3.7	3.2
Pain Relievers	3.5 <sup>b</sup>	3.4 <sup>b</sup>	3.4 <sup>a</sup>	2.9	2.9	2.8	2.6	3.0	3.0	2.6
OxyContin <sup>®</sup>	--	--	0.3	0.1	0.1	0.2	0.1	0.2	0.2	0.2
Tranquilizers	1.0	0.9	0.7	0.6	0.6	0.8	0.7	0.7	0.6	0.7
Stimulants <sup>3</sup>	0.8 <sup>b</sup>	0.9 <sup>b</sup>	0.7 <sup>a</sup>	0.8 <sup>a</sup>	0.7 <sup>a</sup>	0.6	0.5	0.6	0.5	0.5
Methamphetamine <sup>3</sup>	0.3	0.3	0.3	0.3	0.2	0.2	0.1	0.2	0.1	0.2
Sedatives	0.3 <sup>b</sup>	0.2	0.2	0.1	0.2	0.2	0.2	0.1	0.2	0.1
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	5.9 <sup>b</sup>	6.0 <sup>b</sup>	5.7 <sup>b</sup>	5.1 <sup>a</sup>	5.2 <sup>a</sup>	4.8	4.6	4.8	5.3 <sup>a</sup>	4.4

\*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2011 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.