

**Table 7.43C Need for and Receipt of Treatment at a Specialty Facility for a Substance Use Problem in the Past Year among Persons Aged 12 or Older: Standard Errors of Numbers in Thousands, 2002-2011**

Substance/Substance Treatment Status	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
<b>NEEDED TREATMENT FOR ILLICIT DRUGS<sup>1</sup></b>	231	215	228	222	240	249	219	244	264	223
Received Treatment at a Specialty Facility	121	91	114	108	125	114	94	124	116	109
Did Not Receive Treatment at a Specialty Facility	205	192	203	198	203	217	196	213	231	191
<b>NEEDED TREATMENT FOR ALCOHOL</b>	411	389	431	413	419	421	407	427	416	390
Received Treatment at a Specialty Facility	124	102	135	139	125	131	138	127	126	124
Did Not Receive Treatment at a Specialty Facility	403	370	409	386	407	398	387	410	400	372
<b>NEEDED TREATMENT FOR ILLICIT DRUGS OR ALCOHOL<sup>1</sup></b>	436	415	461	443	463	470	439	474	476	423
Received Treatment at a Specialty Facility	151	118	165	157	162	166	159	168	155	150
Did Not Receive Treatment at a Specialty Facility	429	390	426	412	441	434	411	441	453	397

\*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Respondents were classified as needing treatment for a substance use problem if they met at least one of three criteria during the past year: (1) dependent on the substance; (2) abuse of the substance; or (3) received treatment for substance use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

**Table 7.43D Need for and Receipt of Treatment at a Specialty Facility for a Substance Use Problem in the Past Year among Persons Aged 12 or Older: Standard Errors of Percentages, 2002-2011**

Substance/Substance Treatment Status	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
<b>NEEDED TREATMENT FOR ILLICIT DRUGS<sup>1</sup></b>	0.10	0.09	0.09	0.09	0.10	0.10	0.09	0.10	0.10	0.09
Received Treatment at a Specialty Facility	0.05	0.04	0.05	0.04	0.05	0.05	0.04	0.05	0.05	0.04
Did Not Receive Treatment at a Specialty Facility	0.09	0.08	0.08	0.08	0.08	0.09	0.08	0.08	0.09	0.07
<b>NEEDED TREATMENT FOR ALCOHOL</b>	0.17	0.16	0.18	0.17	0.17	0.17	0.16	0.17	0.16	0.15
Received Treatment at a Specialty Facility	0.05	0.04	0.06	0.06	0.05	0.05	0.06	0.05	0.05	0.05
Did Not Receive Treatment at a Specialty Facility	0.17	0.16	0.17	0.16	0.17	0.16	0.16	0.16	0.16	0.14
<b>NEEDED TREATMENT FOR ILLICIT DRUGS OR ALCOHOL<sup>1</sup></b>	0.19	0.17	0.19	0.18	0.19	0.19	0.18	0.19	0.19	0.16
Received Treatment at a Specialty Facility	0.06	0.05	0.07	0.06	0.07	0.07	0.06	0.07	0.06	0.06
Did Not Receive Treatment at a Specialty Facility	0.18	0.16	0.18	0.17	0.18	0.18	0.16	0.18	0.18	0.15

\*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Respondents were classified as needing treatment for a substance use problem if they met at least one of three criteria during the past year: (1) dependent on the substance; (2) abuse of the substance; or (3) received treatment for substance use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.

**Table 7.43P Need for and Receipt of Treatment at a Specialty Facility for a Substance Use Problem in the Past Year among Persons Aged 12 or Older:  
P Values from Tests of Differences of Percentages, 2011 Versus 2002-2010**

Substance/Substance Treatment Status	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
<b>NEEDED TREATMENT FOR ILLICIT DRUGS<sup>1</sup></b>	0.0001	0.0184	0.0000	0.0114	0.0039	0.0507	0.0413	0.0089	0.0112	
Received Treatment at a Specialty Facility	0.2599	0.2805	0.2849	0.9880	0.0805	0.6976	0.4721	0.3236	0.2373	
Did Not Receive Treatment at a Specialty Facility	0.0002	0.0012	0.0000	0.0039	0.0216	0.0417	0.0064	0.0169	0.0226	
<b>NEEDED TREATMENT FOR ALCOHOL</b>	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0066	
Received Treatment at a Specialty Facility	0.2210	0.6992	0.3648	0.1922	0.3923	0.3615	0.4646	0.1296	0.4222	
Did Not Receive Treatment at a Specialty Facility	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0001	0.0108	
<b>NEEDED TREATMENT FOR ILLICIT DRUGS OR ALCOHOL<sup>1</sup></b>	0.0000	0.0001	0.0000	0.0000	0.0000	0.0001	0.0001	0.0001	0.0016	
Received Treatment at a Specialty Facility	0.2727	0.1356	0.4712	0.5922	0.1436	0.3780	0.8598	0.1141	0.1597	
Did Not Receive Treatment at a Specialty Facility	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0000	0.0002	0.0049	

\*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

NOTE: Respondents were classified as needing treatment for a substance use problem if they met at least one of three criteria during the past year: (1) dependent on the substance; (2) abuse of the substance; or (3) received treatment for substance use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2011.