

Table 8.6A Numbers (in Thousands) of Persons Aged 12 or Older, by Age Group and Geographic Characteristics: 2010 and 2011

| Geographic Characteristic | Total (2010) | Total (2011) | Aged 12-17 (2010) | Aged 12-17 (2011) | Aged 18-25 (2010) | Aged 18-25 (2011) | Aged 26+ (2010) | Aged 26+ (2011) |
|----------------------------------|-------------------------|-------------------------|------------------------------|------------------------------|------------------------------|------------------------------|----------------------------|----------------------------|
| TOTAL | 253,619 | 257,599 | 24,347 | 24,974 | 34,072 | 34,302 | 195,200 | 198,324 |
| GEOGRAPHIC DIVISION | | | | | | | | |
| Northeast | 46,535 | 46,891 | 4,235 | 4,278 | 6,045 | 6,121 | 36,256 | 36,493 |
| New England | 12,248 | 12,322 | 1,093 | 1,113 | 1,625 | 1,605 | 9,530 | 9,604 |
| Middle Atlantic | 34,287 | 34,569 | 3,142 | 3,165 | 4,420 | 4,516 | 26,726 | 26,889 |
| Midwest | 55,345 | 55,687 | 5,335 | 5,446 | 7,497 | 7,340 | 42,514 | 42,901 |
| East North Central | 38,536 | 38,690 | 3,743 | 3,808 | 5,140 | 5,065 | 29,654 | 29,817 |
| West North Central | 16,809 | 16,998 | 1,592 | 1,638 | 2,357 | 2,276 | 12,861 | 13,084 |
| South | 92,962 | 95,182 | 8,957 | 9,256 | 12,419 | 12,610 | 71,587 | 73,315 |
| South Atlantic | 49,000 | 50,186 | 4,491 | 4,622 | 6,316 | 6,441 | 38,194 | 39,123 |
| East South Central | 15,081 | 15,305 | 1,444 | 1,478 | 1,988 | 2,009 | 11,649 | 11,818 |
| West South Central | 28,881 | 29,691 | 3,021 | 3,156 | 4,115 | 4,160 | 21,744 | 22,374 |
| West | 58,776 | 59,838 | 5,821 | 5,994 | 8,112 | 8,231 | 44,844 | 45,614 |
| Mountain | 18,036 | 18,163 | 1,789 | 1,840 | 2,497 | 2,470 | 13,750 | 13,853 |
| Pacific | 40,741 | 41,675 | 4,032 | 4,154 | 5,615 | 5,760 | 31,094 | 31,761 |
| COUNTY TYPE | | | | | | | | |
| Large Metro | 135,713 | 136,826 | 13,040 | 13,318 | 18,159 | 18,409 | 104,513 | 105,099 |
| Small Metro | 77,455 | 80,597 | 7,522 | 7,836 | 11,121 | 11,147 | 58,812 | 61,614 |
| 250K – 1 Mil. Pop. | 51,487 | 54,501 | 5,035 | 5,367 | 7,025 | 7,083 | 39,428 | 42,052 |
| < 250K Pop. | 25,968 | 26,096 | 2,488 | 2,469 | 4,096 | 4,064 | 19,384 | 19,562 |
| Nonmetro | 40,451 | 40,176 | 3,784 | 3,820 | 4,792 | 4,746 | 31,875 | 31,611 |
| Urbanized | 17,078 | 16,797 | 1,526 | 1,693 | 2,112 | 2,209 | 13,440 | 12,896 |
| Less Urbanized | 19,649 | 19,178 | 1,940 | 1,771 | 2,332 | 2,093 | 15,378 | 15,314 |
| Completely Rural | 3,724 | 4,201 | 318 | 356 | 349 | 444 | 3,057 | 3,400 |

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 8.6N Survey Sample Size for Respondents Aged 12 or Older, by Age Group and Geographic Characteristics: 2010 and 2011

| Geographic Characteristic | Total (2010) | Total (2011) | Aged 12-17 (2010) | Aged 12-17 (2011) | Aged 18-25 (2010) | Aged 18-25 (2011) | Aged 26+ (2010) | Aged 26+ (2011) |
|----------------------------------|-------------------------|-------------------------|------------------------------|------------------------------|------------------------------|------------------------------|----------------------------|----------------------------|
| TOTAL | 67,804 | 70,109 | 21,960 | 23,510 | 22,793 | 22,876 | 23,051 | 23,723 |
| GEOGRAPHIC DIVISION | | | | | | | | |
| Northeast | 13,017 | 13,090 | 4,104 | 4,415 | 4,367 | 4,239 | 4,546 | 4,436 |
| New England | 5,483 | 5,591 | 1,684 | 1,915 | 1,955 | 1,904 | 1,844 | 1,772 |
| Middle Atlantic | 7,534 | 7,499 | 2,420 | 2,500 | 2,412 | 2,335 | 2,702 | 2,664 |
| Midwest | 19,301 | 19,258 | 6,254 | 6,377 | 6,540 | 6,324 | 6,507 | 6,557 |
| East North Central | 12,835 | 12,833 | 4,180 | 4,255 | 4,345 | 4,231 | 4,310 | 4,347 |
| West North Central | 6,466 | 6,425 | 2,074 | 2,122 | 2,195 | 2,093 | 2,197 | 2,210 |
| South | 20,769 | 22,980 | 6,845 | 7,857 | 6,948 | 7,475 | 6,976 | 7,648 |
| South Atlantic | 10,879 | 11,370 | 3,565 | 3,950 | 3,635 | 3,639 | 3,679 | 3,781 |
| East South Central | 3,572 | 4,419 | 1,208 | 1,453 | 1,196 | 1,456 | 1,168 | 1,510 |
| West South Central | 6,318 | 7,191 | 2,072 | 2,454 | 2,117 | 2,380 | 2,129 | 2,357 |
| West | 14,717 | 14,781 | 4,757 | 4,861 | 4,938 | 4,838 | 5,022 | 5,082 |
| Mountain | 7,356 | 7,376 | 2,236 | 2,381 | 2,598 | 2,413 | 2,522 | 2,582 |
| Pacific | 7,361 | 7,405 | 2,521 | 2,480 | 2,340 | 2,425 | 2,500 | 2,500 |
| COUNTY TYPE | | | | | | | | |
| Large Metro | 29,828 | 30,113 | 9,672 | 10,078 | 9,954 | 9,833 | 10,202 | 10,202 |
| Small Metro | 23,840 | 25,457 | 7,630 | 8,457 | 8,258 | 8,559 | 7,952 | 8,441 |
| 250K – 1 Mil. Pop. | 15,076 | 15,985 | 4,849 | 5,417 | 5,105 | 5,201 | 5,122 | 5,367 |
| < 250K Pop. | 8,764 | 9,472 | 2,781 | 3,040 | 3,153 | 3,358 | 2,830 | 3,074 |
| Nonmetro | 14,136 | 14,539 | 4,658 | 4,975 | 4,581 | 4,484 | 4,897 | 5,080 |
| Urbanized | 5,873 | 6,109 | 1,803 | 2,054 | 2,074 | 2,009 | 1,996 | 2,046 |
| Less Urbanized | 6,818 | 6,674 | 2,346 | 2,284 | 2,112 | 2,000 | 2,360 | 2,390 |
| Completely Rural | 1,445 | 1,756 | 509 | 637 | 395 | 475 | 541 | 644 |

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 8.7A Numbers (in Thousands) of Persons Aged 18 or Older, by Age Group and Geographic Characteristics: 2010 and 2011

| Geographic Characteristic | Total (2010) | Total (2011) | Aged 18-25 (2010) | Aged 18-25 (2011) | Aged 26-49 (2010) | Aged 26-49 (2011) | Aged 50+ (2010) | Aged 50+ (2011) |
|----------------------------------|-------------------------|-------------------------|------------------------------|------------------------------|------------------------------|------------------------------|----------------------------|----------------------------|
| TOTAL | 229,273 | 232,625 | 34,072 | 34,302 | 98,566 | 98,033 | 96,634 | 100,290 |
| GEOGRAPHIC DIVISION | | | | | | | | |
| Northeast | 42,301 | 42,614 | 6,045 | 6,121 | 17,796 | 17,570 | 18,460 | 18,923 |
| New England | 11,155 | 11,209 | 1,625 | 1,605 | 4,639 | 4,552 | 4,891 | 5,052 |
| Middle Atlantic | 31,146 | 31,404 | 4,420 | 4,516 | 13,157 | 13,018 | 13,568 | 13,871 |
| Midwest | 50,011 | 50,242 | 7,497 | 7,340 | 20,982 | 20,665 | 21,532 | 22,237 |
| East North Central | 34,793 | 34,882 | 5,140 | 5,065 | 14,674 | 14,381 | 14,980 | 15,436 |
| West North Central | 15,218 | 15,360 | 2,357 | 2,276 | 6,308 | 6,283 | 6,553 | 6,801 |
| South | 84,005 | 85,926 | 12,419 | 12,610 | 36,268 | 36,366 | 35,319 | 36,950 |
| South Atlantic | 44,509 | 45,564 | 6,316 | 6,441 | 18,891 | 18,933 | 19,302 | 20,190 |
| East South Central | 13,636 | 13,827 | 1,988 | 2,009 | 5,767 | 5,708 | 5,882 | 6,110 |
| West South Central | 25,860 | 26,534 | 4,115 | 4,160 | 11,610 | 11,725 | 10,134 | 10,649 |
| West | 52,956 | 53,844 | 8,112 | 8,231 | 23,520 | 23,432 | 21,323 | 22,182 |
| Mountain | 16,247 | 16,323 | 2,497 | 2,470 | 7,131 | 6,975 | 6,619 | 6,878 |
| Pacific | 36,709 | 37,521 | 5,615 | 5,760 | 16,389 | 16,457 | 14,705 | 15,304 |
| COUNTY TYPE | | | | | | | | |
| Large Metro | 122,672 | 123,508 | 18,159 | 18,409 | 54,716 | 54,038 | 49,797 | 51,061 |
| Small Metro | 69,933 | 72,761 | 11,121 | 11,147 | 29,722 | 30,021 | 29,090 | 31,593 |
| 250K – 1 Mil. Pop. | 46,453 | 49,135 | 7,025 | 7,083 | 20,156 | 20,563 | 19,272 | 21,489 |
| < 250K Pop. | 23,480 | 23,626 | 4,096 | 4,064 | 9,567 | 9,458 | 9,817 | 10,104 |
| Nonmetro | 36,667 | 36,357 | 4,792 | 4,746 | 14,128 | 13,973 | 17,747 | 17,637 |
| Urbanized | 15,552 | 15,105 | 2,112 | 2,209 | 6,008 | 6,110 | 7,432 | 6,786 |
| Less Urbanized | 17,709 | 17,407 | 2,332 | 2,093 | 6,956 | 6,562 | 8,422 | 8,752 |
| Completely Rural | 3,406 | 3,844 | 349 | 444 | 1,164 | 1,301 | 1,893 | 2,099 |

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 8.7N Survey Sample Size for Respondents Aged 18 or Older, by Age Group and Geographic Characteristics: 2010 and 2011

| Geographic Characteristic | Total (2010) | Total (2011) | Aged 18-25 (2010) | Aged 18-25 (2011) | Aged 26-49 (2010) | Aged 26-49 (2011) | Aged 50+ (2010) | Aged 50+ (2011) |
|----------------------------------|-------------------------|-------------------------|------------------------------|------------------------------|------------------------------|------------------------------|----------------------------|----------------------------|
| TOTAL | 45,844 | 46,599 | 22,793 | 22,876 | 16,448 | 15,692 | 6,603 | 8,031 |
| GEOGRAPHIC DIVISION | | | | | | | | |
| Northeast | 8,913 | 8,675 | 4,367 | 4,239 | 3,200 | 2,856 | 1,346 | 1,580 |
| New England | 3,799 | 3,676 | 1,955 | 1,904 | 1,296 | 1,139 | 548 | 633 |
| Middle Atlantic | 5,114 | 4,999 | 2,412 | 2,335 | 1,904 | 1,717 | 798 | 947 |
| Midwest | 13,047 | 12,881 | 6,540 | 6,324 | 4,664 | 4,277 | 1,843 | 2,280 |
| East North Central | 8,655 | 8,578 | 4,345 | 4,231 | 3,083 | 2,913 | 1,227 | 1,434 |
| West North Central | 4,392 | 4,303 | 2,195 | 2,093 | 1,581 | 1,364 | 616 | 846 |
| South | 13,924 | 15,123 | 6,948 | 7,475 | 4,953 | 5,072 | 2,023 | 2,576 |
| South Atlantic | 7,314 | 7,420 | 3,635 | 3,639 | 2,567 | 2,466 | 1,112 | 1,315 |
| East South Central | 2,364 | 2,966 | 1,196 | 1,456 | 813 | 990 | 355 | 520 |
| West South Central | 4,246 | 4,737 | 2,117 | 2,380 | 1,573 | 1,616 | 556 | 741 |
| West | 9,960 | 9,920 | 4,938 | 4,838 | 3,631 | 3,487 | 1,391 | 1,595 |
| Mountain | 5,120 | 4,995 | 2,598 | 2,413 | 1,786 | 1,797 | 736 | 785 |
| Pacific | 4,840 | 4,925 | 2,340 | 2,425 | 1,845 | 1,690 | 655 | 810 |
| COUNTY TYPE | | | | | | | | |
| Large Metro | 20,156 | 20,035 | 9,954 | 9,833 | 7,470 | 6,963 | 2,732 | 3,239 |
| Small Metro | 16,210 | 17,000 | 8,258 | 8,559 | 5,699 | 5,628 | 2,253 | 2,813 |
| 250K – 1 Mil. Pop. | 10,227 | 10,568 | 5,105 | 5,201 | 3,680 | 3,605 | 1,442 | 1,762 |
| < 250K Pop. | 5,983 | 6,432 | 3,153 | 3,358 | 2,019 | 2,023 | 811 | 1,051 |
| Nonmetro | 9,478 | 9,564 | 4,581 | 4,484 | 3,279 | 3,101 | 1,618 | 1,979 |
| Urbanized | 4,070 | 4,055 | 2,074 | 2,009 | 1,357 | 1,302 | 639 | 744 |
| Less Urbanized | 4,472 | 4,390 | 2,112 | 2,000 | 1,581 | 1,438 | 779 | 952 |
| Completely Rural | 936 | 1,119 | 395 | 475 | 341 | 361 | 200 | 283 |

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 8.8A Numbers (in Thousands) of Persons Aged 12 or Older, by Youth and Adult Age Groups and Geographic Characteristics: 2010 and 2011

| Geographic Characteristic | Total (2010) | Total (2011) | Aged 12-17 (2010) | Aged 12-17 (2011) | Aged 18+ (2010) | Aged 18+ (2011) |
|----------------------------------|-------------------------|-------------------------|------------------------------|------------------------------|----------------------------|----------------------------|
| TOTAL | 253,619 | 257,599 | 24,347 | 24,974 | 229,273 | 232,625 |
| GEOGRAPHIC DIVISION | | | | | | |
| Northeast | 46,535 | 46,891 | 4,235 | 4,278 | 42,301 | 42,614 |
| New England | 12,248 | 12,322 | 1,093 | 1,113 | 11,155 | 11,209 |
| Middle Atlantic | 34,287 | 34,569 | 3,142 | 3,165 | 31,146 | 31,404 |
| Midwest | 55,345 | 55,687 | 5,335 | 5,446 | 50,011 | 50,242 |
| East North Central | 38,536 | 38,690 | 3,743 | 3,808 | 34,793 | 34,882 |
| West North Central | 16,809 | 16,998 | 1,592 | 1,638 | 15,218 | 15,360 |
| South | 92,962 | 95,182 | 8,957 | 9,256 | 84,005 | 85,926 |
| South Atlantic | 49,000 | 50,186 | 4,491 | 4,622 | 44,509 | 45,564 |
| East South Central | 15,081 | 15,305 | 1,444 | 1,478 | 13,636 | 13,827 |
| West South Central | 28,881 | 29,691 | 3,021 | 3,156 | 25,860 | 26,534 |
| West | 58,776 | 59,838 | 5,821 | 5,994 | 52,956 | 53,844 |
| Mountain | 18,036 | 18,163 | 1,789 | 1,840 | 16,247 | 16,323 |
| Pacific | 40,741 | 41,675 | 4,032 | 4,154 | 36,709 | 37,521 |
| COUNTY TYPE | | | | | | |
| Large Metro | 135,713 | 136,826 | 13,040 | 13,318 | 122,672 | 123,508 |
| Small Metro | 77,455 | 80,597 | 7,522 | 7,836 | 69,933 | 72,761 |
| 250K – 1 Mil. Pop. | 51,487 | 54,501 | 5,035 | 5,367 | 46,453 | 49,135 |
| < 250K Pop. | 25,968 | 26,096 | 2,488 | 2,469 | 23,480 | 23,626 |
| Nonmetro | 40,451 | 40,176 | 3,784 | 3,820 | 36,667 | 36,357 |
| Urbanized | 17,078 | 16,797 | 1,526 | 1,693 | 15,552 | 15,105 |
| Less Urbanized | 19,649 | 19,178 | 1,940 | 1,771 | 17,709 | 17,407 |
| Completely Rural | 3,724 | 4,201 | 318 | 356 | 3,406 | 3,844 |

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 8.8N Survey Sample Size for Respondents Aged 12 or Older, by Youth and Adult Age Groups and Geographic Characteristics: 2010 and 2011

| Geographic Characteristic | Total (2010) | Total (2011) | Aged 12-17 (2010) | Aged 12-17 (2011) | Aged 18+ (2010) | Aged 18+ (2011) |
|----------------------------------|-------------------------|-------------------------|------------------------------|------------------------------|----------------------------|----------------------------|
| TOTAL | 67,804 | 70,109 | 21,960 | 23,510 | 45,844 | 46,599 |
| GEOGRAPHIC DIVISION | | | | | | |
| Northeast | 13,017 | 13,090 | 4,104 | 4,415 | 8,913 | 8,675 |
| New England | 5,483 | 5,591 | 1,684 | 1,915 | 3,799 | 3,676 |
| Middle Atlantic | 7,534 | 7,499 | 2,420 | 2,500 | 5,114 | 4,999 |
| Midwest | 19,301 | 19,258 | 6,254 | 6,377 | 13,047 | 12,881 |
| East North Central | 12,835 | 12,833 | 4,180 | 4,255 | 8,655 | 8,578 |
| West North Central | 6,466 | 6,425 | 2,074 | 2,122 | 4,392 | 4,303 |
| South | 20,769 | 22,980 | 6,845 | 7,857 | 13,924 | 15,123 |
| South Atlantic | 10,879 | 11,370 | 3,565 | 3,950 | 7,314 | 7,420 |
| East South Central | 3,572 | 4,419 | 1,208 | 1,453 | 2,364 | 2,966 |
| West South Central | 6,318 | 7,191 | 2,072 | 2,454 | 4,246 | 4,737 |
| West | 14,717 | 14,781 | 4,757 | 4,861 | 9,960 | 9,920 |
| Mountain | 7,356 | 7,376 | 2,236 | 2,381 | 5,120 | 4,995 |
| Pacific | 7,361 | 7,405 | 2,521 | 2,480 | 4,840 | 4,925 |
| COUNTY TYPE | | | | | | |
| Large Metro | 29,828 | 30,113 | 9,672 | 10,078 | 20,156 | 20,035 |
| Small Metro | 23,840 | 25,457 | 7,630 | 8,457 | 16,210 | 17,000 |
| 250K – 1 Mil. Pop. | 15,076 | 15,985 | 4,849 | 5,417 | 10,227 | 10,568 |
| < 250K Pop. | 8,764 | 9,472 | 2,781 | 3,040 | 5,983 | 6,432 |
| Nonmetro | 14,136 | 14,539 | 4,658 | 4,975 | 9,478 | 9,564 |
| Urbanized | 5,873 | 6,109 | 1,803 | 2,054 | 4,070 | 4,055 |
| Less Urbanized | 6,818 | 6,674 | 2,346 | 2,284 | 4,472 | 4,390 |
| Completely Rural | 1,445 | 1,756 | 509 | 637 | 936 | 1,119 |

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 8.9A Numbers (in Thousands) of Persons Aged 12 or Older, by Underage and Legal Drinking Age Groups and Geographic Characteristics: 2010 and 2011

| Geographic Characteristic | Total (2010) | Total (2011) | Aged 12-20 (2010) | Aged 12-20 (2011) | Aged 21+ (2010) | Aged 21+ (2011) |
|----------------------------------|-------------------------|-------------------------|------------------------------|------------------------------|----------------------------|----------------------------|
| TOTAL | 253,619 | 257,599 | 37,978 | 38,498 | 215,641 | 219,101 |
| GEOGRAPHIC DIVISION | | | | | | |
| Northeast | 46,535 | 46,891 | 6,623 | 6,824 | 39,913 | 40,067 |
| New England | 12,248 | 12,322 | 1,692 | 1,791 | 10,556 | 10,531 |
| Middle Atlantic | 34,287 | 34,569 | 4,930 | 5,034 | 29,357 | 29,536 |
| Midwest | 55,345 | 55,687 | 8,359 | 8,368 | 46,986 | 47,319 |
| East North Central | 38,536 | 38,690 | 5,853 | 5,911 | 32,683 | 32,778 |
| West North Central | 16,809 | 16,998 | 2,506 | 2,457 | 14,303 | 14,541 |
| South | 92,962 | 95,182 | 14,070 | 14,024 | 78,892 | 81,158 |
| South Atlantic | 49,000 | 50,186 | 7,105 | 7,070 | 41,895 | 43,117 |
| East South Central | 15,081 | 15,305 | 2,279 | 2,240 | 12,802 | 13,065 |
| West South Central | 28,881 | 29,691 | 4,686 | 4,715 | 24,195 | 24,975 |
| West | 58,776 | 59,838 | 8,925 | 9,281 | 49,851 | 50,557 |
| Mountain | 18,036 | 18,163 | 2,734 | 2,741 | 15,302 | 15,421 |
| Pacific | 40,741 | 41,675 | 6,192 | 6,539 | 34,549 | 35,136 |
| COUNTY TYPE | | | | | | |
| Large Metro | 135,713 | 136,826 | 20,117 | 20,416 | 115,596 | 116,409 |
| Small Metro | 77,455 | 80,597 | 11,961 | 12,433 | 65,495 | 68,164 |
| 250K – 1 Mil. Pop. | 51,487 | 54,501 | 7,779 | 8,219 | 43,708 | 46,283 |
| < 250K Pop. | 25,968 | 26,096 | 4,181 | 4,215 | 21,787 | 21,881 |
| Nonmetro | 40,451 | 40,176 | 5,901 | 5,648 | 34,551 | 34,528 |
| Urbanized | 17,078 | 16,797 | 2,402 | 2,506 | 14,676 | 14,291 |
| Less Urbanized | 19,649 | 19,178 | 3,027 | 2,593 | 16,622 | 16,585 |
| Completely Rural | 3,724 | 4,201 | 471 | 549 | 3,253 | 3,652 |

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 8.9N Survey Sample Size for Respondents Aged 12 or Older, by Underage and Legal Drinking Age Groups and Geographic Characteristics: 2010 and 2011

| Geographic Characteristic | Total (2010) | Total (2011) | Aged 12-20 (2010) | Aged 12-20 (2011) | Aged 21+ (2010) | Aged 21+ (2011) |
|----------------------------------|-------------------------|-------------------------|------------------------------|------------------------------|----------------------------|----------------------------|
| TOTAL | 67,804 | 70,109 | 30,917 | 32,366 | 36,887 | 37,743 |
| GEOGRAPHIC DIVISION | | | | | | |
| Northeast | 13,017 | 13,090 | 5,800 | 6,107 | 7,217 | 6,983 |
| New England | 5,483 | 5,591 | 2,402 | 2,693 | 3,081 | 2,898 |
| Middle Atlantic | 7,534 | 7,499 | 3,398 | 3,414 | 4,136 | 4,085 |
| Midwest | 19,301 | 19,258 | 8,847 | 8,884 | 10,454 | 10,374 |
| East North Central | 12,835 | 12,833 | 5,946 | 5,976 | 6,889 | 6,857 |
| West North Central | 6,466 | 6,425 | 2,901 | 2,908 | 3,565 | 3,517 |
| South | 20,769 | 22,980 | 9,595 | 10,678 | 11,174 | 12,302 |
| South Atlantic | 10,879 | 11,370 | 4,989 | 5,355 | 5,890 | 6,015 |
| East South Central | 3,572 | 4,419 | 1,722 | 1,972 | 1,850 | 2,447 |
| West South Central | 6,318 | 7,191 | 2,884 | 3,351 | 3,434 | 3,840 |
| West | 14,717 | 14,781 | 6,675 | 6,697 | 8,042 | 8,084 |
| Mountain | 7,356 | 7,376 | 3,245 | 3,281 | 4,111 | 4,095 |
| Pacific | 7,361 | 7,405 | 3,430 | 3,416 | 3,931 | 3,989 |
| COUNTY TYPE | | | | | | |
| Large Metro | 29,828 | 30,113 | 13,475 | 13,850 | 16,353 | 16,263 |
| Small Metro | 23,840 | 25,457 | 10,835 | 11,835 | 13,005 | 13,622 |
| 250K – 1 Mil. Pop. | 15,076 | 15,985 | 6,807 | 7,449 | 8,269 | 8,536 |
| < 250K Pop. | 8,764 | 9,472 | 4,028 | 4,386 | 4,736 | 5,086 |
| Nonmetro | 14,136 | 14,539 | 6,607 | 6,681 | 7,529 | 7,858 |
| Urbanized | 5,873 | 6,109 | 2,678 | 2,779 | 3,195 | 3,330 |
| Less Urbanized | 6,818 | 6,674 | 3,250 | 3,051 | 3,568 | 3,623 |
| Completely Rural | 1,445 | 1,756 | 679 | 851 | 766 | 905 |

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.