

Table 1.1A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older: Numbers in Thousands, 2012 and 2013

Drug	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
ILLICIT DRUGS¹	124,808	127,458	41,479	41,591	23,863	24,573
Marijuana and Hashish	111,239 ^a	114,712	31,513	32,952	18,855	19,810
Cocaine	37,688	37,634	4,671	4,182	1,650	1,549
Crack	9,015	8,870	921 ^a	632	443	377
Heroin	4,565	4,812	669	681	335	289
Hallucinogens	37,908	39,736	4,306	4,430	1,134	1,333
LSD	23,735	24,770	1,057	1,111	184	229
PCP	6,552	6,462	172 ^a	90	32	33
Ecstasy	16,162 ^b	17,815	2,610	2,588	628	660
Inhalants	21,095	21,068	1,693	1,533	493	496
Nonmedical Use of Psychotherapeutics ^{2,3}	54,389	53,172	16,666 ^a	15,348	6,831	6,484
Pain Relievers	37,045	35,473	12,489 ^b	11,082	4,862	4,521
OxyContin [®]	6,579	6,973	1,477	1,442	358	492
Tranquilizers	23,639	23,493	6,073 ^a	5,269	2,139 ^a	1,705
Stimulants ³	21,498	21,656	3,317	3,492	1,171	1,365
Methamphetamine ³	12,259	12,257	1,155	1,186	440	595
Sedatives	7,939	7,480	590	639	270	251
ILLICIT DRUGS OTHER THAN MARIJUANA¹	78,034	78,076	21,267 ^a	19,868	8,883	8,665

*Low precision; no estimate reported.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.1B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older: Percentages, 2012 and 2013

Drug	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
ILLCIT DRUGS¹	48.0	48.6	16.0	15.9	9.2	9.4
Marijuana and Hashish	42.8	43.7	12.1	12.6	7.3	7.5
Cocaine	14.5	14.3	1.8	1.6	0.6	0.6
Crack	3.5	3.4	0.4 ^a	0.2	0.2	0.1
Heroin	1.8	1.8	0.3	0.3	0.1	0.1
Hallucinogens	14.6	15.1	1.7	1.7	0.4	0.5
LSD	9.1	9.4	0.4	0.4	0.1	0.1
PCP	2.5	2.5	0.1 ^a	0.0	0.0	0.0
Ecstasy	6.2 ^a	6.8	1.0	1.0	0.2	0.3
Inhalants	8.1	8.0	0.7	0.6	0.2	0.2
Nonmedical Use of Psychotherapeutics ^{2,3}	20.9	20.3	6.4 ^a	5.8	2.6	2.5
Pain Relievers	14.2 ^a	13.5	4.8 ^b	4.2	1.9	1.7
OxyContin [®]	2.5	2.7	0.6	0.5	0.1	0.2
Tranquilizers	9.1	9.0	2.3 ^a	2.0	0.8 ^a	0.6
Stimulants ³	8.3	8.3	1.3	1.3	0.5	0.5
Methamphetamine ³	4.7	4.7	0.4	0.5	0.2	0.2
Sedatives	3.1	2.9	0.2	0.2	0.1	0.1
ILLCIT DRUGS OTHER THAN MARIJUANA¹	30.0	29.8	8.2 ^a	7.6	3.4	3.3

*Low precision; no estimate reported.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.2A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or 13: Numbers in Thousands, 2012 and 2013

Drug	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
ILLCIT DRUGS¹	845	772	559 ^a	466	283 ^a	207
Marijuana and Hashish	261	240	209	197	93	81
Cocaine	11	9	10	8	1	2
Crack	1	2	*	2	*	2
Heroin	2	6	2	5	*	1
Hallucinogens	49	58	33	35	19	11
LSD	10	15	4	9	2	5
PCP	5	6	3	2	2	1
Ecstasy	14	19	8	18	4	1
Inhalants	394	336	177	145	74	47
Nonmedical Use of Psychotherapeutics ^{2,3}	383	330	269 ^b	187	136	100
Pain Relievers	332	267	232 ^b	150	118 ^a	75
OxyContin [®]	15	22	11	13	7	6
Tranquilizers	45	47	23	31	7	16
Stimulants ³	34	49	18	25	6	14
Methamphetamine ³	11	12	5	7	2	4
Sedatives	33	28	13	18	9	12
ILLCIT DRUGS OTHER THAN MARIJUANA¹	688	612	420 ^a	322	212 ^a	143

*Low precision; no estimate reported.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.2B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or 13: Percentages, 2012 and 2013

Drug	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
ILLCIT DRUGS¹	10.5	9.7	6.9	5.8	3.5 ^a	2.6
Marijuana and Hashish	3.2	3.0	2.6	2.5	1.2	1.0
Cocaine	0.1	0.1	0.1	0.1	0.0	0.0
Crack	0.0	0.0	*	0.0	*	0.0
Heroin	0.0	0.1	0.0	0.1	*	0.0
Hallucinogens	0.6	0.7	0.4	0.4	0.2	0.1
LSD	0.1	0.2	0.0	0.1	0.0	0.1
PCP	0.1	0.1	0.0	0.0	0.0	0.0
Ecstasy	0.2	0.2	0.1	0.2	0.1	0.0
Inhalants	4.9	4.2	2.2	1.8	0.9	0.6
Nonmedical Use of Psychotherapeutics ^{2,3}	4.8	4.1	3.3 ^b	2.3	1.7	1.3
Pain Relievers	4.1	3.3	2.9 ^b	1.9	1.5 ^a	0.9
OxyContin [®]	0.2	0.3	0.1	0.2	0.1	0.1
Tranquilizers	0.6	0.6	0.3	0.4	0.1	0.2
Stimulants ³	0.4	0.6	0.2	0.3	0.1	0.2
Methamphetamine ³	0.1	0.1	0.1	0.1	0.0	0.1
Sedatives	0.4	0.4	0.2	0.2	0.1	0.1
ILLCIT DRUGS OTHER THAN MARIJUANA¹	8.5	7.7	5.2 ^a	4.0	2.6 ^a	1.8

*Low precision; no estimate reported.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.3A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 14 or 15: Numbers in Thousands, 2012 and 2013

Drug	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
ILLICIT DRUGS¹	1,936	1,862	1,368	1,343	684	664
Marijuana and Hashish	1,225	1,210	968	975	515	492
Cocaine	58	37	33	25	9	12
Crack	10	5	4	2	*	*
Heroin	26 ^a	10	17	9	*	5
Hallucinogens	216 ^a	151	149 ^a	99	42	37
LSD	61	45	37	30	9	6
PCP	47 ^b	17	26	10	2	4
Ecstasy	111 ^a	71	66 ^a	39	20	10
Inhalants	640	552	250	197	56	50
Nonmedical Use of Psychotherapeutics ^{2,3}	773	694	500	477	213	184
Pain Relievers	629	590	409	402	181	158
OxyContin [®]	87	68	49	48	17	9
Tranquilizers	203	165	130	95	33	30
Stimulants ³	146	123	100	77	34	18
Methamphetamine ³	45 ^a	25	26	13	15 ^b	2
Sedatives	65	48	29	22	12	10
ILLICIT DRUGS OTHER THAN MARIJUANA¹	1,233	1,104	732	649	271	244

*Low precision; no estimate reported.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.3B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 14 or 15: Percentages, 2012 and 2013

Drug	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
ILLCIT DRUGS¹	23.1	21.9	16.3	15.8	8.2	7.8
Marijuana and Hashish	14.6	14.2	11.5	11.4	6.1	5.8
Cocaine	0.7	0.4	0.4	0.3	0.1	0.1
Crack	0.1	0.1	0.1	0.0	*	*
Heroin	0.3 ^a	0.1	0.2	0.1	*	0.1
Hallucinogens	2.6 ^b	1.8	1.8 ^b	1.2	0.5	0.4
LSD	0.7	0.5	0.4	0.3	0.1	0.1
PCP	0.6 ^b	0.2	0.3	0.1	0.0	0.0
Ecstasy	1.3 ^a	0.8	0.8 ^a	0.5	0.2	0.1
Inhalants	7.6	6.5	3.0 ^a	2.3	0.7	0.6
Nonmedical Use of Psychotherapeutics ^{2,3}	9.2	8.1	6.0	5.6	2.5	2.2
Pain Relievers	7.5	6.9	4.9	4.7	2.2	1.8
OxyContin [®]	1.0	0.8	0.6	0.6	0.2	0.1
Tranquilizers	2.4	1.9	1.6	1.1	0.4	0.3
Stimulants ³	1.7	1.4	1.2	0.9	0.4 ^a	0.2
Methamphetamine ³	0.5 ^a	0.3	0.3	0.2	0.2 ^b	0.0
Sedatives	0.8	0.6	0.3	0.3	0.1	0.1
ILLCIT DRUGS OTHER THAN MARIJUANA¹	14.7 ^a	13.0	8.7	7.6	3.2	2.9

*Low precision; no estimate reported.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.4A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 16 or 17: Numbers in Thousands, 2012 and 2013

Drug	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
ILLCIT DRUGS¹	3,263	3,160	2,542	2,477	1,409	1,326
Marijuana and Hashish	2,745	2,643	2,187	2,174	1,192	1,189
Cocaine	196	170	137	98	20	30
Crack	24	15	14	7	1	1
Heroin	32	23	12	17	*	6
Hallucinogens	559	493	372	348	99	106
LSD	178	160	112	111	15 ^a	40
PCP	43	23	19	17	1	2
Ecstasy	364 ^a	280	214	176	49	37
Inhalants	579 ^b	439	220 ^b	139	58 ^b	24
Nonmedical Use of Psychotherapeutics ^{2,3}	1,325 ^a	1,165	873	778	343 ^a	264
Pain Relievers	1,108 ^a	949	691	605	259 ^a	193
OxyContin [®]	220	184	127 ^a	89	25	14
Tranquilizers	455 ^a	360	299 ^a	221	100 ^b	45
Stimulants ³	315	265	207	172	77	52
Methamphetamine ³	89	82	51	53	14	16
Sedatives	77 ^a	49	39	24	5	3
ILLCIT DRUGS OTHER THAN MARIJUANA¹	1,770 ^a	1,563	1,145 ^a	1,008	436	370

*Low precision; no estimate reported.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.4B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 16 or 17: Percentages, 2012 and 2013

Drug	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
ILLCIT DRUGS¹	38.5	37.6	30.0	29.5	16.6	15.8
Marijuana and Hashish	32.4	31.5	25.8	25.9	14.0	14.2
Cocaine	2.3	2.0	1.6	1.2	0.2	0.4
Crack	0.3	0.2	0.2	0.1	0.0	0.0
Heroin	0.4	0.3	0.1	0.2	*	0.1
Hallucinogens	6.6	5.9	4.4	4.1	1.2	1.3
LSD	2.1	1.9	1.3	1.3	0.2 ^a	0.5
PCP	0.5	0.3	0.2	0.2	0.0	0.0
Ecstasy	4.3 ^a	3.3	2.5	2.1	0.6	0.4
Inhalants	6.8 ^b	5.2	2.6 ^b	1.7	0.7 ^b	0.3
Nonmedical Use of Psychotherapeutics ^{2,3}	15.6 ^a	13.9	10.3	9.3	4.0 ^a	3.1
Pain Relievers	13.1 ^a	11.3	8.2	7.2	3.1 ^a	2.3
OxyContin [®]	2.6	2.2	1.5 ^a	1.1	0.3	0.2
Tranquilizers	5.4 ^a	4.3	3.5 ^a	2.6	1.2 ^b	0.5
Stimulants ³	3.7	3.1	2.4	2.0	0.9	0.6
Methamphetamine ³	1.0	1.0	0.6	0.6	0.2	0.2
Sedatives	0.9 ^a	0.6	0.5	0.3	0.1	0.0
ILLCIT DRUGS OTHER THAN MARIJUANA¹	20.9 ^b	18.6	13.5 ^a	12.0	5.1	4.4

*Low precision; no estimate reported.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.5A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 20: Numbers in Thousands, 2012 and 2013

Drug	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
ILLCIT DRUGS¹	7,055	6,819	5,258	5,061	3,174	2,978
Marijuana and Hashish	6,304	6,135	4,684	4,524	2,847	2,684
Cocaine	1,082 ^a	875	594 ^a	450	140	125
Crack	154 ^a	96	65 ^b	24	14	4
Heroin	161	126	89	53	47	23
Hallucinogens	1,858	1,736	1,090	927	320	281
LSD	647	606	322	301	58	70
PCP	113	77	40 ^a	15	8	2
Ecstasy	1,376	1,220	689 ^a	532	192 ^a	112
Inhalants	996	866	239	218	60	51
Nonmedical Use of Psychotherapeutics ^{2,3}	3,240 ^a	2,892	1,892 ^b	1,602	694	584
Pain Relievers	2,622 ^a	2,302	1,437 ^b	1,179	509 ^a	389
OxyContin [®]	581	540	212	150	41	44
Tranquilizers	1,359	1,224	679 ^a	545	174	143
Stimulants ³	964	890	522	460	142	152
Methamphetamine ³	313 ^a	220	151	110	32	35
Sedatives	136	168	56	60	17	16
ILLCIT DRUGS OTHER THAN MARIJUANA¹	4,034	3,700	2,506 ^a	2,207	982	879

*Low precision; no estimate reported.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.5B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 20: Percentages, 2012 and 2013

Drug	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
ILLCIT DRUGS¹	53.2	51.7	39.6	38.4	23.9	22.6
Marijuana and Hashish	47.5	46.5	35.3	34.3	21.4	20.3
Cocaine	8.1 ^a	6.6	4.5 ^a	3.4	1.1	0.9
Crack	1.2 ^a	0.7	0.5 ^b	0.2	0.1	0.0
Heroin	1.2	1.0	0.7	0.4	0.4	0.2
Hallucinogens	14.0	13.2	8.2	7.0	2.4	2.1
LSD	4.9	4.6	2.4	2.3	0.4	0.5
PCP	0.9	0.6	0.3 ^a	0.1	0.1	0.0
Ecstasy	10.4	9.2	5.2 ^a	4.0	1.4 ^a	0.8
Inhalants	7.5	6.6	1.8	1.6	0.4	0.4
Nonmedical Use of Psychotherapeutics ^{2,3}	24.4 ^b	21.9	14.3 ^b	12.1	5.2	4.4
Pain Relievers	19.8 ^b	17.4	10.8 ^b	8.9	3.8 ^a	3.0
OxyContin [®]	4.4	4.1	1.6	1.1	0.3	0.3
Tranquilizers	10.2	9.3	5.1 ^a	4.1	1.3	1.1
Stimulants ³	7.3	6.7	3.9	3.5	1.1	1.1
Methamphetamine ³	2.4 ^a	1.7	1.1	0.8	0.2	0.3
Sedatives	1.0	1.3	0.4	0.5	0.1	0.1
ILLCIT DRUGS OTHER THAN MARIJUANA¹	30.4 ^a	28.0	18.9 ^b	16.7	7.4	6.7

*Low precision; no estimate reported.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.6A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 21 to 25: Numbers in Thousands, 2012 and 2013

Drug	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
ILLICIT DRUGS¹	12,922	13,008	7,292	7,388	4,207	4,513
Marijuana and Hashish	11,748	11,915	6,204	6,476	3,638	3,952
Cocaine	3,186	3,166	1,006	1,093	257	273
Crack	500	467	76	71	23	32
Heroin	503	493	183	191	92	69
Hallucinogens	4,244	4,386	1,147 ^b	1,411	280	336
LSD	1,409 ^a	1,639	300 ^a	407	60	35
PCP	231	250	17	11	4	2
Ecstasy	3,076	3,216	723	847	169	207
Inhalants	1,923	1,746	233	260	63	55
Nonmedical Use of Psychotherapeutics ^{2,3}	6,470	6,347	2,837	2,643	1,139	1,077
Pain Relievers	5,137	4,949	2,070	1,881	802	743
OxyContin [®]	1,430	1,349	356	323	104	63
Tranquilizers	3,061	2,961	1,039	1,023	364	291
Stimulants ³	2,410	2,389	839	841	257	310
Methamphetamine ³	776	821	190	208	65	85
Sedatives	285	271	62	78	34	18
ILLICIT DRUGS OTHER THAN MARIJUANA¹	8,182	8,153	3,711	3,647	1,453	1,459

*Low precision; no estimate reported.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.6B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 21 to 25: Percentages, 2012 and 2013

Drug	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
ILLCIT DRUGS¹	60.6	60.2	34.2	34.2	19.7	20.9
Marijuana and Hashish	55.1	55.2	29.1	30.0	17.1	18.3
Cocaine	14.9	14.7	4.7	5.1	1.2	1.3
Crack	2.3	2.2	0.4	0.3	0.1	0.2
Heroin	2.4	2.3	0.9	0.9	0.4	0.3
Hallucinogens	19.9	20.3	5.4 ^b	6.5	1.3	1.6
LSD	6.6 ^a	7.6	1.4 ^a	1.9	0.3	0.2
PCP	1.1	1.2	0.1	0.1	0.0	0.0
Ecstasy	14.4	14.9	3.4	3.9	0.8	1.0
Inhalants	9.0 ^a	8.1	1.1	1.2	0.3	0.3
Nonmedical Use of Psychotherapeutics ^{2,3}	30.3	29.4	13.3	12.2	5.3	5.0
Pain Relievers	24.1	22.9	9.7 ^a	8.7	3.8	3.4
OxyContin [®]	6.7	6.2	1.7	1.5	0.5	0.3
Tranquilizers	14.4	13.7	4.9	4.7	1.7	1.4
Stimulants ³	11.3	11.1	3.9	3.9	1.2	1.4
Methamphetamine ³	3.6	3.8	0.9	1.0	0.3	0.4
Sedatives	1.3	1.3	0.3	0.4	0.2	0.1
ILLCIT DRUGS OTHER THAN MARIJUANA¹	38.4	37.8	17.4	16.9	6.8	6.8

*Low precision; no estimate reported.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.7A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 to 34: Numbers in Thousands, 2012 and 2013

Drug	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
ILLCIT DRUGS¹	22,440	23,057	8,778	9,501	5,111	5,699
Marijuana and Hashish	20,367	21,263	6,706 ^b	7,834	4,171	4,721
Cocaine	7,060	7,053	1,159	1,274	425	480
Crack	1,909	1,767	208	151	93	83
Heroin	965	1,151	219	249	111	119
Hallucinogens	8,487	8,766	896	917	196	238
LSD	4,648	4,653	157	174	16	41
PCP	851	728	46	13	11	*
Ecstasy	5,907	6,398	585	651	107	181
Inhalants	4,626	4,578	187	228	58	84
Nonmedical Use of Psychotherapeutics ^{2,3}	11,464	11,462	3,758	3,843	1,503	1,659
Pain Relievers	8,835	8,735	2,747	2,665	1,111	1,115
OxyContin [®]	2,112	2,389	352	386	150	107
Tranquilizers	5,518	5,671	1,563	1,523	504	521
Stimulants ³	4,655	4,811	914	1,076	336	422
Methamphetamine ³	2,704	2,531	370	295	153	159
Sedatives	577	804	137	175	29	86
ILLCIT DRUGS OTHER THAN MARIJUANA¹	15,346	15,592	4,727	4,770	1,891	2,109

*Low precision; no estimate reported.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.7B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 to 34: Percentages, 2012 and 2013

Drug	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
ILLCIT DRUGS¹	60.8	61.7	23.8	25.4	13.8	15.3
Marijuana and Hashish	55.2	56.9	18.2 ^b	21.0	11.3	12.6
Cocaine	19.1	18.9	3.1	3.4	1.2	1.3
Crack	5.2	4.7	0.6	0.4	0.3	0.2
Heroin	2.6	3.1	0.6	0.7	0.3	0.3
Hallucinogens	23.0	23.5	2.4	2.5	0.5	0.6
LSD	12.6	12.5	0.4	0.5	0.0	0.1
PCP	2.3	1.9	0.1	0.0	0.0	*
Ecstasy	16.0	17.1	1.6	1.7	0.3	0.5
Inhalants	12.5	12.3	0.5	0.6	0.2	0.2
Nonmedical Use of Psychotherapeutics ^{2,3}	31.1	30.7	10.2	10.3	4.1	4.4
Pain Relievers	23.9	23.4	7.4	7.1	3.0	3.0
OxyContin [®]	5.7	6.4	1.0	1.0	0.4	0.3
Tranquilizers	14.9	15.2	4.2	4.1	1.4	1.4
Stimulants ³	12.6	12.9	2.5	2.9	0.9	1.1
Methamphetamine ³	7.3	6.8	1.0	0.8	0.4	0.4
Sedatives	1.6	2.2	0.4	0.5	0.1	0.2
ILLCIT DRUGS OTHER THAN MARIJUANA¹	41.6	41.7	12.8	12.8	5.1	5.6

*Low precision; no estimate reported.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.8A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 35 or Older: Numbers in Thousands, 2012 and 2013

Drug	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
ILLICIT DRUGS¹	76,347	78,781	15,683	15,355	8,994	9,186
Marijuana and Hashish	68,588 ^a	71,305	10,557	10,772	6,399	6,691
Cocaine	26,096	26,324	1,731 ^a	1,233	798	628
Crack	6,418	6,517	554	376	312	255
Heroin	2,877	3,004	147	157	85	66
Hallucinogens	22,496	24,145	620	693	178	324
LSD	16,782	17,651	125	79	24	31
PCP	5,260	5,362	21	22	*	22
Ecstasy	5,315 ^b	6,611	325	326	87	110
Inhalants	11,938	12,551	386	347	125	185
Nonmedical Use of Psychotherapeutics ^{2,3}	30,734	30,283	6,538	5,819	2,802	2,615
Pain Relievers	18,383	17,682	4,903	4,199	1,882	1,849
OxyContin [®]	2,134	2,421	371	433	15 ^b	249
Tranquilizers	12,998	13,065	2,340 ^a	1,831	958	659
Stimulants ³	12,974	13,129	718	841	318	397
Methamphetamine ³	8,321	8,565	362	500	159	294
Sedatives	6,766	6,112	253	261	163	105
ILLICIT DRUGS OTHER THAN MARIJUANA¹	46,781	47,353	8,026	7,265	3,640	3,462

*Low precision; no estimate reported.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.8B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 35 or Older: Percentages, 2012 and 2013

Drug	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
ILLICIT DRUGS¹	46.7	47.6	9.6	9.3	5.5	5.6
Marijuana and Hashish	41.9	43.1	6.5	6.5	3.9	4.0
Cocaine	15.9	15.9	1.1 ^a	0.7	0.5	0.4
Crack	3.9	3.9	0.3	0.2	0.2	0.2
Heroin	1.8	1.8	0.1	0.1	0.1	0.0
Hallucinogens	13.7	14.6	0.4	0.4	0.1	0.2
LSD	10.3	10.7	0.1	0.0	0.0	0.0
PCP	3.2	3.2	0.0	0.0	*	0.0
Ecstasy	3.2 ^b	4.0	0.2	0.2	0.1	0.1
Inhalants	7.3	7.6	0.2	0.2	0.1	0.1
Nonmedical Use of Psychotherapeutics ^{2,3}	18.8	18.3	4.0	3.5	1.7	1.6
Pain Relievers	11.2	10.7	3.0 ^a	2.5	1.2	1.1
OxyContin [®]	1.3	1.5	0.2	0.3	0.0 ^b	0.2
Tranquilizers	7.9	7.9	1.4 ^a	1.1	0.6	0.4
Stimulants ³	7.9	7.9	0.4	0.5	0.2	0.2
Methamphetamine ³	5.1	5.2	0.2	0.3	0.1	0.2
Sedatives	4.1	3.7	0.2	0.2	0.1	0.1
ILLICIT DRUGS OTHER THAN MARIJUANA¹	28.6	28.6	4.9	4.4	2.2	2.1

*Low precision; no estimate reported.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.9A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Males Aged 12 or Older: Numbers in Thousands, 2012 and 2013

Drug	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
ILLCIT DRUGS¹	66,653	67,412	23,794	23,694	14,612	14,671
Marijuana and Hashish	60,056	61,743	19,193	19,713	12,085	12,300
Cocaine	22,757	22,612	3,298	2,855	1,231	1,038
Crack	6,214	5,504	699 ^b	390	329	218
Heroin	3,221	3,110	478	448	256	173
Hallucinogens	22,941	23,835	2,792	2,809	715	902
LSD	15,230	15,592	747	726	111	156
PCP	4,483	4,116	117	52	24	7
Ecstasy	9,478	10,040	1,628	1,554	366	439
Inhalants	13,953	13,675	1,052	1,025	335	342
Nonmedical Use of Psychotherapeutics ^{2,3}	29,080 ^a	27,490	8,663 ^a	7,772	3,565	3,340
Pain Relievers	20,826 ^b	18,918	6,851 ^b	5,834	2,646	2,398
OxyContin [®]	4,107	4,207	938	948	258	337
Tranquilizers	12,208	11,942	2,980	2,602	1,054	833
Stimulants ³	11,962	11,872	1,782	1,831	639	742
Methamphetamine ³	7,534	7,366	718	793	242	432
Sedatives	4,653	4,176	202	286	133	121
ILLCIT DRUGS OTHER THAN MARIJUANA¹	43,438	42,406	11,826 ^a	10,870	5,060	4,855

*Low precision; no estimate reported.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.9B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Males Aged 12 or Older: Percentages, 2012 and 2013

Drug	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
ILLCIT DRUGS¹	52.9	53.0	18.9	18.6	11.6	11.5
Marijuana and Hashish	47.7	48.6	15.2	15.5	9.6	9.7
Cocaine	18.1	17.8	2.6	2.2	1.0	0.8
Crack	4.9	4.3	0.6 ^b	0.3	0.3	0.2
Heroin	2.6	2.4	0.4	0.4	0.2	0.1
Hallucinogens	18.2	18.7	2.2	2.2	0.6	0.7
LSD	12.1	12.3	0.6	0.6	0.1	0.1
PCP	3.6	3.2	0.1	0.0	0.0	0.0
Ecstasy	7.5	7.9	1.3	1.2	0.3	0.3
Inhalants	11.1	10.8	0.8	0.8	0.3	0.3
Nonmedical Use of Psychotherapeutics ^{2,3}	23.1 ^a	21.6	6.9 ^a	6.1	2.8	2.6
Pain Relievers	16.5 ^b	14.9	5.4 ^b	4.6	2.1	1.9
OxyContin [®]	3.3	3.3	0.7	0.7	0.2	0.3
Tranquilizers	9.7	9.4	2.4	2.0	0.8	0.7
Stimulants ³	9.5	9.3	1.4	1.4	0.5	0.6
Methamphetamine ³	6.0	5.8	0.6	0.6	0.2	0.3
Sedatives	3.7	3.3	0.2	0.2	0.1	0.1
ILLCIT DRUGS OTHER THAN MARIJUANA¹	34.5	33.4	9.4 ^a	8.6	4.0	3.8

*Low precision; no estimate reported.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.10A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Females Aged 12 or Older: Numbers in Thousands, 2012 and 2013

Drug	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
ILLCIT DRUGS¹	58,155 ^a	60,046	17,685	17,897	9,251	9,903
Marijuana and Hashish	51,183	52,969	12,320	13,239	6,770	7,510
Cocaine	14,931	15,022	1,372	1,327	419	511
Crack	2,801 ^a	3,366	222	242	115	160
Heroin	1,344	1,703	191	233	79	116
Hallucinogens	14,967	15,902	1,514	1,621	419	431
LSD	8,505	9,178	310	386	73	73
PCP	2,070	2,346	56	38	8	26
Ecstasy	6,683 ^b	7,774	981	1,034	261	221
Inhalants	7,142	7,393	641 ^a	508	157	153
Nonmedical Use of Psychotherapeutics ^{2,3}	25,309	25,682	8,003	7,576	3,266	3,144
Pain Relievers	16,219	16,555	5,638	5,248	2,216	2,123
OxyContin [®]	2,472	2,766	538	495	100	155
Tranquilizers	11,430	11,551	3,093	2,667	1,085	872
Stimulants ³	9,536	9,784	1,534	1,661	532	623
Methamphetamine ³	4,725	4,890	437	393	197	163
Sedatives	3,286	3,304	388	353	137	130
ILLCIT DRUGS OTHER THAN MARIJUANA¹	34,596	35,670	9,441	8,997	3,823	3,810

*Low precision; no estimate reported.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.10B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Females Aged 12 or Older: Percentages, 2012 and 2013

Drug	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
ILLCIT DRUGS¹	43.3	44.4	13.2	13.2	6.9	7.3
Marijuana and Hashish	38.1	39.2	9.2	9.8	5.0	5.6
Cocaine	11.1	11.1	1.0	1.0	0.3	0.4
Crack	2.1	2.5	0.2	0.2	0.1	0.1
Heroin	1.0	1.3	0.1	0.2	0.1	0.1
Hallucinogens	11.2	11.8	1.1	1.2	0.3	0.3
LSD	6.3	6.8	0.2	0.3	0.1	0.1
PCP	1.5	1.7	0.0	0.0	0.0	0.0
Ecstasy	5.0 ^b	5.7	0.7	0.8	0.2	0.2
Inhalants	5.3	5.5	0.5 ^a	0.4	0.1	0.1
Nonmedical Use of Psychotherapeutics ^{2,3}	18.9	19.0	6.0	5.6	2.4	2.3
Pain Relievers	12.1	12.2	4.2	3.9	1.7	1.6
OxyContin [®]	1.8	2.0	0.4	0.4	0.1	0.1
Tranquilizers	8.5	8.5	2.3	2.0	0.8	0.6
Stimulants ³	7.1	7.2	1.1	1.2	0.4	0.5
Methamphetamine ³	3.5	3.6	0.3	0.3	0.1	0.1
Sedatives	2.4	2.4	0.3	0.3	0.1	0.1
ILLCIT DRUGS OTHER THAN MARIJUANA¹	25.8	26.4	7.0	6.7	2.8	2.8

*Low precision; no estimate reported.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.