

Table 1.49A Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Numbers in Thousands, 2012 and 2013

Demographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	54,389	53,172	16,666 ^a	15,348	6,831	6,484
AGE						
12-17	2,482 ^b	2,188	1,642 ^b	1,441	693 ^b	549
18-25	9,709 ^a	9,239	4,729 ^b	4,245	1,832	1,661
26 or Older	42,198	41,745	10,296	9,662	4,306	4,274
GENDER						
Male	29,080 ^a	27,490	8,663 ^a	7,772	3,565	3,340
Female	25,309	25,682	8,003	7,576	3,266	3,144
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	46,859	46,329	13,970 ^a	12,783	5,845	5,295
White	39,534	39,412	11,296	10,527	4,790	4,325
Black or African American	4,497	4,128	1,810 ^a	1,377	720	716
American Indian or Alaska Native	419	344	158	139	67	29
Native Hawaiian or Other Pacific Islander	204	212	44	43	14	10
Asian	1,219	1,110	376	313	154	110
Two or More Races	987	1,124	286	384	99	106
Hispanic or Latino	7,530	6,843	2,696	2,565	985	1,189

*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.49B Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Percentages, 2012 and 2013

Demographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	20.9	20.3	6.4 ^a	5.8	2.6	2.5
AGE						
12-17	10.0 ^b	8.8	6.6 ^b	5.8	2.8 ^b	2.2
18-25	28.1 ^a	26.6	13.7 ^b	12.2	5.3	4.8
26 or Older	21.0	20.6	5.1	4.8	2.1	2.1
GENDER						
Male	23.1 ^a	21.6	6.9 ^a	6.1	2.8	2.6
Female	18.9	19.0	6.0	5.6	2.4	2.3
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	21.3	21.0	6.4 ^a	5.8	2.7	2.4
White	23.3	23.2	6.7	6.2	2.8	2.5
Black or African American	14.6	13.2	5.9 ^b	4.4	2.3	2.3
American Indian or Alaska Native	29.0	24.5	10.9	9.9	4.7	2.1
Native Hawaiian or Other Pacific Islander	18.9	24.4	4.1	5.0	1.3	1.1
Asian	9.5	8.3	2.9	2.3	1.2	0.8
Two or More Races	23.8	26.2	6.9	9.0	2.4	2.5
Hispanic or Latino	18.7 ^a	16.6	6.7	6.2	2.4	2.9

*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.50A Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Numbers in Thousands, 2012 and 2013

Demographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	2,482 ^b	2,188	1,642 ^b	1,441	693 ^b	549
GENDER						
Male	1,209	1,105	777	728	308	257
Female	1,273 ^b	1,083	865 ^b	713	385 ^b	292
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	1,938 ^b	1,700	1,315 ^b	1,131	558 ^b	429
White	1,390 ^a	1,214	965 ^a	834	406 ^b	293
Black or African American	362	306	240	188	104	102
American Indian or Alaska Native	19	23	11	18	7	3
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	49	48	24	22	12	5
Two or More Races	97	91	68	55	28	19
Hispanic or Latino	544	488	327	310	135	120
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	669	615	451	425	186	146
Female, White, Not Hispanic	722 ^a	599	514 ^b	409	220 ^b	147
Male, Black, Not Hispanic	178	147	111	85	34	49
Female, Black, Not Hispanic	184	159	129	103	70	54
Male, Hispanic	265	247	166	157	66	48
Female, Hispanic	279	241	161	153	69	71

*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.50B Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Percentages, 2012 and 2013

Demographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	10.0 ^b	8.8	6.6 ^b	5.8	2.8 ^b	2.2
GENDER						
Male	9.5	8.7	6.1	5.7	2.4	2.0
Female	10.4 ^b	8.9	7.1 ^b	5.9	3.2 ^b	2.4
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	10.0 ^b	8.8	6.8 ^b	5.9	2.9 ^b	2.2
White	10.1 ^b	8.9	7.0 ^a	6.1	3.0 ^b	2.2
Black or African American	10.3	8.9	6.8	5.5	3.0	3.0
American Indian or Alaska Native	12.8	14.2	7.4	11.2	4.7	1.9
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	4.2	3.9	2.0	1.7	1.0	0.4
Two or More Races	13.2	12.0	9.3	7.2	3.8	2.5
Hispanic or Latino	9.9	8.8	5.9	5.6	2.5	2.1
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	9.5	8.8	6.4	6.1	2.6	2.1
Female, White, Not Hispanic	10.8 ^b	9.0	7.7 ^b	6.1	3.3 ^b	2.2
Male, Black, Not Hispanic	10.0	8.4	6.2	4.9	1.9	2.8
Female, Black, Not Hispanic	10.6	9.4	7.4	6.1	4.0	3.2
Male, Hispanic	9.4	8.7	5.9	5.5	2.4	1.7
Female, Hispanic	10.4	8.8	6.0	5.6	2.6	2.6

*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.51A Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Numbers in Thousands, 2012 and 2013

Demographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	9,709 ^a	9,239	4,729 ^b	4,245	1,832	1,661
GENDER						
Male	5,093	4,958	2,517	2,358	917	884
Female	4,616 ^a	4,280	2,212 ^b	1,886	915 ^a	777
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	8,083 ^b	7,605	4,013 ^b	3,534	1,548	1,398
White	6,541 ^a	6,108	3,195 ^a	2,864	1,241	1,109
Black or African American	884	912	475	408	186	194
American Indian or Alaska Native	*	64	*	28	12	17
Native Hawaiian or Other Pacific Islander	*	41	14	16	7	2
Asian	242	255	127	113	58	41
Two or More Races	282	224	131	105	43	36
Hispanic or Latino	1,626	1,634	716	711	285	263
EDUCATION						
< High School	1,603	1,585	803	710	325	331
High School Graduate	3,194	3,107	1,622	1,432	693 ^a	571
Some College	3,493	3,210	1,703	1,508	644	535
College Graduate	1,419	1,337	600	596	171	224
CURRENT EMPLOYMENT						
Full-Time	4,106	3,877	1,796	1,621	729	649
Part-Time	2,622	2,489	1,281	1,274	457	454
Unemployed	1,282	1,230	726 ^a	606	328	263
Other ¹	1,699	1,643	926 ^a	743	318	295

*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.51B Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Percentages, 2012 and 2013

Demographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	28.1 ^a	26.6	13.7 ^b	12.2	5.3	4.8
GENDER						
Male	29.4	28.4	14.5	13.5	5.3	5.1
Female	26.8 ^a	24.7	12.8 ^b	10.9	5.3 ^a	4.5
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	29.4 ^b	27.6	14.6 ^b	12.8	5.6	5.1
White	33.5 ^b	31.3	16.3 ^b	14.7	6.4	5.7
Black or African American	18.0	18.2	9.7	8.2	3.8	3.9
American Indian or Alaska Native	*	27.6	*	12.2	4.5	7.2
Native Hawaiian or Other Pacific Islander	*	20.6	7.4	7.8	3.9	0.9
Asian	13.6	13.7	7.1	6.0	3.2	2.2
Two or More Races	37.1	30.6	17.2	14.4	5.7	4.9
Hispanic or Latino	22.8	22.5	10.0	9.8	4.0	3.6
EDUCATION						
< High School	30.1	28.4	15.1 ^a	12.7	6.1	5.9
High School Graduate	27.1	26.0	13.8 ^a	12.0	5.9 ^a	4.8
Some College	28.3	26.4	13.8	12.4	5.2	4.4
College Graduate	27.7	26.5	11.7	11.8	3.3	4.4
CURRENT EMPLOYMENT						
Full-Time	30.5	28.7	13.3	12.0	5.4	4.8
Part-Time	27.9	25.7	13.6	13.2	4.9	4.7
Unemployed	31.2	29.6	17.7 ^a	14.6	8.0	6.3
Other ¹	22.3	22.1	12.2 ^a	10.0	4.2	4.0

*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.52A Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Numbers in Thousands, 2012 and 2013

Demographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	42,198	41,745	10,296	9,662	4,306	4,274
GENDER						
Male	22,778	21,427	5,369	4,686	2,340	2,200
Female	19,420	20,318	4,927	4,976	1,966	2,075
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	36,839	37,024	8,642	8,118	3,740	3,468
White	31,602	32,089	7,136	6,829	3,143	2,923
Black or African American	3,250	2,910	1,095	781	430	419
American Indian or Alaska Native	303	257	76	93	48	9
Native Hawaiian or Other Pacific Islander	*	*	23	12	6	1
Asian	928	806	225	179	85	64
Two or More Races	608	809	87 ^a	224	28	51
Hispanic or Latino	5,360	4,721	1,654	1,544	566	807
EDUCATION						
< High School	5,419 ^b	4,284	1,650	1,378	647	827
High School Graduate	11,204	10,639	2,907	2,591	1,295	1,252
Some College	12,103	12,617	3,076	2,902	1,143	1,209
College Graduate	13,473	14,205	2,662	2,791	1,220	986
CURRENT EMPLOYMENT						
Full-Time	25,595 ^a	23,833	6,039 ^a	5,068	2,410	1,978
Part-Time	5,090 ^a	6,264	1,250	1,477	611	668
Unemployed	2,765 ^a	2,145	864	780	478	385
Other ¹	8,748	9,504	2,143	2,338	807 ^a	1,244

*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.52B Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Percentages, 2012 and 2013

Demographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	21.0	20.6	5.1	4.8	2.1	2.1
GENDER						
Male	23.8 ^a	22.1	5.6 ^a	4.8	2.4	2.3
Female	18.5	19.2	4.7	4.7	1.9	2.0
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	21.3	21.2	5.0	4.7	2.2	2.0
White	23.2	23.4	5.2	5.0	2.3	2.1
Black or African American	14.6	12.8	4.9 ^a	3.4	1.9	1.8
American Indian or Alaska Native	29.4	25.4	7.4	9.2	4.7	0.9
Native Hawaiian or Other Pacific Islander	*	*	2.9	2.2	0.8	0.2
Asian	9.4	7.9	2.3	1.7	0.9	0.6
Two or More Races	22.9	28.8	3.3 ^a	8.0	1.1	1.8
Hispanic or Latino	19.4	16.6	6.0	5.4	2.0	2.8
EDUCATION						
< High School	18.7	16.1	5.7	5.2	2.2	3.1
High School Graduate	19.3	18.3	5.0	4.5	2.2	2.2
Some College	24.1	24.6	6.1	5.7	2.3	2.4
College Graduate	21.2	21.2	4.2	4.2	1.9	1.5
CURRENT EMPLOYMENT						
Full-Time	24.6 ^b	22.6	5.8 ^b	4.8	2.3 ^a	1.9
Part-Time	21.8 ^b	26.0	5.3	6.1	2.6	2.8
Unemployed	29.2	28.0	9.1	10.2	5.0	5.0
Other ¹	13.8	14.5	3.4	3.6	1.3 ^a	1.9

*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.53A Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Numbers in Thousands, 2012 and 2013

Demographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	51,908	50,984	15,025	13,907	6,138	5,935
GENDER						
Male	27,872 ^a	26,385	7,886 ^a	7,044	3,257	3,083
Female	24,036	24,599	7,139	6,862	2,881	2,852
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	44,922	44,629	12,655 ^a	11,652	5,288	4,866
White	38,144	38,198	10,331	9,693	4,384	4,032
Black or African American	4,134	3,823	1,569 ^a	1,189	616	613
American Indian or Alaska Native	400	321	147	121	60	26
Native Hawaiian or Other Pacific Islander	*	*	37	28	13	3
Asian	1,169	1,061	352	292	142	105
Two or More Races	890	1,033	218	330	72	87
Hispanic or Latino	6,986	6,355	2,370	2,254	850	1,070
EDUCATION						
< High School	7,022 ^b	5,869	2,454	2,088	972	1,158
High School Graduate	14,398	13,745	4,530	4,023	1,988	1,823
Some College	15,596	15,827	4,779	4,409	1,787	1,744
College Graduate	14,892	15,543	3,262	3,386	1,391	1,210
CURRENT EMPLOYMENT						
Full-Time	29,701 ^a	27,710	7,834 ^b	6,689	3,140 ^a	2,627
Part-Time	7,712 ^a	8,753	2,531	2,751	1,067	1,122
Unemployed	4,047 ^a	3,374	1,590	1,386	806	647
Other ¹	10,447	11,147	3,069	3,081	1,125 ^a	1,539

*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.53B Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Percentages, 2012 and 2013

Demographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	22.1	21.5	6.4 ^a	5.9	2.6	2.5
GENDER						
Male	24.6 ^a	23.1	7.0 ^a	6.2	2.9	2.7
Female	19.7	20.0	5.9	5.6	2.4	2.3
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	22.4	22.1	6.3 ^a	5.8	2.6	2.4
White	24.5	24.4	6.6	6.2	2.8	2.6
Black or African American	15.2	13.8	5.8 ^a	4.3	2.3	2.2
American Indian or Alaska Native	30.9	25.8	11.3	9.7	4.7	2.1
Native Hawaiian or Other Pacific Islander	*	*	3.7	3.6	1.4	0.4
Asian	10.1	8.8	3.0	2.4	1.2	0.9
Two or More Races	26.0	29.2	6.4	9.3	2.1	2.5
Hispanic or Latino	20.1	17.8	6.8	6.3	2.4	3.0
EDUCATION						
< High School	20.5 ^a	18.2	7.2	6.5	2.8	3.6
High School Graduate	20.7	19.6	6.5	5.7	2.9	2.6
Some College	24.9	25.0	7.6	7.0	2.9	2.8
College Graduate	21.7	21.6	4.8	4.7	2.0	1.7
CURRENT EMPLOYMENT						
Full-Time	25.2 ^b	23.3	6.7 ^b	5.6	2.7 ^a	2.2
Part-Time	23.5 ^a	25.9	7.7	8.2	3.3	3.3
Unemployed	29.8	28.6	11.7	11.7	5.9	5.5
Other ¹	14.7	15.3	4.3	4.2	1.6 ^a	2.1

*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.