

**Table 1.54A Nonmedical Use of Pain Relievers in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Numbers in Thousands, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	37,045	35,473	12,489 <sup>b</sup>	11,082	4,862	4,521
<b>AGE</b>						
12-17	2,069 <sup>b</sup>	1,805	1,333 <sup>b</sup>	1,157	558 <sup>b</sup>	425
18-25	7,759 <sup>b</sup>	7,251	3,507 <sup>b</sup>	3,061	1,311 <sup>a</sup>	1,132
26 or Older	27,218	26,417	7,649	6,865	2,993	2,964
<b>GENDER</b>						
Male	20,826 <sup>b</sup>	18,918	6,851 <sup>b</sup>	5,834	2,646	2,398
Female	16,219	16,555	5,638	5,248	2,216	2,123
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	31,771	30,514	10,439 <sup>b</sup>	9,223	4,179	3,733
White	26,237	25,502	8,181 <sup>a</sup>	7,380	3,306	2,968
Black or African American	3,587 <sup>a</sup>	3,108	1,599 <sup>b</sup>	1,120	615	573
American Indian or Alaska Native	266	230	113	97	56	19
Native Hawaiian or Other Pacific Islander	*	177	33	34	4	9
Asian	809	716	294	244	116	74
Two or More Races	711	780	218	349	82	90
Hispanic or Latino	5,274	4,959	2,051	1,859	683	788

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 1.54B Nonmedical Use of Pain Relievers in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Percentages, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	14.2 <sup>a</sup>	13.5	4.8 <sup>b</sup>	4.2	1.9	1.7
<b>AGE</b>						
12-17	8.3 <sup>b</sup>	7.3	5.3 <sup>b</sup>	4.6	2.2 <sup>b</sup>	1.7
18-25	22.4 <sup>b</sup>	20.8	10.1 <sup>b</sup>	8.8	3.8 <sup>a</sup>	3.3
26 or Older	13.6	13.0	3.8	3.4	1.5	1.5
<b>GENDER</b>						
Male	16.5 <sup>b</sup>	14.9	5.4 <sup>b</sup>	4.6	2.1	1.9
Female	12.1	12.2	4.2	3.9	1.7	1.6
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	14.5	13.8	4.8 <sup>b</sup>	4.2	1.9	1.7
White	15.5	15.0	4.8 <sup>a</sup>	4.3	1.9	1.7
Black or African American	11.7 <sup>a</sup>	10.0	5.2 <sup>b</sup>	3.6	2.0	1.8
American Indian or Alaska Native	18.4	16.4	7.8	6.9	3.9	1.4
Native Hawaiian or Other Pacific Islander	*	20.4	3.1	3.9	0.4	1.1
Asian	6.3	5.4	2.3	1.8	0.9	0.6
Two or More Races	17.1	18.2	5.3	8.1	2.0	2.1
Hispanic or Latino	13.1	12.0	5.1	4.5	1.7	1.9

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 1.55A Nonmedical Use of Pain Relievers in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Numbers in Thousands, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	2,069 <sup>b</sup>	1,805	1,333 <sup>b</sup>	1,157	558 <sup>b</sup>	425
<b>GENDER</b>						
Male	1,029 <sup>a</sup>	902	653	575	250 <sup>a</sup>	189
Female	1,040 <sup>a</sup>	904	680 <sup>a</sup>	582	308 <sup>a</sup>	236
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	1,612 <sup>b</sup>	1,410	1,053 <sup>a</sup>	916	445 <sup>b</sup>	332
White	1,136 <sup>a</sup>	988	754	664	317 <sup>b</sup>	220
Black or African American	324	268	212 <sup>a</sup>	160	89	86
American Indian or Alaska Native	17	20	8	16	4	3
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	35	37	17	18	9	3
Two or More Races	85	79	55	46	25	14
Hispanic or Latino	456	395	280	241	113	93
<b>GENDER/RACE/HISPANIC ORIGIN</b>						
Male, White, Not Hispanic	562	511	368	340	151	109
Female, White, Not Hispanic	575 <sup>a</sup>	477	386	324	166 <sup>b</sup>	111
Male, Black, Not Hispanic	160	125	102 <sup>a</sup>	65	29	37
Female, Black, Not Hispanic	165	143	110	94	59	49
Male, Hispanic	226	184	140	114	54	34
Female, Hispanic	230	211	140	126	60	59

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 1.55B Nonmedical Use of Pain Relievers in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Percentages, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	8.3 <sup>b</sup>	7.3	5.3 <sup>b</sup>	4.6	2.2 <sup>b</sup>	1.7
<b>GENDER</b>						
Male	8.1 <sup>a</sup>	7.1	5.1	4.5	2.0 <sup>a</sup>	1.5
Female	8.5 <sup>a</sup>	7.4	5.6 <sup>a</sup>	4.8	2.5 <sup>a</sup>	1.9
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	8.3 <sup>b</sup>	7.3	5.4 <sup>a</sup>	4.7	2.3 <sup>b</sup>	1.7
White	8.3 <sup>a</sup>	7.2	5.5	4.9	2.3 <sup>b</sup>	1.6
Black or African American	9.2	7.8	6.0	4.6	2.5	2.5
American Indian or Alaska Native	11.5	12.6	5.3	9.9	3.0	1.9
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	3.0	3.0	1.4	1.4	0.8	0.3
Two or More Races	11.6	10.5	7.6	6.1	3.4	1.8
Hispanic or Latino	8.3	7.1	5.1	4.3	2.1	1.7
<b>GENDER/RACE/HISPANIC ORIGIN</b>						
Male, White, Not Hispanic	8.0	7.3	5.2	4.9	2.1	1.6
Female, White, Not Hispanic	8.6 <sup>a</sup>	7.1	5.8	4.9	2.5 <sup>b</sup>	1.7
Male, Black, Not Hispanic	8.9	7.1	5.7 <sup>a</sup>	3.7	1.6	2.1
Female, Black, Not Hispanic	9.5	8.5	6.3	5.6	3.4	2.9
Male, Hispanic	8.1	6.5	5.0	4.0	1.9	1.2
Female, Hispanic	8.6	7.8	5.2	4.6	2.2	2.2

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 1.56A Nonmedical Use of Pain Relievers in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Numbers in Thousands, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	7,759 <sup>b</sup>	7,251	3,507 <sup>b</sup>	3,061	1,311 <sup>a</sup>	1,132
<b>GENDER</b>						
Male	4,245	4,020	1,898	1,759	685	631
Female	3,514 <sup>a</sup>	3,231	1,609 <sup>b</sup>	1,302	626 <sup>a</sup>	501
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	6,499 <sup>b</sup>	5,973	2,994 <sup>b</sup>	2,533	1,114 <sup>a</sup>	941
White	5,173 <sup>a</sup>	4,743	2,345 <sup>b</sup>	1,997	860 <sup>a</sup>	710
Black or African American	796	770	412	335	162	160
American Indian or Alaska Native	57	56	33	24	10	13
Native Hawaiian or Other Pacific Islander	*	35	9	15	2	1
Asian	182	170	100	71	46	29
Two or More Races	261	198	96	91	33	27
Hispanic or Latino	1,259	1,278	513	527	197	191
<b>EDUCATION</b>						
< High School	1,354	1,311	625	565	258	237
High School Graduate	2,701	2,578	1,306	1,164	525	457
Some College	2,730 <sup>a</sup>	2,454	1,236 <sup>b</sup>	1,007	438 <sup>a</sup>	328
College Graduate	974	909	340	325	90	110
<b>CURRENT EMPLOYMENT</b>						
Full-Time	3,338	3,084	1,397 <sup>a</sup>	1,193	551	455
Part-Time	2,016	1,913	909	869	288	298
Unemployed	1,085	983	581	486	260 <sup>a</sup>	185
Other <sup>1</sup>	1,320	1,271	620	512	211	194

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 1.56B Nonmedical Use of Pain Relievers in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Percentages, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	22.4 <sup>b</sup>	20.8	10.1 <sup>b</sup>	8.8	3.8 <sup>a</sup>	3.3
<b>GENDER</b>						
Male	24.5	23.0	10.9	10.1	4.0	3.6
Female	20.4 <sup>a</sup>	18.6	9.3 <sup>b</sup>	7.5	3.6 <sup>a</sup>	2.9
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	23.7 <sup>b</sup>	21.7	10.9 <sup>b</sup>	9.2	4.1 <sup>a</sup>	3.4
White	26.5 <sup>b</sup>	24.3	12.0 <sup>b</sup>	10.2	4.4 <sup>a</sup>	3.6
Black or African American	16.2	15.4	8.4	6.7	3.3	3.2
American Indian or Alaska Native	21.4	24.4	12.3	10.6	3.8	5.6
Native Hawaiian or Other Pacific Islander	*	17.6	4.5	7.6	1.2	0.6
Asian	10.2	9.1	5.6	3.8	2.6	1.5
Two or More Races	34.2	27.1	12.6	12.5	4.4	3.7
Hispanic or Latino	17.6	17.6	7.2	7.3	2.8	2.6
<b>EDUCATION</b>						
< High School	25.4	23.5	11.7	10.1	4.9	4.2
High School Graduate	22.9	21.5	11.1 <sup>a</sup>	9.7	4.5	3.8
Some College	22.1 <sup>a</sup>	20.1	10.0 <sup>b</sup>	8.3	3.5 <sup>a</sup>	2.7
College Graduate	19.0	18.0	6.6	6.4	1.7	2.2
<b>CURRENT EMPLOYMENT</b>						
Full-Time	24.8 <sup>a</sup>	22.8	10.4 <sup>a</sup>	8.8	4.1	3.4
Part-Time	21.5	19.8	9.7	9.0	3.1	3.1
Unemployed	26.4	23.6	14.1 <sup>a</sup>	11.7	6.3 <sup>a</sup>	4.4
Other <sup>1</sup>	17.3	17.1	8.1	6.9	2.8	2.6

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 1.57A Nonmedical Use of Pain Relievers in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Numbers in Thousands, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	27,218	26,417	7,649	6,865	2,993	2,964
<b>GENDER</b>						
Male	15,553 <sup>b</sup>	13,997	4,300 <sup>a</sup>	3,501	1,711	1,578
Female	11,665	12,421	3,349	3,364	1,282	1,386
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	23,659	23,131	6,392	5,774	2,620	2,460
White	19,927	19,771	5,083	4,719	2,129	2,037
Black or African American	2,467	2,070	975 <sup>a</sup>	626	364	327
American Indian or Alaska Native	192	154	72	57	42	3
Native Hawaiian or Other Pacific Islander	*	*	18	6	1	1
Asian	592	509	177	155	60	42
Two or More Races	365	503	67 <sup>a</sup>	211	23	49
Hispanic or Latino	3,559	3,286	1,257	1,091	373	504
<b>EDUCATION</b>						
< High School	3,791 <sup>b</sup>	2,860	1,404 <sup>a</sup>	996	496	576
High School Graduate	7,785	7,249	2,163	2,030	895	907
Some College	8,212	8,170	2,383	2,038	810	883
College Graduate	7,429	8,138	1,699	1,801	791	598
<b>CURRENT EMPLOYMENT</b>						
Full-Time	16,690 <sup>a</sup>	15,230	4,501 <sup>a</sup>	3,677	1,734	1,424
Part-Time	3,143 <sup>a</sup>	3,853	893	937	397	386
Unemployed	2,075 <sup>a</sup>	1,529	667	591	333	311
Other <sup>1</sup>	5,310	5,806	1,589	1,659	530 <sup>a</sup>	843

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 1.57B Nonmedical Use of Pain Relievers in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Percentages, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	13.6	13.0	3.8	3.4	1.5	1.5
<b>GENDER</b>						
Male	16.2 <sup>b</sup>	14.4	4.5 <sup>b</sup>	3.6	1.8	1.6
Female	11.1	11.7	3.2	3.2	1.2	1.3
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	13.7	13.3	3.7	3.3	1.5	1.4
White	14.6	14.4	3.7	3.4	1.6	1.5
Black or African American	11.1	9.1	4.4 <sup>a</sup>	2.7	1.6	1.4
American Indian or Alaska Native	18.7	15.2	7.0	5.6	4.0	0.3
Native Hawaiian or Other Pacific Islander	*	*	2.3	1.0	0.2	0.2
Asian	6.0	5.0	1.8	1.5	0.6	0.4
Two or More Races	13.7	17.9	2.5 <sup>a</sup>	7.5	0.9	1.7
Hispanic or Latino	12.9	11.6	4.5	3.8	1.3	1.8
<b>EDUCATION</b>						
< High School	13.1 <sup>a</sup>	10.8	4.9	3.7	1.7	2.2
High School Graduate	13.4	12.5	3.7	3.5	1.5	1.6
Some College	16.4	16.0	4.7	4.0	1.6	1.7
College Graduate	11.7	12.2	2.7	2.7	1.2	0.9
<b>CURRENT EMPLOYMENT</b>						
Full-Time	16.0 <sup>b</sup>	14.4	4.3 <sup>a</sup>	3.5	1.7	1.4
Part-Time	13.4 <sup>a</sup>	16.0	3.8	3.9	1.7	1.6
Unemployed	21.9	20.0	7.0	7.7	3.5	4.1
Other <sup>1</sup>	8.4	8.9	2.5	2.5	0.8 <sup>a</sup>	1.3

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 1.58A Nonmedical Use of Pain Relievers in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Numbers in Thousands, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	34,977	33,668	11,157 <sup>a</sup>	9,925	4,304	4,096
<b>GENDER</b>						
Male	19,797 <sup>b</sup>	18,017	6,198 <sup>b</sup>	5,259	2,396	2,209
Female	15,179	15,651	4,958	4,666	1,908	1,887
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	30,158	29,104	9,386 <sup>a</sup>	8,307	3,734	3,401
White	25,100	24,514	7,428	6,716	2,989	2,748
Black or African American	3,263	2,840	1,387 <sup>a</sup>	961	527	488
American Indian or Alaska Native	249	210	105	81	52	16
Native Hawaiian or Other Pacific Islander	*	*	27	21	4	2
Asian	774	679	277	226	107	70
Two or More Races	625	701	163 <sup>a</sup>	303	57	76
Hispanic or Latino	4,818	4,564	1,771	1,618	570	695
<b>EDUCATION</b>						
< High School	5,145 <sup>b</sup>	4,170	2,029 <sup>a</sup>	1,561	755	814
High School Graduate	10,486	9,827	3,470	3,193	1,420	1,364
Some College	10,943	10,623	3,619 <sup>a</sup>	3,045	1,248	1,210
College Graduate	8,403	9,047	2,040	2,126	881	708
<b>CURRENT EMPLOYMENT</b>						
Full-Time	20,027 <sup>a</sup>	18,314	5,898 <sup>b</sup>	4,870	2,285 <sup>a</sup>	1,880
Part-Time	5,159	5,766	1,802	1,806	685	684
Unemployed	3,160 <sup>b</sup>	2,511	1,248	1,078	593	495
Other <sup>1</sup>	6,630	7,077	2,209	2,172	741 <sup>a</sup>	1,037

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 1.58B Nonmedical Use of Pain Relievers in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Percentages, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	14.9	14.2	4.7 <sup>b</sup>	4.2	1.8	1.7
<b>GENDER</b>						
Male	17.5 <sup>b</sup>	15.7	5.5 <sup>b</sup>	4.6	2.1	1.9
Female	12.4	12.7	4.1	3.8	1.6	1.5
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	15.1	14.4	4.7 <sup>b</sup>	4.1	1.9	1.7
White	16.1	15.7	4.8 <sup>a</sup>	4.3	1.9	1.8
Black or African American	12.0 <sup>a</sup>	10.2	5.1 <sup>b</sup>	3.5	1.9	1.8
American Indian or Alaska Native	19.2	16.9	8.1	6.5	4.0	1.3
Native Hawaiian or Other Pacific Islander	*	*	2.7	2.7	0.4	0.3
Asian	6.7	5.6	2.4	1.9	0.9	0.6
Two or More Races	18.3	19.8	4.8 <sup>a</sup>	8.6	1.7	2.2
Hispanic or Latino	13.8	12.8	5.1	4.5	1.6	1.9
<b>EDUCATION</b>						
< High School	15.0 <sup>a</sup>	13.0	5.9	4.9	2.2	2.5
High School Graduate	15.0	14.0	5.0	4.6	2.0	1.9
Some College	17.5	16.8	5.8 <sup>a</sup>	4.8	2.0	1.9
College Graduate	12.3	12.6	3.0	3.0	1.3	1.0
<b>CURRENT EMPLOYMENT</b>						
Full-Time	17.0 <sup>b</sup>	15.4	5.0 <sup>b</sup>	4.1	1.9 <sup>a</sup>	1.6
Part-Time	15.7	17.1	5.5	5.4	2.1	2.0
Unemployed	23.3	21.3	9.2	9.1	4.4	4.2
Other <sup>1</sup>	9.3	9.7	3.1	3.0	1.0 <sup>a</sup>	1.4

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.