

**Table 1.59A Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Numbers in Thousands, 2012 and 2013**

<b>Geographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	124,808	127,458	41,479	41,591	23,863	24,573
<b>GEOGRAPHIC DIVISION</b>						
Northeast	23,047	22,722	7,808	7,461	4,527	4,362
New England	6,879	6,509	2,314	2,230	1,420	1,397
Middle Atlantic	16,168	16,212	5,494	5,232	3,107	2,965
Midwest	27,070	27,289	8,602	8,466	4,797	4,914
East North Central	19,440	19,168	6,401	6,141	3,665	3,629
West North Central	7,630	8,121	2,201	2,324	1,132	1,285
South	43,696	45,007	13,575	13,976	7,456	8,066
South Atlantic	24,180	25,276	7,266	8,100	4,217	4,584
East South Central	6,496	6,565	1,986	2,005	1,039	1,220
West South Central	13,020	13,167	4,323	3,871	2,200	2,261
West	30,995 <sup>a</sup>	32,440	11,495	11,688	7,083	7,232
Mountain	9,619	10,042	3,284	3,493	1,894	2,124
Pacific	21,376	22,398	8,211	8,195	5,189	5,108
<b>COUNTY TYPE</b>						
Large Metro	67,668	69,365	23,815	22,999	13,724	13,565
Small Metro	38,944	39,350	12,388	13,018	7,250	7,694
250K – 1 Mil. Pop.	26,311	27,024	8,354	8,646	4,897	5,064
< 250K Pop.	12,634	12,326	4,035	4,372	2,353	2,630
Nonmetro	18,196	18,743	5,276	5,574	2,889	3,315
Urbanized	8,700	8,814	2,685	2,859	1,532	1,696
Less Urbanized	7,637	8,227	2,184	2,258	1,128	1,311
Completely Rural	1,860	1,702	407	457	229	308

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 1.59B Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2012 and 2013**

<b>Geographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	48.0	48.6	16.0	15.9	9.2	9.4
<b>GEOGRAPHIC DIVISION</b>						
Northeast	48.9	47.9	16.6	15.7	9.6	9.2
New England	55.4	52.1	18.6	17.9	11.4	11.2
Middle Atlantic	46.5	46.4	15.8	15.0	8.9	8.5
Midwest	48.4	48.5	15.4	15.1	8.6	8.7
East North Central	50.1	49.2	16.5	15.8	9.4	9.3
West North Central	44.6	47.1	12.9	13.5	6.6	7.5
South	45.3	46.2	14.1	14.3	7.7	8.3
South Atlantic	47.5	49.1	14.3	15.7	8.3	8.9
East South Central	42.2	42.4	12.9	12.9	6.7	7.9
West South Central	43.2	43.1	14.4 <sup>a</sup>	12.7	7.3	7.4
West	51.2	52.9	19.0	19.1	11.7	11.8
Mountain	52.2	53.7	17.8	18.7	10.3	11.4
Pacific	50.7	52.6	19.5	19.2	12.3	12.0
<b>COUNTY TYPE</b>						
Large Metro	48.6	49.2	17.1	16.3	9.9	9.6
Small Metro	49.6	49.9	15.8	16.5	9.2	9.8
250K – 1 Mil. Pop.	49.7	50.6	15.8	16.2	9.3	9.5
< 250K Pop.	49.3	48.3	15.8	17.1	9.2	10.3
Nonmetro	43.1	44.2	12.5	13.1	6.8	7.8
Urbanized	47.1	46.4	14.5	15.0	8.3	8.9
Less Urbanized	40.2	43.3	11.5	11.9	5.9	6.9
Completely Rural	39.0	38.1	8.5	10.2	4.8	6.9

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 1.60A Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Numbers in Thousands, 2012 and 2013**

<b>Geographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	6,044	5,794	4,468	4,287	2,377 <sup>a</sup>	2,197
<b>GEOGRAPHIC DIVISION</b>						
Northeast	979	946	743	758	398	391
New England	273	253	224	204	128	113
Middle Atlantic	706	693	518	554	270	278
Midwest	1,285 <sup>a</sup>	1,171	951	879	512 <sup>a</sup>	445
East North Central	924	848	682	649	366	324
West North Central	361	322	269	231	145	121
South	2,258	2,163	1,655	1,517	849 <sup>a</sup>	739
South Atlantic	1,182	1,170	870	830	462	393
East South Central	330	308	226	230	104	111
West South Central	746	686	559 <sup>a</sup>	457	283	236
West	1,523	1,514	1,120	1,132	617	622
Mountain	494	508	364	375	218	217
Pacific	1,029	1,006	756	757	399	405
<b>COUNTY TYPE</b>						
Large Metro	3,312	3,136	2,480	2,371	1,295	1,223
Small Metro	1,815	1,785	1,330	1,319	716	665
250K – 1 Mil. Pop.	1,234	1,210	922	896	514	454
< 250K Pop.	581	575	408	423	202	211
Nonmetro	917	872	658	597	365	309
Urbanized	446	374	315	271	169	142
Less Urbanized	379	423	269	275	149	141
Completely Rural	92	75	74	51	48	26

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 1.60B Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Percentages, 2012 and 2013**

<b>Geographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	24.2	23.3	17.9	17.2	9.5 <sup>a</sup>	8.8
<b>GEOGRAPHIC DIVISION</b>						
Northeast	23.1	22.6	17.5	18.1	9.4	9.3
New England	24.8	23.2	20.3	18.7	11.6	10.4
Middle Atlantic	22.5	22.4	16.5	17.9	8.6	9.0
Midwest	23.7 <sup>a</sup>	21.7	17.6	16.3	9.4	8.2
East North Central	24.4	22.6	18.0	17.3	9.7	8.6
West North Central	22.0	19.7	16.5	14.1	8.9	7.3
South	24.3	23.1	17.8	16.2	9.1 <sup>a</sup>	7.9
South Atlantic	25.5	25.1	18.7	17.8	10.0	8.4
East South Central	22.3	20.9	15.3	15.6	7.1	7.5
West South Central	23.4	21.3	17.5 <sup>a</sup>	14.2	8.9	7.3
West	25.5	25.4	18.7	19.0	10.3	10.5
Mountain	26.6	27.1	19.6	20.0	11.8	11.6
Pacific	25.0	24.7	18.4	18.6	9.7	9.9
<b>COUNTY TYPE</b>						
Large Metro	24.4	23.1	18.2	17.5	9.5	9.0
Small Metro	24.5	24.0	17.9	17.7	9.7	8.9
250K – 1 Mil. Pop.	24.1	23.6	18.0	17.5	10.1	8.9
< 250K Pop.	25.3	24.7	17.8	18.2	8.8	9.1
Nonmetro	23.4	22.4	16.8	15.4	9.3	8.0
Urbanized	24.6	22.5	17.4	16.3	9.3	8.5
Less Urbanized	22.4	23.7	15.9	15.4	8.8	7.9
Completely Rural	22.1	16.9	17.9 <sup>a</sup>	11.5	11.5 <sup>a</sup>	6.0

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 1.61A Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Numbers in Thousands, 2012 and 2013**

<b>Geographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	19,977	19,826	12,551	12,448	7,381	7,490
<b>GEOGRAPHIC DIVISION</b>						
Northeast	3,692	3,587	2,535	2,361	1,528	1,425
New England	1,048	1,083	739	790	460	491
Middle Atlantic	2,643	2,504	1,796 <sup>b</sup>	1,571	1,068	935
Midwest	4,255	4,311	2,587	2,648	1,478	1,602
East North Central	2,984	2,954	1,814	1,872	1,121	1,114
West North Central	1,271	1,357	773	776	357 <sup>b</sup>	488
South	7,040	6,955	4,228	4,160	2,385	2,412
South Atlantic	3,666	3,669	2,288	2,277	1,350	1,323
East South Central	1,087	1,059	623	614	351	365
West South Central	2,288	2,227	1,317	1,269	684	724
West	4,989	4,973	3,201	3,280	1,991	2,051
Mountain	1,512	1,496	922	918	556	582
Pacific	3,477	3,476	2,280	2,362	1,435	1,470
<b>COUNTY TYPE</b>						
Large Metro	11,244	10,832	7,295	7,071	4,420	4,344
Small Metro	6,181	6,235	3,836	3,778	2,177	2,200
250K – 1 Mil. Pop.	3,936	4,031	2,431	2,441	1,358	1,399
< 250K Pop.	2,245	2,203	1,405	1,337	819	800
Nonmetro	2,551	2,760	1,420	1,599	784 <sup>a</sup>	947
Urbanized	1,234	1,341	731	807	397	499
Less Urbanized	1,125	1,207	587	680	335	392
Completely Rural	192	211	102	112	52	56

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 1.61B Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Percentages, 2012 and 2013**

<b>Geographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	57.8	57.0	36.3	35.8	21.3	21.5
<b>GEOGRAPHIC DIVISION</b>						
Northeast	60.0	58.3	41.2	38.4	24.8	23.2
New England	64.7	66.5	45.6	48.5	28.4	30.1
Middle Atlantic	58.3	55.4	39.6 <sup>b</sup>	34.8	23.5	20.7
Midwest	57.8	58.2	35.1	35.7	20.1	21.6
East North Central	58.8	57.9	35.7	36.7	22.1	21.8
West North Central	55.6	58.9	33.8	33.7	15.6 <sup>b</sup>	21.2
South	55.2	54.1	33.1	32.4	18.7	18.8
South Atlantic	56.2	55.9	35.1	34.7	20.7	20.2
East South Central	53.7	51.9	30.8	30.1	17.3	17.9
West South Central	54.3	52.3	31.3	29.8	16.2	17.0
West	60.0	59.4	38.5	39.2	23.9	24.5
Mountain	60.6	59.1	37.0	36.3	22.3	23.0
Pacific	59.7	59.5	39.2	40.4	24.6	25.2
<b>COUNTY TYPE</b>						
Large Metro	59.4	57.8	38.5	37.7	23.4	23.2
Small Metro	57.2	57.3	35.5	34.8	20.1	20.2
250K – 1 Mil. Pop.	57.1	57.7	35.3	34.9	19.7	20.0
< 250K Pop.	57.2	56.8	35.8	34.5	20.9	20.6
Nonmetro	52.6	53.4	29.3	30.9	16.2	18.3
Urbanized	55.5	54.2	32.9	32.6	17.9	20.2
Less Urbanized	51.5	54.3	26.9	30.6	15.4	17.6
Completely Rural	42.9	44.6	22.8	23.7	11.6	11.8

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 1.62A Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Numbers in Thousands, 2012 and 2013**

<b>Geographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	98,787 <sup>a</sup>	101,838	24,460	24,856	14,105	14,886
<b>GEOGRAPHIC DIVISION</b>						
Northeast	18,376	18,188	4,531	4,342	2,601	2,546
New England	5,557	5,172	1,351	1,236	832	793
Middle Atlantic	12,818	13,016	3,180	3,107	1,769	1,753
Midwest	21,530	21,807	5,063	4,939	2,808	2,867
East North Central	15,531	15,365	3,905	3,621	2,178	2,190
West North Central	5,999	6,442	1,158	1,318	630	677
South	34,398	35,889	7,692	8,299	4,222	4,915
South Atlantic	19,332	20,437	4,108 <sup>a</sup>	4,993	2,405	2,869
East South Central	5,080	5,198	1,137	1,160	584	745
West South Central	9,986	10,254	2,447	2,146	1,233	1,302
West	24,483 <sup>a</sup>	25,953	7,174	7,276	4,474	4,558
Mountain	7,614	8,038	1,999	2,200	1,119	1,325
Pacific	16,870	17,916	5,175	5,076	3,355	3,233
<b>COUNTY TYPE</b>						
Large Metro	53,111	55,396	14,041	13,557	8,009	7,998
Small Metro	30,948	31,330	7,222	7,921	4,357	4,829
250K – 1 Mil. Pop.	21,141	21,783	5,001	5,309	3,025	3,210
< 250K Pop.	9,807	9,548	2,221	2,611	1,332	1,619
Nonmetro	14,729	15,111	3,197	3,378	1,739	2,059
Urbanized	7,019	7,099	1,640	1,781	966	1,056
Less Urbanized	6,133	6,597	1,327	1,303	644	778
Completely Rural	1,576	1,416	231	294	129	225

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 1.62B Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Percentages, 2012 and 2013**

<b>Geographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	49.3	50.2	12.2	12.3	7.0	7.3
<b>GEOGRAPHIC DIVISION</b>						
Northeast	50.0	49.1	12.3	11.7	7.1	6.9
New England	57.4	53.0	13.9	12.7	8.6	8.1
Middle Atlantic	47.3	47.7	11.7	11.4	6.5	6.4
Midwest	49.9	50.2	11.7	11.4	6.5	6.6
East North Central	51.8	51.0	13.0	12.0	7.3	7.3
West North Central	45.5	48.5	8.8	9.9	4.8	5.1
South	46.3	47.7	10.4	11.0	5.7	6.5
South Atlantic	48.7	50.8	10.4	12.4	6.1	7.1
East South Central	42.7	43.4	9.6	9.7	4.9	6.2
West South Central	43.9	44.4	10.8	9.3	5.4	5.6
West	52.9	55.3	15.5	15.5	9.7	9.7
Mountain	54.1	56.2	14.2	15.4	8.0	9.3
Pacific	52.4	54.9	16.1	15.5	10.4	9.9
<b>COUNTY TYPE</b>						
Large Metro	49.7	50.9	13.1	12.5	7.5	7.4
Small Metro	51.3	51.7	12.0	13.1	7.2	8.0
250K – 1 Mil. Pop.	51.7	52.8	12.2	12.9	7.4	7.8
< 250K Pop.	50.6	49.5	11.5	13.5	6.9	8.4
Nonmetro	44.0	45.2	9.6	10.1	5.2	6.2
Urbanized	48.6	47.8	11.3	12.0	6.7	7.1
Less Urbanized	40.6	44.0	8.8	8.7	4.3	5.2
Completely Rural	40.4	39.9	5.9	8.3	3.3	6.4

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 1.63A Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Numbers in Thousands, 2012 and 2013**

<b>Geographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	118,764 <sup>a</sup>	121,664	37,011	37,304	21,486	22,376
<b>GEOGRAPHIC DIVISION</b>						
Northeast	22,068	21,775	7,065	6,703	4,129	3,971
New England	6,606	6,256	2,090	2,026	1,292	1,283
Middle Atlantic	15,462	15,519	4,976	4,677	2,837	2,688
Midwest	25,785	26,118	7,651	7,586	4,285	4,469
East North Central	18,516	18,320	5,719	5,493	3,299	3,304
West North Central	7,269	7,798	1,931	2,094	987	1,164
South	41,438	42,844	11,920	12,459	6,607	7,327
South Atlantic	22,998	24,106	6,397	7,269	3,755	4,191
East South Central	6,166	6,257	1,760	1,775	935	1,110
West South Central	12,274	12,481	3,764	3,414	1,917	2,026
West	29,473 <sup>a</sup>	30,926	10,375	10,556	6,466	6,610
Mountain	9,126	9,534	2,920	3,118	1,676	1,907
Pacific	20,347	21,392	7,455	7,438	4,790	4,703
<b>COUNTY TYPE</b>						
Large Metro	64,355	66,228	21,335	20,627	12,429	12,342
Small Metro	37,129	37,565	11,058	11,699	6,534	7,028
250K – 1 Mil. Pop.	25,077	25,814	7,432	7,751	4,383	4,609
< 250K Pop.	12,052	11,751	3,626	3,949	2,150	2,419
Nonmetro	17,280	17,871	4,617	4,977	2,524 <sup>a</sup>	3,006
Urbanized	8,253	8,441	2,370	2,588	1,364	1,554
Less Urbanized	7,258	7,804	1,915	1,983	979	1,170
Completely Rural	1,768	1,627	333	406	181	281

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 1.63B Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Percentages, 2012 and 2013**

<b>Geographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	50.5	51.2	15.7	15.7	9.1	9.4
<b>GEOGRAPHIC DIVISION</b>						
Northeast	51.4	50.4	16.5	15.5	9.6	9.2
New England	58.4	54.9	18.5	17.8	11.4	11.3
Middle Atlantic	48.9	48.8	15.7	14.7	9.0	8.4
Midwest	51.1	51.4	15.1	14.9	8.5	8.8
East North Central	52.8	52.0	16.3	15.6	9.4	9.4
West North Central	47.0	50.0	12.5	13.4	6.4	7.5
South	47.6	48.6	13.7	14.1	7.6	8.3
South Atlantic	49.8	51.5	13.8	15.5	8.1	9.0
East South Central	44.3	44.6	12.6	12.7	6.7	7.9
West South Central	45.6	45.7	14.0	12.5	7.1	7.4
West	54.0	55.9	19.0	19.1	11.8	11.9
Mountain	55.1	56.7	17.6	18.5	10.1	11.3
Pacific	53.5	55.6	19.6	19.3	12.6	12.2
<b>COUNTY TYPE</b>						
Large Metro	51.2	52.0	17.0	16.2	9.9	9.7
Small Metro	52.2	52.6	15.6	16.4	9.2	9.8
250K – 1 Mil. Pop.	52.5	53.5	15.6	16.1	9.2	9.5
< 250K Pop.	51.7	50.7	15.6	17.0	9.2	10.4
Nonmetro	45.1	46.3	12.0	12.9	6.6 <sup>a</sup>	7.8
Urbanized	49.5	48.7	14.2	14.9	8.2	9.0
Less Urbanized	42.0	45.4	11.1	11.5	5.7	6.8
Completely Rural	40.6	40.4	7.6	10.1	4.2	7.0

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.