

Table 1.64A Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Numbers in Thousands, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	111,239 ^a	114,712	31,513	32,952	18,855	19,810
GEOGRAPHIC DIVISION						
Northeast	20,986	21,007	6,366	6,156	3,718	3,598
New England	6,448	6,081	1,974	1,944	1,235	1,263
Middle Atlantic	14,538	14,927	4,392	4,212	2,483	2,336
Midwest	24,550	24,956	6,512	6,772	3,787	4,007
East North Central	17,642	17,537	4,810	4,932	2,869	2,969
West North Central	6,908	7,419	1,702	1,840	917	1,038
South	38,384	39,685	9,878	10,602	5,626	6,274
South Atlantic	21,431	22,283	5,547	6,244	3,380	3,748
East South Central	5,737	6,013	1,364	1,531	720	870
West South Central	11,216	11,389	2,967	2,828	1,527	1,656
West	27,319 ^a	29,064	8,757	9,421	5,725	5,932
Mountain	8,370	9,034	2,447	2,742	1,493	1,764
Pacific	18,949	20,030	6,311	6,679	4,232	4,168
COUNTY TYPE						
Large Metro	60,058	62,270	17,850	18,403	10,625	10,941
Small Metro	34,992	35,494	9,755	10,386	5,870	6,200
250K – 1 Mil. Pop.	23,662	24,559	6,493	6,869	3,905	4,068
< 250K Pop.	11,330	10,935	3,263	3,517	1,965	2,132
Nonmetro	16,189	16,948	3,908	4,163	2,360	2,669
Urbanized	7,738	8,037	2,000	2,164	1,289	1,423
Less Urbanized	6,777	7,369	1,592	1,657	887	1,014
Completely Rural	1,674	1,542	316	342	184	232

*Low precision; no estimate reported.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.64B Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	42.8	43.7	12.1	12.6	7.3	7.5
GEOGRAPHIC DIVISION						
Northeast	44.5	44.3	13.5	13.0	7.9	7.6
New England	51.9	48.7	15.9	15.6	9.9	10.1
Middle Atlantic	41.8	42.8	12.6	12.1	7.1	6.7
Midwest	43.9	44.4	11.6	12.0	6.8	7.1
East North Central	45.4	45.0	12.4	12.7	7.4	7.6
West North Central	40.4	43.0	10.0	10.7	5.4	6.0
South	39.8	40.7	10.2	10.9	5.8	6.4
South Atlantic	42.1	43.3	10.9	12.1	6.6	7.3
East South Central	37.3	38.8	8.9	9.9	4.7	5.6
West South Central	37.2	37.3	9.8	9.3	5.1	5.4
West	45.1	47.4	14.5	15.4	9.4	9.7
Mountain	45.4	48.3	13.3	14.7	8.1	9.4
Pacific	44.9	47.0	15.0	15.7	10.0	9.8
COUNTY TYPE						
Large Metro	43.1	44.1	12.8	13.0	7.6	7.8
Small Metro	44.6	45.0	12.4	13.2	7.5	7.9
250K – 1 Mil. Pop.	44.7	46.0	12.3	12.9	7.4	7.6
< 250K Pop.	44.2	42.9	12.7	13.8	7.7	8.4
Nonmetro	38.3	39.9	9.3	9.8	5.6	6.3
Urbanized	41.9	42.3	10.8	11.4	7.0	7.5
Less Urbanized	35.7	38.8	8.4	8.7	4.7	5.3
Completely Rural	35.1	34.5	6.6	7.7	3.9	5.2

*Low precision; no estimate reported.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.65A Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Numbers in Thousands, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	4,232	4,093	3,363	3,346	1,800	1,762
GEOGRAPHIC DIVISION						
Northeast	716	740	601	624	333	337
New England	217	203	189	176	111	102
Middle Atlantic	499	537	413	448	222	235
Midwest	893	842	727	700	401	367
East North Central	635	619	517	514	285	268
West North Central	259	223	210	187	116	98
South	1,504	1,404	1,202	1,120	617	540
South Atlantic	826	769	668	619	358 ^a	290
East South Central	197	197	145	165	64	80
West South Central	481	438	389	336	194	170
West	1,118	1,107	832	902	449	519
Mountain	356	387	259	316	150	186
Pacific	762	720	573	586	299	333
COUNTY TYPE						
Large Metro	2,385	2,228	1,897	1,846	982	997
Small Metro	1,241	1,270	988	1,049	540	533
250K – 1 Mil. Pop.	863	869	684	711	386	378
< 250K Pop.	378	401	304	338	154	155
Nonmetro	606	595	478	451	278	232
Urbanized	288	265	226	206	129	112
Less Urbanized	256	281	200	207	116	99
Completely Rural	62	49	52	38	33	21

*Low precision; no estimate reported.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.65B Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Percentages, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	17.0	16.4	13.5	13.4	7.2	7.1
GEOGRAPHIC DIVISION						
Northeast	16.9	17.7	14.2	14.9	7.9	8.0
New England	19.7	18.6	17.1	16.1	10.0	9.3
Middle Atlantic	15.9	17.4	13.2	14.5	7.1	7.6
Midwest	16.5	15.6	13.4	13.0	7.4	6.8
East North Central	16.8	16.5	13.7	13.7	7.6	7.1
West North Central	15.8	13.6	12.8	11.4	7.1	6.0
South	16.2	15.0	12.9	12.0	6.6	5.8
South Atlantic	17.8	16.5	14.4	13.3	7.7 ^a	6.2
East South Central	13.3	13.3	9.8	11.2	4.3	5.4
West South Central	15.1	13.6	12.2	10.4	6.1	5.3
West	18.7	18.6	13.9	15.2	7.5	8.7
Mountain	19.2	20.6	13.9	16.9	8.1	9.9
Pacific	18.5	17.7	13.9	14.4	7.3	8.2
COUNTY TYPE						
Large Metro	17.5	16.4	13.9	13.6	7.2	7.4
Small Metro	16.7	17.0	13.3	14.1	7.3	7.2
250K – 1 Mil. Pop.	16.9	17.0	13.4	13.9	7.5	7.4
< 250K Pop.	16.4	17.2	13.2	14.6	6.7	6.7
Nonmetro	15.4	15.3	12.2	11.6	7.1	6.0
Urbanized	15.9	16.0	12.5	12.4	7.1	6.7
Less Urbanized	15.1	15.8	11.8	11.6	6.8	5.6
Completely Rural	14.9	11.1	12.5	8.7	8.0	4.7

*Low precision; no estimate reported.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.66A Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Numbers in Thousands, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	18,052	18,051	10,887	11,000	6,485	6,636
GEOGRAPHIC DIVISION						
Northeast	3,447	3,312	2,300 ^a	2,082	1,355	1,255
New England	984	1,022	680	727	424	462
Middle Atlantic	2,462 ^a	2,290	1,619 ^b	1,355	931 ^a	793
Midwest	3,833	3,956	2,214	2,349	1,311	1,434
East North Central	2,707	2,709	1,561	1,661	994	998
West North Central	1,125 ^a	1,247	652	688	317 ^b	436
South	6,321	6,210	3,603	3,650	2,033	2,093
South Atlantic	3,324	3,331	1,994	2,023	1,178	1,162
East South Central	971	932	510	541	285	308
West South Central	2,027	1,947	1,099	1,086	570	623
West	4,451	4,573	2,771	2,920	1,786	1,854
Mountain	1,346	1,385	773	825	478	514
Pacific	3,106	3,187	1,999	2,094	1,308	1,340
COUNTY TYPE						
Large Metro	10,139	9,893	6,347	6,298	3,898	3,856
Small Metro	5,621	5,676	3,336	3,315	1,930	1,927
250K – 1 Mil. Pop.	3,552	3,707	2,082	2,135	1,191	1,229
< 250K Pop.	2,068	1,968	1,254	1,180	739	699
Nonmetro	2,293	2,482	1,204 ^a	1,387	657 ^b	853
Urbanized	1,113	1,189	623	709	344 ^a	456
Less Urbanized	1,005	1,109	496	582	263	344
Completely Rural	174	184	86	95	50	52

*Low precision; no estimate reported.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.66B Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Percentages, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	52.2	51.9	31.5	31.6	18.7	19.1
GEOGRAPHIC DIVISION						
Northeast	56.0	53.9	37.4 ^a	33.9	22.0	20.4
New England	60.8	62.7	42.0	44.6	26.2	28.3
Middle Atlantic	54.3 ^a	50.7	35.7 ^b	30.0	20.5 ^a	17.6
Midwest	52.1	53.4	30.1	31.7	17.8	19.4
East North Central	53.3	53.1	30.8	32.5	19.6	19.6
West North Central	49.2 ^a	54.2	28.5	29.9	13.9 ^b	18.9
South	49.5	48.3	28.2	28.4	15.9	16.3
South Atlantic	50.9	50.8	30.5	30.8	18.0	17.7
East South Central	48.0	45.7	25.2	26.5	14.1	15.1
West South Central	48.2	45.8	26.1	25.5	13.5	14.6
West	53.5	54.6	33.3	34.9	21.5	22.1
Mountain	54.0	54.7	31.0	32.6	19.2	20.3
Pacific	53.3	54.6	34.3	35.9	22.5	22.9
COUNTY TYPE						
Large Metro	53.6	52.8	33.5	33.6	20.6	20.6
Small Metro	52.0	52.2	30.9	30.5	17.8	17.7
250K – 1 Mil. Pop.	51.6	53.0	30.2	30.5	17.3	17.6
< 250K Pop.	52.7	50.7	32.0	30.4	18.8	18.0
Nonmetro	47.3	48.0	24.8	26.8	13.5 ^b	16.5
Urbanized	50.1	48.1	28.0	28.7	15.5	18.5
Less Urbanized	46.1	49.9	22.7	26.2	12.1 ^a	15.5
Completely Rural	39.0	38.8	19.2	20.1	11.2	11.1

*Low precision; no estimate reported.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.67A Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Numbers in Thousands, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	88,955 ^b	92,568	17,263	18,606	10,571	11,412
GEOGRAPHIC DIVISION						
Northeast	16,823	16,956	3,465	3,450	2,030	2,006
New England	5,246	4,856	1,105	1,041	700	699
Middle Atlantic	11,577	12,099	2,360	2,409	1,330	1,308
Midwest	19,824	20,157	3,571	3,723	2,074	2,206
East North Central	14,300	14,208	2,731	2,758	1,590	1,702
West North Central	5,524	5,949	840	966	484	503
South	30,559	32,071	5,073	5,833	2,977 ^a	3,641
South Atlantic	17,281	18,183	2,886 ^a	3,601	1,843	2,296
East South Central	4,570	4,884	709	825	371	481
West South Central	8,708	9,004	1,479	1,406	763	864
West	21,750 ^a	23,384	5,154	5,599	3,490	3,560
Mountain	6,668	7,262	1,415	1,601	864	1,065
Pacific	15,082	16,123	3,739	3,998	2,626	2,495
COUNTY TYPE						
Large Metro	47,534	50,148	9,606	10,259	5,746	6,088
Small Metro	28,131	28,549	5,431	6,022	3,400	3,739
250K – 1 Mil. Pop.	19,247	19,983	3,727	4,024	2,328	2,461
< 250K Pop.	8,884	8,566	1,705	1,998	1,072	1,278
Nonmetro	13,290	13,871	2,225	2,325	1,424	1,585
Urbanized	6,336	6,583	1,151	1,250	816	854
Less Urbanized	5,516	5,979	896	868	508	571
Completely Rural	1,438	1,309	178	208	101	159

*Low precision; no estimate reported.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.67B Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Percentages, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	44.4	45.7	8.6	9.2	5.3	5.6
GEOGRAPHIC DIVISION						
Northeast	45.7	45.8	9.4	9.3	5.5	5.4
New England	54.2	49.8	11.4	10.7	7.2	7.2
Middle Atlantic	42.7	44.3	8.7	8.8	4.9	4.8
Midwest	45.9	46.4	8.3	8.6	4.8	5.1
East North Central	47.7	47.2	9.1	9.2	5.3	5.7
West North Central	41.9	44.8	6.4	7.3	3.7	3.8
South	41.1	42.6	6.8	7.7	4.0	4.8
South Atlantic	43.5	45.2	7.3	9.0	4.6	5.7
East South Central	38.4	40.8	6.0	6.9	3.1	4.0
West South Central	38.3	39.0	6.5	6.1	3.4	3.7
West	47.0	49.8	11.1	11.9	7.5	7.6
Mountain	47.4	50.8	10.1	11.2	6.1	7.4
Pacific	46.8	49.4	11.6	12.2	8.1	7.6
COUNTY TYPE						
Large Metro	44.5	46.1	9.0	9.4	5.4	5.6
Small Metro	46.7	47.1	9.0	9.9	5.6	6.2
250K – 1 Mil. Pop.	47.1	48.4	9.1	9.7	5.7	6.0
< 250K Pop.	45.8	44.4	8.8	10.4	5.5	6.6
Nonmetro	39.7	41.5	6.6	7.0	4.3	4.7
Urbanized	43.9	44.3	8.0	8.4	5.6	5.7
Less Urbanized	36.5	39.9	5.9	5.8	3.4	3.8
Completely Rural	36.8	36.9	4.6	5.9	2.6	4.5

*Low precision; no estimate reported.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.68A Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Numbers in Thousands, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	107,007 ^b	110,619	28,150	29,606	17,055	18,048
GEOGRAPHIC DIVISION						
Northeast	20,270	20,267	5,764	5,532	3,385	3,262
New England	6,231	5,878	1,785	1,768	1,124	1,161
Middle Atlantic	14,039	14,389	3,979	3,764	2,261	2,101
Midwest	23,656	24,114	5,785	6,072	3,385	3,640
East North Central	17,007	16,917	4,292	4,418	2,584	2,701
West North Central	6,649	7,197	1,493	1,654	801	939
South	36,880	38,281	8,676	9,483	5,009 ^a	5,734
South Atlantic	20,604	21,514	4,880	5,624	3,021	3,458
East South Central	5,541	5,816	1,219	1,366	656	789
West South Central	10,735	10,951	2,577	2,492	1,332	1,486
West	26,201 ^a	27,957	7,925	8,519	5,276	5,413
Mountain	8,013	8,647	2,188	2,426	1,342	1,579
Pacific	18,188	19,310	5,737	6,093	3,933	3,835
COUNTY TYPE						
Large Metro	57,673	60,041	15,953	16,557	9,644	9,944
Small Metro	33,751	34,225	8,767	9,337	5,330	5,667
250K – 1 Mil. Pop.	22,799	23,691	5,809	6,158	3,519	3,690
< 250K Pop.	10,952	10,534	2,959	3,178	1,811	1,977
Nonmetro	15,583	16,353	3,430	3,712	2,082	2,437
Urbanized	7,450	7,772	1,774	1,959	1,160	1,311
Less Urbanized	6,521	7,088	1,392	1,450	771	915
Completely Rural	1,612	1,493	264	303	151	211

*Low precision; no estimate reported.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.68B Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Percentages, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	45.5	46.6	12.0	12.5	7.3	7.6
GEOGRAPHIC DIVISION						
Northeast	47.2	46.9	13.4	12.8	7.9	7.5
New England	55.1	51.6	15.8	15.5	9.9	10.2
Middle Atlantic	44.4	45.2	12.6	11.8	7.1	6.6
Midwest	46.8	47.5	11.5	11.9	6.7	7.2
East North Central	48.5	48.0	12.3	12.5	7.4	7.7
West North Central	43.0	46.2	9.6	10.6	5.2	6.0
South	42.4	43.4	10.0	10.8	5.8	6.5
South Atlantic	44.6	46.0	10.6	12.0	6.5	7.4
East South Central	39.8	41.5	8.8	9.7	4.7	5.6
West South Central	39.9	40.1	9.6	9.1	4.9	5.4
West	48.0	50.5	14.5	15.4	9.7	9.8
Mountain	48.4	51.4	13.2	14.4	8.1	9.4
Pacific	47.8	50.2	15.1	15.8	10.3	10.0
COUNTY TYPE						
Large Metro	45.9	47.1	12.7	13.0	7.7	7.8
Small Metro	47.5	47.9	12.3	13.1	7.5	7.9
250K – 1 Mil. Pop.	47.7	49.1	12.2	12.8	7.4	7.6
< 250K Pop.	47.0	45.4	12.7	13.7	7.8	8.5
Nonmetro	40.7	42.4	9.0	9.6	5.4	6.3
Urbanized	44.7	44.8	10.6	11.3	7.0	7.6
Less Urbanized	37.7	41.2	8.0	8.4	4.5	5.3
Completely Rural	37.0	37.1	6.1	7.5	3.5	5.2

*Low precision; no estimate reported.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.