

Table 1.69A Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Numbers in Thousands, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	37,688	37,634	4,671	4,182	1,650	1,549
GEOGRAPHIC DIVISION						
Northeast	7,025	7,016	1,042	873	387	261
New England	2,240	2,081	239	306	114	77
Middle Atlantic	4,785	4,935	803 ^a	566	273	184
Midwest	7,319	6,897	720	738	287	250
East North Central	5,377	4,852	560	591	224	195
West North Central	1,942	2,045	160	147	62	55
South	12,161	12,806	1,612	1,355	576	590
South Atlantic	6,757	7,122	970	841	356	410
East South Central	1,617	1,808	200	141	90	58
West South Central	3,786	3,876	443	373	131	122
West	11,183	10,915	1,297	1,216	400	448
Mountain	3,426	3,220	419	360	131	137
Pacific	7,757	7,695	878	856	269	311
COUNTY TYPE						
Large Metro	21,028	20,349	2,918	2,529	1,098	961
Small Metro	11,904	11,711	1,381	1,246	431	412
250K – 1 Mil. Pop.	8,116	8,113	989	893	292	312
< 250K Pop.	3,789	3,598	392	353	139	101
Nonmetro	4,756 ^a	5,574	371	407	121	175
Urbanized	2,397	2,742	154	198	59	49
Less Urbanized	1,992	2,289	167	150	34	77
Completely Rural	367	543	51	59	28	49

*Low precision; no estimate reported.

NOTE: Cocaine use includes the use of crack.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.69B Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	14.5	14.3	1.8	1.6	0.6	0.6
GEOGRAPHIC DIVISION						
Northeast	14.9	14.8	2.2	1.8	0.8	0.6
New England	18.0	16.7	1.9	2.5	0.9	0.6
Middle Atlantic	13.8	14.1	2.3 ^a	1.6	0.8	0.5
Midwest	13.1	12.3	1.3	1.3	0.5	0.4
East North Central	13.9	12.4	1.4	1.5	0.6	0.5
West North Central	11.4	11.9	0.9	0.9	0.4	0.3
South	12.6	13.1	1.7	1.4	0.6	0.6
South Atlantic	13.3	13.8	1.9	1.6	0.7	0.8
East South Central	10.5	11.7	1.3	0.9	0.6	0.4
West South Central	12.6	12.7	1.5	1.2	0.4	0.4
West	18.5	17.8	2.1	2.0	0.7	0.7
Mountain	18.6	17.2	2.3	1.9	0.7	0.7
Pacific	18.4	18.1	2.1	2.0	0.6	0.7
COUNTY TYPE						
Large Metro	15.1	14.4	2.1	1.8	0.8	0.7
Small Metro	15.2	14.8	1.8	1.6	0.5	0.5
250K – 1 Mil. Pop.	15.3	15.2	1.9	1.7	0.6	0.6
< 250K Pop.	14.8	14.1	1.5	1.4	0.5	0.4
Nonmetro	11.3 ^a	13.1	0.9	1.0	0.3	0.4
Urbanized	13.0	14.4	0.8	1.0	0.3	0.3
Less Urbanized	10.5	12.1	0.9	0.8	0.2	0.4
Completely Rural	7.7 ^a	12.2	1.1	1.3	0.6	1.1

*Low precision; no estimate reported.

NOTE: Cocaine use includes the use of crack.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.70A Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Numbers in Thousands, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	265	215	180 ^a	131	30	43
GEOGRAPHIC DIVISION						
Northeast	35	25	24	15	6	6
New England	9	5	6	3	1	0
Middle Atlantic	26	20	17	12	5	5
Midwest	40	31	20	16	5	4
East North Central	34	20	14	9	4	2
West North Central	6	11	6	8	1	2
South	104	85	79	48	14	15
South Atlantic	27 ^a	53	23	30	2	10
East South Central	16	9	13	6	4	3
West South Central	61 ^b	24	43 ^b	12	8	2
West	86	75	57	52	5 ^a	19
Mountain	34	38	21	23	0	6
Pacific	52	37	36	29	5	14
COUNTY TYPE						
Large Metro	146	103	102 ^a	62	15	20
Small Metro	81	84	58	57	10	19
250K – 1 Mil. Pop.	60	48	43	36	7	10
< 250K Pop.	21	36	15	22	3	9
Nonmetro	39	29	20	12	5	4
Urbanized	16	16	7	6	3	*
Less Urbanized	20	11	11	6	2	4
Completely Rural	*	1	*	*	*	*

*Low precision; no estimate reported.

NOTE: Cocaine use includes the use of crack.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.70B Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Percentages, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	1.1	0.9	0.7 ^a	0.5	0.1	0.2
GEOGRAPHIC DIVISION						
Northeast	0.8	0.6	0.6	0.4	0.1	0.1
New England	0.8	0.4	0.6	0.3	0.1	0.0
Middle Atlantic	0.8	0.7	0.6	0.4	0.2	0.2
Midwest	0.7	0.6	0.4	0.3	0.1	0.1
East North Central	0.9	0.5	0.4	0.2	0.1	0.0
West North Central	0.4	0.7	0.3	0.5	0.1	0.1
South	1.1	0.9	0.9	0.5	0.2	0.2
South Atlantic	0.6 ^a	1.1	0.5	0.7	0.0	0.2
East South Central	1.1	0.6	0.9	0.4	0.3	0.2
West South Central	1.9 ^b	0.7	1.4 ^b	0.4	0.2	0.1
West	1.4	1.3	1.0	0.9	0.1 ^a	0.3
Mountain	1.8	2.0	1.1	1.2	0.0	0.3
Pacific	1.3	0.9	0.9	0.7	0.1	0.3
COUNTY TYPE						
Large Metro	1.1	0.8	0.7 ^a	0.5	0.1	0.1
Small Metro	1.1	1.1	0.8	0.8	0.1	0.3
250K – 1 Mil. Pop.	1.2	0.9	0.8	0.7	0.1	0.2
< 250K Pop.	0.9	1.5	0.6	0.9	0.1	0.4
Nonmetro	1.0	0.7	0.5	0.3	0.1	0.1
Urbanized	0.9	1.0	0.4	0.4	0.2	*
Less Urbanized	1.2	0.6	0.6	0.3	0.1	0.2
Completely Rural	*	0.3	*	*	*	*

*Low precision; no estimate reported.

NOTE: Cocaine use includes the use of crack.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.71A Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Numbers in Thousands, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	4,267	4,041	1,600	1,543	398	398
GEOGRAPHIC DIVISION						
Northeast	761	759	339	332	85	77
New England	217	220	92	113	30	20
Middle Atlantic	544	539	246	218	55	57
Midwest	786	766	217	270	56	67
East North Central	543	504	157	206	45	50
West North Central	242	262	60	64	10	17
South	1,495	1,340	526	440	143	113
South Atlantic	765	675	310	235	89	63
East South Central	195	187	59	56	21	13
West South Central	535	478	158	149	34	37
West	1,226	1,175	518	502	114	140
Mountain	433	386	155	122	39	39
Pacific	793	789	363	380	74	101
COUNTY TYPE						
Large Metro	2,429	2,204	1,007	887	254	234
Small Metro	1,298	1,219	452	485	111	130
250K – 1 Mil. Pop.	814	832	291	320	75	90
< 250K Pop.	484 ^a	387	162	165	36	39
Nonmetro	541	618	141	171	32	34
Urbanized	273	328	72	108	17	18
Less Urbanized	231	249	59	54	10	14
Completely Rural	37	41	11	9	5	2

*Low precision; no estimate reported.

NOTE: Cocaine use includes the use of crack.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.71B Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Percentages, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	12.3	11.6	4.6	4.4	1.1	1.1
GEOGRAPHIC DIVISION						
Northeast	12.4	12.4	5.5	5.4	1.4	1.3
New England	13.4	13.5	5.7	7.0	1.9	1.2
Middle Atlantic	12.0	11.9	5.4	4.8	1.2	1.3
Midwest	10.7	10.3	2.9	3.6	0.8	0.9
East North Central	10.7	9.9	3.1	4.0	0.9	1.0
West North Central	10.6	11.4	2.6	2.8	0.5	0.7
South	11.7	10.4	4.1	3.4	1.1	0.9
South Atlantic	11.7	10.3	4.8	3.6	1.4	1.0
East South Central	9.6	9.2	2.9	2.7	1.0	0.6
West South Central	12.7	11.2	3.7	3.5	0.8	0.9
West	14.7	14.0	6.2	6.0	1.4	1.7
Mountain	17.4	15.3	6.2	4.8	1.6	1.6
Pacific	13.6	13.5	6.2	6.5	1.3	1.7
COUNTY TYPE						
Large Metro	12.8	11.8	5.3	4.7	1.3	1.2
Small Metro	12.0	11.2	4.2	4.5	1.0	1.2
250K – 1 Mil. Pop.	11.8	11.9	4.2	4.6	1.1	1.3
< 250K Pop.	12.3 ^a	10.0	4.1	4.3	0.9	1.0
Nonmetro	11.1	12.0	2.9	3.3	0.7	0.7
Urbanized	12.3	13.3	3.2	4.4	0.8	0.7
Less Urbanized	10.6	11.2	2.7	2.4	0.5	0.6
Completely Rural	8.2	8.6	2.5	2.0	1.1	0.5

*Low precision; no estimate reported.

NOTE: Cocaine use includes the use of crack.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.72A Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Numbers in Thousands, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	33,156	33,378	2,890	2,508	1,222	1,108
GEOGRAPHIC DIVISION						
Northeast	6,229	6,231	680	526	296	178
New England	2,014	1,856	141	190	83	56
Middle Atlantic	4,214	4,375	539 ^a	336	213	122
Midwest	6,494	6,100	484	452	226	179
East North Central	4,799	4,328	389	377	176	144
West North Central	1,694	1,772	94	75	50	36
South	10,562	11,381	1,006	868	419	462
South Atlantic	5,965	6,394	637	576	265	337
East South Central	1,406	1,612	128	80	65	42
West South Central	3,191	3,374	242	212	89	83
West	9,872	9,665	721	662	282	289
Mountain	2,959	2,796	242	215	91	92
Pacific	6,913	6,870	479	447	190	197
COUNTY TYPE						
Large Metro	18,454	18,042	1,810	1,581	829	707
Small Metro	10,526	10,409	871	704	310	263
250K – 1 Mil. Pop.	7,242	7,233	656	538	210	211
< 250K Pop.	3,284	3,175	215	166	100	52
Nonmetro	4,177 ^a	4,927	210	223	83	137
Urbanized	2,108	2,397	76	83	40	31
Less Urbanized	1,741	2,029	97	90	21	59
Completely Rural	328	501	37	49	23	47

*Low precision; no estimate reported.

NOTE: Cocaine use includes the use of crack.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.72B Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Percentages, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	16.5	16.5	1.4	1.2	0.6	0.5
GEOGRAPHIC DIVISION						
Northeast	16.9	16.8	1.8	1.4	0.8	0.5
New England	20.8	19.0	1.5	1.9	0.9	0.6
Middle Atlantic	15.6	16.0	2.0 ^a	1.2	0.8	0.4
Midwest	15.0	14.1	1.1	1.0	0.5	0.4
East North Central	16.0	14.4	1.3	1.3	0.6	0.5
West North Central	12.9	13.3	0.7	0.6	0.4	0.3
South	14.2	15.1	1.4	1.2	0.6	0.6
South Atlantic	15.0	15.9	1.6	1.4	0.7	0.8
East South Central	11.8	13.5	1.1	0.7	0.5	0.3
West South Central	14.0	14.6	1.1	0.9	0.4	0.4
West	21.3	20.6	1.6	1.4	0.6	0.6
Mountain	21.0	19.6	1.7	1.5	0.6	0.6
Pacific	21.5	21.0	1.5	1.4	0.6	0.6
COUNTY TYPE						
Large Metro	17.3	16.6	1.7	1.5	0.8	0.7
Small Metro	17.5	17.2	1.4	1.2	0.5	0.4
250K – 1 Mil. Pop.	17.7	17.5	1.6	1.3	0.5	0.5
< 250K Pop.	16.9	16.5	1.1	0.9	0.5	0.3
Nonmetro	12.5 ^a	14.8	0.6	0.7	0.2	0.4
Urbanized	14.6	16.1	0.5	0.6	0.3	0.2
Less Urbanized	11.5	13.5	0.6	0.6	0.1	0.4
Completely Rural	8.4 ^a	14.1	0.9	1.4	0.6	1.3

*Low precision; no estimate reported.

NOTE: Cocaine use includes the use of crack.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.73A Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Numbers in Thousands, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	37,423	37,419	4,491	4,051	1,620	1,505
GEOGRAPHIC DIVISION						
Northeast	6,990	6,991	1,018	858	381	255
New England	2,231	2,076	233	303	113	76
Middle Atlantic	4,759	4,914	786 ^a	554	268	179
Midwest	7,279	6,866	700	722	282	246
East North Central	5,343	4,832	546	583	221	194
West North Central	1,936	2,034	154	139	61	53
South	12,057	12,721	1,532	1,307	562	575
South Atlantic	6,730	7,069	947	811	353	400
East South Central	1,601	1,799	186	136	86	55
West South Central	3,725	3,853	399	361	123	120
West	11,097	10,840	1,240	1,164	395	429
Mountain	3,392	3,182	398	337	131	131
Pacific	7,705	7,658	842	827	265	298
COUNTY TYPE						
Large Metro	20,882	20,246	2,816	2,468	1,083	941
Small Metro	11,824	11,628	1,323	1,189	421	393
250K – 1 Mil. Pop.	8,056	8,066	947	858	286	302
< 250K Pop.	3,768	3,562	377	331	135	91
Nonmetro	4,717 ^a	5,545	351	394	116	171
Urbanized	2,380	2,726	147	192	57	49
Less Urbanized	1,973	2,278	156	144	31	73
Completely Rural	364	542	48	59	28	49

*Low precision; no estimate reported.

NOTE: Cocaine use includes the use of crack.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.73B Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Percentages, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	15.9	15.8	1.9	1.7	0.7	0.6
GEOGRAPHIC DIVISION						
Northeast	16.3	16.2	2.4	2.0	0.9	0.6
New England	19.7	18.2	2.1	2.7	1.0	0.7
Middle Atlantic	15.0	15.4	2.5 ^a	1.7	0.8	0.6
Midwest	14.4	13.5	1.4	1.4	0.6	0.5
East North Central	15.2	13.7	1.6	1.7	0.6	0.5
West North Central	12.5	13.0	1.0	0.9	0.4	0.3
South	13.8	14.4	1.8	1.5	0.6	0.7
South Atlantic	14.6	15.1	2.0	1.7	0.8	0.9
East South Central	11.5	12.8	1.3	1.0	0.6	0.4
West South Central	13.8	14.1	1.5	1.3	0.5	0.4
West	20.3	19.6	2.3	2.1	0.7	0.8
Mountain	20.5	18.9	2.4	2.0	0.8	0.8
Pacific	20.3	19.9	2.2	2.1	0.7	0.8
COUNTY TYPE						
Large Metro	16.6	15.9	2.2	1.9	0.9	0.7
Small Metro	16.6	16.3	1.9	1.7	0.6	0.6
250K – 1 Mil. Pop.	16.9	16.7	2.0	1.8	0.6	0.6
< 250K Pop.	16.2	15.4	1.6	1.4	0.6	0.4
Nonmetro	12.3 ^a	14.4	0.9	1.0	0.3	0.4
Urbanized	14.3	15.7	0.9	1.1	0.3	0.3
Less Urbanized	11.4	13.2	0.9	0.8	0.2	0.4
Completely Rural	8.4 ^a	13.5	1.1	1.5	0.6	1.2

*Low precision; no estimate reported.

NOTE: Cocaine use includes the use of crack.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.