

Table 1.1C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older: Standard Errors of Numbers in Thousands, 2012 and 2013

Drug	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
ILLCIT DRUGS¹	956	1,015	648	677	492	509
Marijuana and Hashish	1,005	1,017	556	577	431	442
Cocaine	703	693	217	189	142	133
Crack	346	364	111	77	94	64
Heroin	245	281	78	70	51	43
Hallucinogens	674	707	175	204	90	132
LSD	561	580	85	81	31	37
PCP	311	346	34	21	13	15
Ecstasy	405	464	134	153	72	91
Inhalants	489	519	120	105	65	64
Nonmedical Use of Psychotherapeutics ^{2,3}	765	785	406	418	265	256
Pain Relievers	622	640	355	343	211	206
OxyContin [®]	245	280	105	119	46	81
Tranquilizers	563	576	252	230	162	121
Stimulants ³	556	501	161	178	101	116
Methamphetamine ³	426	393	113	114	74	85
Sedatives	377	377	66	84	50	67
ILLCIT DRUGS OTHER THAN MARIJUANA¹	873	923	459	469	309	306

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.1D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older: Standard Errors of Percentages, 2012 and 2013

Drug	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
ILLICIT DRUGS¹	0.37	0.39	0.25	0.26	0.19	0.19
Marijuana and Hashish	0.39	0.39	0.21	0.22	0.17	0.17
Cocaine	0.27	0.26	0.08	0.07	0.05	0.05
Crack	0.13	0.14	0.04	0.03	0.04	0.02
Heroin	0.09	0.11	0.03	0.03	0.02	0.02
Hallucinogens	0.26	0.27	0.07	0.08	0.03	0.05
LSD	0.22	0.22	0.03	0.03	0.01	0.01
PCP	0.12	0.13	0.01	0.01	0.00	0.01
Ecstasy	0.16	0.18	0.05	0.06	0.03	0.03
Inhalants	0.19	0.20	0.05	0.04	0.02	0.02
Nonmedical Use of Psychotherapeutics ^{2,3}	0.29	0.30	0.16	0.16	0.10	0.10
Pain Relievers	0.24	0.24	0.14	0.13	0.08	0.08
OxyContin [®]	0.09	0.11	0.04	0.05	0.02	0.03
Tranquilizers	0.22	0.22	0.10	0.09	0.06	0.05
Stimulants ³	0.21	0.19	0.06	0.07	0.04	0.04
Methamphetamine ³	0.16	0.15	0.04	0.04	0.03	0.03
Sedatives	0.14	0.14	0.03	0.03	0.02	0.03
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.34	0.35	0.18	0.18	0.12	0.12

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.1P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older: P Values from Tests of Differences of Percentages, 2013 Versus 2012

Drug	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
ILLCIT DRUGS¹	0.2653		0.7799		0.4809	
Marijuana and Hashish	0.0739		0.1471		0.1983	
Cocaine	0.6902		0.0673		0.5526	
Crack	0.6470		0.0260		0.5388	
Heroin	0.5592		0.9566		0.4630	
Hallucinogens	0.1318		0.7534		0.2272	
LSD	0.3144		0.7073		0.3754	
PCP	0.7531		0.0370		0.9804	
Ecstasy	0.0142		0.8266		0.8214	
Inhalants	0.7554		0.2732		0.9873	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.1119		0.0121		0.2760	
Pain Relievers	0.0293		0.0019		0.2010	
OxyContin [®]	0.3663		0.7662		0.1725	
Tranquilizers	0.6519		0.0117		0.0246	
Stimulants ³	0.9616		0.5467		0.2465	
Methamphetamine ³	0.8425		0.9023		0.1868	
Sedatives	0.3218		0.6767		0.7965	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.6050		0.0163		0.4960	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.2C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or 13: Standard Errors of Numbers in Thousands, 2012 and 2013

Drug	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
ILLCIT DRUGS¹	40	43	33	33	24	20
Marijuana and Hashish	23	23	20	21	13	12
Cocaine	4	4	4	3	1	1
Crack	0	1	*	1	*	1
Heroin	2	4	2	3	*	1
Hallucinogens	9	11	8	8	5	4
LSD	3	5	2	4	2	3
PCP	2	3	2	2	2	1
Ecstasy	4	6	3	6	3	1
Inhalants	26	26	18	16	12	9
Nonmedical Use of Psychotherapeutics ^{2,3}	27	27	23	19	17	14
Pain Relievers	25	24	21	17	16	12
OxyContin [®]	5	6	4	5	3	4
Tranquilizers	7	9	5	7	3	6
Stimulants ³	7	10	4	6	2	4
Methamphetamine ³	4	4	2	3	1	2
Sedatives	7	7	5	6	4	5
ILLCIT DRUGS OTHER THAN MARIJUANA¹	36	37	29	26	21	17

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.2D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or 13: Standard Errors of Percentages, 2012 and 2013

Drug	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
ILLCIT DRUGS¹	0.46	0.49	0.40	0.39	0.29	0.24
Marijuana and Hashish	0.27	0.28	0.24	0.26	0.16	0.15
Cocaine	0.05	0.05	0.05	0.04	0.01	0.02
Crack	0.01	0.02	*	0.02	*	0.02
Heroin	0.02	0.05	0.02	0.04	*	0.01
Hallucinogens	0.11	0.14	0.10	0.11	0.07	0.05
LSD	0.04	0.06	0.02	0.05	0.02	0.04
PCP	0.03	0.04	0.02	0.02	0.02	0.01
Ecstasy	0.05	0.08	0.04	0.08	0.03	0.01
Inhalants	0.32	0.31	0.22	0.20	0.15	0.12
Nonmedical Use of Psychotherapeutics ^{2,3}	0.33	0.33	0.28	0.23	0.21	0.17
Pain Relievers	0.30	0.30	0.26	0.21	0.19	0.15
OxyContin [®]	0.06	0.08	0.05	0.06	0.04	0.05
Tranquilizers	0.09	0.11	0.06	0.09	0.03	0.07
Stimulants ³	0.08	0.12	0.06	0.07	0.02	0.05
Methamphetamine ³	0.05	0.05	0.03	0.03	0.02	0.03
Sedatives	0.09	0.09	0.06	0.08	0.05	0.06
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.43	0.44	0.35	0.31	0.25	0.21

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.2P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or 13: P Values from Tests of Differences of Percentages, 2013 Versus 2012

Drug	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
ILLCIT DRUGS¹	0.2359		0.0526		0.0142	
Marijuana and Hashish	0.5525		0.7443		0.5351	
Cocaine	0.7774		0.6577		0.5328	
Crack	0.3349		*		*	
Heroin	0.3138		0.4489		*	
Hallucinogens	0.4725		0.8419		0.2439	
LSD	0.3760		0.2192		0.3721	
PCP	0.7893		0.8410		0.5419	
Ecstasy	0.4944		0.1376		0.1838	
Inhalants	0.1320		0.2020		0.0755	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.1812		0.0061		0.1120	
Pain Relievers	0.0687		0.0024		0.0324	
OxyContin [®]	0.3713		0.7363		0.9964	
Tranquilizers	0.8266		0.3387		0.1532	
Stimulants ³	0.1742		0.3041		0.0726	
Methamphetamine ³	0.9261		0.6720		0.2834	
Sedatives	0.6537		0.5058		0.7458	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.1575		0.0123		0.0110	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.3C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 14 or 15: Standard Errors of Numbers in Thousands, 2012 and 2013

Drug	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
ILLCIT DRUGS¹	62	67	51	55	33	37
Marijuana and Hashish	48	51	43	45	30	31
Cocaine	10	7	8	7	4	5
Crack	5	3	3	2	*	*
Heroin	7	4	6	4	*	3
Hallucinogens	20	15	16	12	9	8
LSD	10	8	7	6	3	3
PCP	10	5	8	4	2	3
Ecstasy	14	10	9	7	6	4
Inhalants	36	37	23	19	9	11
Nonmedical Use of Psychotherapeutics ^{2,3}	38	40	28	33	18	20
Pain Relievers	34	38	26	31	17	20
OxyContin [®]	11	11	8	9	5	3
Tranquilizers	20	18	14	12	6	7
Stimulants ³	15	16	11	11	7	5
Methamphetamine ³	8	6	6	4	5	1
Sedatives	11	9	6	6	4	4
ILLCIT DRUGS OTHER THAN MARIJUANA¹	50	52	36	37	20	23

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.3D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 14 or 15: Standard Errors of Percentages, 2012 and 2013

Drug	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
ILLICIT DRUGS¹	0.63	0.68	0.55	0.60	0.38	0.42
Marijuana and Hashish	0.52	0.55	0.47	0.50	0.34	0.36
Cocaine	0.12	0.09	0.09	0.08	0.05	0.06
Crack	0.06	0.03	0.03	0.02	*	*
Heroin	0.09	0.05	0.07	0.05	*	0.04
Hallucinogens	0.24	0.18	0.18	0.14	0.11	0.10
LSD	0.12	0.09	0.08	0.07	0.04	0.03
PCP	0.12	0.06	0.09	0.05	0.03	0.03
Ecstasy	0.16	0.12	0.11	0.08	0.07	0.05
Inhalants	0.41	0.42	0.26	0.23	0.11	0.12
Nonmedical Use of Psychotherapeutics ^{2,3}	0.43	0.44	0.32	0.37	0.21	0.24
Pain Relievers	0.39	0.42	0.30	0.34	0.20	0.23
OxyContin [®]	0.13	0.13	0.09	0.11	0.06	0.04
Tranquilizers	0.23	0.21	0.17	0.14	0.07	0.08
Stimulants ³	0.18	0.18	0.14	0.13	0.08	0.06
Methamphetamine ³	0.10	0.07	0.07	0.05	0.05	0.01
Sedatives	0.13	0.10	0.08	0.07	0.05	0.04
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.54	0.56	0.40	0.41	0.24	0.27

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.3P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 14 or 15: P Values from Tests of Differences of Percentages, 2013 Versus 2012

Drug	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
ILLCIT DRUGS¹	0.1887		0.5131		0.5310	
Marijuana and Hashish	0.6020		0.9026		0.4579	
Cocaine	0.0761		0.4013		0.7760	
Crack	0.4352		0.5927		*	
Heroin	0.0416		0.2811		*	
Hallucinogens	0.0085		0.0094		0.6702	
LSD	0.2016		0.4071		0.4962	
PCP	0.0068		0.0577		0.6249	
Ecstasy	0.0158		0.0155		0.1822	
Inhalants	0.0513		0.0495		0.6203	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0839		0.4781		0.2295	
Pain Relievers	0.3287		0.7377		0.3062	
OxyContin [®]	0.1946		0.8978		0.1818	
Tranquilizers	0.1310		0.0555		0.6958	
Stimulants ³	0.2311		0.1210		0.0493	
Methamphetamine ³	0.0409		0.0654		0.0071	
Sedatives	0.2114		0.4024		0.7164	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0237		0.0546		0.2983	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.4C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 16 or 17: Standard Errors of Numbers in Thousands, 2012 and 2013

Drug	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
ILLCIT DRUGS¹	84	78	75	67	57	49
Marijuana and Hashish	77	70	68	63	50	46
Cocaine	20	17	18	13	5	8
Crack	9	4	7	3	1	1
Heroin	9	7	6	5	*	3
Hallucinogens	35	29	27	25	14	14
LSD	18	17	15	14	4	9
PCP	9	5	7	5	1	1
Ecstasy	29	22	21	17	10	8
Inhalants	32	28	20	17	12	6
Nonmedical Use of Psychotherapeutics ^{2,3}	52	48	44	38	29	23
Pain Relievers	47	44	38	34	24	19
OxyContin [®]	20	18	15	12	8	4
Tranquilizers	32	26	28	19	18	9
Stimulants ³	24	22	20	17	12	10
Methamphetamine ³	13	12	10	9	4	6
Sedatives	11	8	8	6	2	1
ILLCIT DRUGS OTHER THAN MARIJUANA¹	62	56	51	44	33	26

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.4D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 16 or 17: Standard Errors of Percentages, 2012 and 2013

Drug	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
ILLCIT DRUGS¹	0.73	0.74	0.71	0.69	0.58	0.54
Marijuana and Hashish	0.71	0.72	0.67	0.67	0.53	0.51
Cocaine	0.24	0.20	0.20	0.15	0.06	0.09
Crack	0.10	0.05	0.09	0.03	0.01	0.01
Heroin	0.11	0.08	0.08	0.06	*	0.04
Hallucinogens	0.39	0.34	0.31	0.29	0.17	0.17
LSD	0.21	0.20	0.17	0.17	0.05	0.11
PCP	0.11	0.06	0.08	0.06	0.01	0.02
Ecstasy	0.32	0.26	0.24	0.20	0.11	0.09
Inhalants	0.36	0.32	0.23	0.20	0.14	0.07
Nonmedical Use of Psychotherapeutics ^{2,3}	0.54	0.52	0.48	0.42	0.32	0.27
Pain Relievers	0.50	0.48	0.42	0.38	0.27	0.23
OxyContin [®]	0.23	0.21	0.17	0.14	0.09	0.05
Tranquilizers	0.37	0.31	0.32	0.22	0.21	0.11
Stimulants ³	0.28	0.25	0.23	0.20	0.15	0.11
Methamphetamine ³	0.15	0.14	0.12	0.11	0.05	0.07
Sedatives	0.12	0.10	0.10	0.07	0.03	0.02
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.62	0.57	0.54	0.48	0.37	0.30

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.4P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 16 or 17: P Values from Tests of Differences of Percentages, 2013 Versus 2012

Drug	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
ILLICIT DRUGS¹	0.4175		0.6293		0.3025	
Marijuana and Hashish	0.3792		0.9213		0.8871	
Cocaine	0.3429		0.0869		0.2458	
Crack	0.3665		0.3439		0.8412	
Heroin	0.4790		0.5470		*	
Hallucinogens	0.1626		0.5807		0.7107	
LSD	0.5242		0.9774		0.0126	
PCP	0.0539		0.8082		0.1812	
Ecstasy	0.0208		0.1756		0.3608	
Inhalants	0.0011		0.0032		0.0098	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0210		0.1124		0.0277	
Pain Relievers	0.0117		0.0973		0.0273	
OxyContin [®]	0.2070		0.0499		0.2176	
Tranquilizers	0.0232		0.0201		0.0090	
Stimulants ³	0.1463		0.2080		0.1126	
Methamphetamine ³	0.7447		0.8308		0.7412	
Sedatives	0.0335		0.1454		0.5336	
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.0095		0.0445		0.1282	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.5C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 20: Standard Errors of Numbers in Thousands, 2012 and 2013

Drug	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
ILLCIT DRUGS¹	206	169	177	143	127	103
Marijuana and Hashish	192	160	165	134	117	97
Cocaine	67	51	48	39	22	18
Crack	21	16	13	6	6	2
Heroin	20	20	14	13	10	9
Hallucinogens	94	75	72	56	34	33
LSD	55	41	36	31	11	15
PCP	18	13	10	5	4	1
Ecstasy	85	63	53	40	31	17
Inhalants	62	49	29	27	16	14
Nonmedical Use of Psychotherapeutics ^{2,3}	121	98	89	74	45	42
Pain Relievers	100	87	72	63	38	35
OxyContin [®]	44	42	27	26	9	13
Tranquilizers	71	61	45	41	22	18
Stimulants ³	66	52	50	37	19	21
Methamphetamine ³	35	25	28	16	10	8
Sedatives	18	22	11	13	6	6
ILLCIT DRUGS OTHER THAN MARIJUANA¹	144	113	109	89	58	54

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.5D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 20: Standard Errors of Percentages, 2012 and 2013

Drug	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
ILLCIT DRUGS¹	0.79	0.79	0.77	0.76	0.66	0.64
Marijuana and Hashish	0.81	0.78	0.76	0.74	0.63	0.62
Cocaine	0.48	0.37	0.34	0.29	0.16	0.13
Crack	0.16	0.12	0.10	0.05	0.04	0.02
Heroin	0.15	0.15	0.11	0.10	0.08	0.07
Hallucinogens	0.61	0.52	0.51	0.40	0.25	0.24
LSD	0.40	0.31	0.27	0.23	0.08	0.12
PCP	0.13	0.10	0.08	0.04	0.03	0.01
Ecstasy	0.56	0.45	0.37	0.29	0.23	0.13
Inhalants	0.39	0.35	0.21	0.20	0.12	0.11
Nonmedical Use of Psychotherapeutics ^{2,3}	0.62	0.62	0.51	0.50	0.32	0.31
Pain Relievers	0.58	0.58	0.47	0.44	0.28	0.26
OxyContin [®]	0.32	0.31	0.20	0.19	0.07	0.10
Tranquilizers	0.46	0.44	0.31	0.30	0.16	0.14
Stimulants ³	0.42	0.37	0.33	0.26	0.14	0.16
Methamphetamine ³	0.26	0.18	0.21	0.12	0.07	0.06
Sedatives	0.13	0.17	0.08	0.10	0.04	0.05
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.69	0.68	0.61	0.58	0.41	0.38

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.5P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 20: P Values from Tests of Differences of Percentages, 2013 Versus 2012

Drug	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
ILLICIT DRUGS¹	0.1712		0.2312		0.1382	
Marijuana and Hashish	0.3518		0.3190		0.1934	
Cocaine	0.0106		0.0141		0.5842	
Crack	0.0329		0.0086		0.1104	
Heroin	0.2202		0.0607		0.0848	
Hallucinogens	0.2674		0.0547		0.4251	
LSD	0.5653		0.6897		0.5003	
PCP	0.0931		0.0318		0.1319	
Ecstasy	0.1057		0.0104		0.0228	
Inhalants	0.0779		0.5963		0.6955	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0037		0.0030		0.0728	
Pain Relievers	0.0037		0.0021		0.0179	
OxyContin [®]	0.5082		0.0871		0.8429	
Tranquilizers	0.1260		0.0215		0.2923	
Stimulants ³	0.3564		0.3168		0.7141	
Methamphetamine ³	0.0325		0.2115		0.7985	
Sedatives	0.2375		0.8141		0.9060	
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.0126		0.0092		0.1971	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.6C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 21 to 25: Standard Errors of Numbers in Thousands, 2012 and 2013

Drug	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
ILLCIT DRUGS¹	241	252	181	182	124	127
Marijuana and Hashish	226	233	169	170	116	119
Cocaine	102	105	61	63	27	29
Crack	33	37	12	14	7	12
Heroin	38	39	25	23	20	13
Hallucinogens	123	134	60	76	31	35
LSD	68	74	31	39	14	9
PCP	25	27	5	4	2	2
Ecstasy	103	111	49	57	23	26
Inhalants	73	73	26	30	15	12
Nonmedical Use of Psychotherapeutics ^{2,3}	158	162	96	105	60	59
Pain Relievers	132	134	79	87	52	49
OxyContin [®]	67	69	39	34	22	13
Tranquilizers	101	104	61	62	36	29
Stimulants ³	95	94	57	55	25	32
Methamphetamine ³	48	53	26	26	12	17
Sedatives	30	29	14	16	11	6
ILLCIT DRUGS OTHER THAN MARIJUANA¹	183	190	114	124	69	69

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.6D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 21 to 25: Standard Errors of Percentages, 2012 and 2013

Drug	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
ILLCIT DRUGS¹	0.61	0.58	0.60	0.59	0.48	0.51
Marijuana and Hashish	0.62	0.59	0.59	0.57	0.46	0.47
Cocaine	0.42	0.43	0.28	0.28	0.12	0.13
Crack	0.16	0.17	0.06	0.07	0.03	0.05
Heroin	0.17	0.18	0.11	0.11	0.09	0.06
Hallucinogens	0.48	0.50	0.27	0.33	0.14	0.16
LSD	0.30	0.32	0.14	0.18	0.06	0.04
PCP	0.12	0.13	0.02	0.02	0.01	0.01
Ecstasy	0.42	0.44	0.22	0.25	0.11	0.12
Inhalants	0.32	0.31	0.12	0.14	0.07	0.06
Nonmedical Use of Psychotherapeutics ^{2,3}	0.55	0.55	0.39	0.41	0.27	0.26
Pain Relievers	0.50	0.49	0.34	0.36	0.24	0.22
OxyContin [®]	0.30	0.30	0.18	0.15	0.10	0.06
Tranquilizers	0.42	0.42	0.27	0.27	0.16	0.13
Stimulants ³	0.39	0.38	0.25	0.24	0.11	0.14
Methamphetamine ³	0.22	0.24	0.12	0.12	0.06	0.08
Sedatives	0.14	0.13	0.06	0.07	0.05	0.03
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.58	0.58	0.44	0.47	0.30	0.30

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.6P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 21 to 25: P Values from Tests of Differences of Percentages, 2013 Versus 2012

Drug	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
ILLICIT DRUGS¹	0.6576		0.9949		0.0987	
Marijuana and Hashish	0.9300		0.2684		0.0599	
Cocaine	0.6348		0.3517		0.7460	
Crack	0.4415		0.7544		0.5266	
Heroin	0.7683		0.8639		0.3300	
Hallucinogens	0.5589		0.0054		0.2664	
LSD	0.0250		0.0316		0.1095	
PCP	0.6741		0.3044		0.5683	
Ecstasy	0.4253		0.1040		0.3111	
Inhalants	0.0306		0.5315		0.6470	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.2142		0.0647		0.3512	
Pain Relievers	0.0871		0.0452		0.3281	
OxyContin [®]	0.2873		0.4727		0.1151	
Tranquilizers	0.2718		0.7272		0.0943	
Stimulants ³	0.6595		0.9119		0.2017	
Methamphetamine ³	0.6185		0.6674		0.3523	
Sedatives	0.6753		0.4776		0.1868	
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.4475		0.4145		0.8875	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.7C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 to 34: Standard Errors of Numbers in Thousands, 2012 and 2013

Drug	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
ILLCIT DRUGS¹	315	350	268	291	210	254
Marijuana and Hashish	328	352	239	267	190	231
Cocaine	237	255	116	119	74	83
Crack	141	137	58	35	46	27
Heroin	105	110	56	46	31	30
Hallucinogens	262	283	100	108	55	54
LSD	209	216	35	42	9	18
PCP	97	87	25	11	11	*
Ecstasy	221	259	86	96	48	45
Inhalants	208	206	46	46	20	30
Nonmedical Use of Psychotherapeutics ^{2,3}	279	316	184	206	122	149
Pain Relievers	255	275	169	169	106	123
OxyContin [®]	135	174	54	64	36	34
Tranquilizers	219	252	124	143	68	79
Stimulants ³	216	234	100	124	66	79
Methamphetamine ³	172	169	76	59	53	48
Sedatives	75	112	35	54	12	47
ILLCIT DRUGS OTHER THAN MARIJUANA¹	308	348	203	219	132	163

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.7D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 to 34: Standard Errors of Percentages, 2012 and 2013

Drug	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
ILLICIT DRUGS¹	0.85	0.94	0.73	0.78	0.57	0.68
Marijuana and Hashish	0.89	0.94	0.65	0.72	0.52	0.62
Cocaine	0.64	0.68	0.31	0.32	0.20	0.22
Crack	0.38	0.37	0.16	0.09	0.13	0.07
Heroin	0.29	0.29	0.15	0.12	0.08	0.08
Hallucinogens	0.71	0.76	0.27	0.29	0.15	0.14
LSD	0.57	0.58	0.09	0.11	0.03	0.05
PCP	0.26	0.23	0.07	0.03	0.03	*
Ecstasy	0.60	0.69	0.23	0.26	0.13	0.12
Inhalants	0.56	0.55	0.13	0.12	0.05	0.08
Nonmedical Use of Psychotherapeutics ^{2,3}	0.75	0.85	0.50	0.55	0.33	0.40
Pain Relievers	0.69	0.74	0.46	0.45	0.29	0.33
OxyContin [®]	0.37	0.47	0.15	0.17	0.10	0.09
Tranquilizers	0.59	0.67	0.34	0.38	0.18	0.21
Stimulants ³	0.58	0.63	0.27	0.33	0.18	0.21
Methamphetamine ³	0.47	0.45	0.20	0.16	0.14	0.13
Sedatives	0.20	0.30	0.09	0.14	0.03	0.13
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.84	0.93	0.55	0.59	0.36	0.44

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.7P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 to 34: P Values from Tests of Differences of Percentages, 2013 Versus 2012

Drug	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
ILLCIT DRUGS¹	0.4584		0.1271		0.1164	
Marijuana and Hashish	0.1743		0.0036		0.0990	
Cocaine	0.8003		0.5342		0.6474	
Crack	0.4171		0.3771		0.8487	
Heroin	0.2497		0.7144		0.8908	
Hallucinogens	0.6435		0.9423		0.6048	
LSD	0.8666		0.7921		0.2054	
PCP	0.3051		0.2278		*	
Ecstasy	0.2184		0.6423		0.2724	
Inhalants	0.7314		0.5606		0.4800	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.7527		0.8850		0.4791	
Pain Relievers	0.5970		0.6438		0.9582	
OxyContin [®]	0.2595		0.7215		0.3901	
Tranquilizers	0.7884		0.7650		0.9131	
Stimulants ³	0.7575		0.3484		0.4425	
Methamphetamine ³	0.4034		0.4088		0.9641	
Sedatives	0.0981		0.5687		0.2391	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.8929		0.9662		0.3531	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.8C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 35 or Older: Standard Errors of Numbers in Thousands, 2012 and 2013

Drug	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
ILLCIT DRUGS¹	874	896	510	508	399	383
Marijuana and Hashish	910	912	415	412	341	324
Cocaine	640	626	159	125	116	98
Crack	311	332	93	66	82	57
Heroin	219	247	46	41	33	25
Hallucinogens	583	604	102	139	53	111
LSD	495	527	52	50	24	25
PCP	297	327	16	15	*	15
Ecstasy	280	334	74	95	37	72
Inhalants	421	460	97	78	53	50
Nonmedical Use of Psychotherapeutics ^{2,3}	693	680	331	317	214	190
Pain Relievers	532	540	285	264	168	156
OxyContin [®]	175	191	72	81	8	69
Tranquilizers	477	481	201	162	136	81
Stimulants ³	489	437	96	107	68	71
Methamphetamine ³	369	357	66	85	46	65
Sedatives	366	359	52	61	46	48
ILLCIT DRUGS OTHER THAN MARIJUANA¹	789	798	359	360	245	240

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.8D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 35 or Older: Standard Errors of Percentages, 2012 and 2013

Drug	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
ILLICIT DRUGS¹	0.53	0.54	0.31	0.31	0.24	0.23
Marijuana and Hashish	0.56	0.55	0.25	0.25	0.21	0.20
Cocaine	0.39	0.38	0.10	0.08	0.07	0.06
Crack	0.19	0.20	0.06	0.04	0.05	0.03
Heroin	0.13	0.15	0.03	0.02	0.02	0.01
Hallucinogens	0.36	0.37	0.06	0.08	0.03	0.07
LSD	0.30	0.32	0.03	0.03	0.01	0.02
PCP	0.18	0.20	0.01	0.01	*	0.01
Ecstasy	0.17	0.20	0.05	0.06	0.02	0.04
Inhalants	0.26	0.28	0.06	0.05	0.03	0.03
Nonmedical Use of Psychotherapeutics ^{2,3}	0.42	0.41	0.20	0.19	0.13	0.12
Pain Relievers	0.32	0.33	0.17	0.16	0.10	0.09
OxyContin [®]	0.11	0.12	0.04	0.05	0.00	0.04
Tranquilizers	0.29	0.29	0.12	0.10	0.08	0.05
Stimulants ³	0.30	0.26	0.06	0.06	0.04	0.04
Methamphetamine ³	0.23	0.22	0.04	0.05	0.03	0.04
Sedatives	0.22	0.22	0.03	0.04	0.03	0.03
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.48	0.48	0.22	0.22	0.15	0.14

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.8P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 35 or Older: P Values from Tests of Differences of Percentages, 2013 Versus 2012

Drug	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
ILLICIT DRUGS¹	0.1963		0.4936		0.8634	
Marijuana and Hashish	0.1194		0.8636		0.6377	
Cocaine	0.9561		0.0118		0.2408	
Crack	0.9456		0.1079		0.5411	
Heroin	0.7552		0.8889		0.6301	
Hallucinogens	0.1051		0.7019		0.2443	
LSD	0.3520		0.5174		0.8431	
PCP	0.9210		0.9836		*	
Ecstasy	0.0059		0.9840		0.7820	
Inhalants	0.4294		0.7335		0.4175	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.4174		0.0803		0.4560	
Pain Relievers	0.2346		0.0483		0.8179	
OxyContin [®]	0.3086		0.5875		0.0008	
Tranquilizers	0.9154		0.0314		0.0549	
Stimulants ³	0.9794		0.4284		0.4411	
Methamphetamine ³	0.7599		0.2168		0.0958	
Sedatives	0.1632		0.9446		0.3743	
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.9484		0.0895		0.5269	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.9C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Males Aged 12 or Older: Standard Errors of Numbers in Thousands, 2012 and 2013

Drug	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
ILLICIT DRUGS¹	660	702	455	472	357	363
Marijuana and Hashish	679	717	417	416	329	321
Cocaine	525	508	188	154	128	101
Crack	299	264	103	59	83	47
Heroin	206	228	71	58	47	33
Hallucinogens	497	524	137	167	74	119
LSD	433	447	70	57	17	24
PCP	257	267	32	14	12	3
Ecstasy	318	339	107	116	58	82
Inhalants	385	416	109	95	61	56
Nonmedical Use of Psychotherapeutics ^{2,3}	557	529	293	276	181	180
Pain Relievers	463	434	276	227	152	146
OxyContin [®]	200	205	82	104	41	73
Tranquilizers	395	373	166	159	106	79
Stimulants ³	408	380	122	123	85	86
Methamphetamine ³	341	322	95	97	63	78
Sedatives	299	268	43	59	41	48
ILLICIT DRUGS OTHER THAN MARIJUANA¹	637	624	342	330	224	231

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.9D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Males Aged 12 or Older: Standard Errors of Percentages, 2012 and 2013

Drug	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
ILLCIT DRUGS¹	0.52	0.55	0.36	0.37	0.28	0.29
Marijuana and Hashish	0.54	0.56	0.33	0.33	0.26	0.25
Cocaine	0.42	0.40	0.15	0.12	0.10	0.08
Crack	0.24	0.21	0.08	0.05	0.07	0.04
Heroin	0.16	0.18	0.06	0.05	0.04	0.03
Hallucinogens	0.39	0.41	0.11	0.13	0.06	0.09
LSD	0.34	0.35	0.06	0.04	0.01	0.02
PCP	0.20	0.21	0.03	0.01	0.01	0.00
Ecstasy	0.25	0.27	0.09	0.09	0.05	0.06
Inhalants	0.31	0.33	0.09	0.07	0.05	0.04
Nonmedical Use of Psychotherapeutics ^{2,3}	0.44	0.42	0.23	0.22	0.14	0.14
Pain Relievers	0.37	0.34	0.22	0.18	0.12	0.11
OxyContin [®]	0.16	0.16	0.07	0.08	0.03	0.06
Tranquilizers	0.31	0.29	0.13	0.13	0.08	0.06
Stimulants ³	0.32	0.30	0.10	0.10	0.07	0.07
Methamphetamine ³	0.27	0.25	0.08	0.08	0.05	0.06
Sedatives	0.24	0.21	0.03	0.05	0.03	0.04
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.51	0.49	0.27	0.26	0.18	0.18

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.9P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Males Aged 12 or Older: P Values from Tests of Differences of Percentages, 2013 Versus 2012

Drug	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
ILLCIT DRUGS¹	0.9102		0.6038		0.8655	
Marijuana and Hashish	0.2664		0.5615		0.8276	
Cocaine	0.6164		0.0535		0.2141	
Crack	0.0501		0.0071		0.2373	
Heroin	0.6334		0.7024		0.1404	
Hallucinogens	0.3625		0.9634		0.1887	
LSD	0.7381		0.7548		0.1425	
PCP	0.2782		0.0600		0.1437	
Ecstasy	0.3149		0.5618		0.4915	
Inhalants	0.4589		0.7988		0.9651	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0132		0.0136		0.3095	
Pain Relievers	0.0007		0.0021		0.1931	
OxyContin [®]	0.8291		1.0000		0.3701	
Tranquilizers	0.4722		0.0671		0.0855	
Stimulants ³	0.7072		0.8588		0.4285	
Methamphetamine ³	0.6054		0.6223		0.0649	
Sedatives	0.2004		0.2650		0.8241	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.1057		0.0236		0.4354	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.10C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Females Aged 12 or Older: Standard Errors of Numbers in Thousands, 2012 and 2013

Drug	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
ILLICIT DRUGS¹	661	698	392	433	289	343
Marijuana and Hashish	676	685	307	357	231	294
Cocaine	431	439	99	109	56	84
Crack	161	238	42	51	33	43
Heroin	117	152	32	37	17	27
Hallucinogens	412	438	91	117	54	57
LSD	326	348	40	47	26	27
PCP	162	214	11	15	4	15
Ecstasy	225	286	70	96	42	40
Inhalants	252	289	51	44	23	29
Nonmedical Use of Psychotherapeutics ^{2,3}	509	556	277	284	173	179
Pain Relievers	394	434	232	241	135	147
OxyContin [®]	135	177	61	53	21	31
Tranquilizers	355	409	184	159	119	86
Stimulants ³	349	349	103	126	54	74
Methamphetamine ³	232	251	57	55	40	29
Sedatives	230	247	50	60	27	48
ILLICIT DRUGS OTHER THAN MARIJUANA¹	572	630	297	303	190	195

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.10D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Females Aged 12 or Older: Standard Errors of Percentages, 2012 and 2013

Drug	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
ILLCIT DRUGS¹	0.49	0.52	0.29	0.32	0.22	0.25
Marijuana and Hashish	0.50	0.51	0.23	0.26	0.17	0.22
Cocaine	0.32	0.32	0.07	0.08	0.04	0.06
Crack	0.12	0.18	0.03	0.04	0.02	0.03
Heroin	0.09	0.11	0.02	0.03	0.01	0.02
Hallucinogens	0.31	0.32	0.07	0.09	0.04	0.04
LSD	0.24	0.26	0.03	0.03	0.02	0.02
PCP	0.12	0.16	0.01	0.01	0.00	0.01
Ecstasy	0.17	0.21	0.05	0.07	0.03	0.03
Inhalants	0.19	0.21	0.04	0.03	0.02	0.02
Nonmedical Use of Psychotherapeutics ^{2,3}	0.38	0.41	0.21	0.21	0.13	0.13
Pain Relievers	0.29	0.32	0.17	0.18	0.10	0.11
OxyContin [®]	0.10	0.13	0.05	0.04	0.02	0.02
Tranquilizers	0.26	0.30	0.14	0.12	0.09	0.06
Stimulants ³	0.26	0.26	0.08	0.09	0.04	0.05
Methamphetamine ³	0.17	0.19	0.04	0.04	0.03	0.02
Sedatives	0.17	0.18	0.04	0.04	0.02	0.04
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.43	0.47	0.22	0.22	0.14	0.14

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.10P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Females Aged 12 or Older: P Values from Tests of Differences of Percentages, 2013 Versus 2012

Drug	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
ILLICIT DRUGS¹	0.1337		0.9107		0.2066	
Marijuana and Hashish	0.1427		0.0878		0.0717	
Cocaine	0.9572		0.7058		0.3880	
Crack	0.0606		0.7844		0.4214	
Heroin	0.0655		0.4020		0.2619	
Hallucinogens	0.1761		0.5346		0.9053	
LSD	0.2037		0.2408		0.9878	
PCP	0.3403		0.3432		0.2349	
Ecstasy	0.0056		0.7258		0.4653	
Inhalants	0.6048		0.0386		0.8871	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.8253		0.2084		0.5539	
Pain Relievers	0.7285		0.1881		0.5869	
OxyContin [®]	0.2262		0.5577		0.1526	
Tranquilizers	0.9610		0.0622		0.1334	
Stimulants ³	0.7274		0.4869		0.3472	
Methamphetamine ³	0.7135		0.5386		0.4634	
Sedatives	0.9786		0.6296		0.8945	
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.3482		0.2179		0.8697	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.