

**Table 1.49C Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	765	785	406	418	265	256
<b>AGE</b>						
12-17	64	63	53	50	37	32
18-25	151	149	111	110	74	69
26 or Older	740	751	380	386	247	244
<b>GENDER</b>						
Male	557	529	293	276	181	180
Female	509	556	277	284	173	179
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	711	731	358	364	240	228
White	662	671	329	327	221	203
Black or African American	218	205	143	111	70	94
American Indian or Alaska Native	60	45	39	30	22	8
Native Hawaiian or Other Pacific Islander	51	49	12	11	5	5
Asian	142	144	71	56	41	29
Two or More Races	88	126	33	66	17	23
Hispanic or Latino	313	272	186	172	101	121

\*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 1.49D Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	0.29	0.30	0.16	0.16	0.10	0.10
<b>AGE</b>						
12-17	0.26	0.25	0.21	0.20	0.15	0.13
18-25	0.44	0.43	0.32	0.32	0.21	0.20
26 or Older	0.37	0.37	0.19	0.19	0.12	0.12
<b>GENDER</b>						
Male	0.44	0.42	0.23	0.22	0.14	0.14
Female	0.38	0.41	0.21	0.21	0.13	0.13
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.32	0.33	0.16	0.16	0.11	0.10
White	0.39	0.39	0.19	0.19	0.13	0.12
Black or African American	0.71	0.66	0.46	0.35	0.23	0.30
American Indian or Alaska Native	3.60	2.97	2.52	2.04	1.52	0.53
Native Hawaiian or Other Pacific Islander	4.70	4.88	1.20	1.29	0.48	0.61
Asian	1.05	1.02	0.54	0.42	0.33	0.22
Two or More Races	2.08	2.55	0.83	1.48	0.41	0.54
Hispanic or Latino	0.78	0.66	0.46	0.42	0.25	0.29

\*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 1.49P Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012**

<b>Demographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	0.1119		0.0121		0.2760	
<b>AGE</b>						
12-17	0.0012		0.0061		0.0023	
18-25	0.0122		0.0011		0.0771	
26 or Older	0.3796		0.1677		0.8243	
<b>GENDER</b>						
Male	0.0132		0.0136		0.3095	
Female	0.8253		0.2084		0.5539	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.4067		0.0120		0.0812	
White	0.8154		0.0829		0.1115	
Black or African American	0.1174		0.0088		0.8835	
American Indian or Alaska Native	0.3011		0.7460		0.1272	
Native Hawaiian or Other Pacific Islander	0.4033		0.6227		0.8219	
Asian	0.3947		0.3878		0.3321	
Two or More Races	0.4662		0.2390		0.9208	
Hispanic or Latino	0.0435		0.4512		0.2638	

\*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 1.50C Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	64	63	53	50	37	32
<b>GENDER</b>						
Male	46	47	38	39	26	23
Female	46	44	38	32	27	21
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	53	55	45	44	31	28
White	51	51	43	40	28	23
Black or African American	26	26	21	19	15	15
American Indian or Alaska Native	5	7	3	6	3	2
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	10	10	7	7	5	3
Two or More Races	13	14	12	8	8	4
Hispanic or Latino	37	34	27	25	19	15
<b>GENDER/RACE/HISPANIC ORIGIN</b>						
Male, White, Not Hispanic	34	37	27	29	18	16
Female, White, Not Hispanic	38	33	32	26	21	15
Male, Black, Not Hispanic	18	19	13	14	7	12
Female, Black, Not Hispanic	19	18	17	13	13	9
Male, Hispanic	28	24	23	20	16	10
Female, Hispanic	27	25	19	18	12	12

\*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 1.50D Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Percentages, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	0.26	0.25	0.21	0.20	0.15	0.13
<b>GENDER</b>						
Male	0.36	0.37	0.29	0.30	0.20	0.18
Female	0.38	0.36	0.31	0.27	0.22	0.17
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.27	0.28	0.23	0.23	0.16	0.14
White	0.32	0.33	0.28	0.27	0.19	0.17
Black or African American	0.70	0.70	0.57	0.52	0.40	0.42
American Indian or Alaska Native	3.01	3.84	1.94	3.61	1.61	1.14
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	0.84	0.79	0.54	0.55	0.38	0.20
Two or More Races	1.66	1.69	1.53	1.05	1.02	0.55
Hispanic or Latino	0.67	0.61	0.50	0.45	0.35	0.28
<b>GENDER/RACE/HISPANIC ORIGIN</b>						
Male, White, Not Hispanic	0.45	0.48	0.36	0.39	0.25	0.23
Female, White, Not Hispanic	0.50	0.45	0.44	0.37	0.30	0.22
Male, Black, Not Hispanic	0.96	1.00	0.73	0.78	0.39	0.66
Female, Black, Not Hispanic	1.02	0.97	0.91	0.72	0.69	0.54
Male, Hispanic	0.91	0.81	0.77	0.67	0.57	0.36
Female, Hispanic	0.99	0.86	0.68	0.61	0.44	0.43

\*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 1.50P Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012**

<b>Demographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	0.0012		0.0061		0.0023	
<b>GENDER</b>						
Male	0.1214		0.3789		0.1403	
Female	0.0032		0.0023		0.0044	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.0024		0.0040		0.0020	
White	0.0095		0.0199		0.0014	
Black or African American	0.1562		0.0819		0.9707	
American Indian or Alaska Native	0.7805		0.3272		0.1225	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.8052		0.7390		0.1624	
Two or More Races	0.6134		0.2642		0.2657	
Hispanic or Latino	0.2150		0.5874		0.4754	
<b>GENDER/RACE/HISPANIC ORIGIN</b>						
Male, White, Not Hispanic	0.3211		0.5796		0.1093	
Female, White, Not Hispanic	0.0063		0.0059		0.0029	
Male, Black, Not Hispanic	0.2430		0.2043		0.2586	
Female, Black, Not Hispanic	0.3965		0.2484		0.3120	
Male, Hispanic	0.5395		0.7057		0.3212	
Female, Hispanic	0.2499		0.7079		0.9272	

\*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 1.51C Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	151	149	111	110	74	69
<b>GENDER</b>						
Male	105	106	84	82	52	51
Female	101	101	72	72	49	45
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	135	130	99	96	67	62
White	168	160	107	109	65	60
Black or African American	55	53	41	32	24	23
American Indian or Alaska Native	*	11	*	7	4	6
Native Hawaiian or Other Pacific Islander	*	10	5	6	4	1
Asian	31	29	23	18	18	10
Two or More Races	30	24	24	18	9	8
Hispanic or Latino	69	69	53	47	31	30
<b>EDUCATION</b>						
< High School	72	68	54	48	28	31
High School Graduate	109	98	78	68	44	39
Some College	125	108	86	74	51	42
College Graduate	66	76	43	48	22	26
<b>CURRENT EMPLOYMENT</b>						
Full-Time	114	119	74	78	48	45
Part-Time	103	100	71	68	39	40
Unemployed	58	63	43	44	32	26
Other <sup>1</sup>	92	72	68	49	31	29

\*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 1.51D Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Percentages, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	0.44	0.43	0.32	0.32	0.21	0.20
<b>GENDER</b>						
Male	0.60	0.61	0.48	0.47	0.30	0.29
Female	0.59	0.58	0.42	0.41	0.28	0.26
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.49	0.47	0.36	0.35	0.24	0.22
White	0.57	0.58	0.43	0.44	0.30	0.28
Black or African American	0.99	0.88	0.77	0.59	0.46	0.45
American Indian or Alaska Native	*	3.64	*	2.66	1.41	2.41
Native Hawaiian or Other Pacific Islander	*	4.51	2.62	3.05	1.99	0.48
Asian	1.54	1.48	1.25	0.99	0.98	0.54
Two or More Races	2.87	2.83	2.75	2.31	1.20	1.11
Hispanic or Latino	0.97	0.95	0.74	0.65	0.44	0.42
<b>EDUCATION</b>						
< High School	1.10	1.03	0.91	0.81	0.51	0.53
High School Graduate	0.68	0.69	0.53	0.52	0.36	0.32
Some College	0.72	0.69	0.58	0.52	0.39	0.33
College Graduate	1.01	1.05	0.74	0.79	0.41	0.50
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.64	0.70	0.50	0.51	0.34	0.32
Part-Time	0.84	0.79	0.66	0.60	0.39	0.40
Unemployed	1.19	1.26	0.98	0.97	0.75	0.60
Other <sup>1</sup>	0.87	0.84	0.71	0.61	0.39	0.38

\*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 1.51P Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012**

<b>Demographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	0.0122		0.0011		0.0771	
<b>GENDER</b>						
Male	0.2355		0.1258		0.5960	
Female	0.0117		0.0010		0.0342	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.0060		0.0003		0.0907	
White	0.0087		0.0065		0.1113	
Black or African American	0.8656		0.1237		0.8906	
American Indian or Alaska Native	*		*		0.3238	
Native Hawaiian or Other Pacific Islander	*		0.9018		0.1441	
Asian	0.9754		0.4864		0.3346	
Two or More Races	0.1059		0.4339		0.6145	
Hispanic or Latino	0.8633		0.8263		0.5627	
<b>EDUCATION</b>						
< High School	0.2528		0.0492		0.8120	
High School Graduate	0.2328		0.0206		0.0245	
Some College	0.0537		0.0594		0.1052	
College Graduate	0.4404		0.9215		0.0912	
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.0577		0.0611		0.1940	
Part-Time	0.0689		0.6199		0.7713	
Unemployed	0.3302		0.0209		0.0803	
Other <sup>1</sup>	0.8388		0.0198		0.6919	

\*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 1.52C Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	740	751	380	386	247	244
<b>GENDER</b>						
Male	546	514	280	253	172	173
Female	485	539	260	273	162	173
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	688	699	333	334	225	216
White	772	774	310	318	210	199
Black or African American	243	215	147	106	67	90
American Indian or Alaska Native	50	42	24	28	22	5
Native Hawaiian or Other Pacific Islander	*	*	10	7	3	1
Asian	142	138	67	52	37	27
Two or More Races	82	122	21	63	12	21
Hispanic or Latino	301	253	174	159	94	114
<b>EDUCATION</b>						
< High School	313	256	168	145	89	115
High School Graduate	418	377	214	186	133	123
Some College	446	459	210	207	123	137
College Graduate	516	542	175	218	129	120
<b>CURRENT EMPLOYMENT</b>						
Full-Time	647	622	282	278	172	158
Part-Time	301	335	124	160	92	111
Unemployed	195	166	108	99	88	70
Other <sup>1</sup>	396	437	198	204	104	138

\*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 1.52D Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	0.37	0.37	0.19	0.19	0.12	0.12
<b>GENDER</b>						
Male	0.57	0.53	0.29	0.26	0.18	0.18
Female	0.46	0.51	0.25	0.26	0.15	0.16
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.40	0.40	0.19	0.19	0.13	0.12
White	0.47	0.47	0.22	0.22	0.15	0.14
Black or African American	0.95	0.87	0.63	0.46	0.30	0.39
American Indian or Alaska Native	4.34	4.06	2.28	2.75	2.09	0.49
Native Hawaiian or Other Pacific Islander	*	*	1.37	1.18	0.46	0.22
Asian	1.35	1.28	0.66	0.51	0.38	0.27
Two or More Races	3.02	3.81	0.77	2.18	0.44	0.77
Hispanic or Latino	1.09	0.89	0.63	0.56	0.34	0.40
<b>EDUCATION</b>						
< High School	0.95	0.91	0.56	0.53	0.31	0.42
High School Graduate	0.64	0.59	0.36	0.31	0.23	0.21
Some College	0.74	0.77	0.40	0.39	0.24	0.26
College Graduate	0.68	0.71	0.28	0.31	0.20	0.18
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.52	0.50	0.26	0.25	0.16	0.15
Part-Time	1.09	1.16	0.51	0.65	0.39	0.46
Unemployed	1.74	1.93	1.08	1.25	0.88	0.91
Other <sup>1</sup>	0.57	0.62	0.31	0.31	0.16	0.21

\*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 1.52P Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012**

<b>Demographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	0.3796		0.1677		0.8243	
<b>GENDER</b>						
Male	0.0271		0.0390		0.4908	
Female	0.3273		1.0000		0.7073	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.9065		0.2059		0.3379	
White	0.6837		0.4282		0.4144	
Black or African American	0.1321		0.0485		0.8477	
American Indian or Alaska Native	0.4505		0.5890		0.0810	
Native Hawaiian or Other Pacific Islander	*		0.6968		0.2830	
Asian	0.3854		0.5063		0.6142	
Two or More Races	0.2220		0.0406		0.3883	
Hispanic or Latino	0.0551		0.5209		0.1380	
<b>EDUCATION</b>						
< High School	0.0501		0.5005		0.0959	
High School Graduate	0.2454		0.2465		0.8058	
Some College	0.6107		0.4023		0.8068	
College Graduate	1.0000		0.9517		0.1029	
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.0060		0.0073		0.0459	
Part-Time	0.0083		0.3417		0.7883	
Unemployed	0.6613		0.5189		0.9899	
Other <sup>1</sup>	0.3802		0.6581		0.0177	

\*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 1.53C Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	759	778	398	415	263	255
<b>GENDER</b>						
Male	553	525	290	273	180	179
Female	507	551	273	283	171	179
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	707	724	352	361	240	226
White	811	804	339	344	226	207
Black or African American	252	225	151	111	70	95
American Indian or Alaska Native	59	44	38	29	22	8
Native Hawaiian or Other Pacific Islander	*	*	11	9	5	2
Asian	142	143	71	55	41	29
Two or More Races	87	124	31	66	15	22
Hispanic or Latino	309	270	182	169	98	119
<b>EDUCATION</b>						
< High School	322	272	173	156	93	120
High School Graduate	429	390	228	195	142	127
Some College	471	470	226	225	130	142
College Graduate	529	552	184	221	132	122
<b>CURRENT EMPLOYMENT</b>						
Full-Time	659	640	290	289	180	163
Part-Time	318	351	147	174	101	117
Unemployed	202	176	115	110	92	76
Other <sup>1</sup>	404	442	209	210	110	141

\*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 1.53D Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	0.32	0.33	0.17	0.17	0.11	0.11
<b>GENDER</b>						
Male	0.49	0.46	0.26	0.24	0.16	0.16
Female	0.42	0.45	0.22	0.23	0.14	0.15
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.35	0.36	0.18	0.18	0.12	0.11
White	0.42	0.43	0.21	0.21	0.14	0.13
Black or African American	0.79	0.73	0.52	0.39	0.25	0.34
American Indian or Alaska Native	4.00	3.36	2.80	2.25	1.69	0.59
Native Hawaiian or Other Pacific Islander	*	*	1.24	1.19	0.54	0.20
Asian	1.15	1.12	0.59	0.46	0.36	0.24
Two or More Races	2.55	3.07	0.93	1.80	0.45	0.64
Hispanic or Latino	0.89	0.76	0.52	0.47	0.28	0.33
<b>EDUCATION</b>						
< High School	0.82	0.79	0.49	0.47	0.27	0.36
High School Graduate	0.55	0.51	0.31	0.27	0.20	0.18
Some College	0.62	0.63	0.34	0.34	0.20	0.22
College Graduate	0.64	0.67	0.27	0.29	0.19	0.17
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.46	0.45	0.24	0.23	0.15	0.13
Part-Time	0.82	0.87	0.43	0.50	0.30	0.34
Unemployed	1.25	1.31	0.80	0.90	0.65	0.63
Other <sup>1</sup>	0.52	0.56	0.29	0.28	0.15	0.19

\*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 1.53P Nonmedical Use of Prescription-Type Psychotherapeutics in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012**

<b>Demographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	0.1738		0.0281		0.4773	
<b>GENDER</b>						
Male	0.0167		0.0171		0.4076	
Female	0.6427		0.3815		0.8261	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.5245		0.0287		0.1689	
White	0.9384		0.1382		0.2198	
Black or African American	0.1491		0.0179		0.8838	
American Indian or Alaska Native	0.2931		0.6458		0.1708	
Native Hawaiian or Other Pacific Islander	*		0.9553		0.1044	
Asian	0.4032		0.3996		0.4066	
Two or More Races	0.4321		0.1598		0.6497	
Hispanic or Latino	0.0586		0.4935		0.2147	
<b>EDUCATION</b>						
< High School	0.0483		0.3220		0.0961	
High School Graduate	0.1689		0.0726		0.3713	
Some College	0.9625		0.1531		0.7234	
College Graduate	0.9029		0.8976		0.1843	
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.0024		0.0021		0.0223	
Part-Time	0.0453		0.5142		0.8875	
Unemployed	0.5080		0.9832		0.6173	
Other <sup>1</sup>	0.4407		0.8234		0.0322	

\*Low precision; no estimate reported.

NOTE: Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

NOTE: Estimates in this table include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.