

Table 1.54C Nonmedical Use of Pain Relievers in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013

Demographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	622	640	355	343	211	206
AGE						
12-17	58	58	47	46	32	29
18-25	138	133	97	97	65	59
26 or Older	589	616	332	315	199	196
GENDER						
Male	463	434	276	227	152	146
Female	394	434	232	241	135	147
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	570	594	313	300	195	193
White	522	549	277	263	174	169
Black or African American	189	174	140	102	66	79
American Indian or Alaska Native	41	36	26	24	21	5
Native Hawaiian or Other Pacific Islander	*	47	11	10	2	5
Asian	107	106	67	53	38	25
Two or More Races	75	88	26	66	16	22
Hispanic or Latino	254	243	159	142	74	90

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.54D Nonmedical Use of Pain Relievers in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2012 and 2013

Demographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	0.24	0.24	0.14	0.13	0.08	0.08
AGE						
12-17	0.23	0.23	0.19	0.18	0.13	0.11
18-25	0.40	0.38	0.28	0.28	0.19	0.17
26 or Older	0.29	0.30	0.17	0.16	0.10	0.10
GENDER						
Male	0.37	0.34	0.22	0.18	0.12	0.11
Female	0.29	0.32	0.17	0.18	0.10	0.11
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.26	0.27	0.14	0.14	0.09	0.09
White	0.31	0.32	0.16	0.15	0.10	0.10
Black or African American	0.62	0.56	0.45	0.33	0.21	0.25
American Indian or Alaska Native	2.70	2.41	1.75	1.65	1.45	0.38
Native Hawaiian or Other Pacific Islander	*	4.76	1.08	1.14	0.16	0.61
Asian	0.78	0.79	0.51	0.39	0.30	0.19
Two or More Races	1.74	1.95	0.65	1.47	0.39	0.53
Hispanic or Latino	0.63	0.59	0.39	0.35	0.18	0.22

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.54P Nonmedical Use of Pain Relievers in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012

Demographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	0.0293		0.0019		0.2010	
AGE						
12-17	0.0014		0.0076		0.0017	
18-25	0.0033		0.0006		0.0342	
26 or Older	0.1951		0.0556		0.8288	
GENDER						
Male	0.0007		0.0021		0.1931	
Female	0.7285		0.1881		0.5869	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.0726		0.0029		0.0911	
White	0.2811		0.0276		0.1543	
Black or African American	0.0279		0.0030		0.6077	
American Indian or Alaska Native	0.5568		0.6996		0.1072	
Native Hawaiian or Other Pacific Islander	*		0.5962		0.2863	
Asian	0.3937		0.4647		0.3215	
Two or More Races	0.6841		0.0735		0.8389	
Hispanic or Latino	0.2122		0.2609		0.4544	

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.55C Nonmedical Use of Pain Relievers in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013

Demographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	58	58	47	46	32	29
GENDER						
Male	42	43	35	34	23	20
Female	43	39	33	30	23	19
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	49	50	40	40	27	25
White	45	44	36	35	23	20
Black or African American	24	25	19	18	12	14
American Indian or Alaska Native	5	6	2	6	2	2
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	9	9	5	7	4	2
Two or More Races	13	13	11	8	8	4
Hispanic or Latino	32	31	25	22	17	14
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	30	33	24	26	17	14
Female, White, Not Hispanic	34	28	27	23	17	12
Male, Black, Not Hispanic	17	18	13	13	6	11
Female, Black, Not Hispanic	18	17	15	12	11	9
Male, Hispanic	25	21	20	17	14	9
Female, Hispanic	25	23	18	16	12	11

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.55D Nonmedical Use of Pain Relievers in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Percentages, 2012 and 2013

Demographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	0.23	0.23	0.19	0.18	0.13	0.11
GENDER						
Male	0.33	0.34	0.27	0.27	0.18	0.16
Female	0.35	0.32	0.27	0.25	0.19	0.15
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.25	0.26	0.21	0.21	0.14	0.13
White	0.30	0.29	0.25	0.24	0.16	0.14
Black or African American	0.64	0.68	0.52	0.48	0.34	0.39
American Indian or Alaska Native	3.01	3.75	1.56	3.51	1.30	1.14
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	0.70	0.70	0.45	0.52	0.34	0.17
Two or More Races	1.63	1.63	1.46	1.01	1.01	0.49
Hispanic or Latino	0.58	0.56	0.46	0.40	0.31	0.25
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	0.41	0.44	0.33	0.36	0.23	0.20
Female, White, Not Hispanic	0.46	0.39	0.38	0.33	0.25	0.18
Male, Black, Not Hispanic	0.91	0.96	0.69	0.71	0.34	0.60
Female, Black, Not Hispanic	0.94	0.93	0.84	0.69	0.60	0.50
Male, Hispanic	0.83	0.73	0.69	0.57	0.48	0.31
Female, Hispanic	0.89	0.80	0.65	0.56	0.43	0.39

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 1.55P Nonmedical Use of Pain Relievers in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics:
P Values from Tests of Differences of Percentages, 2013 Versus 2012**

Demographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	0.0014		0.0076		0.0017	
GENDER						
Male	0.0358		0.1106		0.0497	
Female	0.0196		0.0285		0.0126	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.0050		0.0194		0.0024	
White	0.0156		0.0760		0.0017	
Black or African American	0.1351		0.0572		0.9610	
American Indian or Alaska Native	0.8229		0.2211		0.5624	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	1.0000		0.9899		0.1796	
Two or More Races	0.6103		0.3966		0.1557	
Hispanic or Latino	0.1433		0.2102		0.3200	
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	0.2919		0.4794		0.0628	
Female, White, Not Hispanic	0.0153		0.0655		0.0070	
Male, Black, Not Hispanic	0.1655		0.0492		0.5159	
Female, Black, Not Hispanic	0.4603		0.4867		0.5022	
Male, Hispanic	0.1590		0.2881		0.2124	
Female, Hispanic	0.5050		0.5098		0.9210	

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.56C Nonmedical Use of Pain Relievers in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013

Demographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	138	133	97	97	65	59
GENDER						
Male	96	100	71	74	45	46
Female	91	84	65	63	42	38
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	125	118	89	86	59	52
White	143	132	89	89	51	48
Black or African American	53	48	38	30	22	22
American Indian or Alaska Native	11	10	10	6	3	5
Native Hawaiian or Other Pacific Islander	*	9	3	6	1	1
Asian	28	22	22	14	17	8
Two or More Races	30	24	15	18	9	8
Hispanic or Latino	63	63	42	43	27	27
EDUCATION						
< High School	60	63	40	46	26	28
High School Graduate	96	89	65	62	38	37
Some College	107	91	68	61	40	34
College Graduate	55	57	32	37	17	18
CURRENT EMPLOYMENT						
Full-Time	98	104	64	68	42	39
Part-Time	93	83	57	58	31	34
Unemployed	53	56	41	40	30	21
Other ¹	69	59	46	39	25	23

*Low precision; no estimate reported.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.56D Nonmedical Use of Pain Relievers in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Percentages, 2012 and 2013

Demographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	0.40	0.38	0.28	0.28	0.19	0.17
GENDER						
Male	0.55	0.57	0.41	0.42	0.26	0.26
Female	0.53	0.49	0.38	0.36	0.25	0.22
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.46	0.43	0.32	0.31	0.21	0.19
White	0.54	0.53	0.40	0.40	0.25	0.24
Black or African American	0.96	0.80	0.72	0.55	0.44	0.42
American Indian or Alaska Native	4.22	3.49	3.42	2.40	1.27	2.07
Native Hawaiian or Other Pacific Islander	*	4.24	1.76	3.04	0.58	0.41
Asian	1.45	1.19	1.18	0.76	0.92	0.45
Two or More Races	2.88	2.81	1.90	2.33	1.12	1.04
Hispanic or Latino	0.88	0.87	0.59	0.59	0.38	0.38
EDUCATION						
< High School	1.00	0.98	0.72	0.77	0.48	0.49
High School Graduate	0.66	0.64	0.48	0.49	0.31	0.30
Some College	0.67	0.64	0.49	0.45	0.32	0.27
College Graduate	0.91	0.90	0.57	0.65	0.32	0.36
CURRENT EMPLOYMENT						
Full-Time	0.59	0.64	0.44	0.46	0.31	0.28
Part-Time	0.81	0.73	0.55	0.53	0.32	0.35
Unemployed	1.13	1.17	0.92	0.88	0.71	0.50
Other ¹	0.72	0.72	0.53	0.51	0.32	0.30

*Low precision; no estimate reported.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.56P Nonmedical Use of Pain Relievers in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012

Demographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	0.0033		0.0006		0.0342	
GENDER						
Male	0.0621		0.1302		0.3583	
Female	0.0148		0.0005		0.0236	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.0011		0.0001		0.0239	
White	0.0048		0.0016		0.0284	
Black or African American	0.4874		0.0632		0.8620	
American Indian or Alaska Native	0.5910		0.6743		0.4610	
Native Hawaiian or Other Pacific Islander	*		0.3815		0.3653	
Asian	0.5274		0.1831		0.2990	
Two or More Races	0.0698		0.9711		0.6791	
Hispanic or Latino	0.9930		0.9172		0.8258	
EDUCATION						
< High School	0.1566		0.1215		0.3791	
High School Graduate	0.1330		0.0473		0.1458	
Some College	0.0381		0.0077		0.0401	
College Graduate	0.4611		0.8222		0.3849	
CURRENT EMPLOYMENT						
Full-Time	0.0254		0.0173		0.0882	
Part-Time	0.1254		0.3662		0.9741	
Unemployed	0.0804		0.0497		0.0306	
Other ¹	0.8022		0.0850		0.7123	

*Low precision; no estimate reported.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.57C Nonmedical Use of Pain Relievers in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013

Demographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	589	616	332	315	199	196
GENDER						
Male	448	419	263	209	144	139
Female	375	425	216	226	126	141
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	544	569	291	275	184	182
White	566	581	261	251	167	165
Black or African American	206	176	143	98	62	74
American Indian or Alaska Native	38	32	24	22	21	2
Native Hawaiian or Other Pacific Islander	*	*	10	4	1	1
Asian	105	102	63	50	34	24
Two or More Races	67	84	19	63	11	21
Hispanic or Latino	241	226	150	133	70	84
EDUCATION						
< High School	244	201	158	114	74	83
High School Graduate	341	322	185	165	97	104
Some College	353	350	182	172	99	117
College Graduate	342	393	140	166	112	100
CURRENT EMPLOYMENT						
Full-Time	481	494	247	234	149	129
Part-Time	226	253	103	133	68	88
Unemployed	173	134	92	83	69	66
Other ¹	294	321	177	158	76	112

*Low precision; no estimate reported.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.57D Nonmedical Use of Pain Relievers in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2012 and 2013

Demographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	0.29	0.30	0.17	0.16	0.10	0.10
GENDER						
Male	0.47	0.43	0.27	0.22	0.15	0.14
Female	0.36	0.40	0.21	0.21	0.12	0.13
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.31	0.33	0.17	0.16	0.11	0.10
White	0.36	0.39	0.19	0.18	0.12	0.12
Black or African American	0.83	0.74	0.61	0.42	0.27	0.32
American Indian or Alaska Native	3.50	3.19	2.25	2.16	2.00	0.18
Native Hawaiian or Other Pacific Islander	*	*	1.27	0.78	0.14	0.22
Asian	1.00	0.98	0.62	0.49	0.35	0.23
Two or More Races	2.43	2.91	0.70	2.16	0.42	0.76
Hispanic or Latino	0.87	0.79	0.54	0.47	0.25	0.30
EDUCATION						
< High School	0.77	0.73	0.53	0.42	0.26	0.31
High School Graduate	0.55	0.51	0.31	0.28	0.17	0.18
Some College	0.63	0.63	0.35	0.33	0.19	0.23
College Graduate	0.49	0.55	0.22	0.24	0.18	0.15
CURRENT EMPLOYMENT						
Full-Time	0.41	0.42	0.23	0.22	0.14	0.12
Part-Time	0.88	0.95	0.43	0.54	0.29	0.36
Unemployed	1.62	1.63	0.95	1.06	0.71	0.85
Other ¹	0.44	0.47	0.27	0.24	0.12	0.17

*Low precision; no estimate reported.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.57P Nonmedical Use of Pain Relievers in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012

Demographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	0.1951		0.0556		0.8288	
GENDER						
Male	0.0041		0.0097		0.4467	
Female	0.2651		0.9525		0.6370	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.3580		0.0932		0.4899	
White	0.7405		0.2625		0.6676	
Black or African American	0.0596		0.0244		0.6312	
American Indian or Alaska Native	0.4274		0.6354		0.0619	
Native Hawaiian or Other Pacific Islander	*		0.3725		0.8885	
Asian	0.4609		0.7189		0.6215	
Two or More Races	0.2667		0.0283		0.3138	
Hispanic or Latino	0.2733		0.3230		0.2814	
EDUCATION						
< High School	0.0277		0.1044		0.2536	
High School Graduate	0.2063		0.5645		0.9386	
Some College	0.6507		0.1075		0.7101	
College Graduate	0.5376		0.9679		0.1266	
CURRENT EMPLOYMENT						
Full-Time	0.0073		0.0106		0.0944	
Part-Time	0.0496		0.9185		0.8404	
Unemployed	0.4089		0.6307		0.6213	
Other ¹	0.4424		0.9327		0.0292	

*Low precision; no estimate reported.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.58C Nonmedical Use of Pain Relievers in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013

Demographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	614	636	349	339	210	205
GENDER						
Male	459	431	273	225	151	145
Female	392	431	228	238	134	145
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	565	590	308	298	195	191
White	600	602	286	272	178	171
Black or African American	212	184	147	102	66	79
American Indian or Alaska Native	40	35	26	23	21	5
Native Hawaiian or Other Pacific Islander	*	*	10	8	2	1
Asian	106	106	66	52	38	25
Two or More Races	74	86	24	65	14	22
Hispanic or Latino	250	239	156	141	73	88
EDUCATION						
< High School	250	215	161	125	77	88
High School Graduate	350	334	196	173	105	109
Some College	375	363	196	187	106	122
College Graduate	353	396	145	169	113	101
CURRENT EMPLOYMENT						
Full-Time	490	510	254	244	156	132
Part-Time	247	266	119	144	75	94
Unemployed	181	145	99	94	73	70
Other ¹	299	325	184	164	80	114

*Low precision; no estimate reported.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.58D Nonmedical Use of Pain Relievers in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2012 and 2013

Demographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	0.26	0.27	0.15	0.14	0.09	0.09
GENDER						
Male	0.41	0.38	0.24	0.20	0.13	0.13
Female	0.32	0.35	0.19	0.19	0.11	0.12
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.28	0.29	0.15	0.15	0.10	0.09
White	0.33	0.35	0.18	0.17	0.11	0.11
Black or African American	0.69	0.62	0.51	0.36	0.24	0.28
American Indian or Alaska Native	2.99	2.70	1.95	1.80	1.61	0.42
Native Hawaiian or Other Pacific Islander	*	*	1.09	0.99	0.16	0.19
Asian	0.86	0.86	0.56	0.43	0.33	0.21
Two or More Races	2.11	2.36	0.72	1.78	0.42	0.63
Hispanic or Latino	0.72	0.67	0.45	0.39	0.21	0.25
EDUCATION						
< High School	0.67	0.64	0.46	0.38	0.23	0.27
High School Graduate	0.47	0.44	0.27	0.24	0.15	0.16
Some College	0.53	0.53	0.30	0.29	0.17	0.19
College Graduate	0.46	0.51	0.21	0.23	0.16	0.14
CURRENT EMPLOYMENT						
Full-Time	0.37	0.39	0.21	0.20	0.13	0.11
Part-Time	0.68	0.71	0.36	0.42	0.23	0.28
Unemployed	1.18	1.13	0.70	0.78	0.52	0.58
Other ¹	0.40	0.43	0.25	0.22	0.11	0.16

*Low precision; no estimate reported.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.58P Nonmedical Use of Pain Relievers in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012

Demographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	0.0552		0.0054		0.4024	
GENDER						
Male	0.0013		0.0039		0.3064	
Female	0.5676		0.3030		0.8503	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.1126		0.0070		0.1940	
White	0.3642		0.0462		0.3013	
Black or African American	0.0406		0.0069		0.6156	
American Indian or Alaska Native	0.5382		0.5437		0.1186	
Native Hawaiian or Other Pacific Islander	*		0.9757		0.8047	
Asian	0.3907		0.4591		0.3909	
Two or More Races	0.6305		0.0472		0.5084	
Hispanic or Latino	0.2819		0.3529		0.3458	
EDUCATION						
< High School	0.0255		0.0757		0.3518	
High School Graduate	0.1136		0.2419		0.6856	
Some College	0.3233		0.0184		0.7372	
College Graduate	0.6453		0.9494		0.1652	
CURRENT EMPLOYMENT						
Full-Time	0.0019		0.0020		0.0364	
Part-Time	0.1714		0.7867		0.8669	
Unemployed	0.2272		0.9557		0.8263	
Other ¹	0.5237		0.7050		0.0472	

*Low precision; no estimate reported.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.