

Table 1.59C Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	956	1,015	648	677	492	509
GEOGRAPHIC DIVISION						
Northeast	398	463	261	258	209	185
New England	181	225	111	141	101	100
Middle Atlantic	353	405	236	219	183	155
Midwest	368	395	248	247	166	190
East North Central	296	329	211	203	141	153
West North Central	236	225	134	137	85	106
South	602	654	374	412	285	306
South Atlantic	461	523	289	355	225	262
East South Central	219	211	132	119	86	101
West South Central	332	312	192	173	148	137
West	513	535	354	402	295	311
Mountain	233	248	152	170	118	128
Pacific	457	477	319	361	268	282
COUNTY TYPE						
Large Metro	1,221	1,317	568	589	415	405
Small Metro	916	961	416	446	294	329
250K – 1 Mil. Pop.	759	831	331	338	240	243
< 250K Pop.	575	570	256	300	177	228
Nonmetro	611	623	239	279	146	209
Urbanized	440	458	182	223	117	168
Less Urbanized	384	454	154	165	85	118
Completely Rural	244	196	55	83	41	66

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.59D Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	0.37	0.39	0.25	0.26	0.19	0.19
GEOGRAPHIC DIVISION						
Northeast	0.84	0.98	0.55	0.54	0.44	0.39
New England	1.46	1.80	0.89	1.13	0.82	0.80
Middle Atlantic	1.02	1.16	0.68	0.63	0.53	0.44
Midwest	0.66	0.70	0.44	0.44	0.30	0.34
East North Central	0.76	0.84	0.54	0.52	0.36	0.39
West North Central	1.38	1.31	0.78	0.79	0.50	0.62
South	0.62	0.67	0.39	0.42	0.30	0.31
South Atlantic	0.91	1.02	0.57	0.69	0.44	0.51
East South Central	1.42	1.36	0.86	0.77	0.56	0.65
West South Central	1.10	1.02	0.64	0.56	0.49	0.45
West	0.85	0.87	0.58	0.66	0.49	0.51
Mountain	1.27	1.33	0.83	0.91	0.64	0.68
Pacific	1.08	1.12	0.76	0.85	0.64	0.66
COUNTY TYPE						
Large Metro	0.53	0.58	0.36	0.36	0.28	0.27
Small Metro	0.65	0.67	0.47	0.49	0.35	0.38
250K – 1 Mil. Pop.	0.77	0.87	0.56	0.58	0.42	0.45
< 250K Pop.	1.16	1.07	0.82	0.92	0.61	0.75
Nonmetro	0.91	0.90	0.49	0.58	0.33	0.45
Urbanized	1.37	1.35	0.86	0.95	0.60	0.77
Less Urbanized	1.23	1.37	0.66	0.78	0.40	0.57
Completely Rural	2.82	2.38	1.01	1.57	0.76	1.29

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.59P Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	0.2653		0.7799		0.4809	
GEOGRAPHIC DIVISION						
Northeast	0.4600		0.2816		0.4995	
New England	0.1561		0.5826		0.8375	
Middle Atlantic	0.9656		0.3545		0.4989	
Midwest	0.8825		0.5878		0.7101	
East North Central	0.4220		0.3112		0.7983	
West North Central	0.1597		0.5315		0.2857	
South	0.3624		0.6765		0.2176	
South Atlantic	0.2393		0.1130		0.3536	
East South Central	0.9306		0.9704		0.1718	
West South Central	0.9224		0.0489		0.8899	
West	0.1361		0.9064		0.8692	
Mountain	0.3923		0.4690		0.2110	
Pacific	0.2186		0.8369		0.7255	
COUNTY TYPE						
Large Metro	0.4234		0.1020		0.5297	
Small Metro	0.7757		0.2694		0.3120	
250K – 1 Mil. Pop.	0.4521		0.6009		0.7100	
< 250K Pop.	0.5023		0.2297		0.2215	
Nonmetro	0.4030		0.3986		0.0701	
Urbanized	0.7234		0.6796		0.4762	
Less Urbanized	0.0902		0.7057		0.1653	
Completely Rural	0.7879		0.3345		0.1497	

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.60C Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	92	97	83	86	63	62
GEOGRAPHIC DIVISION						
Northeast	36	35	33	32	26	23
New England	18	16	16	14	13	10
Middle Atlantic	31	31	29	28	22	21
Midwest	39	36	32	34	23	24
East North Central	32	29	27	28	19	18
West North Central	23	20	17	18	13	15
South	60	61	53	49	42	35
South Atlantic	45	48	39	37	31	27
East South Central	20	18	18	16	12	11
West South Central	37	33	32	27	26	19
West	53	56	47	53	36	39
Mountain	27	28	24	22	18	20
Pacific	45	48	41	47	31	33
COUNTY TYPE						
Large Metro	100	89	83	75	59	51
Small Metro	61	73	50	59	35	38
250K – 1 Mil. Pop.	48	61	40	49	29	32
< 250K Pop.	41	38	32	31	20	19
Nonmetro	40	47	33	32	25	23
Urbanized	29	28	23	23	15	15
Less Urbanized	27	39	21	24	16	17
Completely Rural	15	12	14	10	12	7

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.60D Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Percentages, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	0.37	0.39	0.33	0.35	0.25	0.25
GEOGRAPHIC DIVISION						
Northeast	0.85	0.84	0.77	0.75	0.60	0.56
New England	1.61	1.50	1.44	1.28	1.18	0.95
Middle Atlantic	1.00	1.00	0.91	0.90	0.71	0.67
Midwest	0.72	0.67	0.58	0.63	0.42	0.45
East North Central	0.84	0.78	0.72	0.76	0.50	0.47
West North Central	1.40	1.23	1.04	1.08	0.81	0.91
South	0.65	0.65	0.57	0.53	0.45	0.38
South Atlantic	0.96	1.04	0.85	0.80	0.66	0.57
East South Central	1.36	1.23	1.22	1.11	0.81	0.78
West South Central	1.15	1.01	1.00	0.85	0.80	0.59
West	0.89	0.94	0.79	0.88	0.60	0.65
Mountain	1.45	1.50	1.29	1.19	0.98	1.05
Pacific	1.10	1.18	0.98	1.16	0.76	0.81
COUNTY TYPE						
Large Metro	0.57	0.52	0.50	0.48	0.38	0.35
Small Metro	0.62	0.71	0.56	0.65	0.42	0.44
250K – 1 Mil. Pop.	0.72	0.86	0.65	0.79	0.50	0.56
< 250K Pop.	1.23	1.22	1.11	1.10	0.80	0.70
Nonmetro	0.84	0.98	0.74	0.73	0.60	0.56
Urbanized	1.13	1.38	1.06	1.16	0.83	0.79
Less Urbanized	1.33	1.63	1.11	1.11	0.90	0.91
Completely Rural	2.68	2.23	2.59	2.00	2.49	1.49

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.60P Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	0.0793		0.1506		0.0476	
GEOGRAPHIC DIVISION						
Northeast	0.6648		0.5928		0.9424	
New England	0.4721		0.4033		0.4241	
Middle Atlantic	0.9141		0.2930		0.7335	
Midwest	0.0332		0.1370		0.0505	
East North Central	0.0959		0.4580		0.1296	
West North Central	0.1848		0.1085		0.2197	
South	0.2385		0.0513		0.0321	
South Atlantic	0.8173		0.4635		0.0718	
East South Central	0.3754		0.8577		0.6691	
West South Central	0.1862		0.0105		0.1183	
West	0.9699		0.8120		0.8900	
Mountain	0.8125		0.8196		0.9018	
Pacific	0.8446		0.8848		0.8251	
COUNTY TYPE						
Large Metro	0.1149		0.2752		0.3382	
Small Metro	0.5788		0.7726		0.2238	
250K – 1 Mil. Pop.	0.6402		0.5830		0.1119	
< 250K Pop.	0.7531		0.7839		0.8057	
Nonmetro	0.4638		0.1698		0.1047	
Urbanized	0.2740		0.5140		0.5246	
Less Urbanized	0.4954		0.7697		0.4737	
Completely Rural	0.1197		0.0317		0.0454	

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.61C Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	175	168	174	166	138	143
GEOGRAPHIC DIVISION						
Northeast	66	71	69	67	60	52
New England	36	32	39	34	33	25
Middle Atlantic	56	59	58	53	50	45
Midwest	63	61	66	65	56	55
East North Central	51	51	55	53	50	44
West North Central	39	33	36	37	24	33
South	107	105	105	98	74	82
South Atlantic	83	80	85	77	60	65
East South Central	32	38	31	35	24	27
West South Central	58	53	50	51	36	41
West	106	96	102	93	87	85
Mountain	40	39	41	41	36	38
Pacific	98	89	93	84	79	76
COUNTY TYPE						
Large Metro	269	261	211	196	149	139
Small Metro	225	188	180	134	107	90
250K – 1 Mil. Pop.	167	142	133	101	81	67
< 250K Pop.	153	132	120	93	68	63
Nonmetro	99	118	64	87	43	60
Urbanized	72	93	49	66	31	45
Less Urbanized	69	81	42	59	29	41
Completely Rural	24	32	16	20	10	12

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.61D Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Percentages, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	0.51	0.48	0.50	0.48	0.40	0.41
GEOGRAPHIC DIVISION						
Northeast	1.08	1.15	1.12	1.09	0.97	0.85
New England	2.23	1.99	2.38	2.10	2.04	1.54
Middle Atlantic	1.24	1.31	1.28	1.17	1.10	0.99
Midwest	0.86	0.82	0.89	0.88	0.76	0.75
East North Central	1.01	1.00	1.08	1.04	0.99	0.86
West North Central	1.69	1.43	1.58	1.59	1.05	1.41
South	0.84	0.82	0.82	0.76	0.58	0.64
South Atlantic	1.26	1.22	1.30	1.17	0.92	1.00
East South Central	1.58	1.88	1.52	1.70	1.16	1.33
West South Central	1.39	1.25	1.20	1.19	0.85	0.97
West	1.28	1.15	1.22	1.11	1.04	1.01
Mountain	1.62	1.52	1.65	1.62	1.45	1.51
Pacific	1.69	1.52	1.60	1.43	1.35	1.30
COUNTY TYPE						
Large Metro	0.72	0.71	0.69	0.69	0.60	0.61
Small Metro	0.92	0.82	1.00	0.79	0.69	0.66
250K – 1 Mil. Pop.	1.12	1.02	1.24	0.95	0.89	0.79
< 250K Pop.	1.67	1.37	1.71	1.36	1.02	1.10
Nonmetro	1.11	1.08	0.96	1.06	0.75	0.84
Urbanized	1.68	1.57	1.44	1.44	1.14	1.20
Less Urbanized	1.71	1.77	1.45	1.79	1.09	1.36
Completely Rural	3.44	3.92	2.76	2.78	1.85	1.95

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.61P Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	0.2666		0.4531		0.7348	
GEOGRAPHIC DIVISION						
Northeast	0.2914		0.0700		0.2184	
New England	0.5873		0.3806		0.5368	
Middle Atlantic	0.0967		0.0040		0.0601	
Midwest	0.7367		0.6388		0.1403	
East North Central	0.5155		0.5573		0.8457	
West North Central	0.1411		0.9611		0.0008	
South	0.3053		0.4411		0.9366	
South Atlantic	0.8597		0.8050		0.6833	
East South Central	0.4571		0.7753		0.7508	
West South Central	0.2863		0.3812		0.5431	
West	0.7209		0.6763		0.7082	
Mountain	0.5040		0.7716		0.7596	
Pacific	0.9267		0.5408		0.7855	
COUNTY TYPE						
Large Metro	0.0975		0.3852		0.8359	
Small Metro	0.8797		0.5365		0.9151	
250K – 1 Mil. Pop.	0.7188		0.8129		0.7909	
< 250K Pop.	0.8106		0.4802		0.8558	
Nonmetro	0.6197		0.2601		0.0645	
Urbanized	0.6081		0.9097		0.1976	
Less Urbanized	0.2658		0.1158		0.1844	
Completely Rural	0.7578		0.8203		0.9393	

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.62C Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	925	978	583	622	452	472
GEOGRAPHIC DIVISION						
Northeast	381	451	230	233	187	172
New England	175	217	103	115	89	90
Middle Atlantic	336	396	205	206	165	146
Midwest	352	379	224	216	152	170
East North Central	286	319	195	176	131	136
West North Central	224	211	109	122	74	98
South	588	631	333	383	261	289
South Atlantic	455	502	255	331	203	247
East South Central	209	200	122	103	79	92
West South Central	319	299	171	153	136	129
West	499	505	329	367	274	287
Mountain	226	234	140	157	103	116
Pacific	447	448	295	328	251	261
COUNTY TYPE						
Large Metro	1,135	1,214	492	518	367	366
Small Metro	825	877	343	392	262	299
250K – 1 Mil. Pop.	697	751	288	296	224	221
< 250K Pop.	492	511	189	259	144	203
Nonmetro	554	569	214	247	130	185
Urbanized	396	419	162	197	106	144
Less Urbanized	344	406	136	135	72	103
Completely Rural	223	172	42	69	32	59

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.62D Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	0.46	0.48	0.29	0.31	0.23	0.23
GEOGRAPHIC DIVISION						
Northeast	1.04	1.22	0.62	0.63	0.51	0.46
New England	1.81	2.23	1.07	1.17	0.92	0.92
Middle Atlantic	1.24	1.45	0.76	0.75	0.61	0.54
Midwest	0.82	0.87	0.52	0.50	0.35	0.39
East North Central	0.96	1.06	0.65	0.59	0.44	0.45
West North Central	1.70	1.58	0.83	0.92	0.56	0.73
South	0.79	0.84	0.45	0.51	0.35	0.38
South Atlantic	1.15	1.25	0.64	0.82	0.51	0.61
East South Central	1.76	1.67	1.02	0.86	0.66	0.77
West South Central	1.40	1.30	0.75	0.66	0.60	0.56
West	1.08	1.07	0.71	0.78	0.59	0.61
Mountain	1.61	1.64	0.99	1.10	0.73	0.82
Pacific	1.39	1.37	0.92	1.00	0.78	0.80
COUNTY TYPE						
Large Metro	0.67	0.72	0.42	0.43	0.33	0.32
Small Metro	0.80	0.83	0.53	0.58	0.41	0.46
250K – 1 Mil. Pop.	0.94	1.07	0.64	0.68	0.51	0.53
< 250K Pop.	1.45	1.36	0.88	1.13	0.70	0.93
Nonmetro	1.11	1.11	0.59	0.68	0.38	0.52
Urbanized	1.72	1.70	1.03	1.14	0.71	0.89
Less Urbanized	1.50	1.68	0.80	0.85	0.45	0.66
Completely Rural	3.30	2.80	1.06	1.73	0.79	1.50

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.62P Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	0.1398		0.8816		0.3451	
GEOGRAPHIC DIVISION						
Northeast	0.5648		0.4944		0.7690	
New England	0.1183		0.4213		0.7431	
Middle Atlantic	0.8294		0.7370		0.8901	
Midwest	0.7771		0.6103		0.8561	
East North Central	0.5657		0.2395		0.9946	
West North Central	0.1788		0.3455		0.7441	
South	0.2251		0.3355		0.1072	
South Atlantic	0.2126		0.0536		0.1762	
East South Central	0.7779		0.9216		0.1967	
West South Central	0.8051		0.1381		0.7964	
West	0.1133		1.0000		0.9584	
Mountain	0.3259		0.4093		0.1904	
Pacific	0.2033		0.7007		0.6375	
COUNTY TYPE						
Large Metro	0.2058		0.2381		0.7474	
Small Metro	0.7496		0.1705		0.2354	
250K – 1 Mil. Pop.	0.4567		0.4980		0.6052	
< 250K Pop.	0.5697		0.1468		0.1957	
Nonmetro	0.4290		0.5349		0.1257	
Urbanized	0.7261		0.6780		0.6999	
Less Urbanized	0.1252		0.9483		0.2441	
Completely Rural	0.9072		0.2350		0.0676	

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.63C Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	953	999	639	666	485	503
GEOGRAPHIC DIVISION						
Northeast	392	459	256	256	206	184
New England	178	224	108	140	99	101
Middle Atlantic	348	402	232	216	181	155
Midwest	362	391	244	239	165	189
East North Central	294	327	206	196	139	152
West North Central	229	223	133	135	84	107
South	603	646	366	412	279	306
South Atlantic	466	519	286	357	221	263
East South Central	216	206	129	116	83	99
West South Central	326	303	185	169	144	136
West	512	516	350	389	291	301
Mountain	231	240	149	169	114	127
Pacific	457	460	316	347	266	272
COUNTY TYPE						
Large Metro	1,202	1,292	552	573	402	399
Small Metro	893	933	405	432	289	322
250K – 1 Mil. Pop.	740	805	324	325	237	237
< 250K Pop.	556	558	244	294	172	225
Nonmetro	599	607	232	274	141	207
Urbanized	430	451	175	219	114	165
Less Urbanized	376	437	149	158	81	114
Completely Rural	236	190	47	79	35	63

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.63D Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	0.41	0.42	0.27	0.28	0.21	0.21
GEOGRAPHIC DIVISION						
Northeast	0.91	1.06	0.60	0.59	0.48	0.43
New England	1.57	1.96	0.96	1.23	0.87	0.88
Middle Atlantic	1.10	1.26	0.73	0.68	0.57	0.49
Midwest	0.72	0.77	0.48	0.47	0.33	0.37
East North Central	0.84	0.93	0.59	0.56	0.40	0.43
West North Central	1.48	1.43	0.86	0.86	0.55	0.69
South	0.69	0.73	0.42	0.47	0.32	0.35
South Atlantic	1.01	1.11	0.62	0.76	0.48	0.56
East South Central	1.55	1.47	0.92	0.83	0.60	0.71
West South Central	1.21	1.11	0.69	0.62	0.53	0.50
West	0.94	0.93	0.64	0.70	0.53	0.54
Mountain	1.40	1.43	0.90	1.00	0.69	0.76
Pacific	1.20	1.19	0.83	0.90	0.70	0.71
COUNTY TYPE						
Large Metro	0.59	0.63	0.39	0.39	0.30	0.29
Small Metro	0.70	0.72	0.51	0.53	0.38	0.42
250K – 1 Mil. Pop.	0.83	0.94	0.62	0.62	0.47	0.48
< 250K Pop.	1.26	1.18	0.87	1.01	0.65	0.82
Nonmetro	1.00	0.98	0.53	0.63	0.35	0.49
Urbanized	1.52	1.49	0.93	1.03	0.65	0.85
Less Urbanized	1.35	1.48	0.72	0.84	0.42	0.61
Completely Rural	3.03	2.60	1.01	1.69	0.75	1.38

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.63P Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	0.2109		0.9296		0.3332	
GEOGRAPHIC DIVISION						
Northeast	0.4544		0.2485		0.5031	
New England	0.1669		0.6515		0.9052	
Middle Atlantic	0.9507		0.2850		0.4692	
Midwest	0.7393		0.7349		0.5246	
East North Central	0.5021		0.3526		0.9532	
West North Central	0.1183		0.3900		0.2063	
South	0.3046		0.4945		0.1258	
South Atlantic	0.2344		0.0920		0.2506	
East South Central	0.8790		0.9884		0.1855	
West South Central	0.9603		0.1055		0.6917	
West	0.1372		0.9299		0.8833	
Mountain	0.3941		0.4838		0.1926	
Pacific	0.2188		0.8151		0.6945	
COUNTY TYPE						
Large Metro	0.3593		0.1315		0.6123	
Small Metro	0.7332		0.2437		0.2430	
250K – 1 Mil. Pop.	0.4295		0.5446		0.5694	
< 250K Pop.	0.5392		0.2339		0.2255	
Nonmetro	0.3776		0.2995		0.0376	
Urbanized	0.6937		0.6068		0.4241	
Less Urbanized	0.0897		0.6796		0.1182	
Completely Rural	0.9603		0.1938		0.0659	

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.