

Table 1.64C Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	1,005	1,017	556	577	431	442
GEOGRAPHIC DIVISION						
Northeast	397	449	245	231	185	164
New England	179	223	105	128	93	95
Middle Atlantic	353	391	222	193	160	133
Midwest	372	394	209	224	140	168
East North Central	299	318	171	183	119	135
West North Central	236	233	123	128	75	100
South	631	648	309	336	234	262
South Atlantic	493	515	245	292	194	230
East South Central	216	209	102	104	68	80
West South Central	321	311	157	145	115	109
West	541	537	320	353	273	278
Mountain	250	253	139	151	106	110
Pacific	479	479	286	315	249	255
COUNTY TYPE						
Large Metro	1,139	1,234	469	497	354	352
Small Metro	861	891	357	375	270	274
250K – 1 Mil. Pop.	708	778	288	296	221	206
< 250K Pop.	540	527	223	241	165	187
Nonmetro	558	571	169	218	126	192
Urbanized	394	414	129	180	102	162
Less Urbanized	355	413	110	120	74	98
Completely Rural	230	183	49	64	34	55

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.64D Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	0.39	0.39	0.21	0.22	0.17	0.17
GEOGRAPHIC DIVISION						
Northeast	0.84	0.95	0.52	0.49	0.39	0.35
New England	1.44	1.79	0.84	1.03	0.75	0.76
Middle Atlantic	1.02	1.12	0.64	0.55	0.46	0.38
Midwest	0.67	0.70	0.37	0.40	0.25	0.30
East North Central	0.77	0.82	0.44	0.47	0.31	0.35
West North Central	1.38	1.35	0.72	0.74	0.44	0.58
South	0.65	0.66	0.32	0.34	0.24	0.27
South Atlantic	0.97	1.00	0.48	0.57	0.38	0.45
East South Central	1.40	1.35	0.66	0.67	0.44	0.52
West South Central	1.07	1.02	0.52	0.47	0.38	0.36
West	0.89	0.88	0.53	0.58	0.45	0.45
Mountain	1.36	1.35	0.75	0.81	0.57	0.59
Pacific	1.14	1.12	0.68	0.74	0.59	0.60
COUNTY TYPE						
Large Metro	0.55	0.57	0.31	0.31	0.24	0.23
Small Metro	0.66	0.67	0.42	0.43	0.33	0.33
250K – 1 Mil. Pop.	0.77	0.85	0.50	0.51	0.40	0.38
< 250K Pop.	1.20	1.16	0.76	0.77	0.59	0.64
Nonmetro	0.90	0.87	0.37	0.47	0.29	0.42
Urbanized	1.36	1.27	0.64	0.81	0.52	0.76
Less Urbanized	1.25	1.38	0.51	0.60	0.36	0.49
Completely Rural	2.84	2.27	0.90	1.24	0.63	1.12

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.64P Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	0.0739		0.1471		0.1983	
GEOGRAPHIC DIVISION						
Northeast	0.8986		0.4618		0.5710	
New England	0.1674		0.7988		0.8795	
Middle Atlantic	0.5074		0.4811		0.4262	
Midwest	0.5961		0.4447		0.3508	
East North Central	0.6790		0.6767		0.6095	
West North Central	0.1304		0.4414		0.3539	
South	0.3312		0.1996		0.1079	
South Atlantic	0.3988		0.1091		0.2792	
East South Central	0.4362		0.2667		0.1654	
West South Central	0.9842		0.3867		0.5063	
West	0.0549		0.2096		0.7015	
Mountain	0.1302		0.1746		0.0760	
Pacific	0.1746		0.4481		0.7548	
COUNTY TYPE						
Large Metro	0.1739		0.5651		0.6851	
Small Metro	0.6571		0.1967		0.3890	
250K – 1 Mil. Pop.	0.2654		0.3838		0.6460	
< 250K Pop.	0.3921		0.3045		0.4071	
Nonmetro	0.2041		0.3345		0.1555	
Urbanized	0.8199		0.5500		0.5585	
Less Urbanized	0.0915		0.6710		0.2620	
Completely Rural	0.8624		0.4713		0.2825	

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.65C Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	82	86	75	78	55	56
GEOGRAPHIC DIVISION						
Northeast	31	31	28	28	23	21
New England	15	16	13	14	12	10
Middle Atlantic	27	27	26	25	20	19
Midwest	32	34	27	31	20	22
East North Central	25	28	23	26	17	17
West North Central	19	18	14	16	12	13
South	54	51	50	44	35	31
South Atlantic	40	39	37	34	26	24
East South Central	17	15	15	14	10	10
West South Central	31	28	29	24	20	16
West	46	51	42	49	32	36
Mountain	24	26	20	21	15	19
Pacific	40	44	37	43	28	30
COUNTY TYPE						
Large Metro	83	71	72	62	48	45
Small Metro	48	58	43	53	30	33
250K – 1 Mil. Pop.	38	49	34	45	25	29
< 250K Pop.	30	31	27	28	18	16
Nonmetro	31	35	28	28	22	19
Urbanized	19	22	17	20	13	13
Less Urbanized	23	26	19	20	15	14
Completely Rural	13	10	12	8	11	6

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.65D Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Percentages, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	0.33	0.35	0.30	0.31	0.22	0.23
GEOGRAPHIC DIVISION						
Northeast	0.73	0.75	0.67	0.68	0.54	0.51
New England	1.37	1.43	1.19	1.26	1.06	0.92
Middle Atlantic	0.87	0.87	0.82	0.80	0.62	0.61
Midwest	0.58	0.63	0.49	0.58	0.37	0.40
East North Central	0.67	0.74	0.60	0.69	0.44	0.44
West North Central	1.17	1.11	0.88	1.00	0.72	0.79
South	0.58	0.55	0.53	0.47	0.38	0.33
South Atlantic	0.86	0.83	0.79	0.73	0.56	0.52
East South Central	1.17	1.02	1.02	0.94	0.66	0.68
West South Central	0.98	0.86	0.89	0.74	0.64	0.49
West	0.78	0.86	0.70	0.82	0.53	0.60
Mountain	1.29	1.38	1.07	1.13	0.80	0.99
Pacific	0.96	1.07	0.89	1.06	0.68	0.74
COUNTY TYPE						
Large Metro	0.51	0.47	0.45	0.42	0.32	0.32
Small Metro	0.54	0.65	0.50	0.62	0.37	0.40
250K – 1 Mil. Pop.	0.62	0.80	0.55	0.76	0.44	0.51
< 250K Pop.	1.08	1.12	1.02	1.05	0.74	0.64
Nonmetro	0.73	0.77	0.64	0.65	0.54	0.48
Urbanized	0.97	1.20	0.87	1.07	0.71	0.73
Less Urbanized	1.24	1.18	1.01	0.98	0.82	0.75
Completely Rural	2.34	1.76	2.33	1.69	2.24	1.34

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.65P Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	0.2814		0.9189		0.6640	
GEOGRAPHIC DIVISION						
Northeast	0.4553		0.4615		0.8020	
New England	0.5777		0.5594		0.6169	
Middle Atlantic	0.2329		0.2579		0.5786	
Midwest	0.2853		0.5381		0.2624	
East North Central	0.7557		0.9825		0.5184	
West North Central	0.1567		0.2593		0.3294	
South	0.1618		0.1922		0.0848	
South Atlantic	0.3074		0.3310		0.0462	
East South Central	0.9923		0.3421		0.2341	
West South Central	0.2692		0.1211		0.3206	
West	0.9195		0.2572		0.1293	
Mountain	0.4681		0.0633		0.1625	
Pacific	0.5626		0.7421		0.3536	
COUNTY TYPE						
Large Metro	0.1202		0.5984		0.7672	
Small Metro	0.7057		0.3263		0.8154	
250K – 1 Mil. Pop.	0.9358		0.5825		0.7979	
< 250K Pop.	0.5867		0.3604		0.9774	
Nonmetro	0.9037		0.5192		0.1304	
Urbanized	0.9623		0.9451		0.7235	
Less Urbanized	0.6897		0.8774		0.2419	
Completely Rural	0.1728		0.1580		0.2101	

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.66C Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	178	170	171	163	133	135
GEOGRAPHIC DIVISION						
Northeast	64	72	69	65	57	52
New England	34	33	36	31	30	24
Middle Atlantic	55	60	59	54	48	44
Midwest	66	63	60	62	49	54
East North Central	49	54	50	52	44	43
West North Central	44	33	34	34	23	32
South	107	104	101	95	72	76
South Atlantic	82	80	80	76	58	62
East South Central	33	37	31	32	23	24
West South Central	58	54	49	47	34	36
West	110	98	101	92	84	80
Mountain	42	39	41	40	36	38
Pacific	102	90	93	84	76	71
COUNTY TYPE						
Large Metro	245	241	196	184	137	130
Small Metro	210	174	162	124	101	86
250K – 1 Mil. Pop.	158	130	121	92	76	62
< 250K Pop.	140	123	107	87	64	61
Nonmetro	90	111	58	78	39	58
Urbanized	66	84	45	57	29	43
Less Urbanized	63	80	38	55	24	39
Completely Rural	22	31	15	19	10	12

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.66D Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Percentages, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	0.51	0.49	0.49	0.47	0.39	0.39
GEOGRAPHIC DIVISION						
Northeast	1.05	1.17	1.12	1.06	0.92	0.84
New England	2.11	2.04	2.20	1.88	1.87	1.50
Middle Atlantic	1.22	1.32	1.31	1.19	1.06	0.97
Midwest	0.89	0.86	0.82	0.84	0.67	0.73
East North Central	0.97	1.06	0.99	1.01	0.86	0.83
West North Central	1.94	1.44	1.50	1.49	1.01	1.40
South	0.84	0.81	0.79	0.74	0.56	0.59
South Atlantic	1.26	1.22	1.23	1.15	0.88	0.95
East South Central	1.65	1.82	1.55	1.57	1.12	1.16
West South Central	1.37	1.26	1.17	1.11	0.80	0.85
West	1.32	1.17	1.21	1.10	1.01	0.96
Mountain	1.67	1.54	1.63	1.57	1.45	1.49
Pacific	1.74	1.55	1.59	1.44	1.30	1.22
COUNTY TYPE						
Large Metro	0.72	0.72	0.69	0.68	0.57	0.58
Small Metro	0.95	0.83	0.92	0.80	0.66	0.66
250K – 1 Mil. Pop.	1.17	1.05	1.17	0.97	0.86	0.76
< 250K Pop.	1.64	1.43	1.52	1.36	0.96	1.15
Nonmetro	1.11	1.10	0.94	1.00	0.68	0.84
Urbanized	1.72	1.58	1.50	1.34	1.09	1.21
Less Urbanized	1.68	1.84	1.36	1.72	0.91	1.33
Completely Rural	3.35	3.90	2.57	2.65	1.84	1.89

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.66P Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	0.6579		0.8187		0.5373	
GEOGRAPHIC DIVISION						
Northeast	0.1638		0.0189		0.2108	
New England	0.5393		0.3551		0.4095	
Middle Atlantic	0.0341		0.0009		0.0423	
Midwest	0.2685		0.1734		0.1055	
East North Central	0.8505		0.2253		0.9788	
West North Central	0.0439		0.5198		0.0024	
South	0.2279		0.8794		0.6605	
South Atlantic	0.9060		0.8506		0.7837	
East South Central	0.3143		0.5501		0.5331	
West South Central	0.2058		0.7101		0.3339	
West	0.5197		0.3318		0.6327	
Mountain	0.7486		0.4789		0.6063	
Pacific	0.5768		0.4579		0.7840	
COUNTY TYPE						
Large Metro	0.4137		0.9437		0.9768	
Small Metro	0.8508		0.7426		0.8922	
250K – 1 Mil. Pop.	0.3330		0.8232		0.7973	
< 250K Pop.	0.3068		0.3890		0.5423	
Nonmetro	0.6409		0.1619		0.0094	
Urbanized	0.4282		0.7662		0.0951	
Less Urbanized	0.1256		0.1157		0.0363	
Completely Rural	0.9744		0.8000		0.9592	

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.67C Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	967	986	488	519	392	407
GEOGRAPHIC DIVISION						
Northeast	381	437	215	205	166	148
New England	175	217	96	104	81	84
Middle Atlantic	336	381	193	177	144	122
Midwest	354	380	182	192	127	147
East North Central	291	310	157	156	109	117
West North Central	220	218	98	113	65	91
South	610	631	265	307	214	246
South Atlantic	486	505	209	270	175	215
East South Central	205	198	93	90	61	73
West South Central	302	298	133	121	103	98
West	521	507	285	317	248	254
Mountain	244	241	124	136	94	100
Pacific	460	448	254	281	227	232
COUNTY TYPE						
Large Metro	1,063	1,147	396	432	307	316
Small Metro	787	821	299	320	241	243
250K – 1 Mil. Pop.	657	713	255	256	207	186
< 250K Pop.	472	473	162	198	133	158
Nonmetro	514	526	149	188	115	168
Urbanized	362	380	112	152	95	138
Less Urbanized	322	374	98	96	65	84
Completely Rural	212	162	38	53	25	49

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.67D Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	0.48	0.49	0.24	0.26	0.20	0.20
GEOGRAPHIC DIVISION						
Northeast	1.04	1.18	0.59	0.55	0.45	0.40
New England	1.81	2.22	0.99	1.07	0.84	0.86
Middle Atlantic	1.24	1.40	0.71	0.65	0.53	0.45
Midwest	0.82	0.87	0.42	0.44	0.30	0.34
East North Central	0.97	1.03	0.52	0.52	0.36	0.39
West North Central	1.67	1.64	0.74	0.85	0.49	0.69
South	0.82	0.84	0.36	0.41	0.29	0.33
South Atlantic	1.22	1.26	0.53	0.67	0.44	0.53
East South Central	1.72	1.65	0.78	0.75	0.51	0.61
West South Central	1.33	1.29	0.58	0.53	0.45	0.42
West	1.13	1.08	0.62	0.67	0.54	0.54
Mountain	1.73	1.69	0.88	0.95	0.66	0.70
Pacific	1.43	1.37	0.79	0.86	0.71	0.71
COUNTY TYPE						
Large Metro	0.70	0.72	0.35	0.36	0.28	0.28
Small Metro	0.81	0.83	0.47	0.49	0.38	0.38
250K – 1 Mil. Pop.	0.94	1.04	0.58	0.59	0.48	0.44
< 250K Pop.	1.50	1.48	0.78	0.89	0.66	0.74
Nonmetro	1.11	1.10	0.43	0.54	0.34	0.48
Urbanized	1.72	1.60	0.73	0.94	0.62	0.87
Less Urbanized	1.51	1.73	0.61	0.63	0.41	0.55
Completely Rural	3.31	2.71	0.95	1.38	0.64	1.29

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.67P Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	0.0508		0.1126		0.2034	
GEOGRAPHIC DIVISION						
Northeast	0.9854		0.8912		0.8600	
New England	0.1240		0.6210		0.9595	
Middle Atlantic	0.3617		0.8977		0.8574	
Midwest	0.6745		0.6217		0.5529	
East North Central	0.6926		0.9561		0.5134	
West North Central	0.1864		0.4226		0.8952	
South	0.1944		0.0983		0.0630	
South Atlantic	0.3416		0.0518		0.1285	
East South Central	0.3373		0.4038		0.2760	
West South Central	0.7024		0.5875		0.5316	
West	0.0665		0.3667		0.9536	
Mountain	0.1568		0.3489		0.1425	
Pacific	0.1897		0.5707		0.5941	
COUNTY TYPE						
Large Metro	0.0970		0.3574		0.5678	
Small Metro	0.6979		0.1750		0.3163	
250K – 1 Mil. Pop.	0.3375		0.4368		0.6634	
< 250K Pop.	0.4908		0.1963		0.2788	
Nonmetro	0.2446		0.6414		0.4027	
Urbanized	0.8614		0.6943		0.9251	
Less Urbanized	0.1351		0.8797		0.5139	
Completely Rural	0.9885		0.4234		0.1698	

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.68C Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	1,002	1,008	549	565	426	437
GEOGRAPHIC DIVISION						
Northeast	392	447	243	229	181	162
New England	177	223	103	127	91	95
Middle Atlantic	349	388	220	191	157	132
Midwest	367	392	207	217	139	167
East North Central	298	319	167	177	117	133
West North Central	229	230	123	125	75	100
South	630	646	302	336	231	262
South Atlantic	500	517	241	293	192	230
East South Central	213	205	100	102	67	78
West South Central	316	303	154	142	113	107
West	538	519	316	339	270	270
Mountain	244	246	136	149	103	111
Pacific	478	461	283	300	247	246
COUNTY TYPE						
Large Metro	1,129	1,220	460	485	348	346
Small Metro	847	871	349	361	264	267
250K – 1 Mil. Pop.	696	760	283	286	218	201
< 250K Pop.	529	517	215	233	160	183
Nonmetro	552	562	166	214	123	191
Urbanized	390	410	126	176	101	160
Less Urbanized	349	403	108	115	70	95
Completely Rural	224	179	42	59	29	53

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.68D Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	0.43	0.42	0.23	0.24	0.18	0.18
GEOGRAPHIC DIVISION						
Northeast	0.91	1.03	0.57	0.53	0.42	0.38
New England	1.57	1.96	0.91	1.12	0.80	0.83
Middle Atlantic	1.10	1.22	0.70	0.60	0.50	0.42
Midwest	0.73	0.77	0.41	0.43	0.28	0.33
East North Central	0.85	0.90	0.48	0.50	0.33	0.38
West North Central	1.48	1.48	0.80	0.80	0.49	0.64
South	0.72	0.73	0.35	0.38	0.27	0.30
South Atlantic	1.08	1.11	0.52	0.63	0.42	0.49
East South Central	1.53	1.46	0.72	0.73	0.48	0.56
West South Central	1.17	1.11	0.57	0.52	0.42	0.39
West	0.99	0.94	0.58	0.61	0.49	0.49
Mountain	1.48	1.46	0.82	0.88	0.62	0.66
Pacific	1.26	1.20	0.75	0.78	0.65	0.64
COUNTY TYPE						
Large Metro	0.61	0.63	0.34	0.33	0.26	0.25
Small Metro	0.71	0.73	0.45	0.46	0.35	0.35
250K – 1 Mil. Pop.	0.83	0.92	0.55	0.55	0.43	0.41
< 250K Pop.	1.31	1.28	0.81	0.82	0.62	0.69
Nonmetro	0.99	0.97	0.40	0.51	0.31	0.46
Urbanized	1.52	1.41	0.70	0.88	0.57	0.83
Less Urbanized	1.37	1.52	0.56	0.64	0.38	0.52
Completely Rural	3.06	2.51	0.91	1.29	0.63	1.19

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.68P Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	0.0663		0.1353		0.1758	
GEOGRAPHIC DIVISION						
Northeast	0.8236		0.4074		0.5451	
New England	0.1745		0.8506		0.8352	
Middle Atlantic	0.5806		0.3962		0.3786	
Midwest	0.5478		0.3873		0.2765	
East North Central	0.6772		0.6654		0.5446	
West North Central	0.0949		0.3571		0.2898	
South	0.2810		0.1340		0.0649	
South Atlantic	0.3642		0.0798		0.1872	
East South Central	0.4401		0.3242		0.2127	
West South Central	0.8974		0.5392		0.3906	
West	0.0543		0.2634		0.8514	
Mountain	0.1395		0.2759		0.1210	
Pacific	0.1647		0.4647		0.6633	
COUNTY TYPE						
Large Metro	0.1448		0.5061		0.7138	
Small Metro	0.6773		0.2318		0.3623	
250K – 1 Mil. Pop.	0.2668		0.4126		0.6163	
< 250K Pop.	0.3813		0.3510		0.3957	
Nonmetro	0.2171		0.2803		0.1021	
Urbanized	0.9522		0.5296		0.5350	
Less Urbanized	0.0875		0.6558		0.1789	
Completely Rural	0.9862		0.3249		0.1724	

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.