

Table 1.69C Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	703	693	217	189	142	133
GEOGRAPHIC DIVISION						
Northeast	268	292	95	77	58	41
New England	117	144	31	51	22	22
Middle Atlantic	240	253	89	58	54	35
Midwest	264	263	75	68	51	47
East North Central	224	208	68	62	44	43
West North Central	143	157	31	27	25	18
South	431	414	143	123	97	93
South Atlantic	349	346	125	107	88	86
East South Central	142	147	37	28	28	20
West South Central	197	205	53	58	28	30
West	392	398	122	113	72	76
Mountain	159	177	57	49	30	32
Pacific	358	359	107	101	65	68
COUNTY TYPE						
Large Metro	654	639	188	158	124	115
Small Metro	447	419	122	96	69	52
250K – 1 Mil. Pop.	376	364	105	84	59	45
< 250K Pop.	275	257	59	46	35	25
Nonmetro	229	302	42	56	27	48
Urbanized	160	213	24	27	17	15
Less Urbanized	161	198	30	42	13	39
Completely Rural	60	98	18	25	16	24

*Low precision; no estimate reported.

NOTE: Cocaine use includes the use of crack.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.69D Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	0.27	0.26	0.08	0.07	0.05	0.05
GEOGRAPHIC DIVISION						
Northeast	0.57	0.62	0.20	0.16	0.12	0.09
New England	0.94	1.15	0.25	0.41	0.18	0.17
Middle Atlantic	0.69	0.73	0.26	0.17	0.16	0.10
Midwest	0.47	0.47	0.13	0.12	0.09	0.08
East North Central	0.58	0.53	0.18	0.16	0.11	0.11
West North Central	0.84	0.91	0.18	0.16	0.15	0.10
South	0.45	0.42	0.15	0.13	0.10	0.10
South Atlantic	0.69	0.67	0.25	0.21	0.17	0.17
East South Central	0.92	0.95	0.24	0.18	0.18	0.13
West South Central	0.65	0.67	0.17	0.19	0.09	0.10
West	0.65	0.65	0.20	0.18	0.12	0.12
Mountain	0.86	0.94	0.31	0.26	0.16	0.17
Pacific	0.85	0.84	0.25	0.24	0.15	0.16
COUNTY TYPE						
Large Metro	0.40	0.39	0.13	0.11	0.09	0.08
Small Metro	0.48	0.45	0.15	0.12	0.09	0.07
250K – 1 Mil. Pop.	0.59	0.57	0.19	0.16	0.11	0.08
< 250K Pop.	0.88	0.83	0.23	0.18	0.14	0.10
Nonmetro	0.50	0.62	0.10	0.13	0.06	0.11
Urbanized	0.79	0.91	0.13	0.14	0.09	0.08
Less Urbanized	0.75	0.94	0.15	0.22	0.07	0.20
Completely Rural	1.06	1.81	0.37	0.52	0.33	0.50

*Low precision; no estimate reported.

NOTE: Cocaine use includes the use of crack.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.69P Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	0.6902		0.0673		0.5526	
GEOGRAPHIC DIVISION						
Northeast	0.9165		0.1705		0.0830	
New England	0.3388		0.2760		0.2485	
Middle Atlantic	0.7036		0.0307		0.1725	
Midwest	0.2117		0.8891		0.5826	
East North Central	0.0807		0.7581		0.6214	
West North Central	0.6509		0.7351		0.8036	
South	0.4022		0.1472		0.9601	
South Atlantic	0.5525		0.3916		0.6806	
East South Central	0.4012		0.1976		0.3494	
West South Central	0.9092		0.3460		0.7927	
West	0.4639		0.5546		0.6810	
Mountain	0.2549		0.3878		0.9259	
Pacific	0.7780		0.8299		0.6797	
COUNTY TYPE						
Large Metro	0.2225		0.0770		0.3772	
Small Metro	0.6030		0.3619		0.8073	
250K – 1 Mil. Pop.	0.8497		0.4339		0.8252	
< 250K Pop.	0.5579		0.6102		0.3892	
Nonmetro	0.0151		0.6129		0.2868	
Urbanized	0.2221		0.2818		0.6024	
Less Urbanized	0.1716		0.7390		0.2794	
Completely Rural	0.0194		0.6139		0.2284	

*Low precision; no estimate reported.

NOTE: Cocaine use includes the use of crack.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.70C Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	23	19	19	15	7	9
GEOGRAPHIC DIVISION						
Northeast	8	6	7	5	3	3
New England	3	2	3	2	0	0
Middle Atlantic	7	5	7	4	3	3
Midwest	6	6	5	4	3	2
East North Central	6	6	4	3	3	1
West North Central	2	3	2	3	1	2
South	15	12	13	10	5	6
South Atlantic	7	10	7	8	1	5
East South Central	6	3	5	4	3	3
West South Central	12	7	10	4	4	1
West	14	12	12	10	3	6
Mountain	8	8	6	6	0	3
Pacific	12	9	10	8	3	5
COUNTY TYPE						
Large Metro	18	14	16	10	5	6
Small Metro	12	12	11	10	4	7
250K – 1 Mil. Pop.	11	10	9	8	3	4
< 250K Pop.	6	8	6	7	3	5
Nonmetro	7	7	5	4	2	2
Urbanized	5	5	3	3	2	*
Less Urbanized	5	3	3	2	1	2
Completely Rural	*	1	*	*	*	*

*Low precision; no estimate reported.

NOTE: Cocaine use includes the use of crack.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.70D Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Percentages, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	0.09	0.08	0.08	0.06	0.03	0.04
GEOGRAPHIC DIVISION						
Northeast	0.19	0.14	0.17	0.11	0.07	0.07
New England	0.30	0.17	0.26	0.16	0.04	0.02
Middle Atlantic	0.23	0.18	0.21	0.14	0.09	0.10
Midwest	0.11	0.12	0.09	0.07	0.05	0.04
East North Central	0.15	0.15	0.11	0.08	0.07	0.03
West North Central	0.15	0.17	0.14	0.16	0.05	0.10
South	0.16	0.13	0.14	0.10	0.05	0.06
South Atlantic	0.15	0.21	0.15	0.16	0.03	0.10
East South Central	0.38	0.20	0.34	0.27	0.23	0.20
West South Central	0.37	0.21	0.32	0.14	0.11	0.04
West	0.24	0.20	0.20	0.16	0.05	0.10
Mountain	0.40	0.43	0.33	0.34	0.01	0.16
Pacific	0.29	0.21	0.24	0.19	0.07	0.13
COUNTY TYPE						
Large Metro	0.14	0.10	0.11	0.08	0.04	0.04
Small Metro	0.16	0.16	0.14	0.14	0.05	0.09
250K – 1 Mil. Pop.	0.20	0.18	0.17	0.15	0.06	0.08
< 250K Pop.	0.27	0.34	0.26	0.28	0.11	0.22
Nonmetro	0.18	0.17	0.12	0.09	0.06	0.05
Urbanized	0.25	0.33	0.17	0.16	0.11	*
Less Urbanized	0.28	0.20	0.15	0.14	0.08	0.12
Completely Rural	*	0.30	*	*	*	*

*Low precision; no estimate reported.

NOTE: Cocaine use includes the use of crack.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.70P Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	0.0998		0.0468		0.2372	
GEOGRAPHIC DIVISION						
Northeast	0.3322		0.3184		0.9224	
New England	0.2602		0.3521		0.5615	
Middle Atlantic	0.5601		0.4903		0.9825	
Midwest	0.3081		0.5555		0.7636	
East North Central	0.1024		0.2472		0.4710	
West North Central	0.2058		0.5405		0.5831	
South	0.2854		0.0511		0.9220	
South Atlantic	0.0316		0.4692		0.1201	
East South Central	0.2312		0.2446		0.8391	
West South Central	0.0029		0.0046		0.1009	
West	0.5718		0.7595		0.0388	
Mountain	0.7589		0.8513		0.0815	
Pacific	0.3548		0.6123		0.1449	
COUNTY TYPE						
Large Metro	0.0634		0.0308		0.4875	
Small Metro	0.8831		0.9478		0.2372	
250K – 1 Mil. Pop.	0.3757		0.5311		0.5231	
< 250K Pop.	0.1571		0.4742		0.3091	
Nonmetro	0.3136		0.1895		0.7171	
Urbanized	0.8411		0.9887		*	
Less Urbanized	0.1132		0.1562		0.5450	
Completely Rural	*		*		*	

*Low precision; no estimate reported.

NOTE: Cocaine use includes the use of crack.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.71C Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	113	108	74	72	33	34
GEOGRAPHIC DIVISION						
Northeast	42	46	30	30	14	12
New England	21	22	10	21	7	6
Middle Atlantic	36	41	28	22	13	10
Midwest	44	40	23	24	12	10
East North Central	35	32	21	21	11	8
West North Central	26	23	10	11	4	5
South	65	62	42	37	21	19
South Atlantic	52	48	35	29	18	15
East South Central	19	18	11	10	7	5
West South Central	35	32	19	21	7	10
West	70	64	49	46	20	23
Mountain	32	31	22	17	8	10
Pacific	62	55	44	42	18	21
COUNTY TYPE						
Large Metro	104	96	68	59	29	27
Small Metro	67	59	40	40	17	18
250K – 1 Mil. Pop.	56	47	34	30	15	15
< 250K Pop.	38	36	19	25	9	11
Nonmetro	33	41	15	20	6	7
Urbanized	24	33	11	18	5	5
Less Urbanized	23	25	9	10	3	5
Completely Rural	9	11	4	4	3	2

*Low precision; no estimate reported.

NOTE: Cocaine use includes the use of crack.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.71D Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Percentages, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	0.33	0.31	0.21	0.21	0.09	0.10
GEOGRAPHIC DIVISION						
Northeast	0.68	0.75	0.48	0.49	0.23	0.19
New England	1.27	1.37	0.64	1.29	0.40	0.36
Middle Atlantic	0.80	0.90	0.61	0.49	0.28	0.23
Midwest	0.60	0.54	0.31	0.32	0.16	0.13
East North Central	0.70	0.62	0.41	0.40	0.22	0.16
West North Central	1.12	1.00	0.45	0.46	0.16	0.23
South	0.51	0.48	0.33	0.28	0.16	0.15
South Atlantic	0.79	0.73	0.54	0.45	0.27	0.23
East South Central	0.93	0.90	0.52	0.49	0.35	0.25
West South Central	0.84	0.75	0.46	0.49	0.17	0.23
West	0.84	0.76	0.59	0.55	0.24	0.27
Mountain	1.27	1.23	0.88	0.68	0.31	0.38
Pacific	1.06	0.95	0.76	0.73	0.31	0.36
COUNTY TYPE						
Large Metro	0.49	0.45	0.34	0.30	0.15	0.15
Small Metro	0.54	0.51	0.34	0.35	0.15	0.17
250K – 1 Mil. Pop.	0.69	0.63	0.46	0.43	0.20	0.21
< 250K Pop.	0.86	0.82	0.46	0.59	0.22	0.28
Nonmetro	0.64	0.72	0.31	0.37	0.13	0.13
Urbanized	0.97	1.15	0.49	0.64	0.21	0.19
Less Urbanized	0.92	1.02	0.42	0.46	0.13	0.20
Completely Rural	1.79	1.96	0.87	0.78	0.61	0.34

*Low precision; no estimate reported.

NOTE: Cocaine use includes the use of crack.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.71P Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	0.0981		0.4989		0.9607	
GEOGRAPHIC DIVISION						
Northeast	0.9830		0.8751		0.6800	
New England	0.9507		0.4065		0.2495	
Middle Atlantic	0.9474		0.4264		0.8979	
Midwest	0.6850		0.1234		0.4642	
East North Central	0.3718		0.1044		0.7376	
West North Central	0.5897		0.7970		0.3023	
South	0.0615		0.1102		0.2828	
South Atlantic	0.1689		0.0956		0.2735	
East South Central	0.7114		0.7872		0.4043	
West South Central	0.2010		0.7242		0.8563	
West	0.4685		0.7226		0.3573	
Mountain	0.2569		0.1846		0.9604	
Pacific	0.9229		0.7514		0.3017	
COUNTY TYPE						
Large Metro	0.0827		0.1647		0.6521	
Small Metro	0.2658		0.5644		0.4688	
250K – 1 Mil. Pop.	0.9202		0.5683		0.4982	
< 250K Pop.	0.0260		0.8494		0.7717	
Nonmetro	0.3851		0.4017		0.9310	
Urbanized	0.4992		0.1437		0.8815	
Less Urbanized	0.6499		0.6412		0.5565	
Completely Rural	0.8821		0.6639		0.2321	

*Low precision; no estimate reported.

NOTE: Cocaine use includes the use of crack.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.72C Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	683	674	200	172	138	129
GEOGRAPHIC DIVISION						
Northeast	264	289	84	73	57	39
New England	116	144	30	50	21	21
Middle Atlantic	235	250	79	54	53	33
Midwest	259	261	71	64	50	45
East North Central	223	208	63	59	42	42
West North Central	139	153	30	25	25	17
South	421	409	134	114	93	92
South Atlantic	341	340	118	100	85	85
East South Central	137	142	36	26	26	19
West South Central	193	203	49	53	27	29
West	382	384	112	100	69	73
Mountain	156	169	52	45	29	29
Pacific	349	346	98	89	63	65
COUNTY TYPE						
Large Metro	636	618	172	147	120	112
Small Metro	430	410	113	84	66	47
250K – 1 Mil. Pop.	364	355	98	75	57	42
< 250K Pop.	261	250	55	38	34	21
Nonmetro	222	289	39	51	25	47
Urbanized	154	203	21	19	16	13
Less Urbanized	157	189	28	41	12	38
Completely Rural	58	92	18	24	16	23

*Low precision; no estimate reported.

NOTE: Cocaine use includes the use of crack.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.72D Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	0.34	0.33	0.10	0.08	0.07	0.06
GEOGRAPHIC DIVISION						
Northeast	0.72	0.78	0.23	0.20	0.15	0.10
New England	1.20	1.47	0.31	0.51	0.21	0.22
Middle Atlantic	0.87	0.92	0.29	0.20	0.19	0.12
Midwest	0.60	0.60	0.16	0.15	0.11	0.10
East North Central	0.74	0.69	0.21	0.20	0.14	0.14
West North Central	1.05	1.15	0.23	0.19	0.19	0.13
South	0.57	0.54	0.18	0.15	0.13	0.12
South Atlantic	0.86	0.84	0.30	0.25	0.21	0.21
East South Central	1.15	1.18	0.31	0.21	0.22	0.16
West South Central	0.85	0.88	0.22	0.23	0.12	0.13
West	0.82	0.82	0.24	0.21	0.15	0.15
Mountain	1.11	1.18	0.37	0.31	0.21	0.20
Pacific	1.08	1.06	0.31	0.27	0.19	0.20
COUNTY TYPE						
Large Metro	0.51	0.49	0.16	0.13	0.11	0.10
Small Metro	0.61	0.58	0.18	0.14	0.11	0.08
250K – 1 Mil. Pop.	0.75	0.71	0.23	0.18	0.14	0.10
< 250K Pop.	1.12	1.09	0.28	0.19	0.17	0.11
Nonmetro	0.62	0.76	0.12	0.15	0.08	0.14
Urbanized	1.00	1.12	0.14	0.13	0.11	0.09
Less Urbanized	0.94	1.14	0.18	0.27	0.08	0.25
Completely Rural	1.28	2.17	0.44	0.62	0.40	0.62

*Low precision; no estimate reported.

NOTE: Cocaine use includes the use of crack.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.72P Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	0.8868		0.1252		0.5019	
GEOGRAPHIC DIVISION						
Northeast	0.9126		0.1807		0.0916	
New England	0.3346		0.4158		0.3657	
Middle Atlantic	0.7012		0.0438		0.1503	
Midwest	0.2354		0.7268		0.4739	
East North Central	0.1140		0.8702		0.5791	
West North Central	0.7365		0.6167		0.6142	
South	0.2537		0.3941		0.7761	
South Atlantic	0.4684		0.6553		0.5697	
East South Central	0.3482		0.2853		0.4645	
West South Central	0.6528		0.6410		0.8552	
West	0.5112		0.6423		0.9739	
Mountain	0.3367		0.6398		0.9884	
Pacific	0.7750		0.7707		0.9660	
COUNTY TYPE						
Large Metro	0.3254		0.2504		0.4139	
Small Metro	0.7238		0.2289		0.5549	
250K – 1 Mil. Pop.	0.8499		0.3234		0.9889	
< 250K Pop.	0.7516		0.4588		0.2345	
Nonmetro	0.0173		0.8201		0.2690	
Urbanized	0.3015		0.8589		0.6483	
Less Urbanized	0.1567		0.9043		0.3310	
Completely Rural	0.0122		0.4295		0.1648	

*Low precision; no estimate reported.

NOTE: Cocaine use includes the use of crack.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.73C Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	699	692	217	189	142	132
GEOGRAPHIC DIVISION						
Northeast	268	291	95	77	58	41
New England	117	143	32	51	22	22
Middle Atlantic	240	253	89	58	54	34
Midwest	264	263	75	68	51	47
East North Central	225	208	68	62	44	43
West North Central	142	157	31	27	25	18
South	430	416	142	122	97	93
South Atlantic	349	348	124	107	88	86
East South Central	141	144	37	28	27	20
West South Central	196	204	52	57	28	30
West	390	394	122	113	72	75
Mountain	158	175	57	49	30	31
Pacific	357	355	107	101	65	67
COUNTY TYPE						
Large Metro	654	638	188	157	124	114
Small Metro	445	418	121	95	69	51
250K – 1 Mil. Pop.	373	363	104	83	59	45
< 250K Pop.	274	256	59	46	35	24
Nonmetro	228	302	42	56	27	48
Urbanized	160	213	24	27	17	15
Less Urbanized	161	198	30	42	13	39
Completely Rural	59	98	18	25	16	24

*Low precision; no estimate reported.

NOTE: Cocaine use includes the use of crack.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.73D Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	0.30	0.29	0.09	0.08	0.06	0.06
GEOGRAPHIC DIVISION						
Northeast	0.62	0.67	0.22	0.18	0.14	0.09
New England	1.04	1.26	0.28	0.45	0.19	0.19
Middle Atlantic	0.76	0.79	0.28	0.18	0.17	0.11
Midwest	0.52	0.52	0.15	0.13	0.10	0.09
East North Central	0.64	0.59	0.19	0.18	0.13	0.12
West North Central	0.92	1.00	0.20	0.17	0.16	0.12
South	0.49	0.47	0.16	0.14	0.11	0.11
South Atlantic	0.76	0.74	0.27	0.23	0.19	0.18
East South Central	1.02	1.03	0.26	0.20	0.20	0.14
West South Central	0.73	0.75	0.19	0.21	0.10	0.11
West	0.71	0.71	0.22	0.20	0.13	0.14
Mountain	0.96	1.04	0.34	0.29	0.18	0.19
Pacific	0.94	0.92	0.28	0.26	0.17	0.17
COUNTY TYPE						
Large Metro	0.44	0.43	0.15	0.12	0.10	0.09
Small Metro	0.53	0.50	0.17	0.13	0.10	0.07
250K – 1 Mil. Pop.	0.65	0.62	0.21	0.17	0.12	0.09
< 250K Pop.	0.96	0.92	0.25	0.19	0.15	0.10
Nonmetro	0.55	0.68	0.11	0.14	0.07	0.12
Urbanized	0.88	0.99	0.14	0.16	0.10	0.09
Less Urbanized	0.82	1.03	0.17	0.24	0.07	0.22
Completely Rural	1.15	2.02	0.40	0.58	0.37	0.55

*Low precision; no estimate reported.

NOTE: Cocaine use includes the use of crack.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 1.73P Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	0.6972		0.0936		0.5018	
GEOGRAPHIC DIVISION						
Northeast	0.9143		0.1910		0.0831	
New England	0.3429		0.2584		0.2520	
Middle Atlantic	0.7073		0.0347		0.1716	
Midwest	0.2137		0.8649		0.5908	
East North Central	0.0854		0.7141		0.6425	
West North Central	0.6700		0.6944		0.7781	
South	0.3907		0.1968		0.9663	
South Atlantic	0.5959		0.3641		0.7292	
East South Central	0.3808		0.2564		0.3586	
West South Central	0.8141		0.5744		0.9048	
West	0.4537		0.5699		0.7856	
Mountain	0.2407		0.3772		0.9786	
Pacific	0.7747		0.8594		0.7530	
COUNTY TYPE						
Large Metro	0.2256		0.1057		0.3544	
Small Metro	0.5984		0.3645		0.7264	
250K – 1 Mil. Pop.	0.8604		0.4666		0.8608	
< 250K Pop.	0.5374		0.5470		0.3163	
Nonmetro	0.0151		0.5316		0.2777	
Urbanized	0.2734		0.2915		0.6702	
Less Urbanized	0.1465		0.8229		0.2966	
Completely Rural	0.0162		0.5077		0.2219	

*Low precision; no estimate reported.

NOTE: Cocaine use includes the use of crack.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.