

**Table 1.75C Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013**

<b>Geographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	674	707	175	204	90	132
<b>GEOGRAPHIC DIVISION</b>						
Northeast	274	281	62	92	27	73
New England	127	146	29	30	11	9
Middle Atlantic	241	240	55	86	25	71
Midwest	249	265	51	65	36	24
East North Central	201	204	47	55	34	16
West North Central	155	170	18	35	9	18
South	380	430	100	101	63	52
South Atlantic	297	364	88	86	60	45
East South Central	133	130	25	29	8	17
West South Central	186	210	41	45	17	22
West	397	430	116	138	49	96
Mountain	184	199	47	62	20	22
Pacific	353	382	106	123	45	94
<b>COUNTY TYPE</b>						
Large Metro	592	651	141	162	66	94
Small Metro	443	458	105	96	64	57
250K – 1 Mil. Pop.	376	392	78	84	57	52
< 250K Pop.	238	264	70	46	28	24
Nonmetro	249	292	36	91	13	76
Urbanized	185	217	27	86	6	74
Less Urbanized	154	187	21	25	9	14
Completely Rural	66	81	12	15	6	13

\*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 1.75D Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2012 and 2013**

<b>Geographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	0.26	0.27	0.07	0.08	0.03	0.05
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.58	0.59	0.13	0.19	0.06	0.15
New England	1.03	1.17	0.23	0.24	0.09	0.07
Middle Atlantic	0.69	0.69	0.16	0.25	0.07	0.20
Midwest	0.45	0.47	0.09	0.12	0.06	0.04
East North Central	0.52	0.52	0.12	0.14	0.09	0.04
West North Central	0.90	0.98	0.11	0.20	0.05	0.10
South	0.39	0.44	0.10	0.10	0.07	0.05
South Atlantic	0.58	0.71	0.17	0.17	0.12	0.09
East South Central	0.87	0.84	0.16	0.19	0.05	0.11
West South Central	0.62	0.69	0.14	0.15	0.06	0.07
West	0.65	0.70	0.19	0.22	0.08	0.16
Mountain	1.00	1.06	0.25	0.33	0.11	0.12
Pacific	0.84	0.90	0.25	0.29	0.11	0.22
<b>COUNTY TYPE</b>						
Large Metro	0.37	0.39	0.10	0.11	0.05	0.07
Small Metro	0.46	0.48	0.13	0.12	0.08	0.07
250K – 1 Mil. Pop.	0.57	0.60	0.14	0.16	0.11	0.10
< 250K Pop.	0.78	0.83	0.26	0.17	0.11	0.09
Nonmetro	0.51	0.61	0.08	0.21	0.03	0.18
Urbanized	0.87	0.94	0.14	0.44	0.03	0.38
Less Urbanized	0.71	0.89	0.11	0.13	0.05	0.07
Completely Rural	1.13	1.50	0.25	0.32	0.12	0.28

\*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 1.75P Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2013 Versus 2012**

<b>Geographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	0.1318		0.7534		0.2272	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.3380		0.8233		0.4363	
New England	0.3685		0.7405		0.3069	
Middle Atlantic	0.1066		0.9151		0.3104	
Midwest	0.5416		0.1389		0.2777	
East North Central	0.7018		0.6549		0.0736	
West North Central	0.1268		0.0175		0.2902	
South	0.1422		0.7088		0.8546	
South Atlantic	0.3495		0.5320		0.6721	
East South Central	0.1491		0.8542		0.0818	
West South Central	0.5688		0.7586		0.5946	
West	0.9582		0.9693		0.1170	
Mountain	0.8498		0.9800		0.8213	
Pacific	0.8767		0.9751		0.0910	
<b>COUNTY TYPE</b>						
Large Metro	0.1319		0.9706		0.5919	
Small Metro	0.8334		0.5353		0.9933	
250K – 1 Mil. Pop.	0.7659		0.6522		0.6176	
< 250K Pop.	0.9532		0.1050		0.2824	
Nonmetro	0.1730		0.0975		0.0954	
Urbanized	0.6815		0.1066		0.1527	
Less Urbanized	0.2091		0.7492		0.6378	
Completely Rural	0.4017		0.6806		0.2469	

\*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.