

**Table 2.17A Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics:  
Numbers in Thousands, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	173,654	175,260	82,829	80,846	69,497 <sup>a</sup>	66,879
<b>AGE</b>						
12-17	5,354 <sup>b</sup>	4,922	3,801 <sup>b</sup>	3,461	2,152 <sup>a</sup>	1,951
18-25	22,926	22,650	16,891	16,597	13,167	12,882
26 or Older	145,374	147,688	62,138	60,788	54,178	52,046
<b>GENDER</b>						
Male	93,877	94,449	49,600 <sup>a</sup>	47,773	41,522 <sup>a</sup>	39,549
Female	79,777	80,810	33,229	33,073	27,976	27,331
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	152,253	153,298	72,736	70,628	61,776 <sup>a</sup>	59,108
White	125,928	126,277	58,517 <sup>a</sup>	56,518	49,500 <sup>a</sup>	47,170
Black or African American	16,967 <sup>a</sup>	17,942	9,485	9,675	8,343	8,461
American Indian or Alaska Native	1,107	1,049	778	663	698	562
Native Hawaiian or Other Pacific Islander	*	526	*	312	*	225
Asian	4,594	4,494	1,793	1,819	1,385	1,353
Two or More Races	2,975	3,010	1,817	1,640	1,548	1,337
Hispanic or Latino	21,401	21,961	10,093	10,218	7,721	7,771

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 2.17B Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Percentages, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	66.8	66.8	31.9 <sup>a</sup>	30.8	26.7 <sup>b</sup>	25.5
<b>AGE</b>						
12-17	21.5 <sup>b</sup>	19.8	15.2 <sup>b</sup>	13.9	8.6 <sup>a</sup>	7.8
18-25	66.3	65.1	48.8	47.7	38.1	37.0
26 or Older	72.5	72.9	31.0	30.0	27.0 <sup>a</sup>	25.7
<b>GENDER</b>						
Male	74.6	74.3	39.4 <sup>b</sup>	37.6	33.0 <sup>b</sup>	31.1
Female	59.5	59.7	24.8	24.4	20.9	20.2
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	69.3	69.3	33.1 <sup>a</sup>	31.9	28.1 <sup>b</sup>	26.7
White	74.3	74.3	34.5 <sup>a</sup>	33.2	29.2 <sup>b</sup>	27.7
Black or African American	55.3	57.4	30.9	31.0	27.2	27.1
American Indian or Alaska Native	76.6	74.8	53.8	47.3	48.4	40.1
Native Hawaiian or Other Pacific Islander	*	60.4	*	35.9	*	25.8
Asian	35.9	33.7	14.0	13.6	10.8	10.1
Two or More Races	71.6	70.2	43.7	38.2	37.3	31.2
Hispanic or Latino	53.1	53.2	25.0	24.8	19.2	18.8

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 2.18A Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Numbers in Thousands, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	5,354 <sup>b</sup>	4,922	3,801 <sup>b</sup>	3,461	2,152 <sup>a</sup>	1,951
<b>GENDER</b>						
Male	3,061 <sup>a</sup>	2,814	2,194 <sup>a</sup>	1,986	1,270	1,158
Female	2,293 <sup>a</sup>	2,108	1,606	1,475	882	793
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	4,255 <sup>a</sup>	4,007	3,086 <sup>a</sup>	2,842	1,831 <sup>a</sup>	1,648
White	3,331	3,126	2,510 <sup>a</sup>	2,295	1,510 <sup>a</sup>	1,350
Black or African American	552	545	342	337	190	170
American Indian or Alaska Native	55	59	38	32	27	18
Native Hawaiian or Other Pacific Islander	*	*	*	8	*	7
Asian	85	99	43	69	23	36
Two or More Races	205	163	141 <sup>a</sup>	100	74	67
Hispanic or Latino	1,099 <sup>b</sup>	916	714	619	322	303
<b>GENDER/RACE/HISPANIC ORIGIN</b>						
Male, White, Not Hispanic	1,921	1,810	1,468	1,329	899	801
Female, White, Not Hispanic	1,411	1,316	1,041	966	611	549
Male, Black, Not Hispanic	301	318	188	211	119	106
Female, Black, Not Hispanic	251	228	154	126	72	64
Male, Hispanic	627 <sup>a</sup>	508	399	332	179	176
Female, Hispanic	472	408	315	287	143	127

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 2.18B Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Percentages, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	21.5 <sup>b</sup>	19.8	15.2 <sup>b</sup>	13.9	8.6 <sup>a</sup>	7.8
<b>GENDER</b>						
Male	24.0 <sup>a</sup>	22.1	17.2 <sup>a</sup>	15.6	10.0	9.1
Female	18.8 <sup>a</sup>	17.3	13.2	12.1	7.2	6.5
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	21.9 <sup>a</sup>	20.7	15.9 <sup>a</sup>	14.7	9.4 <sup>a</sup>	8.5
White	24.2	22.9	18.3 <sup>a</sup>	16.8	11.0 <sup>a</sup>	9.9
Black or African American	15.7	15.8	9.7	9.8	5.4	4.9
American Indian or Alaska Native	36.6	36.9	25.2	20.3	18.3	11.4
Native Hawaiian or Other Pacific Islander	*	*	*	7.9	*	7.4
Asian	7.2	8.0	3.6	5.6	2.0	2.9
Two or More Races	28.0 <sup>a</sup>	21.6	19.2 <sup>a</sup>	13.3	10.1	8.9
Hispanic or Latino	20.0 <sup>b</sup>	16.5	13.0	11.1	5.9	5.5
<b>GENDER/RACE/HISPANIC ORIGIN</b>						
Male, White, Not Hispanic	27.3	26.0	20.8	19.1	12.8	11.5
Female, White, Not Hispanic	21.0	19.7	15.5	14.5	9.1	8.2
Male, Black, Not Hispanic	16.9	18.1	10.5	12.0	6.7	6.1
Female, Black, Not Hispanic	14.4	13.5	8.9	7.5	4.1	3.8
Male, Hispanic	22.3 <sup>a</sup>	17.9	14.2	11.7	6.4	6.2
Female, Hispanic	17.6	15.0	11.7	10.5	5.3	4.7

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 2.19A Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Numbers in Thousands, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	22,926	22,650	16,891	16,597	13,167	12,882
<b>GENDER</b>						
Male	12,627	12,579	10,117	10,103	8,091	8,080
Female	10,299	10,070	6,774	6,493	5,076	4,802
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	18,570	18,345	14,102	13,766	11,120	10,881
White	14,347	14,188	10,964	10,766	8,655	8,562
Black or African American	2,560	2,539	1,946	1,887	1,568	1,495
American Indian or Alaska Native	237	180	197	130	164	115
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	57
Asian	774	788	491	516	329	355
Two or More Races	536	517	429	374	341	298
Hispanic or Latino	4,356	4,305	2,789	2,831	2,046	2,002
<b>EDUCATION</b>						
< High School	3,619	3,677	2,948	2,971	2,548	2,525
High School Graduate	7,812	7,643	6,104	5,868	4,991	4,707
Some College	8,042	7,931	5,745	5,677	4,240	4,304
College Graduate	3,453	3,399	2,094	2,080	1,387	1,346
<b>CURRENT EMPLOYMENT</b>						
Full-Time	9,736	9,819	7,044	7,065	5,680	5,676
Part-Time	6,092	6,015	4,465	4,366	3,340	3,197
Unemployed	2,824	2,828	2,365	2,274	1,981	1,894
Other <sup>1</sup>	4,274	3,988	3,017	2,892	2,166	2,116

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 2.19B Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Percentages, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	66.3	65.1	48.8	47.7	38.1	37.0
<b>GENDER</b>						
Male	72.8	72.0	58.3	57.9	46.6	46.3
Female	59.7	58.1	39.3 <sup>a</sup>	37.5	29.4 <sup>a</sup>	27.7
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	67.7	66.6	51.4	50.0	40.5	39.5
White	73.4	72.8	56.1	55.2	44.3	43.9
Black or African American	52.2	50.7	39.7	37.7	32.0	29.9
American Indian or Alaska Native	89.0 <sup>a</sup>	78.2	74.0 <sup>b</sup>	56.7	61.6	49.9
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	28.4
Asian	43.4	42.1	27.6	27.6	18.5	19.0
Two or More Races	70.5	70.5	56.4	51.1	44.8	40.6
Hispanic or Latino	61.0	59.4	39.0	39.0	28.6	27.6
<b>EDUCATION</b>						
< High School	68.0	65.8	55.4	53.2	47.9	45.2
High School Graduate	66.3 <sup>a</sup>	63.8	51.8 <sup>a</sup>	49.0	42.3 <sup>b</sup>	39.3
Some College	65.1	65.1	46.5	46.6	34.3	35.3
College Graduate	67.3	67.3	40.8	41.2	27.0	26.7
<b>CURRENT EMPLOYMENT</b>						
Full-Time	72.3	72.7	52.3	52.3	42.2	42.0
Part-Time	64.8 <sup>a</sup>	62.2	47.5	45.2	35.5 <sup>a</sup>	33.1
Unemployed	68.7	68.0	57.6	54.7	48.2	45.6
Other <sup>1</sup>	56.1	53.5	39.6	38.8	28.4	28.4

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 2.20A Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics:  
Numbers in Thousands, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	145,374	147,688	62,138	60,788	54,178	52,046
<b>GENDER</b>						
Male	78,189	79,056	37,289	35,683	32,161 <sup>a</sup>	30,310
Female	67,185	68,632	24,849	25,105	22,017	21,736
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	129,429	130,947	55,548	54,019	48,825 <sup>a</sup>	46,580
White	108,250	108,964	45,043	43,456	39,336	37,258
Black or African American	13,854	14,857	7,197	7,451	6,584	6,797
American Indian or Alaska Native	815	810	543	501	507	429
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	3,735	3,607	1,259	1,234	1,033	963
Two or More Races	2,233	2,330	1,247	1,165	1,133	972
Hispanic or Latino	15,946	16,741	6,590	6,769	5,354	5,466
<b>EDUCATION</b>						
< High School	19,309	18,302	11,363	10,185	10,554 <sup>a</sup>	9,386
High School Graduate	42,651	42,408	20,663	19,947	18,725	17,903
Some College	37,819	39,068	16,852	17,118	14,944	14,852
College Graduate	45,595	47,910	13,260	13,537	9,956	9,905
<b>CURRENT EMPLOYMENT</b>						
Full-Time	77,548	79,065	34,630	34,667	29,509	28,362
Part-Time	16,108 <sup>a</sup>	17,770	6,474	6,787	5,683	5,832
Unemployed	7,313 <sup>b</sup>	5,753	4,544 <sup>a</sup>	3,716	4,079	3,493
Other <sup>1</sup>	44,406	45,100	16,490	15,619	14,907	14,359

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 2.20B Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Percentages, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	72.5	72.9	31.0	30.0	27.0 <sup>a</sup>	25.7
<b>GENDER</b>						
Male	81.6	81.5	38.9 <sup>a</sup>	36.8	33.6 <sup>b</sup>	31.3
Female	64.2	64.9	23.7	23.7	21.0	20.6
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	74.9	75.1	32.1	31.0	28.2 <sup>a</sup>	26.7
White	79.4	79.6	33.0	31.8	28.9 <sup>a</sup>	27.2
Black or African American	62.2	65.2	32.3	32.7	29.6	29.8
American Indian or Alaska Native	79.3	80.1	52.8	49.5	49.3	42.4
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	38.0	35.2	12.8	12.1	10.5	9.4
Two or More Races	84.0	83.1	46.9	41.6	42.6	34.7
Hispanic or Latino	57.6	58.9	23.8	23.8	19.4	19.2
<b>EDUCATION</b>						
< High School	66.8	68.9	39.3	38.3	36.5	35.3
High School Graduate	73.6	73.1	35.7	34.4	32.3	30.9
Some College	75.3	76.3	33.6	33.4	29.8	29.0
College Graduate	71.9	71.6	20.9	20.2	15.7	14.8
<b>CURRENT EMPLOYMENT</b>						
Full-Time	74.4	75.0	33.2	32.9	28.3 <sup>a</sup>	26.9
Part-Time	68.9 <sup>b</sup>	73.8	27.7	28.2	24.3	24.2
Unemployed	77.2	75.2	48.0	48.6	43.1	45.7
Other <sup>1</sup>	69.9	68.8	26.0 <sup>a</sup>	23.8	23.5	21.9

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 2.21A Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics:  
Numbers in Thousands, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	168,300	170,337	79,029	77,385	67,345 <sup>a</sup>	64,928
<b>GENDER</b>						
Male	90,816	91,635	47,405	45,787	40,251 <sup>a</sup>	38,390
Female	77,484	78,702	31,623	31,598	27,093	26,538
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	147,998	149,292	69,650	67,785	59,945 <sup>a</sup>	57,461
White	122,597	123,151	56,008	54,222	47,991	45,820
Black or African American	16,414	17,396	9,144	9,338	8,152	8,291
American Indian or Alaska Native	1,052	990	740	631	671	543
Native Hawaiian or Other Pacific Islander	*	*	*	305	*	218
Asian	4,509	4,395	1,750	1,750	1,362	1,318
Two or More Races	2,770	2,847	1,676	1,540	1,474	1,270
Hispanic or Latino	20,302	21,046	9,379	9,599	7,400	7,468
<b>EDUCATION</b>						
< High School	22,928	21,979	14,311	13,156	13,102	11,911
High School Graduate	50,463	50,051	26,768	25,815	23,716	22,610
Some College	45,862	46,999	22,596	22,796	19,184	19,156
College Graduate	49,048	51,309	15,354	15,618	11,343	11,252
<b>CURRENT EMPLOYMENT</b>						
Full-Time	87,284	88,884	41,674	41,732	35,189	34,038
Part-Time	22,199	23,785	10,938	11,153	9,023	9,028
Unemployed	10,137 <sup>b</sup>	8,581	6,909 <sup>b</sup>	5,990	6,060 <sup>a</sup>	5,387
Other <sup>1</sup>	48,680	49,088	19,507	18,511	17,072	16,474

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 2.21B Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Percentages, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	71.6	71.7	33.6 <sup>a</sup>	32.6	28.6 <sup>b</sup>	27.3
<b>GENDER</b>						
Male	80.3	80.1	41.9 <sup>a</sup>	40.0	35.6 <sup>b</sup>	33.6
Female	63.5	63.9	25.9	25.7	22.2	21.6
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	73.9	74.0	34.8 <sup>a</sup>	33.6	29.9 <sup>b</sup>	28.5
White	78.7	78.8	35.9	34.7	30.8 <sup>a</sup>	29.3
Black or African American	60.4	62.6	33.7	33.6	30.0	29.8
American Indian or Alaska Native	81.3	79.7	57.2	50.8	51.8	43.8
Native Hawaiian or Other Pacific Islander	*	*	*	39.4	*	28.1
Asian	38.9	36.3	15.1	14.5	11.7	10.9
Two or More Races	81.0	80.5	49.0	43.5	43.1	35.9
Hispanic or Latino	58.3	59.0	26.9	26.9	21.3	20.9
<b>EDUCATION</b>						
< High School	67.0	68.3	41.8	40.9	38.3	37.0
High School Graduate	72.4	71.5	38.4	36.9	34.0	32.3
Some College	73.3	74.1	36.1	36.0	30.7	30.2
College Graduate	71.5	71.3	22.4	21.7	16.5	15.6
<b>CURRENT EMPLOYMENT</b>						
Full-Time	74.2	74.7	35.4	35.1	29.9 <sup>a</sup>	28.6
Part-Time	67.8 <sup>a</sup>	70.5	33.4	33.0	27.5	26.8
Unemployed	74.7	72.7	50.9	50.7	44.6	45.6
Other <sup>1</sup>	68.4	67.3	27.4 <sup>a</sup>	25.4	24.0	22.6

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.