

Table 2.47A Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Numbers in Thousands, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	173,654	175,260	82,829	80,846	69,497 ^a	66,879
GEOGRAPHIC DIVISION						
Northeast	31,330	31,470	14,395	13,625	11,909 ^a	11,040
New England	8,846	8,440	3,894	3,427	3,133 ^a	2,667
Middle Atlantic	22,484	23,030	10,501	10,198	8,776	8,373
Midwest	39,482	40,009	19,598	19,653	16,833	16,485
East North Central	27,325	27,657	13,918	13,485	12,027 ^a	11,240
West North Central	12,157	12,352	5,680	6,168	4,806	5,245
South	64,388	65,126	31,584	31,268	26,876	26,270
South Atlantic	34,456	34,573	15,800	15,889	13,404	13,196
East South Central	10,662	10,552	5,857	5,598	5,266	4,961
West South Central	19,271	20,000	9,928	9,781	8,205	8,113
West	38,454	38,655	17,252	16,299	13,879	13,085
Mountain	12,379	12,591	6,167 ^a	5,545	5,178 ^a	4,537
Pacific	26,075	26,064	11,085	10,755	8,701	8,547
COUNTY TYPE						
Large Metro	88,509	90,220	40,473	39,839	33,045	32,136
Small Metro	54,812	54,563	26,509	25,424	22,305	21,229
250K – 1 Mil. Pop.	36,340	36,579	17,054	16,420	14,304	13,689
< 250K Pop.	18,472	17,984	9,455	9,004	8,001	7,540
Nonmetro	30,333	30,477	15,848	15,583	14,147	13,514
Urbanized	13,353	13,428	6,690	6,669	5,798	5,787
Less Urbanized	13,421	13,855	7,336	7,257	6,682	6,339
Completely Rural	3,559	3,194	1,821	1,657	1,667	1,388

*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.47B Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	66.8	66.8	31.9 ^a	30.8	26.7 ^b	25.5
GEOGRAPHIC DIVISION						
Northeast	66.4	66.4	30.5	28.8	25.2 ^a	23.3
New England	71.3 ^a	67.6	31.4 ^a	27.5	25.2 ^a	21.4
Middle Atlantic	64.7	66.0	30.2	29.2	25.2	24.0
Midwest	70.6	71.2	35.0	35.0	30.1	29.3
East North Central	70.4	71.0	35.9	34.6	31.0 ^a	28.8
West North Central	71.1	71.7	33.2	35.8	28.1	30.4
South	66.8	66.8	32.8	32.1	27.9	26.9
South Atlantic	67.8	67.2	31.1	30.9	26.4	25.6
East South Central	69.3	68.1	38.0	36.1	34.2	32.0
West South Central	64.0	65.4	33.0	32.0	27.2	26.5
West	63.5	63.1	28.5	26.6	22.9	21.4
Mountain	67.2	67.3	33.5 ^a	29.7	28.1 ^b	24.3
Pacific	61.8	61.2	26.3	25.3	20.6	20.1
COUNTY TYPE						
Large Metro	63.5	64.0	29.1	28.2	23.7	22.8
Small Metro	69.8	69.2	33.8	32.2	28.4	26.9
250K – 1 Mil. Pop.	68.7	68.5	32.2	30.8	27.0	25.6
< 250K Pop.	72.1	70.5	36.9	35.3	31.2	29.6
Nonmetro	71.8	71.8	37.5	36.7	33.5	31.8
Urbanized	72.3	70.7	36.2	35.1	31.4	30.5
Less Urbanized	70.7	73.0	38.6	38.2	35.2	33.4
Completely Rural	74.7	71.5	38.2	37.1	35.0	31.1

*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.48A Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Numbers in Thousands, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	5,354 ^b	4,922	3,801 ^b	3,461	2,152 ^a	1,951
GEOGRAPHIC DIVISION						
Northeast	840	764	651 ^a	567	352	342
New England	220	181	186 ^b	132	103	80
Middle Atlantic	620	583	465	435	249	263
Midwest	1,241 ^a	1,120	889 ^a	804	538 ^a	456
East North Central	839	772	605	561	368	317
West North Central	402	348	284	243	170	139
South	2,107 ^a	1,946	1,498	1,354	864 ^a	750
South Atlantic	1,014	982	724	692	415	364
East South Central	400	354	284	252	172	151
West South Central	693	609	490 ^a	410	277	236
West	1,166	1,092	763	736	399	403
Mountain	429	413	280	278	153	146
Pacific	737	680	483	458	246	257
COUNTY TYPE						
Large Metro	2,560 ^a	2,302	1,784	1,626	980	884
Small Metro	1,679	1,590	1,230	1,099	686	609
250K – 1 Mil. Pop.	1,096	1,041	786	734	441	405
< 250K Pop.	582	549	444 ^a	366	245	204
Nonmetro	1,115	1,030	787	736	486	458
Urbanized	471	394	311	287	186	173
Less Urbanized	521	497	385	350	245	214
Completely Rural	123	140	91	99	55	71

*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.48B Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Percentages, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	21.5 ^b	19.8	15.2 ^b	13.9	8.6 ^a	7.8
GEOGRAPHIC DIVISION						
Northeast	19.8	18.2	15.4	13.5	8.3	8.2
New England	20.0	16.6	16.8 ^b	12.1	9.3	7.3
Middle Atlantic	19.8	18.8	14.8	14.1	7.9	8.5
Midwest	22.9 ^a	20.7	16.4	14.9	9.9 ^a	8.4
East North Central	22.2	20.5	16.0	14.9	9.7	8.4
West North Central	24.5	21.2	17.4	14.8	10.4	8.4
South	22.6 ^a	20.8	16.1 ^a	14.5	9.3 ^a	8.0
South Atlantic	21.8	21.1	15.6	14.9	8.9	7.8
East South Central	27.1	24.0	19.2	17.1	11.7	10.2
West South Central	21.7	18.9	15.4 ^a	12.7	8.7	7.3
West	19.5	18.4	12.8	12.4	6.7	6.8
Mountain	23.1	22.0	15.1	14.8	8.3	7.8
Pacific	17.9	16.7	11.7	11.2	6.0	6.3
COUNTY TYPE						
Large Metro	18.8 ^b	17.0	13.1	12.0	7.2	6.5
Small Metro	22.6	21.3	16.6 ^a	14.8	9.3	8.2
250K – 1 Mil. Pop.	21.4	20.3	15.4	14.3	8.6	7.9
< 250K Pop.	25.3	23.6	19.3 ^b	15.7	10.7	8.8
Nonmetro	28.4	26.5	20.1	18.9	12.4	11.8
Urbanized	26.0	23.7	17.2	17.3	10.3	10.4
Less Urbanized	30.7	27.9	22.7	19.6	14.5	12.0
Completely Rural	29.7	31.5	22.0	22.3	13.3	15.9

*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.49A Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Numbers in Thousands, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	22,926	22,650	16,891	16,597	13,167	12,882
GEOGRAPHIC DIVISION						
Northeast	4,106 ^a	3,910	3,025	2,849	2,304	2,166
New England	1,096	1,099	786	790	558	590
Middle Atlantic	3,010 ^b	2,811	2,239 ^a	2,059	1,747 ^a	1,576
Midwest	5,179	5,125	3,975	3,870	3,182	3,086
East North Central	3,538	3,473	2,721	2,625	2,187	2,043
West North Central	1,640	1,652	1,255	1,244	994	1,043
South	8,442	8,284	6,262	6,129	4,941	4,817
South Atlantic	4,263	4,265	3,138	3,105	2,458	2,404
East South Central	1,363	1,349	1,026	1,051	893	872
West South Central	2,816	2,670	2,098	1,973	1,590	1,541
West	5,199	5,331	3,628	3,749	2,740	2,813
Mountain	1,662	1,723	1,225	1,242	947	975
Pacific	3,537	3,608	2,403	2,508	1,793	1,839
COUNTY TYPE						
Large Metro	12,033	11,651	8,731	8,390	6,693	6,382
Small Metro	7,399	7,296	5,454	5,314	4,222	4,114
250K – 1 Mil. Pop.	4,599	4,650	3,370	3,315	2,599	2,560
< 250K Pop.	2,800	2,645	2,083	1,999	1,624	1,553
Nonmetro	3,494	3,703	2,706	2,893	2,252	2,387
Urbanized	1,579	1,731	1,234	1,368	1,022	1,096
Less Urbanized	1,578	1,647	1,215	1,282	1,003	1,103
Completely Rural	337	325	258	243	226	189

*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.49B Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Percentages, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	66.3	65.1	48.8	47.7	38.1	37.0
GEOGRAPHIC DIVISION						
Northeast	66.7 ^a	63.6	49.2	46.3	37.4	35.2
New England	67.7	67.4	48.5	48.5	34.4	36.2
Middle Atlantic	66.4 ^a	62.2	49.4 ^a	45.6	38.5 ^a	34.9
Midwest	70.3	69.2	54.0	52.2	43.2	41.7
East North Central	69.7	68.0	53.6	51.4	43.1 ^a	40.0
West North Central	71.7	71.7	54.9	54.0	43.5	45.3
South	66.2	64.4	49.1	47.7	38.7	37.5
South Atlantic	65.3	65.0	48.1	47.3	37.7	36.6
East South Central	67.4	66.1	50.7	51.5	44.2	42.8
West South Central	66.9 ^a	62.8	49.9	46.4	37.8	36.2
West	62.5	63.7	43.6	44.8	33.0	33.6
Mountain	66.6	68.0	49.1	49.0	38.0	38.5
Pacific	60.8	61.8	41.3	42.9	30.8	31.5
COUNTY TYPE						
Large Metro	63.6	62.2	46.1	44.8	35.4	34.0
Small Metro	68.4	67.1	50.4	48.9	39.1	37.8
250K – 1 Mil. Pop.	66.7	66.5	48.9	47.4	37.7	36.6
< 250K Pop.	71.4	68.2	53.1	51.5	41.4	40.0
Nonmetro	72.0	71.6	55.8	56.0	46.4	46.2
Urbanized	71.1	70.0	55.5	55.3	46.0	44.3
Less Urbanized	72.3	74.1	55.7	57.7	46.0	49.6
Completely Rural	75.4	68.6	57.6	51.4	50.7 ^a	39.8

*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.50A Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Numbers in Thousands, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	145,374	147,688	62,138	60,788	54,178	52,046
GEOGRAPHIC DIVISION						
Northeast	26,384	26,796	10,719	10,209	9,253	8,531
New England	7,529	7,160	2,923	2,505	2,472 ^a	1,997
Middle Atlantic	18,855	19,636	7,797	7,704	6,781	6,534
Midwest	33,063	33,765	14,734	14,979	13,113	12,943
East North Central	22,948	23,412	10,592	10,299	9,472	8,880
West North Central	10,115	10,352	4,141 ^a	4,680	3,641	4,063
South	53,839	54,896	23,824	23,785	21,071	20,703
South Atlantic	29,179	29,327	11,938	12,092	10,531	10,428
East South Central	8,898	8,848	4,547	4,295	4,201	3,938
West South Central	15,762 ^a	16,721	7,339	7,398	6,339	6,337
West	32,089	32,232	12,861	11,814	10,741	9,869
Mountain	10,288	10,455	4,662 ^a	4,025	4,078 ^a	3,416
Pacific	21,801	21,776	8,199	7,789	6,663	6,452
COUNTY TYPE						
Large Metro	73,916	76,266	29,958	29,823	25,373	24,870
Small Metro	45,735	45,678	19,826	19,011	17,396	16,506
250K – 1 Mil. Pop.	30,645	30,888	12,898	12,372	11,264	10,724
< 250K Pop.	15,090	14,790	6,928	6,639	6,132	5,782
Nonmetro	25,724	25,744	12,354	11,954	11,409	10,669
Urbanized	11,302	11,304	5,145	5,015	4,590	4,518
Less Urbanized	11,322	11,711	5,736	5,624	5,433	5,022
Completely Rural	3,099	2,730	1,472	1,315	1,385	1,129

*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.50B Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Percentages, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	72.5	72.9	31.0	30.0	27.0 ^a	25.7
GEOGRAPHIC DIVISION						
Northeast	71.7	72.3	29.1	27.6	25.2	23.0
New England	77.7	73.4	30.2	25.7	25.5 ^a	20.5
Middle Atlantic	69.6	71.9	28.8	28.2	25.0	23.9
Midwest	76.6	77.8	34.1	34.5	30.4	29.8
East North Central	76.6	77.7	35.4	34.2	31.6	29.5
West North Central	76.7	77.9	31.4	35.2	27.6	30.6
South	72.5	72.9	32.1	31.6	28.4	27.5
South Atlantic	73.5	72.9	30.1	30.1	26.5	25.9
East South Central	74.8	73.9	38.2	35.9	35.3	32.9
West South Central	69.4	72.4	32.3	32.0	27.9	27.5
West	69.3	68.6	27.8 ^a	25.2	23.2	21.0
Mountain	73.1	73.2	33.1 ^a	28.2	29.0 ^b	23.9
Pacific	67.7	66.7	25.4	23.8	20.7	19.8
COUNTY TYPE						
Large Metro	69.2	70.1	28.1	27.4	23.8	22.9
Small Metro	75.9	75.4	32.9	31.4	28.9	27.2
250K – 1 Mil. Pop.	74.9	74.8	31.5	30.0	27.5	26.0
< 250K Pop.	77.8	76.6	35.7	34.4	31.6	30.0
Nonmetro	76.9	77.1	36.9	35.8	34.1	31.9
Urbanized	78.2	76.0	35.6	33.7	31.8	30.4
Less Urbanized	74.9	78.2	37.9	37.5	35.9	33.5
Completely Rural	79.4	76.9	37.7	37.0	35.5	31.8

*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.51A Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Numbers in Thousands, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	168,300	170,337	79,029	77,385	67,345 ^a	64,928
GEOGRAPHIC DIVISION						
Northeast	30,489	30,706	13,744	13,058	11,558 ^a	10,698
New England	8,625	8,259	3,709	3,295	3,030 ^a	2,588
Middle Atlantic	21,864	22,447	10,036	9,763	8,528	8,110
Midwest	38,241	38,889	18,709	18,849	16,295	16,029
East North Central	26,486	26,885	13,313	12,925	11,659	10,922
West North Central	11,755	12,004	5,396 ^a	5,925	4,636	5,107
South	62,282	63,179	30,086	29,914	26,012	25,520
South Atlantic	33,442	33,591	15,076	15,197	12,989	12,832
East South Central	10,262	10,197	5,573	5,346	5,094	4,810
West South Central	18,578	19,391	9,437	9,371	7,929	7,878
West	37,288	37,563	16,489	15,564	13,481	12,682
Mountain	11,950	12,178	5,887 ^a	5,267	5,025 ^a	4,391
Pacific	25,338	25,385	10,602	10,297	8,456	8,291
COUNTY TYPE						
Large Metro	85,949	87,917	38,689	38,212	32,065	31,252
Small Metro	53,133	52,973	25,279	24,325	21,619	20,620
250K – 1 Mil. Pop.	35,243	35,538	16,268	15,687	13,863	13,285
< 250K Pop.	17,890	17,435	9,012	8,638	7,756	7,336
Nonmetro	29,218	29,447	15,060	14,847	13,661	13,057
Urbanized	12,882	13,035	6,379	6,382	5,612	5,614
Less Urbanized	12,900	13,358	6,951	6,907	6,437	6,125
Completely Rural	3,436	3,054	1,730	1,558	1,612	1,318

*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.51B Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Percentages, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	71.6	71.7	33.6 ^a	32.6	28.6 ^b	27.3
GEOGRAPHIC DIVISION						
Northeast	71.0	71.1	32.0	30.2	26.9 ^a	24.8
New England	76.3	72.5	32.8	28.9	26.8 ^a	22.7
Middle Atlantic	69.1	70.6	31.7	30.7	27.0	25.5
Midwest	75.7	76.5	37.0	37.1	32.3	31.5
East North Central	75.6	76.3	38.0	36.7	33.3 ^a	31.0
West North Central	76.0	77.0	34.9	38.0	30.0	32.7
South	71.5	71.7	34.6	33.9	29.9	28.9
South Atlantic	72.4	71.8	32.6	32.5	28.1	27.4
East South Central	73.7	72.7	40.0	38.1	36.6	34.3
West South Central	69.0	70.9	35.0	34.3	29.4	28.8
West	68.3	67.9	30.2	28.1	24.7	22.9
Mountain	72.1	72.4	35.5 ^a	31.3	30.3 ^b	26.1
Pacific	66.6	65.9	27.9	26.7	22.2	21.5
COUNTY TYPE						
Large Metro	68.4	69.0	30.8	30.0	25.5	24.5
Small Metro	74.7	74.1	35.6	34.0	30.4	28.9
250K – 1 Mil. Pop.	73.8	73.6	34.0	32.5	29.0	27.5
< 250K Pop.	76.7	75.2	38.7	37.3	33.3	31.6
Nonmetro	76.2	76.4	39.3	38.5	35.6	33.9
Urbanized	77.3	75.2	38.3	36.8	33.7	32.4
Less Urbanized	74.6	77.6	40.2	40.1	37.2	35.6
Completely Rural	78.9	75.9	39.7	38.7	37.0	32.8

*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.