

Table 2.52A Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Numbers in Thousands, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	161,057	162,138	67,802	66,256	57,525	55,778
GEOGRAPHIC DIVISION						
Northeast	29,108	29,241	11,650	11,066	9,882	9,276
New England	8,190	7,865	3,106	2,759	2,584	2,266
Middle Atlantic	20,918	21,376	8,544	8,308	7,298	7,010
Midwest	36,428	37,217	15,946	16,243	13,810	13,845
East North Central	25,298	25,744	11,523	11,203	9,969	9,514
West North Central	11,130	11,473	4,423 ^a	5,040	3,841 ^a	4,331
South	59,639	60,097	26,076	25,633	22,263	21,848
South Atlantic	31,898	31,766	13,213	12,950	11,246	11,098
East South Central	9,954	9,892	4,911	4,640	4,407	4,084
West South Central	17,787	18,439	7,952	8,043	6,610	6,666
West	35,882	35,583	14,130	13,314	11,569	10,809
Mountain	11,667	11,559	5,075 ^a	4,425	4,258 ^a	3,631
Pacific	24,215	24,024	9,056	8,889	7,311	7,178
COUNTY TYPE						
Large Metro	82,185	83,080	33,312	32,601	27,766	26,853
Small Metro	50,735	50,444	21,455	20,710	18,203	17,641
250K – 1 Mil. Pop.	33,796	33,803	13,767	13,343	11,656	11,410
< 250K Pop.	16,939	16,642	7,688	7,368	6,548	6,231
Nonmetro	28,137	28,614	13,035	12,945	11,555	11,283
Urbanized	12,395	12,715	5,501	5,569	4,789	4,899
Less Urbanized	12,478	12,919	6,034	6,110	5,457	5,318
Completely Rural	3,264	2,980	1,500	1,265	1,309	1,067

*Low precision; no estimate reported.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.52B Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	61.9	61.8	26.1	25.3	22.1 ^a	21.3
GEOGRAPHIC DIVISION						
Northeast	61.7	61.7	24.7	23.4	20.9	19.6
New England	66.0	63.0	25.0	22.1	20.8	18.2
Middle Atlantic	60.2	61.2	24.6	23.8	21.0	20.1
Midwest	65.1	66.2	28.5	28.9	24.7	24.6
East North Central	65.2	66.0	29.7	28.7	25.7	24.4
West North Central	65.1	66.6	25.9 ^a	29.2	22.5	25.1
South	61.9	61.6	27.1	26.3	23.1	22.4
South Atlantic	62.7	61.7	26.0	25.2	22.1	21.6
East South Central	64.7	63.8	31.9	29.9	28.6	26.4
West South Central	59.1	60.3	26.4	26.3	21.9	21.8
West	59.2	58.1	23.3	21.7	19.1	17.6
Mountain	63.3	61.8	27.5 ^a	23.7	23.1 ^b	19.4
Pacific	57.4	56.4	21.5	20.9	17.3	16.9
COUNTY TYPE						
Large Metro	59.0	58.9	23.9	23.1	19.9	19.0
Small Metro	64.6	63.9	27.3	26.2	23.2	22.4
250K – 1 Mil. Pop.	63.9	63.3	26.0	25.0	22.0	21.4
< 250K Pop.	66.1	65.2	30.0	28.9	25.6	24.4
Nonmetro	66.6	67.4	30.9	30.5	27.4	26.6
Urbanized	67.1	66.9	29.8	29.3	25.9	25.8
Less Urbanized	65.7	68.0	31.8	32.2	28.7	28.0
Completely Rural	68.5	66.7	31.5	28.3	27.5	23.9

*Low precision; no estimate reported.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.53A Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Numbers in Thousands, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	4,338 ^b	3,903	2,948 ^b	2,561	1,634 ^b	1,397
GEOGRAPHIC DIVISION						
Northeast	646	604	466	425	241	241
New England	157	129	120	95	67	54
Middle Atlantic	490	475	346	330	174	186
Midwest	1,053 ^b	911	721 ^b	597	422 ^b	338
East North Central	709	635	504 ^b	408	296 ^b	229
West North Central	344 ^a	276	217	189	126	109
South	1,696 ^b	1,471	1,166 ^b	969	666 ^b	519
South Atlantic	853 ^a	710	584 ^a	467	340 ^b	244
East South Central	300	270	215	176	128	100
West South Central	543	492	367	326	198	175
West	943	917	595	570	305	299
Mountain	348	346	210	221	113	112
Pacific	595	571	386	348	193	187
COUNTY TYPE						
Large Metro	2,091 ^b	1,820	1,408 ^b	1,210	755 ^a	622
Small Metro	1,364	1,285	957 ^a	814	524	449
250K – 1 Mil. Pop.	889	842	608	545	330	293
< 250K Pop.	475	443	348 ^a	269	194	156
Nonmetro	884	797	583	537	355	327
Urbanized	379	312	226	218	134	134
Less Urbanized	412	383	290	251	179	145
Completely Rural	92	103	67	67	41	48

*Low precision; no estimate reported.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.53B Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Percentages, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	17.4 ^b	15.7	11.8 ^b	10.3	6.6 ^b	5.6
GEOGRAPHIC DIVISION						
Northeast	15.3	14.4	11.0	10.1	5.7	5.7
New England	14.2	11.8	10.9	8.7	6.1	5.0
Middle Atlantic	15.6	15.3	11.0	10.7	5.6	6.0
Midwest	19.4 ^b	16.9	13.3 ^b	11.1	7.8 ^b	6.3
East North Central	18.8	16.9	13.3 ^b	10.9	7.8 ^b	6.1
West North Central	21.0 ^a	16.8	13.3	11.5	7.7	6.6
South	18.2 ^b	15.7	12.5 ^b	10.4	7.2 ^b	5.6
South Atlantic	18.4 ^b	15.2	12.6 ^a	10.0	7.3 ^b	5.2
East South Central	20.3	18.3	14.6	11.9	8.7	6.8
West South Central	17.0	15.2	11.5	10.1	6.2	5.4
West	15.8	15.4	10.0	9.6	5.1	5.0
Mountain	18.7	18.4	11.3	11.8	6.1	6.0
Pacific	14.5	14.0	9.4	8.5	4.7	4.6
COUNTY TYPE						
Large Metro	15.4 ^b	13.4	10.4 ^b	8.9	5.6 ^b	4.6
Small Metro	18.4	17.3	12.9 ^b	10.9	7.1 ^a	6.0
250K – 1 Mil. Pop.	17.4	16.4	11.9	10.6	6.5	5.7
< 250K Pop.	20.6	19.0	15.1 ^b	11.6	8.4	6.7
Nonmetro	22.5	20.5	14.9	13.8	9.0	8.4
Urbanized	20.9	18.8	12.5	13.1	7.4	8.1
Less Urbanized	24.3	21.5	17.1	14.1	10.6	8.1
Completely Rural	22.3	23.3	16.2	15.2	10.0	10.9

*Low precision; no estimate reported.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.54A Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Numbers in Thousands, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	20,593 ^a	20,141	14,195 ^a	13,750	11,008	10,657
GEOGRAPHIC DIVISION						
Northeast	3,595 ^a	3,406	2,491 ^a	2,295	1,951 ^a	1,758
New England	951	934	629	633	463	468
Middle Atlantic	2,644 ^a	2,472	1,863 ^b	1,663	1,488 ^b	1,290
Midwest	4,594	4,535	3,298	3,209	2,624	2,542
East North Central	3,166	3,078	2,258	2,164	1,804	1,681
West North Central	1,428	1,456	1,040	1,045	820	861
South	7,659	7,421	5,326	5,113	4,129	3,979
South Atlantic	3,816	3,782	2,635	2,532	2,014	1,947
East South Central	1,233	1,222	872	907	737	742
West South Central	2,610 ^a	2,417	1,818	1,674	1,377	1,289
West	4,745	4,780	3,079	3,132	2,303	2,378
Mountain	1,521	1,557	1,012	1,019	783	806
Pacific	3,224	3,223	2,067	2,114	1,520	1,572
COUNTY TYPE						
Large Metro	10,847	10,385	7,388	6,976	5,649	5,297
Small Metro	6,554	6,447	4,529	4,331	3,495	3,364
250K – 1 Mil. Pop.	4,097	4,070	2,807	2,678	2,138	2,088
< 250K Pop.	2,457	2,377	1,722	1,654	1,357	1,276
Nonmetro	3,192	3,309	2,278	2,443	1,864	1,996
Urbanized	1,422	1,528	1,025	1,128	840	890
Less Urbanized	1,462	1,503	1,036	1,117	833	954
Completely Rural	307	278	217	198	191	153

*Low precision; no estimate reported.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.54B Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Percentages, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	59.5 ^b	57.9	41.0 ^a	39.5	31.8	30.6
GEOGRAPHIC DIVISION						
Northeast	58.4 ^a	55.4	40.5 ^a	37.3	31.7 ^a	28.6
New England	58.7	57.3	38.8	38.8	28.6	28.7
Middle Atlantic	58.3 ^a	54.7	41.1 ^b	36.8	32.8 ^a	28.5
Midwest	62.4	61.2	44.8	43.3	35.6	34.3
East North Central	62.4	60.3	44.5	42.4	35.6	32.9
West North Central	62.5	63.2	45.5	45.4	35.9	37.4
South	60.0 ^a	57.7	41.7	39.8	32.4	30.9
South Atlantic	58.5	57.6	40.4	38.6	30.9	29.7
East South Central	61.0	59.9	43.1	44.4	36.4	36.4
West South Central	62.0 ^b	56.8	43.2 ^a	39.4	32.7	30.3
West	57.1	57.1	37.0	37.4	27.7	28.4
Mountain	61.0	61.5	40.6	40.2	31.4	31.8
Pacific	55.4	55.2	35.5	36.2	26.1	26.9
COUNTY TYPE						
Large Metro	57.3 ^a	55.4	39.0	37.2	29.8	28.3
Small Metro	60.6	59.3	41.9 ^a	39.8	32.3	30.9
250K – 1 Mil. Pop.	59.5	58.2	40.7	38.3	31.0	29.9
< 250K Pop.	62.6	61.2	43.9	42.6	34.6	32.9
Nonmetro	65.8	64.0	47.0	47.3	38.4	38.6
Urbanized	64.0	61.8	46.1	45.6	37.8	36.0
Less Urbanized	67.0	67.6	47.5	50.3	38.2	42.9
Completely Rural	68.7 ^a	58.7	48.7	41.9	42.7 ^a	32.2

*Low precision; no estimate reported.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.55A Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Numbers in Thousands, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	136,125	138,095	50,659	49,945	44,882	43,724
GEOGRAPHIC DIVISION						
Northeast	24,867	25,231	8,693	8,346	7,690	7,277
New England	7,082	6,802	2,358	2,031	2,054	1,744
Middle Atlantic	17,785	18,429	6,335	6,315	5,636	5,533
Midwest	30,781 ^a	31,771	11,927	12,437	10,764	10,965
East North Central	21,423	22,030	8,761	8,631	7,868	7,604
West North Central	9,358	9,741	3,165 ^a	3,806	2,896	3,361
South	50,284	51,206	19,584	19,551	17,468	17,350
South Atlantic	27,230	27,275	9,995	9,951	8,893	8,906
East South Central	8,420	8,400	3,823	3,557	3,541	3,242
West South Central	14,634 ^a	15,531	5,766	6,043	5,034	5,202
West	30,194	29,887	10,456	9,612	8,960	8,132
Mountain	9,798	9,656	3,853 ^a	3,185	3,363 ^a	2,713
Pacific	20,395	20,231	6,603	6,427	5,598	5,419
COUNTY TYPE						
Large Metro	69,247	70,874	24,516	24,414	21,362	20,935
Small Metro	42,817	42,713	15,970	15,565	14,184	13,828
250K – 1 Mil. Pop.	28,810	28,891	10,352	10,120	9,187	9,030
< 250K Pop.	14,007	13,822	5,618	5,445	4,997	4,799
Nonmetro	24,061	24,508	10,174	9,965	9,336	8,961
Urbanized	10,593	10,875	4,250	4,224	3,814	3,875
Less Urbanized	10,603	11,033	4,708	4,741	4,445	4,220
Completely Rural	2,865	2,599	1,215	1,000	1,076	866

*Low precision; no estimate reported.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.55B Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Percentages, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	67.9	68.1	25.3	24.6	22.4	21.6
GEOGRAPHIC DIVISION						
Northeast	67.6	68.1	23.6	22.5	20.9	19.6
New England	73.1	69.7	24.3	20.8	21.2	17.9
Middle Atlantic	65.6	67.5	23.4	23.1	20.8	20.3
Midwest	71.3	73.2	27.6	28.6	24.9	25.3
East North Central	71.5	73.1	29.2	28.7	26.3	25.2
West North Central	71.0	73.3	24.0 ^a	28.6	22.0	25.3
South	67.7	68.0	26.4	26.0	23.5	23.0
South Atlantic	68.6	67.8	25.2	24.7	22.4	22.1
East South Central	70.8	70.1	32.1	29.7	29.8	27.1
West South Central	64.4	67.3	25.4	26.2	22.2	22.5
West	65.2	63.7	22.6	20.5	19.4	17.3
Mountain	69.6	67.6	27.4 ^b	22.3	23.9 ^b	19.0
Pacific	63.3	61.9	20.5	19.7	17.4	16.6
COUNTY TYPE						
Large Metro	64.8	65.2	23.0	22.5	20.0	19.3
Small Metro	71.0	70.5	26.5	25.7	23.5	22.8
250K – 1 Mil. Pop.	70.5	70.0	25.3	24.5	22.5	21.9
< 250K Pop.	72.2	71.6	29.0	28.2	25.8	24.9
Nonmetro	71.9	73.4	30.4	29.8	27.9	26.8
Urbanized	73.3	73.1	29.4	28.4	26.4	26.1
Less Urbanized	70.1	73.6	31.1	31.6	29.4	28.2
Completely Rural	73.4	73.2	31.1	28.2	27.6	24.4

*Low precision; no estimate reported.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.56A Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Numbers in Thousands, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	156,718	158,236	64,854	63,695	55,890	54,381
GEOGRAPHIC DIVISION						
Northeast	28,461	28,637	11,184	10,641	9,641	9,035
New England	8,033	7,736	2,986	2,664	2,517	2,212
Middle Atlantic	20,428	20,901	8,198	7,978	7,124	6,823
Midwest	35,375 ^a	36,306	15,225	15,646	13,389	13,507
East North Central	24,588	25,109	11,019	10,795	9,673	9,285
West North Central	10,786	11,197	4,206 ^b	4,851	3,716 ^a	4,222
South	57,943	58,626	24,910	24,664	21,597	21,329
South Atlantic	31,045	31,057	12,629	12,483	10,907	10,853
East South Central	9,653	9,622	4,696	4,464	4,278	3,985
West South Central	17,244	17,947	7,584	7,717	6,412	6,491
West	34,939	34,667	13,535	12,744	11,264	10,510
Mountain	11,319	11,213	4,865 ^a	4,203	4,146 ^a	3,519
Pacific	23,619	23,454	8,670	8,540	7,118	6,991
COUNTY TYPE						
Large Metro	80,094	81,260	31,904	31,391	27,011	26,232
Small Metro	49,371	49,159	20,499	19,897	17,680	17,192
250K – 1 Mil. Pop.	32,907	32,961	13,159	12,798	11,326	11,118
< 250K Pop.	16,464	16,199	7,340	7,099	6,354	6,075
Nonmetro	27,253	27,816	12,452	12,408	11,200	10,957
Urbanized	12,015	12,403	5,275	5,351	4,655	4,765
Less Urbanized	12,066	12,536	5,744	5,858	5,278	5,174
Completely Rural	3,172	2,877	1,433	1,198	1,267	1,018

*Low precision; no estimate reported.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.56B Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Percentages, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	66.7	66.6	27.6	26.8	23.8	22.9
GEOGRAPHIC DIVISION						
Northeast	66.3	66.3	26.0	24.6	22.5	20.9
New England	71.0	67.9	26.4	23.4	22.3	19.4
Middle Atlantic	64.6	65.7	25.9	25.1	22.5	21.5
Midwest	70.0	71.4	30.1	30.8	26.5	26.6
East North Central	70.2	71.3	31.4	30.6	27.6	26.4
West North Central	69.7	71.8	27.2 ^a	31.1	24.0	27.1
South	66.5	66.5	28.6	28.0	24.8	24.2
South Atlantic	67.2	66.4	27.3	26.7	23.6	23.2
East South Central	69.4	68.6	33.7	31.8	30.7	28.4
West South Central	64.0	65.6	28.2	28.2	23.8	23.7
West	64.0	62.7	24.8	23.0	20.6	19.0
Mountain	68.3	66.7	29.4 ^b	25.0	25.0 ^b	20.9
Pacific	62.1	60.9	22.8	22.2	18.7	18.2
COUNTY TYPE						
Large Metro	63.7	63.7	25.4	24.6	21.5	20.6
Small Metro	69.4	68.8	28.8	27.8	24.9	24.1
250K – 1 Mil. Pop.	68.9	68.3	27.5	26.5	23.7	23.0
< 250K Pop.	70.6	69.9	31.5	30.6	27.3	26.2
Nonmetro	71.1	72.1	32.5	32.2	29.2	28.4
Urbanized	72.1	71.5	31.6	30.9	27.9	27.5
Less Urbanized	69.7	72.9	33.2	34.1	30.5	30.1
Completely Rural	72.9	71.5	32.9	29.8	29.1	25.3

*Low precision; no estimate reported.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.