

**Table 2.62A Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Numbers in Thousands, 2012 and 2013**

<b>Geographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	88,596	89,117	25,647	24,933	13,417	12,438
<b>GEOGRAPHIC DIVISION</b>						
Northeast	15,633	15,370	4,932 <sup>a</sup>	4,362	2,637 <sup>b</sup>	2,061
New England	4,771	4,596	1,460	1,212	813 <sup>b</sup>	550
Middle Atlantic	10,862	10,774	3,472	3,150	1,824	1,511
Midwest	21,161	20,945	5,986	5,909	3,002	2,940
East North Central	14,437	14,188	4,154	3,950	2,203	1,896
West North Central	6,724	6,757	1,832	1,959	799	1,044
South	31,927	32,317	8,970	9,515	5,233	4,890
South Atlantic	17,253	17,317	4,755	5,172	2,929	2,476
East South Central	5,045	4,734	1,397	1,338	825	765
West South Central	9,629	10,266	2,818	3,005	1,478	1,649
West	19,874	20,486	5,759	5,147	2,545	2,546
Mountain	6,664	6,831	1,985	1,738	915	798
Pacific	13,209	13,655	3,774	3,409	1,630	1,749
<b>COUNTY TYPE</b>						
Large Metro	45,277	46,914	13,450	13,830	6,883	6,944
Small Metro	28,325	28,020	8,392	7,582	4,610 <sup>b</sup>	3,810
250K – 1 Mil. Pop.	18,906	19,276	5,632	5,138	3,174 <sup>a</sup>	2,516
< 250K Pop.	9,419	8,743	2,760	2,444	1,436	1,293
Nonmetro	14,994	14,183	3,805	3,521	1,924	1,684
Urbanized	6,690	6,536	1,805	1,570	878	707
Less Urbanized	6,645	6,194	1,729	1,505	882	762
Completely Rural	1,659	1,453	271 <sup>a</sup>	446	164	215

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 2.62B Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2012 and 2013**

<b>Geographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	34.1	34.0	9.9	9.5	5.2 <sup>a</sup>	4.7
<b>GEOGRAPHIC DIVISION</b>						
Northeast	33.1	32.4	10.5 <sup>a</sup>	9.2	5.6 <sup>b</sup>	4.3
New England	38.4	36.8	11.8	9.7	6.5 <sup>b</sup>	4.4
Middle Atlantic	31.2	30.9	10.0	9.0	5.2	4.3
Midwest	37.8	37.3	10.7	10.5	5.4	5.2
East North Central	37.2	36.4	10.7	10.1	5.7	4.9
West North Central	39.3	39.2	10.7	11.4	4.7	6.1
South	33.1	33.1	9.3	9.8	5.4	5.0
South Atlantic	33.9	33.7	9.3	10.1	5.8	4.8
East South Central	32.8	30.6	9.1	8.6	5.4	4.9
West South Central	32.0	33.6	9.4	9.8	4.9	5.4
West	32.8	33.4	9.5	8.4	4.2	4.2
Mountain	36.2	36.5	10.8	9.3	5.0	4.3
Pacific	31.3	32.1	9.0	8.0	3.9	4.1
<b>COUNTY TYPE</b>						
Large Metro	32.5	33.3	9.7	9.8	4.9	4.9
Small Metro	36.1	35.5	10.7 <sup>a</sup>	9.6	5.9 <sup>b</sup>	4.8
250K – 1 Mil. Pop.	35.7	36.1	10.6	9.6	6.0 <sup>b</sup>	4.7
< 250K Pop.	36.8	34.3	10.8	9.6	5.6	5.1
Nonmetro	35.5 <sup>a</sup>	33.4	9.0	8.3	4.6	4.0
Urbanized	36.2	34.4	9.8	8.3	4.7	3.7
Less Urbanized	35.0	32.6	9.1	7.9	4.6	4.0
Completely Rural	34.8	32.5	5.7 <sup>b</sup>	10.0	3.4	4.8

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 2.63A Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Numbers in Thousands, 2012 and 2013**

<b>Geographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	2,389 <sup>b</sup>	2,070	1,684 <sup>b</sup>	1,424	645	576
<b>GEOGRAPHIC DIVISION</b>						
Northeast	408	378	326 <sup>b</sup>	253	120	114
New England	130	96	115 <sup>b</sup>	64	38	27
Middle Atlantic	277	282	211	188	82	87
Midwest	538	491	384	365	157	158
East North Central	363	349	259	262	114	113
West North Central	175	142	124	102	43	45
South	899 <sup>a</sup>	769	614	521	247	206
South Atlantic	464	380	320	257	121	95
East South Central	155	137	105	96	50	44
West South Central	280	253	188	168	76	67
West	545 <sup>a</sup>	432	360 <sup>a</sup>	285	120	98
Mountain	200	188	125	122	45	43
Pacific	344 <sup>b</sup>	244	235 <sup>a</sup>	163	75	56
<b>COUNTY TYPE</b>						
Large Metro	1,156 <sup>a</sup>	1,006	815	709	280	280
Small Metro	762	663	524 <sup>a</sup>	435	216	174
250K – 1 Mil. Pop.	498	436	349	300	150	125
< 250K Pop.	265	228	176 <sup>a</sup>	135	66	49
Nonmetro	471	401	345 <sup>a</sup>	280	148	122
Urbanized	197	161	138	113	47	46
Less Urbanized	233	183	172	131	85	62
Completely Rural	41	57	34	36	16	14

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 2.63B Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Percentages, 2012 and 2013**

<b>Geographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	9.6 <sup>b</sup>	8.3	6.8 <sup>b</sup>	5.7	2.6	2.3
<b>GEOGRAPHIC DIVISION</b>						
Northeast	9.6	9.0	7.7 <sup>a</sup>	6.0	2.8	2.7
New England	11.8	8.8	10.4 <sup>b</sup>	5.9	3.4	2.5
Middle Atlantic	8.9	9.1	6.7	6.1	2.6	2.8
Midwest	9.9	9.1	7.1	6.8	2.9	2.9
East North Central	9.6	9.3	6.9	7.0	3.0	3.0
West North Central	10.7	8.6	7.6	6.2	2.6	2.7
South	9.7 <sup>a</sup>	8.2	6.6 <sup>a</sup>	5.6	2.7	2.2
South Atlantic	10.0	8.2	6.9	5.5	2.6	2.0
East South Central	10.5	9.3	7.1	6.5	3.4	3.0
West South Central	8.8	7.8	5.9	5.2	2.4	2.1
West	9.1 <sup>a</sup>	7.3	6.0 <sup>a</sup>	4.8	2.0	1.7
Mountain	10.8	10.0	6.7	6.5	2.4	2.3
Pacific	8.4 <sup>b</sup>	6.0	5.7 <sup>a</sup>	4.0	1.8	1.4
<b>COUNTY TYPE</b>						
Large Metro	8.5 <sup>a</sup>	7.4	6.0 <sup>a</sup>	5.2	2.1	2.1
Small Metro	10.3 <sup>a</sup>	8.9	7.1 <sup>a</sup>	5.8	2.9	2.3
250K – 1 Mil. Pop.	9.7	8.5	6.8	5.9	2.9	2.4
< 250K Pop.	11.5	9.8	7.6 <sup>a</sup>	5.8	2.9	2.1
Nonmetro	12.0	10.3	8.8 <sup>a</sup>	7.2	3.8	3.1
Urbanized	10.9	9.7	7.6	6.8	2.6	2.8
Less Urbanized	13.7 <sup>a</sup>	10.2	10.2 <sup>a</sup>	7.4	5.0	3.5
Completely Rural	9.9	12.8	8.3	8.0	3.9	3.1

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 2.64A Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Numbers in Thousands, 2012 and 2013**

<b>Geographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	13,490	13,379	7,521	7,214	3,716	3,472
<b>GEOGRAPHIC DIVISION</b>						
Northeast	2,431	2,397	1,398	1,280	681	607
New England	703	716	413	400	194	186
Middle Atlantic	1,728	1,681	985	880	487	421
Midwest	3,218	3,205	1,829	1,748	868	839
East North Central	2,164	2,158	1,220	1,181	593	565
West North Central	1,055	1,047	609	567	275	274
South	4,818	4,641	2,684	2,568	1,439	1,321
South Atlantic	2,499	2,407	1,378	1,326	735	703
East South Central	766	819	428	421	245	222
West South Central	1,553	1,416	878	821	459	396
West	3,022	3,137	1,609	1,617	729	704
Mountain	1,083	1,031	599	511	279 <sup>a</sup>	200
Pacific	1,938	2,106	1,010	1,106	450	504
<b>COUNTY TYPE</b>						
Large Metro	6,902	6,782	3,864	3,678	2,003	1,799
Small Metro	4,588	4,491	2,538	2,379	1,165	1,110
250K – 1 Mil. Pop.	2,777	2,852	1,495	1,504	707	650
< 250K Pop.	1,811	1,639	1,043	875	458	460
Nonmetro	1,999	2,106	1,119	1,157	549	563
Urbanized	942	1,075	546	612	272	285
Less Urbanized	872	860	480	465	229	241
Completely Rural	186	171	93	79	47	37

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 2.64B Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Percentages, 2012 and 2013**

<b>Geographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	39.0	38.5	21.7	20.7	10.7	10.0
<b>GEOGRAPHIC DIVISION</b>						
Northeast	39.5	39.0	22.7	20.8	11.1	9.9
New England	43.4	43.9	25.5	24.5	12.0	11.4
Middle Atlantic	38.1	37.2	21.7	19.5	10.7	9.3
Midwest	43.7	43.3	24.9	23.6	11.8	11.3
East North Central	42.6	42.3	24.0	23.1	11.7	11.1
West North Central	46.1	45.5	26.6	24.6	12.0	11.9
South	37.8	36.1	21.0	20.0	11.3	10.3
South Atlantic	38.3	36.7	21.1	20.2	11.3	10.7
East South Central	37.9	40.1	21.2	20.6	12.1	10.9
West South Central	36.9 <sup>a</sup>	33.3	20.9	19.3	10.9	9.3
West	36.3	37.5	19.4	19.3	8.8	8.4
Mountain	43.5	40.7	24.0 <sup>a</sup>	20.2	11.2 <sup>a</sup>	7.9
Pacific	33.3	36.1	17.3	18.9	7.7	8.6
<b>COUNTY TYPE</b>						
Large Metro	36.5	36.2	20.4	19.6	10.6	9.6
Small Metro	42.4	41.3	23.5	21.9	10.8	10.2
250K – 1 Mil. Pop.	40.3	40.8	21.7	21.5	10.3	9.3
< 250K Pop.	46.2 <sup>a</sup>	42.2	26.6 <sup>a</sup>	22.6	11.7	11.8
Nonmetro	41.2	40.7	23.1	22.4	11.3	10.9
Urbanized	42.4	43.5	24.6	24.8	12.3	11.5
Less Urbanized	40.0	38.7	22.0	20.9	10.5	10.9
Completely Rural	41.5	36.1	20.7	16.7	10.6	7.7

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 2.65A Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Numbers in Thousands, 2012 and 2013**

<b>Geographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	72,716	73,668	16,443	16,296	9,055	8,389
<b>GEOGRAPHIC DIVISION</b>						
Northeast	12,794	12,595	3,208	2,830	1,836 <sup>a</sup>	1,340
New England	3,938	3,784	932	748	581 <sup>a</sup>	337
Middle Atlantic	8,856	8,811	2,276	2,082	1,255	1,002
Midwest	17,405	17,249	3,773	3,796	1,977	1,943
East North Central	11,911	11,681	2,675	2,507	1,496	1,218
West North Central	5,495	5,568	1,099	1,289	481	725
South	26,210	26,907	5,672	6,426	3,547	3,363
South Atlantic	14,290	14,531	3,057	3,589	2,073	1,678
East South Central	4,124	3,779	864	821	530	499
West South Central	7,796 <sup>a</sup>	8,598	1,751	2,016	944	1,187
West	16,307	16,917	3,790	3,245	1,695	1,744
Mountain	5,380	5,612	1,261	1,105	590	554
Pacific	10,927	11,305	2,529	2,140	1,105	1,189
<b>COUNTY TYPE</b>						
Large Metro	37,218	39,126	8,771	9,444	4,600	4,864
Small Metro	22,975	22,865	5,330	4,767	3,229 <sup>a</sup>	2,526
250K – 1 Mil. Pop.	15,632	15,989	3,789	3,334	2,318 <sup>a</sup>	1,741
< 250K Pop.	7,343	6,877	1,541	1,433	911	785
Nonmetro	12,523	11,676	2,342	2,085	1,227	999
Urbanized	5,551	5,300	1,121	845	558	376
Less Urbanized	5,540	5,151	1,077	908	568	458
Completely Rural	1,432	1,226	144 <sup>a</sup>	332	101	165

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 2.65B Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Percentages, 2012 and 2013**

<b>Geographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	36.3	36.3	8.2	8.0	4.5	4.1
<b>GEOGRAPHIC DIVISION</b>						
Northeast	34.8	34.0	8.7	7.6	5.0 <sup>a</sup>	3.6
New England	40.6	38.8	9.6	7.7	6.0 <sup>b</sup>	3.5
Middle Atlantic	32.7	32.3	8.4	7.6	4.6	3.7
Midwest	40.3	39.7	8.7	8.7	4.6	4.5
East North Central	39.8	38.8	8.9	8.3	5.0	4.0
West North Central	41.7	41.9	8.3	9.7	3.6	5.5
South	35.3	35.7	7.6	8.5	4.8	4.5
South Atlantic	36.0	36.1	7.7	8.9	5.2	4.2
East South Central	34.7	31.5	7.3	6.9	4.5	4.2
West South Central	34.3	37.2	7.7	8.7	4.2	5.1
West	35.2	36.0	8.2	6.9	3.7	3.7
Mountain	38.2	39.3	9.0	7.7	4.2	3.9
Pacific	33.9	34.6	7.8	6.6	3.4	3.6
<b>COUNTY TYPE</b>						
Large Metro	34.9	36.0	8.2	8.7	4.3	4.5
Small Metro	38.1	37.7	8.8	7.9	5.4 <sup>a</sup>	4.2
250K – 1 Mil. Pop.	38.2	38.7	9.3	8.1	5.7 <sup>a</sup>	4.2
< 250K Pop.	37.9	35.6	7.9	7.4	4.7	4.1
Nonmetro	37.4	35.0	7.0	6.2	3.7	3.0
Urbanized	38.4	35.6	7.8	5.7	3.9 <sup>a</sup>	2.5
Less Urbanized	36.6	34.4	7.1	6.1	3.8	3.1
Completely Rural	36.7	34.5	3.7 <sup>b</sup>	9.4	2.6	4.6

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 2.66A Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Numbers in Thousands, 2012 and 2013**

<b>Geographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	86,206	87,047	23,964	23,509	12,772	11,862
<b>GEOGRAPHIC DIVISION</b>						
Northeast	15,226	14,992	4,606	4,110	2,517 <sup>b</sup>	1,947
New England	4,641	4,500	1,345	1,148	775 <sup>a</sup>	523
Middle Atlantic	10,585	10,492	3,261	2,962	1,742	1,424
Midwest	20,624	20,454	5,603	5,544	2,845	2,782
East North Central	14,074	13,839	3,895	3,688	2,089	1,783
West North Central	6,549	6,615	1,708	1,856	755	999
South	31,028	31,548	8,356	8,994	4,986	4,684
South Atlantic	16,789	16,937	4,435	4,915	2,808	2,381
East South Central	4,890	4,597	1,291	1,241	775	721
West South Central	9,349	10,013	2,630	2,837	1,402	1,583
West	19,329	20,053	5,399	4,862	2,425	2,448
Mountain	6,464	6,643	1,860	1,616	869	755
Pacific	12,865	13,411	3,539	3,246	1,555	1,693
<b>COUNTY TYPE</b>						
Large Metro	44,120	45,909	12,635	13,121	6,603	6,664
Small Metro	27,563	27,356	7,868	7,146	4,394 <sup>a</sup>	3,636
250K – 1 Mil. Pop.	18,409	18,841	5,283	4,838	3,024 <sup>a</sup>	2,391
< 250K Pop.	9,155	8,516	2,585	2,309	1,370	1,245
Nonmetro	14,523	13,782	3,460	3,242	1,775	1,562
Urbanized	6,493	6,375	1,667	1,458	830	661
Less Urbanized	6,412	6,011	1,557	1,373	797	699
Completely Rural	1,618	1,396	236 <sup>a</sup>	411	148	201

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 2.66B Cigar Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Percentages, 2012 and 2013**

<b>Geographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	36.7	36.7	10.2	9.9	5.4 <sup>a</sup>	5.0
<b>GEOGRAPHIC DIVISION</b>						
Northeast	35.5	34.7	10.7	9.5	5.9 <sup>b</sup>	4.5
New England	41.0	39.5	11.9	10.1	6.9 <sup>a</sup>	4.6
Middle Atlantic	33.5	33.0	10.3	9.3	5.5	4.5
Midwest	40.8	40.3	11.1	10.9	5.6	5.5
East North Central	40.2	39.3	11.1	10.5	6.0	5.1
West North Central	42.3	42.4	11.0	11.9	4.9	6.4
South	35.6	35.8	9.6	10.2	5.7	5.3
South Atlantic	36.3	36.2	9.6	10.5	6.1	5.1
East South Central	35.1	32.8	9.3	8.9	5.6	5.1
West South Central	34.7	36.6	9.8	10.4	5.2	5.8
West	35.4	36.2	9.9	8.8	4.4	4.4
Mountain	39.0	39.5	11.2	9.6	5.2	4.5
Pacific	33.8	34.8	9.3	8.4	4.1	4.4
<b>COUNTY TYPE</b>						
Large Metro	35.1	36.0	10.1	10.3	5.3	5.2
Small Metro	38.8	38.3	11.1	10.0	6.2 <sup>b</sup>	5.1
250K – 1 Mil. Pop.	38.5	39.0	11.1	10.0	6.3 <sup>b</sup>	5.0
< 250K Pop.	39.3	36.7	11.1	10.0	5.9	5.4
Nonmetro	37.9	35.7	9.0	8.4	4.6	4.1
Urbanized	39.0	36.8	10.0	8.4	5.0 <sup>a</sup>	3.8
Less Urbanized	37.1	34.9	9.0	8.0	4.6	4.1
Completely Rural	37.2	34.7	5.4 <sup>b</sup>	10.2	3.4	5.0

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.