

**Table 2.17C Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics:  
Standard Errors of Numbers in Thousands, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	939	942	933	875	882	835
<b>AGE</b>						
12-17	89	92	80	80	61	59
18-25	164	165	163	178	164	170
26 or Older	890	889	882	842	841	803
<b>GENDER</b>						
Male	536	562	655	630	618	612
Female	683	698	578	568	554	524
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	833	860	856	830	825	785
White	658	679	745	736	724	693
Black or African American	312	319	297	303	294	292
American Indian or Alaska Native	109	101	80	76	77	66
Native Hawaiian or Other Pacific Islander	*	74	*	55	*	47
Asian	331	316	179	156	163	136
Two or More Races	237	221	183	151	180	145
Hispanic or Latino	388	392	345	334	299	294

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 2.17D Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics:  
Standard Errors of Percentages, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	0.36	0.36	0.36	0.33	0.34	0.32
<b>AGE</b>						
12-17	0.36	0.37	0.32	0.32	0.25	0.24
18-25	0.48	0.48	0.47	0.51	0.47	0.49
26 or Older	0.44	0.44	0.44	0.42	0.42	0.40
<b>GENDER</b>						
Male	0.43	0.44	0.52	0.50	0.49	0.48
Female	0.51	0.52	0.43	0.42	0.41	0.39
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.38	0.39	0.39	0.38	0.38	0.35
White	0.39	0.40	0.44	0.43	0.43	0.41
Black or African American	1.02	1.02	0.97	0.97	0.96	0.94
American Indian or Alaska Native	2.71	2.79	3.94	3.82	4.00	3.65
Native Hawaiian or Other Pacific Islander	*	5.42	*	5.15	*	4.65
Asian	1.98	1.88	1.32	1.11	1.18	0.96
Two or More Races	2.04	2.12	3.05	2.74	3.15	2.73
Hispanic or Latino	0.96	0.95	0.86	0.81	0.74	0.71

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 2.17P Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics:  
P Values from Tests of Differences of Percentages, 2013 Versus 2012**

<b>Demographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	0.9709		0.0278		0.0050	
<b>AGE</b>						
12-17	0.0007		0.0028		0.0188	
18-25	0.0625		0.0969		0.1211	
26 or Older	0.5528		0.0903		0.0148	
<b>GENDER</b>						
Male	0.6532		0.0090		0.0043	
Female	0.6909		0.5933		0.2473	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.9350		0.0241		0.0041	
White	0.9470		0.0344		0.0097	
Black or African American	0.1229		0.9531		0.9485	
American Indian or Alaska Native	0.6460		0.2908		0.1135	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.3920		0.8076		0.6398	
Two or More Races	0.6030		0.1691		0.1398	
Hispanic or Latino	0.9283		0.8133		0.7533	

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 2.18C Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	89	92	80	80	61	59
<b>GENDER</b>						
Male	70	68	61	59	47	45
Female	58	62	50	54	37	40
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	77	83	69	72	55	54
White	89	86	76	72	56	52
Black or African American	35	33	25	27	19	19
American Indian or Alaska Native	8	11	7	6	6	4
Native Hawaiian or Other Pacific Islander	*	*	*	3	*	3
Asian	15	18	10	14	8	10
Two or More Races	19	18	15	12	10	10
Hispanic or Latino	49	43	41	37	26	26
<b>GENDER/RACE/HISPANIC ORIGIN</b>						
Male, White, Not Hispanic	61	64	55	53	41	39
Female, White, Not Hispanic	55	52	46	43	34	33
Male, Black, Not Hispanic	25	25	18	22	14	15
Female, Black, Not Hispanic	23	21	18	15	13	11
Male, Hispanic	45	38	33	29	20	22
Female, Hispanic	32	32	26	27	16	17

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 2.18D Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Percentages, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	0.36	0.37	0.32	0.32	0.25	0.24
<b>GENDER</b>						
Male	0.55	0.53	0.48	0.47	0.37	0.35
Female	0.48	0.51	0.41	0.44	0.30	0.33
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.40	0.43	0.35	0.37	0.28	0.28
White	0.48	0.51	0.45	0.45	0.36	0.35
Black or African American	0.85	0.82	0.67	0.71	0.52	0.54
American Indian or Alaska Native	4.60	3.98	3.92	3.45	3.42	2.46
Native Hawaiian or Other Pacific Islander	*	*	*	2.76	*	2.73
Asian	1.19	1.37	0.83	1.15	0.65	0.75
Two or More Races	2.14	2.08	1.84	1.49	1.32	1.27
Hispanic or Latino	0.88	0.78	0.74	0.67	0.47	0.47
<b>GENDER/RACE/HISPANIC ORIGIN</b>						
Male, White, Not Hispanic	0.69	0.73	0.66	0.64	0.53	0.51
Female, White, Not Hispanic	0.65	0.67	0.57	0.60	0.46	0.48
Male, Black, Not Hispanic	1.22	1.27	0.94	1.15	0.76	0.84
Female, Black, Not Hispanic	1.17	1.08	0.95	0.84	0.70	0.61
Male, Hispanic	1.34	1.13	1.06	0.95	0.67	0.72
Female, Hispanic	1.15	1.10	0.95	0.96	0.60	0.61

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 2.18P Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012**

<b>Demographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	0.0007		0.0028		0.0188	
<b>GENDER</b>						
Male	0.0128		0.0150		0.0937	
Female	0.0242		0.0726		0.1022	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.0361		0.0179		0.0219	
White	0.0565		0.0204		0.0287	
Black or African American	0.8789		0.9100		0.5433	
American Indian or Alaska Native	0.9597		0.2975		0.0814	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.6659		0.1692		0.3692	
Two or More Races	0.0321		0.0144		0.4968	
Hispanic or Latino	0.0031		0.0610		0.5422	
<b>GENDER/RACE/HISPANIC ORIGIN</b>						
Male, White, Not Hispanic	0.2179		0.0537		0.0894	
Female, White, Not Hispanic	0.1422		0.1902		0.1822	
Male, Black, Not Hispanic	0.4841		0.3302		0.6138	
Female, Black, Not Hispanic	0.5452		0.2813		0.7058	
Male, Hispanic	0.0106		0.0717		0.8594	
Female, Hispanic	0.1036		0.3833		0.4615	

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 2.19C Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	164	165	163	178	164	170
<b>GENDER</b>						
Male	113	112	118	122	118	121
Female	113	106	110	110	104	101
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	136	137	139	147	143	143
White	276	271	227	224	190	183
Black or African American	100	114	90	92	77	79
American Indian or Alaska Native	38	22	36	18	34	16
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	12
Asian	64	59	47	46	39	35
Two or More Races	39	38	37	30	34	27
Hispanic or Latino	83	80	83	84	73	74
<b>EDUCATION</b>						
< High School	107	113	93	98	88	89
High School Graduate	192	167	164	141	138	121
Some College	218	194	174	159	140	126
College Graduate	117	151	88	101	71	75
<b>CURRENT EMPLOYMENT</b>						
Full-Time	193	202	154	151	136	134
Part-Time	166	165	133	134	112	109
Unemployed	92	96	84	85	76	75
Other <sup>1</sup>	167	131	131	109	101	84

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 2.19D Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Percentages, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	0.48	0.48	0.47	0.51	0.47	0.49
<b>GENDER</b>						
Male	0.65	0.64	0.68	0.70	0.68	0.70
Female	0.65	0.61	0.64	0.64	0.60	0.58
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.50	0.50	0.51	0.53	0.52	0.52
White	0.52	0.52	0.58	0.60	0.62	0.59
Black or African American	1.13	1.23	1.20	1.16	1.11	1.10
American Indian or Alaska Native	2.65	3.53	4.60	4.43	5.76	4.61
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	5.30
Asian	2.29	2.49	1.97	2.06	1.82	1.68
Two or More Races	2.64	2.73	3.07	3.00	3.14	2.91
Hispanic or Latino	1.16	1.11	1.16	1.16	1.02	1.02
<b>EDUCATION</b>						
< High School	1.17	1.08	1.20	1.20	1.22	1.15
High School Graduate	0.79	0.78	0.80	0.80	0.77	0.80
Some College	0.78	0.72	0.81	0.81	0.79	0.75
College Graduate	1.10	1.29	1.18	1.33	1.10	1.14
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.66	0.69	0.73	0.78	0.72	0.77
Part-Time	0.86	0.83	0.89	0.90	0.88	0.82
Unemployed	1.26	1.25	1.33	1.33	1.33	1.32
Other <sup>1</sup>	1.12	1.12	1.01	1.03	0.90	0.96

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 2.19P Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012**

<b>Demographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	0.0625		0.0969		0.1211	
<b>GENDER</b>						
Male	0.3951		0.6343		0.7024	
Female	0.0634		0.0428		0.0407	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.1183		0.0556		0.1705	
White	0.3792		0.2882		0.6641	
Black or African American	0.3633		0.2257		0.1811	
American Indian or Alaska Native	0.0119		0.0071		0.1110	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.6823		0.9958		0.8343	
Two or More Races	0.9912		0.2216		0.3360	
Hispanic or Latino	0.3140		1.0000		0.4543	
<b>EDUCATION</b>						
< High School	0.1702		0.1904		0.1020	
High School Graduate	0.0180		0.0108		0.0049	
Some College	0.9936		0.9305		0.3494	
College Graduate	0.9904		0.8230		0.8040	
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.7081		0.9812		0.8690	
Part-Time	0.0310		0.0643		0.0425	
Unemployed	0.6898		0.1332		0.1553	
Other <sup>1</sup>	0.0785		0.5753		0.9809	

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 2.20C Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics:  
Standard Errors of Numbers in Thousands, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	890	889	882	842	841	803
<b>GENDER</b>						
Male	514	529	633	606	605	590
Female	657	680	546	554	525	511
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	795	816	815	800	788	758
White	1,674	1,637	880	880	806	781
Black or African American	540	615	343	378	329	360
American Indian or Alaska Native	91	94	67	73	64	62
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	315	300	168	143	155	128
Two or More Races	232	217	176	146	175	141
Hispanic or Latino	373	364	325	313	286	282
<b>EDUCATION</b>						
< High School	593	606	454	420	435	391
High School Graduate	882	867	589	571	542	525
Some College	840	821	491	501	475	465
College Graduate	1,089	1,125	466	496	404	414
<b>CURRENT EMPLOYMENT</b>						
Full-Time	1,284	1,300	735	737	667	639
Part-Time	523	579	297	328	280	302
Unemployed	341	287	249	221	231	214
Other <sup>1</sup>	1,003	960	556	516	526	506

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 2.20D Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics:  
Standard Errors of Percentages, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	0.44	0.44	0.44	0.42	0.42	0.40
<b>GENDER</b>						
Male	0.54	0.55	0.66	0.63	0.63	0.61
Female	0.63	0.64	0.52	0.52	0.50	0.48
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.46	0.47	0.47	0.46	0.46	0.44
White	0.47	0.47	0.52	0.52	0.50	0.48
Black or African American	1.34	1.36	1.28	1.30	1.27	1.28
American Indian or Alaska Native	3.47	3.63	5.46	5.07	5.34	4.97
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	2.46	2.43	1.64	1.36	1.48	1.20
Two or More Races	2.48	2.61	4.54	4.06	4.67	4.03
Hispanic or Latino	1.35	1.28	1.18	1.10	1.03	0.99
<b>EDUCATION</b>						
< High School	1.22	1.23	1.28	1.26	1.23	1.21
High School Graduate	0.76	0.76	0.80	0.82	0.77	0.79
Some College	0.78	0.76	0.81	0.82	0.80	0.78
College Graduate	0.76	0.81	0.66	0.66	0.59	0.57
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.57	0.58	0.57	0.57	0.54	0.51
Part-Time	1.22	1.17	1.12	1.13	1.07	1.07
Unemployed	1.82	2.08	2.00	2.25	1.92	2.21
Other <sup>1</sup>	0.83	0.82	0.78	0.70	0.75	0.69

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 2.20P Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics:  
P Values from Tests of Differences of Percentages, 2013 Versus 2012**

<b>Demographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	0.5528		0.0903		0.0148	
<b>GENDER</b>						
Male	0.9294		0.0173		0.0065	
Female	0.3981		0.9902		0.4898	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.6691		0.0723		0.0106	
White	0.7621		0.0699		0.0140	
Black or African American	0.1169		0.8348		0.8853	
American Indian or Alaska Native	0.8752		0.6937		0.3168	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.4096		0.7092		0.5556	
Two or More Races	0.7937		0.3768		0.2004	
Hispanic or Latino	0.5076		0.9878		0.9253	
<b>EDUCATION</b>						
< High School	0.2160		0.5833		0.4841	
High School Graduate	0.6330		0.2681		0.1837	
Some College	0.3599		0.9116		0.4990	
College Graduate	0.8120		0.4681		0.2758	
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.4924		0.6416		0.0477	
Part-Time	0.0040		0.7604		0.9449	
Unemployed	0.4839		0.8465		0.3857	
Other <sup>1</sup>	0.3476		0.0391		0.1172	

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 2.21C Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics:  
Standard Errors of Numbers in Thousands, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	914	909	921	873	874	834
<b>GENDER</b>						
Male	521	542	649	635	613	615
Female	674	685	575	565	552	522
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	816	827	849	829	819	785
White	1,733	1,690	938	929	856	824
Black or African American	571	653	371	407	353	381
American Indian or Alaska Native	108	99	79	75	76	65
Native Hawaiian or Other Pacific Islander	*	*	*	55	*	47
Asian	329	313	179	155	162	136
Two or More Races	236	219	182	151	180	145
Hispanic or Latino	381	379	341	332	298	293
<b>EDUCATION</b>						
< High School	609	627	468	443	448	412
High School Graduate	905	896	620	600	565	552
Some College	867	849	518	526	495	483
College Graduate	1,113	1,155	489	519	420	431
<b>CURRENT EMPLOYMENT</b>						
Full-Time	1,318	1,337	770	772	692	671
Part-Time	545	612	321	355	296	322
Unemployed	353	306	264	237	244	227
Other <sup>1</sup>	1,005	961	570	532	535	518

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 2.21D Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics:  
Standard Errors of Percentages, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	0.39	0.38	0.39	0.37	0.37	0.35
<b>GENDER</b>						
Male	0.46	0.47	0.57	0.55	0.54	0.54
Female	0.55	0.56	0.47	0.46	0.45	0.42
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.41	0.41	0.42	0.41	0.41	0.39
White	0.41	0.42	0.47	0.47	0.46	0.44
Black or African American	1.13	1.13	1.09	1.09	1.08	1.06
American Indian or Alaska Native	2.86	3.03	4.47	4.19	4.51	4.16
Native Hawaiian or Other Pacific Islander	*	*	*	5.76	*	5.16
Asian	2.16	2.09	1.45	1.23	1.30	1.06
Two or More Races	2.10	2.20	3.59	3.31	3.69	3.27
Hispanic or Latino	1.09	1.06	0.98	0.93	0.86	0.82
<b>EDUCATION</b>						
< High School	1.04	1.03	1.10	1.07	1.06	1.03
High School Graduate	0.65	0.65	0.69	0.71	0.66	0.68
Some College	0.64	0.63	0.67	0.68	0.66	0.63
College Graduate	0.73	0.76	0.64	0.64	0.57	0.55
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.52	0.52	0.52	0.52	0.49	0.47
Part-Time	0.91	0.88	0.86	0.84	0.80	0.80
Unemployed	1.30	1.42	1.46	1.55	1.40	1.52
Other <sup>1</sup>	0.75	0.75	0.71	0.65	0.68	0.64

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 2.21P Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics:  
P Values from Tests of Differences of Percentages, 2013 Versus 2012**

<b>Demographic Characteristic</b>	<b>Lifetime (2012)</b>	<b>Lifetime (2013)</b>	<b>Past Year (2012)</b>	<b>Past Year (2013)</b>	<b>Past Month (2012)</b>	<b>Past Month (2013)</b>
<b>TOTAL</b>	0.7876		0.0481		0.0073	
<b>GENDER</b>						
Male	0.7962		0.0157		0.0058	
Female	0.5861		0.6942		0.2869	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.8614		0.0358		0.0059	
White	0.8653		0.0509		0.0137	
Black or African American	0.1643		0.9737		0.9104	
American Indian or Alaska Native	0.7114		0.3503		0.1603	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.3814		0.7270		0.6022	
Two or More Races	0.8637		0.2561		0.1451	
Hispanic or Latino	0.6765		0.9693		0.7773	
<b>EDUCATION</b>						
< High School	0.3376		0.5549		0.3914	
High School Graduate	0.3482		0.1296		0.0700	
Some College	0.3387		0.8713		0.6297	
College Graduate	0.8309		0.4364		0.2448	
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.4594		0.6314		0.0485	
Part-Time	0.0284		0.7748		0.4889	
Unemployed	0.3224		0.9469		0.6357	
Other <sup>1</sup>	0.2647		0.0282		0.1141	

\*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.